Appendix

Below are the tables of contents for the first eleven issues of the reprint collection.

The DØ Experiment at Fermilab
Reprints from *Physical Review Letters* and *Physical Review D*
1994-1995

No. 1

Physical Review Letters, Vol. 72 (1994)

First generation leptoquark search in $p\bar{p}$ collisions at $\sqrt{s}$=1.8 TeV . . . . . S. Abachi *et al.* 965 (1)
Search for the top quark in $p\bar{p}$ collisions at $\sqrt{s}$=1.8 TeV . . . . . S. Abachi *et al.* 2138 (6)
Rapidity gaps between jets in $p\bar{p}$ collisions at $\sqrt{s}$=1.8 TeV . . . . . S. Abachi *et al.* 2332 (11)

Physical Review Letters, Vol. 74 (1995)

Search for high mass top quark production in $p\bar{p}$ collisions at $\sqrt{s}$=1.8 TeV . . . . S. Abachi *et al.* 2422 (16)
Observation of the top quark . . . . . S. Abachi *et al.* 2632 (21)
Inclusive μ and b-quark production cross sections in $p\bar{p}$ collisions at $\sqrt{s}$=1.8 TeV . S. Abachi *et al.* 3548 (27)

Physical Review Letters, Vol. 75 (1995)

Search for squarks and gluinos in $p\bar{p}$ collisions at $\sqrt{s}$=1.8 TeV . . . . . S. Abachi *et al.* 618 (32)
Search for W boson pair production in $p\bar{p}$ collisions at $\sqrt{s}$=1.8 TeV . . . . . S. Abachi *et al.* 1023 (38)
Limits on the anomalous $ZZ\gamma$ and $Z\gamma\gamma$ couplings in $p\bar{p}$ collisions at $\sqrt{s}$=1.8 TeV . S. Abachi *et al.* 1028 (43)
Measurement of the $WW\gamma$ gauge boson couplings in $p\bar{p}$ collisions at $\sqrt{s}$=1.8 TeV . S. Abachi *et al.* 1034 (49)
W and Z boson production in $p\bar{p}$ collisions at $\sqrt{s}$=1.8 TeV . . . . . S. Abachi *et al.* 1456 (55)
Study of the strong coupling constant using W + jet processes . . . . . S. Abachi *et al.* 3226 (61)
Second generation leptoquark search in $p\bar{p}$ collisions at $\sqrt{s}$=1.8 TeV . . . . . S. Abachi *et al.* 3618 (67)

Physical Review D, Vol. 52 (1995)

Top quark search with the D0 1992–1993 data sample . . . . . S. Abachi *et al.* 4877 (73)

Physics Letters, Vol. B357 (1995)

Transverse Energy Distribution Within Jets in $p\bar{p}$ Collisions at 1.8 TeV . . . . . S. Abachi *et al.* 500

Physics Letters, Vol. B358 (1995)

Search for Heavy W Bosons in 1.8 TeV $p\bar{p}$ Collisions . . . . . S. Abachi *et al.* 405

Nucl. Instrum. Methods Phys. Res., Vol. A324 (1993)

Beam Test of the D0 Uranium Liquid Argon End Calorimeters . . . . . S. Abachi *et al.* 53

Nucl. Instrum. Methods Phys. Res., Vol. A338 (1994)

The D0 Detector . . . . . S. Abachi *et al.* 185

The DØ Experiment at Fermilab
Reprints from *Physical Review Letters* and *Physical Review D*
1996 No. 2

Physical Review Letters, Vol. 76 (1996)

Jet production via strongly interacting color-singlet exchange in $p\bar{p}$ collisions . . . S. Abachi *et al.* 734 (1)
Search for light top squarks in $p\bar{p}$ collisions at $\sqrt{s}$=1.8 TeV . . . . . S. Abachi *et al.* 2222 (7)
Search for $\tilde{W}_1\tilde{Z}_2$ production via trilepton final states in $p\bar{p}$ collisions at $\sqrt{s}$=1.8 TeV S. Abachi *et al.* 2228 (13)
Search for right-handed W bosons and heavy $W\prime$ in $p\bar{p}$ collisions at $\sqrt{s}$=1.8 TeV . S. Abachi *et al.* 3271 (19)

Physical Review Letters, Vol. 77 (1996)

Azimuthal decorrelation of jets widely separated in rapidity . . . . . S. Abachi *et al.* 595 (25)
Search for anomalous WW and WZ production in $p\bar{p}$ collisions at $\sqrt{s}$ = 1.8 TeV . S. Abachi *et al.* 3303 (31)
Measurement of the W boson mass . . . . . S. Abachi *et al.* 3309 (37)
Isolated photon cross section in the central and forward rapidity regions in $p\bar{p}$ collisions at $\sqrt{s}$=1.8 TeV
. . . . . S. Abachi *et al.* 5011 (43)

Physical Review D, Vol. 53 (1996)

Studies of topological distributions of inclusive three- and four-jet events in $\bar{p}p$ collisions at $\sqrt{s}$=1800 GeV with the D0 detector . . . . . S. Abachi *et al.* 6000 (48)

Physics Letters, Vol. B370 (1996)

J/Ψ Production in $p\bar{p}$ Collisions at CM Energy of 1.8 TeV . . . . . S. Abachi *et al.* 239

Physics Letters, Vol. B385 (1996)

Search for Additional Neutral Gauge Bosons . . . . . S. Abachi *et al.* 471

The DØ Experiment at Fermilab
Reprints from *Physical Review Letters* and *Physical Review D*
1997 No. 3

Physical Review Letters, Vol. 78 (1997)

Search for diphoton events with large missing transverse energy in $p\bar{p}$ collisions at $\sqrt{s}$=1.8 TeV . . . . . S. Abachi *et al.* 2070 (1)
Limits on anomalous $WW\gamma$ couplings from $p\bar{p}\rightarrow W\gamma+X$ events at $\sqrt{s}$=1.8 TeV . . S. Abachi *et al.* 3634 (6)
Study of the $ZZ\gamma$ and $Z\gamma\gamma$ couplings in $Z(\nu\nu)\gamma$ production . . . . . S. Abachi *et al.* 3640 (12)
Search for a fourth generation charge $-1/3$ quark via flavor changing neutral current decay . . . . . S. Abachi *et al.* 3818 (18)

Physical Review Letters, Vol. 79 (1997)

Direct measurement of the top quark mass . . . . . S. Abachi *et al.* 1197 (24)
Measurement of the top quark pair production cross section in $p\bar{p}$ collisions . . . . S. Abachi *et al.* 1203 (30)
Limits on WWZ and $WW\gamma$ couplings from $p\bar{p}\rightarrow e\nu jjX$ events at $\sqrt{s}$=1.8 TeV . B. Abbott *et al.* 1441 (36)
Search for scalar leptoquark pairs decaying to electrons and jets in $\bar{p}p$ collisions . B. Abbott *et al.* 4321 (42)

Physical Review D, Vol. 56 (1997)

Studies of gauge boson pair production and trilinear couplings . . . . . S. Abachi *et al.* 6742 (48)

Physics Letters, Vol. B414 (1997)

Color Coherent Radiation in Multijet Events from $p\bar{p}$ Collisions at $\sqrt{s}$=1.8 TeV . . S. Abachi *et al.* 419

The DØ Experiment at Fermilab
Reprints from *Physical Review Letters* and *Physical Review D*
1998 No. 4

Physical Review Letters, Vol. 80 (1998)

Experimental search for chargino and neutralino production in supersymmetry models with a light gravitino . . . B. Abbott *et al.* 442 (1)
Measurement of dijet angular distributions and search for quark compositeness . B. Abbott *et al.* 666 (7)
Search for trilepton signatures from associated gaugino pair production . . . . B. Abbott *et al.* 1591 (13)
Search for first generation scalar leptoquark pairs in $p\bar{p}$ collisions at $\sqrt{s}$=1.8 TeV B. Abbott *et al.* 2051 (19)
Measurement of the top quark mass using dilepton events . . . . . B. Abbott *et al.* 2063 (25)
A measurement of the W boson mass at the Fermilab $p\bar{p}$ collider . . . . . B. Abbott *et al.* 3008 (31)
Measurement of the shape of the transverse momentum distribution of W bosons produced in $p\bar{p}$ collisions at $\sqrt{s}$=1.8 TeV . . . . . B. Abbott *et al.* 5498 (37)

Physical Review Letters, Vol. 81 (1998)

Search for charge-1/3 third-generation leptoquarks in $p\bar{p}$ collisions at $\sqrt{s}$=1.8 TeV B. Abbott *et al.* 38 (43)
Search for heavy pointlike Dirac monopoles . . . . . B. Abbott *et al.* 524 (49)

Physical Review D, Vol. 57 (1998)

Search for top squark pair production in the dielectron channel . . . . . S. Abachi *et al.* 589 (55)
$Z\gamma$ production in $p\bar{p}$ collisions at $\sqrt{s}$=1.8 TeV and limits on anomalous $ZZ\gamma$ and $Z\gamma\gamma$ couplings . . . . . B. Abbott *et al.* 3817 (60)

Physical Review D, Vol. 58 (1998)

Determination of the mass of the W boson using the DØ detector at the Fermilab Tevatron . . . . . B. Abbott *et al.* 12002 (65)
Limits on anomalous $WW\gamma$ and WWZ couplings . . . . . B. Abbott *et al.* 31102 (114)
Limits on $WW\gamma$ and WWZ couplings from W boson pair production . . . . . B. Abbott *et al.* 51101 (120)
Direct measurement of the top quark mass by the D0 Collaboration . . . . . B. Abbott *et al.* 52001 (126)
Measurement of the W boson mass . . . . . B. Abbott *et al.* 92003 (165)

Physics Letters, Vol. B423 (1998)

Search for the Decay $b \to X_s\mu^+\mu^-$ . . . . . B. Abbott *et al.* 419

Physics Letters, Vol. B440 (1998)

Probing Hard Color-Singlet Exchange in $p\bar{p}$ Collisions at $\sqrt{s}$=630 GeV and 1800 GeV . . . . . B. Abbott *et al.* 189

The DØ Experiment at Fermilab
Reprints from *Physical Review Letters* and *Physical Review D*
1999

No. 5

Physical Review Letters, Vol. 82 (1999)

Search for squarks and gluinos in single-photon events with jets and large missing transverse energy in $p\bar{p}$ collisions at $\sqrt{s}$=1.8 TeV . . . . . B. Abbott *et al.* 29 (1)
Small angle J/ψ production in $p\bar{p}$ collisions at $\sqrt{s}$=1.8 TeV . . . . . B. Abbott *et al.* 35 (7)
Search for nonstandard Higgs bosons using high mass photon pairs in $p\bar{p}\rightarrow\gamma\gamma$+2 jets at $\sqrt{s}$=1.8 TeV . . . . . B. Abbott *et al.* 2244 (13)
Inclusive jet cross section in $\bar{p}p$ collisions at $\sqrt{s}$=1.8 TeV . . . . . B. Abbott *et al.* 2451 (19)
Dijet mass spectrum and a search for quark compositeness in $\bar{p}p$ collisions at $\sqrt{s}$=1.8 TeV . . . . . B. Abbott *et al.* 2457 (25)
Measurement of the high-mass Drell-Yan cross section and limits on quark-electron compositeness scales . . . . . B. Abbott *et al.* 4769 (31)
Search for charged Higgs bosons in decays of top quark pairs . . . . . B. Abbott *et al.* 4975 (37)

Physical Review Letters, Vol. 83 (1999)

Measurement of the top quark pair production cross section in the all-jets decay channel B. Abbott *et al.* 1908 (43)
Search for second generation leptoquark pairs decaying to $\mu\nu$+jets in $p\bar{p}$ collisions at $\sqrt{s}$=1.8 TeV . . . . . B. Abbott *et al.* 2896 (49)
Search for R-parity violating supersymmetry in the dielectron channel . . . . . B. Abbott *et al.* 4476 (55)
Search for squarks and gluinos in events containing jets and a large imbalance in transverse energy . . . . . B. Abbott *et al.* 4937 (61)

Physical Review D, Vol. 60 (1999)

Measurement of the top quark pair production cross section in $p\bar{p}$ collisions using multijet final states . . . . . B. Abbott *et al.* 12001 (67)
Search for bottom squarks in $p\bar{p}$ collisions at $\sqrt{s}$=1.8 TeV . . . . . B. Abbott *et al.* 31101 (93)
Measurement of the top quark mass in the dilepton channel . . . . . B. Abbott *et al.* 52001 (98)
Measurement of W and Z boson production cross sections in $p\bar{p}$ collisions at $\sqrt{s}$=1.8 TeV . . . . . B. Abbott *et al.* 52003 (119)
Studies of WW and WZ production and limits on anomalous $WW\gamma$ and WWZ couplings . . . . . B. Abbott *et al.* 72002 (140)

Physics Letters, Vol. B464(1999)

Evidence of Color Coherence Effects in W+Jets Events from $\bar{p}p$ Collisions at $\sqrt{s}$=1.8 TeV . . . . . B. Abbott *et al.* 145

Nucl. Intrum. Methods Phys. Res., Vol. A424 (1999)

Determination of the Absolute Jet Energy Scale of the D0 Calorimeters . . . . B. Abbott *et al.* 352

The DØ Experiment at Fermilab
Reprints from *Physical Review Letters* and *Physical Review D*
2000 No. 6

Physical Review Letters, Vol. 84 (2000)

Measurement of the W boson mass using electrons at large rapidities . . . . . B. Abbott *et al.* 222 (1)
Search for second-generation leptoquark pairs in $\bar{p}p$ collisions at $\sqrt{s}$=1.8 TeV . . B. Abbott *et al.* 2088 (7)
Isolated photon cross section in $p\bar{p}$ collisions at $\sqrt{s}$=1.8 TeV . . . . . B. Abbott *et al.* 2786 (13)
Differential production cross section of Z bosons as a function of transverse momentum at $\sqrt{s}$=1.8 TeV . . . . . B. Abbott *et al.* 2792 (19)
Small-angle muon and bottom-quark production in $p\bar{p}$ collisions at $\sqrt{s}$=1.8 TeV . B. Abbott *et al.* 5478 (25)
Measurement of the $W\rightarrow\tau\nu$ production cross section in $p\bar{p}$ collisions at $\sqrt{s}$=1.8 TeV B. Abbott *et al.* 5710 (31)
Probing Balitsky-Fadin-Kuraev-Lipatov dynamics in the dijet cross section at large rapidity intervals in $p\bar{p}$ collisions at $\sqrt{s}$= 1800 and 630 GeV . . . . . B. Abbott *et al.* 5722 (37)

Physical Review Letters, Vol. 85 (2000)

Spin correlation in $\bar{t}t$ production from $\bar{p}p$ collisions at $\sqrt{s}$=1.8 TeV . . . . . B. Abbott *et al.* 256 (43)
Cross section for b-jet production in $\bar{p}p$ collisions at $\sqrt{s}$=1.8 TeV . . . . . B. Abbott *et al.* 5068 (49)

Physical Review D, Vol. 61 (2000)

Measurement of the inclusive differential cross section for Z bosons as a function of transverse momentum in $\bar{p}p$ collisions at $\sqrt{s}$=1.8 TeV . . . . . B. Abbott *et al.* 32004 (55)
Extraction of the width of the W boson from measurements of $\sigma(\bar{p}p\rightarrow W+X)\times B(W\rightarrow e\nu)$ and $\sigma(\bar{p}p\rightarrow Z+X)\times B(Z\rightarrow ee)$ and their ratio . . . . . B. Abbott *et al.* 72001 (74)

Physical Review D, Vol. 62 (2000)

Limits on quark compositeness from high energy jets in $\bar{p}p$ collisions at 1.8 TeV . B. Abbott *et al.* 31101 (96)
Limits on anomalous $WW\gamma$ and WWZ couplings from $WW/WZ\rightarrow e\nu jj$ production B. Abbott *et al.* 52005 (102)
Search for R-parity violation in multilepton final states in $p\bar{p}$ collisions at $\sqrt{s}$=1.8 TeV B. Abbott *et al.* 71701 (120)
Search for new physics in $e\mu X$ data at DØ using SLEUTH: A quasi-model-independent search strategy for new physics . . . . . B. Abbott *et al.* 92004 (125)
Measurement of the W boson mass using large rapidity electrons . . . . . B. Abbott *et al.* 92006 (144)

Physics Letters, Vol. B487 (2000)

The $b\bar{b}$ Production Cross Section and Angular Correlations in $p\bar{p}$ Collisions at $\sqrt{s}$=1.8 TeV . . . . . B. Abbott *et al.* 264

The DØ Experiment at Fermilab
Reprints from *Physical Review Letters* and *Physical Review D*
2001 No. 7

Physical Review Letters, Vol. 86 (2001)

Search for large extra dimensions in dielectron and diphoton production . . . . B. Abbott *et al.* 1156 (1)
Inclusive jet production in $p\bar{p}$ collisions . . . . . B. Abbott *et al.* 1707 (7)
Ratios of multijet cross sections in $p\bar{p}$ collisions at $\sqrt{s}$=1.8 TeV . . . . . B. Abbott *et al.* 1955 (13)
Ratio of jet cross sections at $\sqrt{s}$=630 GeV and 1800 GeV . . . . . B. Abbott *et al.* 2523 (19)
Quasi-model-independent search for new high p_T physics at D0 . . . . . B. Abbott *et al.* 3712 (25)

Physical Review Letters, Vol. 87 (2001)

Search for heavy particles decaying into electron-positron pairs in $p\bar{p}$ collisions V.M. Abazov *et al.* 61802 (31)
Search for new physics using QUAERO: A general interface to D0 event data . V.M. Abazov *et al.* 231801 (37)
Ratio of isolated photon cross sections in $p\bar{p}$ collisions at $\sqrt{s}$=630 and 1800 GeV V.M. Abazov *et al.* 251805 (43)

Physical Review D, Vol. 63 (2001)

Search for electroweak production of single top quarks in $p\bar{p}$ collisions . . . . . B. Abbott *et al.* 31101 (50)
Measurement of the angular distribution of electrons from $W \to e\nu$ decays observed in $p\bar{p}$ collisions at $\sqrt{s}$=1.8 TeV . . . . . B. Abbott *et al.* 72001 (56)
Search for dilepton signatures from minimal low-energy supergravity in $p\bar{p}$ collisions at $\sqrt{s}$=1.8 TeV . . . . . B. Abbott *et al.* 91102 (68)

Physical Review D, Vol. 64 (2001)

Quasi-model-independent search for new physics at large transverse momentum V.M. Abazov *et al.* 12004 (74)
High-p_T jets in $\bar{p}p$ collisions at $\sqrt{s}$=630 and 1800 GeV . . . . . B. Abbott *et al.* 32003 (98)
Search for first-generation scalar and vector leptoquarks . . . . . V.M. Abazov *et al.* 92004 (167)

Physics Letters, Vol. B513 (2001)

Differential cross section for W boson production as a function of transverse momentum in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV . . . . . B. Abbott *et al.* 292

Physics Letters, Vol. B517 (2001)

Search for the single top production at D0 using neural networks . . . . . V. M. Abazov *et al.* 282
Measurement of the ratio of differential cross sections for W and Z boson production as a function of transverse momentum in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV . . . . . V. M. Abazov *et al.* 299

The DØ Experiment at Fermilab
Reprints from *Physical Review Letters* and *Physical Review D*
2002 No. 8

Physical Review Letters, Vol. 88 (2002)

Direct search for charged Higgs bosons in decays of top quarks . . . . . V.M. Abazov *et al.* 151803 (1)
Search for the scalar top quark in $p\bar{p}$ collisions at $\sqrt{s}$=1.8 TeV . . . . . V.M. Abazov *et al.* 171802 (7)
Search for leptoquark pairs decaying into $\nu\nu$+ jets in $p\bar{p}$ collisions at $\sqrt{s}$=1.8 TeV V.M. Abazov *et al.* 191801 (13)

Physical Review Letters, Vol. 89 (2002)

Search for R-parity violating supersymmetry in two-muon and four-jet topologies V.M. Abazov *et al.* 171801 (20)
Search for the production of single sleptons through R-parity violation in $p\bar{p}$ collisions at $\sqrt{s}$=1.8 TeV . . . . . V.M. Abazov *et al.* 261801 (26)

Physical Review D, Vol. 65 (2002)

Subjet multiplicity of gluon and quark jets reconstructed with the $k_\perp$ algorithm in $p\bar{p}$ collisions . . . . . V.M. Abazov *et al.* 52008 (32)

Physical Review D, Vol. 66 (2002)

Improved W boson mass measurement with the DØ detector . . . . . V.M. Abazov *et al.* 12001 (52)
Direct measurement of the W boson decay width . . . . . V.M. Abazov *et al.* 32008 (70)
Search for minimal supergravity in single-electron events with jets and large missing transverse energy in $p\bar{p}$ collisions at $\sqrt{s}$=1.8 TeV . . . . . V.M. Abazov *et al.* 112001 (80)

Physics Letters, Vol. B525 (2002)

The inclusive jet cross section in $p\bar{p}$ collisions ate $\sqrt{s}$ = 1.8 TeV using the $k_\perp$ algorithm . . . . . V. M. Abazov *et al.* 211

Physics Letters, Vol. B531 (2002)

Hard Single Diffraction in $p\bar{p}$ Collisions at $\sqrt{s}$ = 630 and 1800 GeV . . . . . B. Abbott *et al.* 52

The DØ Experiment at Fermilab
Reprints from *Physical Review Letters* and *Physical Review D*
2003-2004 No. 9

Physical Review Letters, Vol. 90 (2003)

Search for large extra dimensions in the monojet + $\not{E}_T$ channel with the DØ detector V.M. Abazov *et al.* 251802 (1)

Physical Review Letters, Vol. 92 (2004)

Search for narrow $t\bar{t}$ resonances in $p\bar{p}$ collisions at $\sqrt{s}$=1.8 TeV . . . . . V.M. Abazov *et al.* 221801 (7)

Physical Review Letters, Vol. 93 (2004)

Search for pair production of light scalar top quarks in $p\bar{p}$ collisions at $\sqrt{s}$=1.8 TeV . . . . . V.M. Abazov *et al.* 11801 (13)

Search for doubly charged Higgs boson pair production in the decay to $\mu^+\mu^+\mu^-\mu^-$ in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV . . . . . V.M. Abazov *et al.* 141801 (19)

Observation and properties of the $X(3872)$ decaying to $J/\psi\,\pi^+\pi^-$ in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV . . . . . V.M. Abazov *et al.* 162002 (27)

Physical Review D, Vol. 67 (2003)

$t\bar{t}$ production cross section in $p\bar{p}$ collisions at $\sqrt{s}$=1.8 TeV . . . . . V.M. Abazov *et al.* 12004 (33)

Multiple jet production at low transverse energies in $p\bar{p}$ collisions at $\sqrt{s}$=1.8 TeV V.M. Abazov *et al.* 52001 (86)

Physical Review D, Vol. 69 (2004)

Search for new particles in the two-jet decay channel with the DØ detector . . V.M. Abazov *et al.* 111101 (95)

Physical Review D, Vol. 70 (2004)

Combination of CDF and DØ results on the W boson mass and width . . . . V.M. Abazov *et al.* 92008 (100)

Physics Letters, Vol. B574 (2003)

Observation of diffractively produced W and Z bosons in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV . . . . . V.M. Abazov *et al.* 169

Physics Letters, Vol. B581 (2004)

Search for 3- and 4-body decays of the scalar top quark in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV . . . . . V.M. Abazov *et al.* 144

Nature, Vol. 429 (2004)

A precision measurement of the mass of the top quark . . . . . V.M. Abazov *et al.* 638

The DØ Experiment at Fermilab
Reprints from *Physical Review Letters* and *Physical Review D*
2005 No. 10

Physical Review Letters, Vol. 94 (2005)

Search for supersymmetry with gauge-mediated breaking in diphoton events at DØ	V.M. Abazov *et al.*	41801	(1)
Measurement of the B_s^0 lifetime in the exclusive decay channel $B_s^0 \to J/\psi\phi$	V.M. Abazov *et al.*	42001	(8)
Search for the flavor-changing neutral current decay $B_s^0 \to \mu^+\mu^-$ in $p\bar{p}$ collisions at $\sqrt{s}$=1.96 TeV with the D0 detector	V.M. Abazov *et al.*	71802	(15)
Search for $Wb\bar{b}$ and WH production in $p\bar{p}$ collisions at $\sqrt{s}$=1.96 TeV	V.M. Abazov *et al.*	91802	(22)
Measurement of the Λ_b^0 lifetime in the decay $\Lambda_b^0 \to J/\psi\Lambda^0$ with the D0 detector	V.M. Abazov *et al.*	102001	(29)
Measurement of the WW production cross section in $p\bar{p}$ collisions at $\sqrt{s}$=1.96 TeV	V.M. Abazov *et al.*	151801	(36)
Search for anomalous heavy-flavor quark production in association with W bosons	V.M. Abazov *et al.*	152002	(43)
Measurement of the ratio of inclusive cross sections $\sigma(p\bar{p} \to Z+b\,\text{jet})/\sigma(p\bar{p} \to Z+\text{jet})$ at $\sqrt{s}$=1.96 TeV	V.M. Abazov *et al.*	161801	(50)
Measurement of the ratio of B^+ and B^0 meson lifetimes	V.M. Abazov *et al.*	182001	(57)
Measurement of dijet azimuthal decorrelations at central rapidities in $p\bar{p}$ collisions at $\sqrt{s}$=1.96 TeV	V.M. Abazov *et al.*	221801	(64)
Measurement of inclusive differential cross sections for $\Upsilon(1S)$ production in $p\bar{p}$ collisions at $\sqrt{s}$ = 1.96 TeV	V.M. Abazov *et al.*	232001	(71)

Physical Review Letters, Vol. 95 (2005)

Study of $Z\gamma$ events and limits on anomalous $ZZ\gamma$ and $Z\gamma\gamma$ couplings in $p\bar{p}$ collisions at $\sqrt{s}$=1.96 TeV	V.M. Abazov *et al.*	51802	(78)
Search for Randall-Sundrum gravitons in dilepton and diphoton final states	V.M. Abazov *et al.*	91801	(85)
Production of WZ events in $p\bar{p}$ collisions at $\sqrt{s}$ = 1.96 TeV and limits on anomalous WWZ couplings	V.M. Abazov *et al.*	141802	(92)
Search for neutral supersymmetric Higgs bosons in multijet events at $\sqrt{s}$ = 1.96 TeV	V.M. Abazov *et al.*	151801	(99)
Search for supersymmetry via associated production of charginos and neutralinos in final states with three leptons	V.M. Abazov *et al.*	151805	(106)
Search for large extra spatial dimensions in dimuon production with the D0 detector	V.M. Abazov *et al.*	161602	(113)
Measurement of the lifetime difference in the B_s^0 system	V.M. Abazov *et al.*	171801	(121)
Measurement of semileptonic branching fractions of B mesons to narrow D^{**} states	V.M. Abazov *et al.*	171803	(128)

Physical Review D, Vol. 71 (2005)

Search for first-generation scalar leptoquarks in $p\bar{p}$ collisions at $\sqrt{s}$=1.96 TeV	V.M. Abazov *et al.*	71104	(135)
Measurement of the $p\bar{p} \to W\gamma+X$ cross section at $\sqrt{s}$=1.96 TeV and $WW\gamma$ anomalous coupling limits	V.M. Abazov *et al.*	91108	(142)

Physical Review D, Vol. 72 (2005)

Search for right-handed W bosons in top quark decay	V.M. Abazov *et al.*	11104	(149)

Physics Letters, Vol. B606 (2005)

Measurement of the top quark mass in all-jet events	V. M. Abazov *et al.*	25

Physics Letters, Vol. B617 (2005)

Helicity of the W boson in lepton + jets $t\bar{t}$ events	V. M. Abazov *et al.*	1

(Continued)

Physics Letters, Vol. B622 (2005)

Search for single top quark production in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV . . . V. M. Abazov *et al.* 265

Physics Letters, Vol. B626 (2005)

Measurement of the $t\bar{t}$ production cross section in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV using lepton + jets events with lifetime b-tagging . . . . . V. M. Abazov *et al.* 35
Measurement of the $t\bar{t}$ production cross section in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV using kinematic characteristics of lepton + jets events . . . . . V. M. Abazov *et al.* 45
Measurement of the $t\bar{t}$ production cross section in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV in dilepton final states . . . . . V. M. Abazov *et al.* 55

Physical Review Letters, Vol. 96 (2006)

Search for the Higgs boson in $H \to WW^{(*)}$ decays in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV V.M. Abazov *et al.* 11801 (1)

Physical Review Letters, Vol. 97 (2006)

Direct limits on the B_s^0 oscillation frequency . . . . . V.M. Abazov *et al.* 21802 (8)
Search for resonant second generation slepton production at the Fermilab Tevatron V.M. Abazov *et al.* 111801 (15)
Search for neutral Higgs bosons decaying to tau pairs in pp collisions at $\sqrt{s} = 1.96$ TeV V.M. Abazov *et al.* 121802 (22)
Search for associated Higgs boson production $WH \to WWW^* \to l^{+-}\,\nu\, l'^{+-}\,\nu' + X$ in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV . . . . . V.M. Abazov *et al.* 151804 (29)
Search for neutral, long-lived particles decaying into two muons in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV V.M. Abazov *et al.* 161802 (36)
Search for the standard model Higgs boson in the $p\bar{p}$ $ZH \to \nu\bar{\nu}b\bar{b}$ channel . . . V.M. Abazov *et al.* 161803 (43)
Search for pair production of scalar bottom quarks in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV V.M. Abazov *et al.* 171806 (50)
Measurement of the B_s^0 lifetime using semileptonic decays . . . . . V.M. Abazov *et al.* 241801 (57)

Physical Review D, Vol. 73 (2006)

Search for excited muons in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV . . . . . V.M. Abazov *et al.* 111102 (64)

Physical Review D, Vol. 74 (2006)

Search for a heavy resonance decaying into a Z+jet final state in $\bar{p}p$ collisions at $\sqrt{s} = 1.96$ TeV using the D0 detector . . . . . V.M. Abazov *et al.* 11104 (72)
Search for the rare decay $B_s^0 \to \phi\mu^+\mu^-$ with the D0 detector . . . . . V.M. Abazov *et al.* 31107 (80)
Limits on anomalous trilinear gauge couplings from $WW \to e^+e^-$, $WW \to e^\pm\mu^\mp$, and $WW \to \mu^+\mu^-$ events from $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV . . . . . V.M. Abazov *et al.* 57101 (88)
Measurement of the CP-violation parameter of B^0 mixing and decay with $p\bar{p} \to \mu\mu X$ data . . . . . V.M. Abazov *et al.* 92001 (94)
Measurement of the top quark mass in the lepton plus jets final state with the matrix element method V.M. Abazov *et al.* 92005 (106)
Measurement of B_d mixing using opposite-side flavor tagging . . . . . V.M. Abazov *et al.* 112002 (132)
Measurement of the $t\bar{t}$ production cross section in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV using secondary vertex b tagging . . . . . V.M. Abazov *et al.* 112004 (151)

Nuclear Instruments and Methods, Vol. 565 (2006)

The Upgraded DØ Detector . . . . . V.M. Abazov *et al.* 463

Physics Letters, Vol. B636 (2006)

Search for pair production of second generation leptoquarks in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV . . . . . V.M. Abazov *et al.* 183

Physics Letters, Vol. B638 (2006)

Search for Squarks and Gluinos in Events with Jets and Missing Transverse Energy in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96$ TeV . . . . . V.M. Abazov *et al.* 119
Search for R-parity Violating Supersymmetry via the LLE Couplings Λ_{121}, Λ_{122}, or Λ_{133} in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96$ TeV . . . . . V.M. Abazov *et al.* 441

(Continued)

Physics Letters, Vol. B639 (2006)

Measurement of the isolated photon cross section in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96$ TeV V.M. Abazov *et al.* 151
Measurement of $B(t \to bW)/B(t \to qW) at \sqrt(s) = 1.96$ TeV . . . . . V.M. Abazov *et al.* 616

Physics Letters, Vol. B640 (2006)

Search for scalar leptoquarks in the acoplaner jet topology . . . . . V.M. Abazov *et al.* 230

Physics Letters, Vol. B641 (2006)

Search for Particles Decaying to a Z Boson and a Photon in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96$ TeV . . . . . V.M. Abazov *et al.* 415
Search for W' boson production in the top quark decay channel . . . . . V.M. Abazov *et al.* 423