

- D. Zeppenfeld (Fermilab, Batavia, USA, 2000), p. 47.
- [15] D0 Collaboration, V.M. Abazov *et al.*, Nucl. Instrum. Methods Phys. Res. A **620**, 490 (2010).
- [16] M. Mangano *et al.*, J. High Energy Phys. **07**, 001 (2003).
- [17] T. Sjöstrand *et al.*, J. High Energy Phys. **05**, 026 (2006).
- [18] S. Hoeche *et al.*, in *Proceedings of HERA and the LHC: A Workshop on the implications of HERA for LHC physics: Part A*, eds. A. De Roeck and H. Jung (CERN, Geneva, Switzerland, 2004), p. 288
- [19] Z. Was, Nucl. Phys. **B**, Proceedings Supplements, **98** 96 (2001).
- [20] D. J. Lange, Nucl. Instrum. Methods Phys. Res. A **462**, 152 (2001).
- [21] Tevatron Electroweak Working Group, *et al.*, arXiv:1107.5255 [hep-ex].
- [22] R. Brun and F. Carminati, CERN Library Long Writeup, W5013, (1994).
- [23] D0 Collaboration, V. M. Abazov *et al.*, Phys. Rev. Lett. **101**, 241801 (2008).
- [24] D0 Collaboration, V. M. Abazov *et al.*, Phys. Rev. Lett. **102**, 051803 (2009).
- [25] D0 Collaboration, V. M. Abazov *et al.*, Phys. Rev. Lett. **100**, 102002 (2008).
- [26] K. Melnikov and F. Petriello, Phys. Rev. D **74**, 114017 (2006).
- [27] F. James, CERN Library Long Writeup, D506 (1998).
- [28] D0 Collaboration, V.M. Abazov *et al.*, arXiv:1106.1457 [hep-ex].
- [29] T. Gleisberg *et al.*, J. High Energy Phys. **02**, 056 (2004); T. Gleisberg, *et al.*, J. High Energy Phys. **02**, 007 (2009).