

Symposium:

Twenty Beautiful Years of Bottom Physics (b20)

June 29 - July 2, 1997

Illinois Institute of Technology

Chicago, IL, USA

AUG 18 1997

LIBRARY

EPR in B physics and elsewhere

Harry J. Lipkin ^{a,b,c1}^a Department of Particle Physics Weizmann Institute of Science, Rehovot 76100, Israel^b School of Physics and Astronomy, Raymond and Beverly Sackler Faculty of Exact Sciences, Tel Aviv University, Tel Aviv, Israel^c High Energy Physics Division, Argonne National Laboratory, Argonne, IL 60439-4815, USA

Abstract. The application of Einstein-Podolsky-Rosen correlations in $T(4s) \rightarrow B\bar{B}$ decays to research in CP violation is the first and probably only use of EPR as a technique for research in new physics. Elsewhere highly sophisticated EPR projects *question* EPR and test its predictions to look for violations of quantum mechanics, hidden variables, Bell's inequalities, etc.

In 1995 an international conference was held celebrating 60 years of EPR [1]. Nathan Rosen (the R of EPR) was still active and told us about Einstein's view of EPR. My paper on applications to kaon and B physics (ϕ and B factories) [2] was the only talk on the program suggesting that EPR might be *useful*. All the others were on tests of quantum mechanics and included very beautiful photon interferometry experiments using the latest solid state technology to split a photon in a crystal into two photons with different energies and show that the split photons with only a piece of the original energy still exhibited the EPR correlations.

- **Elsewhere:** EPR was questioned and used to check Quantum Mechanics
 - Hidden Variables, Bell's Inequality and Bohmian QM
 - Sophisticated photon interferometry experiments confirm QM.
- **B physics:** EPR not only accepted but also crucial for BaBar.
 - Lepton asymmetry observed in decay of one B of pair from $T(4S)$ "entangled" with ψK_S decay observed from other B .

¹) Supported in part by grant No. I-0304-120-.07/93 from The German-Israeli Foundation for Scientific Research and Development and by the U.S. Department of Energy, Division of High Energy Physics, Contract W-31-109-ENG-38.

The submitted manuscript has been authored by a contractor of the U. S. Government under contract No. W-31-109-ENG-38. Accordingly, the U. S. Government retains a nonexclusive, royalty-free license to publish or reproduce the published form of this contribution, or allow others to do so, for U. S. Government purposes.

ANL-HEP-CP-97-61



0 1160 0057632 2

The problem of Entangled Wave functions

$$\Psi_{(s=0)} = |-\vec{k}(\uparrow); \vec{k}(\downarrow)\rangle - |-\vec{k}(\downarrow); \vec{k}(\uparrow)\rangle = |-\vec{k}(\leftarrow); \vec{k}(\rightarrow)\rangle - |-\vec{k}(\rightarrow); \vec{k}(\leftarrow)\rangle$$

Triggering on events with (Spin \uparrow) and momentum $-\vec{k}$ creates a polarized (Spin \downarrow) beam with momentum \vec{k}

But triggering on events with (Spin \leftarrow) and momentum $-\vec{k}$ creates a polarized (Spin \rightarrow) beam with momentum \vec{k}

- Elsewhere: How is this possible? How can the particle with momentum \vec{k} know what is measured at momentum $-\vec{k}$? Something must be wrong with Quantum Mechanics!
- B physics: Great! We can make polarized beams with momentum \vec{k} and arbitrary polarizations by choosing the right triggers with momentum $-\vec{k}$!

EPR and Entangled Wave functions in B physics at $\Upsilon(4S)$ [3]

Define B^L and B^H as the linear combinations of B^0 and \bar{B}^0 that are mass eigenstates.

Both B^0 and \bar{B}^0 decay into ψK_S .

Define B^1 and B^2 as just those particular linear combinations of B^0 and \bar{B}^0 such that $B^1 \rightarrow \psi K_S$, but B^2 does not decay to ψK_S ; i.e. the B^0 and \bar{B}^0 contributions to $B^2 \rightarrow \psi K_S$ exactly cancel one another.

$$\Upsilon(4S) \rightarrow |B_{-\vec{k}}^0; \bar{B}_{\vec{k}}^0\rangle - |\bar{B}_{-\vec{k}}^0; B_{\vec{k}}^0\rangle = |B_{-\vec{k}}^H; B_{\vec{k}}^L\rangle - |B_{-\vec{k}}^L; B_{\vec{k}}^H\rangle = |B_{-\vec{k}}^1; B_{\vec{k}}^2\rangle - |B_{-\vec{k}}^2; B_{\vec{k}}^1\rangle$$

Triggering on events with B^0 decay observed with momentum $-\vec{k}$ creates a \bar{B}^0 beam with momentum \vec{k}

Triggering on events with B^H observed with momentum $-\vec{k}$ creates a B^L beam with momentum \vec{k}

Triggering on events with $B \rightarrow \psi K_S$ decay observed with momentum $-\vec{k}$ creates a B^2 beam with momentum \vec{k}

If CP is conserved, B^1 and B^2 are both mass eigenstates. Then B^2 decays have no time dependence; no lepton asymmetry.

If CP is violated, B^1 and B^2 are not mass eigenstates. Time dependent lepton asymmetry oscillations can then be observed in B^2 decays.

"B Spin" and CP violation for Pedestrians [4]

Define "B spin" eigenstates in which B^0 and \bar{B}^0 are states of spin-up and spin down in the z-direction of a fictitious B-spin space, the mass eigenstates B^H and B^L are up and down in the x-direction, and the state $B^1 \rightarrow \psi K_S$ has its B spin at some angle in the xy plane with respect to the x axis. The angle is zero if CP is conserved and is simply related to one of the angles of the unitarity triangle in the standard model when CP is violated. The states B^1 and B^2 precess around the x-axis with a frequency given by the $B^H - B^L$ mass difference. All experiments are simply described as measurements of polarizations and polarization correlations in this B spin space.

REFERENCES

1. To be published as Proceedings of the Workshop 60 Years of EPR, Haifa (1995) in Annals of the Israel Physical Society.
2. Harry J. Lipkin, EPR in the 1990's, From Paradox to Crucial Ingredient in Frontier Experiments To be published as Proceedings of the Workshop 60 Years of EPR, Haifa (1995) in Annals of the Israel Physical Society.
3. Harry J. Lipkin, Physics Letters B219, (1989) 474
4. Harry J. Lipkin, In "Proceedings of the Workshop on b Physics at Hadron Accelerators" Snowmass, Colorado, June 21-July 3 (1993). edited by Patricia McBride and C. Shekhar Mishra, Published as SSCL-SR-1225 and Fermilab-CONF 93/267 (1993) p. 411



UNCLASSIFIED DOCUMENT RELEASE

Information and Publishing Division

Publications and Record Services (PRS)

Argonne National Laboratory

This form must be complete in order to process document for publication release. Return completed form to PRS, Building 316.

A. DOCUMENT DESCRIPTION

Submitted by: Division HEP Cost center 137 P 29532
 Return to C. Schuur Bldg 362 Phone 6213 ID (PRS will assign) _____
 1st ANL Author Harry J. Lipkin Phone 6212 If previously cleared, give ID _____

Title EPR in B Physics and Elsewhere
 Document Type: Conference paper Journal article _____ Report _____ Book or book chapter _____ Report section _____
 Other _____ Invited? Yes _____ No _____

Document Version: Abstract _____ Extended Abstract _____ Viewgraphs _____ Draft _____ Final Other _____

For journal articles, provide journal title; For conference papers, provide conference name, location, dates and sponsor(s); For reports, provide report number(s).
Symposium: Twenty Beautiful Years of Bottom Physics (b20), Illinois Institute of Technology, Chicago, IL, 29 June - 2 July 1997.

ANL-HEP-CP-61
 If available electronically (i.e., Internet, World Wide Web), give address _____
 Distribution: Unlimited public release Applied Technology _____ Internal to Argonne _____ Sponsor distribution _____
 Export Controlled Information _____ Other _____
 Funded by: Office(s) or agency(ies) ER For DOE, give UC code(s) 414

B. INTELLECTUAL PROPERTY

Check one:
 To the best of my knowledge, discloses no invention or copyrightable software
 _____ Uncertain as to disclosure of an invention or copyrightable software
 _____ Discloses unreported invention or copyrightable software
 _____ Discloses invention or software reported as ANL-IN-_____

Does this document include information covered by a nondisclosure agreement to protect the interests of either ANL or an outside organization?
 Yes _____ No

Does this publication include information required to be protected by a Cooperative Research And Development Agreement, Pilot Center Agreement, or other Laboratory agreement?
 Yes _____ No

If yes to either question, author should contact the Patent Counsel (ext 2-6431) and complete the following:

 Type of agreement _____

 Contract number _____

 Partner(s) _____

C. CLASSIFICATION REVIEW

1. Author
 Author signature required for all documents submitted for publication or release.
 This document **does not** contain potentially classified information. (Send to authorized division/program representative.)
 _____ This document **does** contain potentially classified information. (Send to Authorized Derivative Classifier.)
H. Lipkin 9541 7-30-97
 Author signature Badge Date

2. Authorized Derivative Classifier
 ADC signature required for documents that contain any potentially classified information, as determined by author or division/program representative. Not required if author and division/program representative concur that the document does not contain potentially classified information.
 I certify that this document is unclassified. (Send to division/program representative.)

ADC signature _____ Badge _____ Date _____

3. Division/Program
 Authorized division/program signature required for all documents submitted for publication or release.
 _____ I request ADC review of this document and a classification determination be provided. (Send to ADC for review. After ADC approval, check last box below and sign.)
 _____ I concur with the author that this document does not contain potentially classified information and meets all divisional requirements and reviews. (Sign and send to PRS.)
 _____ I acknowledge that this document has received an ADC review and does not contain classified information. This document meets all divisional requirements and reviews. (Sign and send to PRS.)

 Division/program signature Badge Date

D. IPD - PUBLICATIONS AND RECORD SERVICES

Document has received all necessary divisional, patent and publication reviews, and may be released, according to the appropriate distribution limitations.
 _____ PRS signature _____ Date _____