Fermilab Research Program 1995 Workbook

March 1995

Roy Rubinstein



Fermi National Accelerator Laboratory Batavia, Illinois

Operated by Universities Research Association, Inc. Under Contract with the United States Department of Energy

Price \$5.00

INTRODUCTION

The Fermilab Research Program Workbook is about to start its third decade (the first one was produced in June 1975). It has long since expanded from its original intent of providing program information to the Physics Advisory Committee's annual extended meeting. It now provides a yearly "snapshot" of the Fermilab program, including the progress in analyzing experiments that have completed their data-taking.

Major contributions to this Workbook have come from many people, especially Angela Gonzales for the artwork, Jud Parker for the upkeep of databases, Taiji Yamanouchi for advice and encouragement, and Jackie Coleman who puts it all together.




TABLE OF CONTENTS

I.	Statistics on Fermilab Proposals	1
II.	Accelerator Performance	5
III.	Fermilab Beam Properties and Experiment Location	13
IV.	Main Injector Era	23
V.	Fermilab Computing Facilities	29
VI.	Major Research Activities During 1994 and 1995	33
VII.	Fermilab Research Program	37
VIII.	Summaries of Approved Experiments	41
IX.	Master List of Proposals	165

SECTION I. STATISTICS ON FERMILAB PROPOSALS

The status of Fermilab proposals is summarized in this Section of the Workbook. All proposals are classified into one of the following categories:

	<u>Categories</u>	Definitions
A	Completed	Approved proposals that have completed data-taking.
Approved Proposals	Remaining	Approved proposals either running or waiting for data-taking.
	U Inactive	Approved proposals which are now unlikely to ever be completed.
	Unconsidered	Relatively new proposals awaiting consideration
Pending Proposals	Deferred	Proposals for which consideration has been postponed for a specific reason
	C "Not Approved"	Proposals for which a conventional decision cannot be made.
Obselete	∫ Rejected	Proposals rejected from further consideration
Obsolete Proposals	{ Withdrawn/Inactive	Proposals that were not considered at the request of the spokesperson or that are no longer being considered for other reasons.

At the present time, 876 proposals have been received. Table 1 and Figure 1 show the number of proposals in each category each year since 1970.

1

TABLE 1. STATUS OF PROPOSALS AT FERMILAB

	Aug.	July	Jul	Mar																						
	<u>1970</u>	<u>1971</u>	<u>1972</u>	<u>1973</u>	<u>1974</u>	<u>1975</u>	<u>1976</u>	<u>1977</u>	<u>1978</u>	<u>1979</u>	<u>1980</u>	<u>1981</u>	<u>1982</u>	<u>1983</u>	<u>1984</u>	<u>1985</u>	<u>1986</u>	<u>1987</u>	<u>1988</u>	<u>1989</u>	<u>1990</u>	<u>1991</u>	<u>1992</u>	<u>1993</u>	<u>1994</u>	<u>1995</u>
APPROVED PROPOSAL	s			_																_						
Completed	0	0	0	16	57	97	152	190	234	248	264	278	295	297	300	310	324	326	339	341	348	355	383	389	389	389
Remaining and Inactive	21	53	70	75	89	121	100	82	57	52	41	41	29	33	43	48	39	42	34	43	38	34	20	24	28	30
Subtotals	21	53	70	91	146	218	252	272	291	300	305	319	324	330	343	358	363	368	373	384	386	389	403	413	417	419
PENDING PROPOSALS																										
Unconsidered	23	16	19	10	0	2	6	12	6	6	13	27	16	25	11	8	8	13	13	11	21	50	36	17	6	7
Deferred	29	35	39	43	54	45	25	24	11	2	10	7	9	11	2	0	1	0	0	0	0	0	2	3	1	1
"Not Approved"	0	0	0	0	0	0	0	0	0	0	0	0	1	1	_1	1	1	1	1	1	1	1	1	1	1	1
Subtotals	52	51	58	53	54	47	31	36	17	8	23	34	26	37	14	9	10	14	14	12	22	51	39	21	8	9
OBSOLETE PROPOSALS	5												_													
Rejected	8	15	20	42	65	85	135	166	185	189	191	210	221	229	231	234	236	237	239	241	242	243	245	247	251	250
Withdrawn/Inactive	1	33	35	47	61	71	80	93	114	127	131	139	147	149	159	163	166	168	169	168	169	170	173	191	196	198
Subtotals	9	48	55	89	126	156	215	259	299	316	322	349	368	378	390	397	402	405	408	409	411	413	418	438	447	448
TOTAL NUMBER OF PROPOSALS	82	152	183	233	326	421	498	567	607	624	650	702	718	745	747	764	775	787	795	805	819	853	860	872	872	876

3




Figure 1. Growth of the Fermilab research program. The total number of approved experiments is obtained by adding the numbers shown as completed and those remaining and approved/inactive. Pending proposals are those which are unconsidered, deferred or "not approved"; obsolete proposals are rejected or withdrawn/inactive.

SECTION II. ACCELERATOR PERFORMANCE

This Section gives summaries of Tevatron operation for the Collider runs of 1992/93 and 1994/95, and also the Fixed Target runs of 1987, 1990 and 1991.

Collider Run 1b 1994 vs. 1992 Luminosity




Figure 2. Tevatron Collider operation during the 1992/1993 and 1994/95 running periods luminosity per week and integrated luminosity.

Collider Run 1b 1994 vs. 1992 Pbar Stacking




Figure 3. Tevatron Collider operation during the 1992/1993 and 1994/95 running periods - antiproton stacking per week and integrated stacking.

Collider Run 1b Comparison of Peak Luminosities




Figure 4. Tevatron Collider operation during the 1992/1993 and 1994/95 running periods - daily peak luminosity.




Figure 5. Integrated intensity for the 1987, 1990 and 1991 Fixed Target running periods.

9




Figure 6. Integrated high energy physics hours for the 1987, 1990 and 1991 Fixed Target running periods.




Figure 7. Weekly Operating Efficiency - 1991 Fixed Target Run

SECTION III. FERMILAB BEAM PROPERTIES AND EXPERIMENT LOCATION

Table 2 gives properties of Fermilab beams; their location is shown in Figure 8. The locations of major experiments not yet completed are shown in Figure 9 (Fixed Target) and Figure 10 (Collider and Accumulator). Figures 11-15 give some additional information on beam line particle fluxes (all for 800 GeV incident protons except where indicated). For the 1996 fixed-target run, Tevatron intensities are expected to be $\sim 3 \times 10^{13}$ protons per ~ 20 sec spill every ~ 60 seconds, to be shared amongst the several running experiments.

Beam	Momentum Range (GeV/c)	±∆ p/p (%)	Production Angle (mr)	Solid Angle (µsr)	Particles	Flux per 10 ¹² protons on target	at (GeV/c)	Comments
PW	800				р		800	Up to 1 x 10 ¹³ primary protons
						$3 \times 10^9 V_e, V_{\mu}$ 1.5 x 10 ⁸ V _{\tau}		Neutrino Beam
РВ	500 (peak)	12		4	e ⁻ + e ⁺	$\approx 3 \times 10^8$	250	Wide band charged and neutral beam also capable of K_L^0 , <i>p</i> , and π .
PE	500 (peak)	2.1	0		π^{+}, K^{+}, p	$\approx 1.5 \times 10^9$	250	Maximum momentum for positives
			0	0.5	π^-, K^-, \overline{p}	$\approx 4 \times 10^7$	500	
PC	1000	16	0-3.5		π^-, K^-, Σ^- Ξ^-, Ω^-	3 x 10 ⁷	600	Primary protons, neutral and charged hyperons
ME	1000 (peak)	0.1			p		1000	\approx 4 x 10 ¹² primary protons
МР	200	9.0	0±1.0		Ρ <i>Ρ</i> π ⁻	$\approx 10^{7}$ $\approx 5 \times 10^{5}$ 1×10^{5}	200	Polarized protons from 800 GeV primary. Polarized antiprotons from 800 GeV primary. (Average polarization expected ≈ 30%).
мс	150 (mean)	75-200 GeV	0 to ± 3.0	4.88	$\pi^{-}, \Sigma^{-}, \Xi^{-}, \Omega^{-},$ $\pi^{+}, \rho, \Sigma^{+}, \overline{\Xi}^{+},$ $\overline{\Omega}^{+}$	4.3 x 10 ⁹	150	Positive and negative secondary beams will use different targets.
МВ	20-200	5.0	2.5		π, <i>K</i> e [±]	3 x 10 ⁶ 2 x 10 ²	75-100 100	Requires MC beam dump.

TABLE 2. FERMILAB BEAM LINE PROPERTIES

Beam	Momentum Range (GeV/c)	±Δ p/p (%)	Production Angle (mr)	Solid Angle (µsr)	Particles	Flux per 10 ¹² protons on target	at (GeV/c)	Comments
МΓ	80-245	5.0	0		Hadrons	1 x 10 ⁶ 500	75-245 25	Test beam
					_e [±]	500-2500	10-150	
MW	1000 (peak)	10	0-4		Primary p's	2 x 10 ⁸		Beam transport to new multiparticle spectrometer; assumes 800 GeV on target
					р	1.3 x 10 ⁸	500	
					π^+	2×10^7	500	
					K ⁺	4 x 10 ⁶	500	
					π^-	2.7×10^7	500 500	
_					К ⁻ <u></u> р	8 x 10 ⁵ 8 x 10 ⁴	500	
NW	2-150	1.6	0	5	μ-			Currently a test beam, intensity limited.
					π^{-}	≈10 ⁸	≈150	
					e ⁻	≈10 ⁵	≈100	
NC	250	10	0	5	v / v	10^8 0.5 x10 ⁸ $\overline{\nu}$ /m ²	250	Sign-Selected Neutrino Beam.
NE	1000				p	1 x 10 ⁹	800	To Lab G.
NΓ	10-200	1.5	0-6	0.7	negative	≈0.5 x 10 ⁶	140	Test and calibration beam to Lab E, neutrino detector and Lab F.
	10-120	1.5			hadrons 	≈10 ³	100	
NM (CT-V)	85 (mean)		4.0 - 5.8	0.25	K_L^0	$\approx 2 \times 10^7$		Neutral beam with 800 GeV
(KTeV)					n	$\approx 4 \times 10^7$		primary protons.




Figure 8. Layout of Fermilab Fixed Target beams. Properties of individual beams are given in Table 2.




Figure 9. Schematic of the Fixed Target experimental areas with locations of major experiments currently approved for the next Fixed Target run. Not shown is experiment E-803, which will use a neutrino beam from the Main Injector. The drawings are not to scale.




Figure 10. Locations in the Tevatron of the approved $p\overline{p}$ Collider experiments, the channeling experiment, and the three experiments using the Antiproton Accumulator.





Figure 11.

Proton Area: Electron flux in the Proton Area Wide Band Beam; double band using a deuterium production target. Figure 12.

Proton Area: Hadron flux in the Tagged Photon Laboratory.



 ν_{μ} mode 10⁵ Interactions per 10¹⁸ POT 104 SSQT ٥ 100 200 300 400 500 0 E_{ν} (GeV) Т 10⁵ $\overline{\nu}_{\mu}$ mode 104 10³ SSQT ٥ 10² 200 300 400 0 100 500 E_{ν} (GeV)

Figure 13.

Proton Area: Fluxes in the Proton Center Hyperon Facility.

Figure 14.

Neutrino Area: Interaction rates inside a 50" radius at the Lab E detector to the E-815 sign-selected quadrupole triplet beam.




Figure 15.

Meson Area: Fluxes in the MW beam line. Production angle for negatives is zero degrees; for positives it is 1.4 mr.

SECTION IV. MAIN INJECTOR ERA

With the Main Injector now well under construction, as can be seen in the Workbook cover photographs, much attention is turning to the physics opportunities that will become available upon completion of this 120/150 GeV high-intensity proton accelerator. Already one experiment using the Main Injector (E-803, neutrino oscillations - see Section VIII) has been approved, and planning for a proposed long-baseline neutrino oscillation experiment is well advanced.

In this Section, we give some information on the expected Main Injector performance, and also preliminary estimates of some beam properties for experiments. Table 3 shows the number of 120 GeV protons/hour that can be expected from the Main Injector under various operating scenarios; the fast spill can be up to ~1 msec long, and slow spill will be one second. Figures 16, 17, 18 show expected fluxes of some neutrino and secondary hadron beams using the Main Injector. Future editions of this Workbook will provide more information as it becomes available.

It should be noted that there are some other future new experimental area possibilities under consideration at the present time. Examples are an experimental area to use 400 MeV protons from the Linac, and the use of the 8 GeV Booster to produce a neutrino beam. Figure 19 gives a schematic illustration of some of these ideas.

Of course, not to be overlooked is the major impetus for the Main Injector; it will increase the performance of the Tevatron, to luminosities of $\sim 1 \times 10^{32} \text{cm}^{-2} \text{sec}^{-1}$ in the Collider mode, and to over 5×10^{13} protons per ~20 sec spill every ~60 sec for fixed-target.

Mode	Cycle Time	P	rotons/Hou	r
		AP Target	Fast Spill	Slow Spill
Antiproton Production	1.466 sec	1.2×10^{16}		
Fast Spill	1.866		5.8×10^{16}	
Slow Spill	2.866			3.8×10^{16}
Mixed-AP+Fast Spill	2.000	0.9×10^{16}	4.5×10^{16}	
Mixed-AP+Slow Spill	3.000	$0.6 \!\!\times\!\! 10^{16}$		3.0×10^{16}

TABLE 3. PROTONS PER HOUR UNDER VARIOUSMODES OF OPERATION

[Assumptions: 6×10^{10} protons per bunch; additional time is required for bunch manipulations and turning off magnetic switch at F17 in mixed modes.]




Figure 16. Main Injector: Comparison of neutrino fluxes in a near detector (25 cm radius at ~1 km) and a far detector (4 m radius at ~733 km).




Figure 17. Main Injector: K^0 flux per 2.5 GeV assuming 3×10^{13} protons on a 50 cm target, 12 µstr beam, at 24 mrad targeting angle, including absorbers and filters.




Figure 18. Main Injector: Fluxes in the MW beamline.

-




Figure 19. Schematic layout of possible future experimental areas. (Note that NUMI is the proposed neutrino beamline from the Main Injector.)

SECTION V. FERMILAB COMPUTING FACILITIES

The computing services provided for high-energy physics by the Computing Division focus on solving large physics problems (such as event reconstruction and Monte Carlo) and providing support for experimental activities.

The systems currently supported centrally by the Computing Division include the UNIX Farms, the FNALU and CLUBS UNIX systems, and the VAX Cluster FNALV. The Computing Division also supports a VAX Cluster FNALD and the UNIX system cdfsga for CDF, and the VAX clusters FNALD0 and D0FS for D0. Other systems include the mail server FNAL and the tape copy facilities. State-of-the-art high-speed networks glue the systems together and connect to the outside world. The LANs (local-area-networks) facilitate access to the data by people on site, and the WANs (wide-area-networks) enable world-wide collaborations to function efficiently. The multiprocessor farm systems composed of commercial workstations dominate the installed computing capacity at the Lab and have allowed CDF and D0 to reconstruct events as fast as the data is accumulated in a very cost-effective manner.

The computing power delivered by the central systems reached a peak of almost 6000 VUPs (VAX 11/780 equivalents) per month in late 1993. Figures 20 and 21 summarize the growth of delivered computing power through September 1994 displayed by platform and by experiment.





Figure 20. Fermilab computing usage (Vax equivalents).

30



Usage by experiment

Figure 21. Fermilab computing usage by experiment.

31

SECTION VI. MAJOR RESEARCH ACTIVITIES DURING 1994 AND 1995

Information on the Fermilab Research Program during the 1994/95 Collider run is given in the following pages. Figure 22 shows when the experiments ran; Table 4 describes the major research activities in a little more detail.




Figure 22. Major experiments running at Fermilab in 1994 and 1995 (through February).

TABLE 4. DESCRIPTION OF MAJOR RESEARCH ACTIVITIESDURING 1994 AND EARLY 1995

<u>EXP. #</u>

<u>AREA</u>

COLLIDER

740 Studies of 900×900 GeV $\overline{p}p$ collisions using the D0 detector - data-taking

775 Studies of 900×900 GeV $\overline{p}p$ collisions using the CDF detector - data-taking

.

SECTION VII. FERMILAB RESEARCH PROGRAM

This Section contains information on the Fermilab research program for the next few years. The Situation Report, given on page 38, is a summary of the current status of the experimental program. Figure 23, based on the Situation Report, illustrates by beam line the major approved experiments.

³⁸ Fermi National Accelerator Laboratory Experimental Program Situation Report as of March 1, 1995

The Experimental Program situation at Fermilab is summarized below. The experiments are listed by experimental area and beamline under categories that best describe their status as of March 1, 1995. For experiments which have completed or received beam, the amount of running time or exposure to date is listed. The experimental area names are abbreviated as follows: Meson Area (MA); Neutrino Area (NA); Proton Area (PA); Collision Area (COL); Accumulator Ring (ACCUM RING); Debuncher Ring (DBNCHR RING); Booster Accelerator (BOOSTR); and Unspecified (UNSPEC BEAM).

Total number of approved experiments - 419

Beam A	rea & Line	Experiment	Spokesperson(s)	
(Only exa	eriments which	have completed data taking since January 1, 1992 are	listed.)	
		e completed data taking (389)	,	Completed
•			Varia Dera	•
MA	ME	B-QUARK MESONS & BARYONS #789	Kaplan, Peng	Jan 8, 1992
ľ	MP MT	SPAGHETTI CALORIMETRY TEST #840	Para Price	Jan 8, 1992 Jan 8, 1992
	MW	CALORIMETER BEAM TEST #T841 HADRON JETS #672A	Zieminski	Jan 8, 1992 Jan 8, 1992
	IVI VV	DIRECT PHOTON PRODUCTION #706	Slattery	
NA	NM	TEVATRON MUON #665	Schellman	Jan 8, 1992 Jan 8, 1992
		SDC DETECTOR MUON BEAM TESTS #T816	Lubatti	Jan 8, 1992 Jan 8, 1992
		FIBER TRACKING TEST #839	Margulies	Jan 8, 1992 Jan 8, 1992
		dE/dx MUONS #855	Kaibfleisch	Jan 8, 1992
		INTEGRATED PIXEL DETECTOR TEST#856	Parker	Jan 8, 1992
	NE	PARTICLE SEARCH #690	Knapp	Jan 8, 1992
	NT	BARIUM FLUORIDE CALORIMETER #849	Kobrak	Jan 8, 1992
	NW	NEUTRON MEASUREMENTS AT NWA #T821	Johns	Jan 8, 1992
PA	PE	HADROPRODUCTION HEAVY FLAVORS #791	Appel, Purohit	Jan 8, 1992
	PB	PHOTOPRODUCTION OF JETS #683	Corcoran	Jan 8, 1992
		PHOTOPRODUCTION OF CHARM AND B #687	Butler, Cumalat	Jan 8, 1992
		RADIATION EXPOSURE #842	Underwood	Jan 8, 1992
	PC	MAGNETIC MOMENT #800	Johns, Rameika	Jan 8, 1992
	PW	BEAUTY PRODUCTION BY PROTONS #771	Cox	Jan 8, 1992
COL	C-0	FIBER IRRADIATION STUDIES #851	Margulies, Piekarz	Jan 8, 1992
DBNCHR		MUON FLUXES IN THE DEBUNCHER #854	Bross	Jan 8, 1992
ACCUM		CHARMONIUM STATES #760	Cester	Jan 10, 1992
		ANTIPROTON DECAY #T861	Geer	Oct 29, 1992
UNSPEC	BEAM	BOTTOM AT THE COLLIDER #784	Lockyer	Jan 8, 1992
		CALORIMETER TEST #847	Sulak	Jan 8, 1992
. Experime	ents that are	in progress (5)		Recent Rur
•		• • • • • • • • • • • • • • • • • • • •	Nuch Vananaha	
NA	NM	CP VIOLATION #799	Wah, Yamanaka Ganitharra In Ballattini	Jan 8, 1992
COL	B-0 C-0	CDF UPGRADE #775	Carithers, Jr., Bellettini	Oct 31, 1992
	C-0	TEVATRON CRYSTAL EXTRACTION #853 Maximum acceptance detector #1864	Murphy Bjorken, Taylor	Oct 31, 1994 Oct 31, 1994
	D-0	D-0 DETECTOR #740	Grannis, Montgomery	Oct 31, 1994
. Experime	ents to be se	t up within a year (11)		
MA	ME	ANTI(U-QUARK)/ANTI(D-QUARK) DIST#866	McGaughey	
NA	MC	CP VIOLATION #871	Luk, Dukes	
	NC	NEUTRINO #815	Shaevitz, Bernstein	
	NM	CP VIOLATION #832	Hsiung, Winstein	
РА	PB	HEAVY QUARK PHOTOPRODUCTION #831	Cumalat	
	PC	LARGE-X BARYON SPECTROMETER#781	Russ	
	PW	TAU NEUTRINO #872	Lundberg, Paolone	
COL	E-0	PBAR P ELASTIC SCATTERING #811	Orear	
ACCUM	RING	CHARMONIUM STATES #835	Cester	
		ANTI-HYDROGEN DETECTION #862	Christian	
		ANTIPROTON DECAY #868	Geer	
. Other ap	proved expe	riments (3)		
COL	B-0	CDF UPGRADE #830	Carithers, Jr., Bellettini	
	D-0	D-0 DETECTOR UPGRADE #823	Grannis, Montgomery	
MAIN	INJECTOR	NEUTRINO OSCILLATIONS #803	Reay	
ending pro	posals (8)			
MA	мс	K-SHORT DECAYS #833	Thomson	
	MW	CHARGED PION LIFETIME #874	Geer, Hojvat	
COL	B-0	CDF HARD DIFFRACTION STUDIES #876	Albrow	
COL		SEARCH FOR NEUTRINO OSCILLATIONS#860	Lee	
		SAMANTI ANTIKA AND ANTICATION AND AND AND AND AND AND AND AND AND AN		
DBNCHR		KAON PHYSICS AT MAIN IN IECTOP #804	Winstein	
	INJECTOR	KAON PHYSICS AT MAIN INJECTOR #804 NEUTRINO OSCILLATIONS #822	Winstein Goodman	
DBNCHR		KAON PHYSICS AT MAIN INJECTOR #804 NEUTRINO OSCILLATIONS #822 NEUTRINO OSCILLATIONS #875	Winstein Goodman Wojcicki	





Figure 23. Fermilab experimental program. All major approved experiments not yet completed by the beginning of 1995 are shown here.

SECTION VIII. SUMMARIES OF APPROVED EXPERIMENTS

Summaries are given in this Section of major approved experiments which have not yet completed data-taking, and also those major experiments in the data analysis stage. Most summaries were prepared recently by the experiment spokesperson(s).

FERMILAB E665 MUON SPECTROMETER



- SVW 7m x 3m Veto Counter Wall
- BT4 Beam Tagging, Station 4
- PBT 0.13m x 0.13m MWPC 6 Planes
- SBT 0.13m x 0.18m Scintillation Counter Array
- 1m LH, + LD, + Solid Targets TAR
- SNC Neutron Scintillators
- **CERN Vertex Magnet** CVM
- Vertex Drift Chambers, 16 Planes VDC
- PCV 2.8m x 1m MWPC, 6 Planes
- 144 Cell Threshold Cerenkov Counter CO

- C1 58 Cell Threshold Cerenkov Counter
- TOF 4.2m x 1.6m Scintillation TOF Arrays
- PTA 2m x 2m Prop. Tube Arrays, 4 Planes
- 2m x 2m MWPC, 12 Planes PC
- CCM Chicago Cyclotron Magnet PCF 2m x 1m MWPC, 15 Planes
- PSC 0.13m x 0.13m Small Angle MWPCs, 8 Planes
- DCA 4m x 2m Drift Chambers, 8 Planes
- RICH **Ring Imaging Cerenkov Counter**
- 6m x 2m Drift Chambers, 8 Planes DCB

- PSA 0.13m x 0.13m Small Angle MWPCs, 8 Planes
- SSA 0.13m x 0.13m Scintillation Counter Array
- SUM 7m x 3m Scintillation Counter Array
- CAL 3m x 3m EM Shower Calorimeter
- ABF 7m x 3m x 3m Iron Absorber
- SVS 0.23m x 0.3m Scintillation Counter Array
- PTM 7m x 3m Prop. Tube Arrays, 8 Planes
- SPM 7m x 3m Scintillation Counter Arrays
- PHI 0.025m x 0.025m rf Phase Lock Scintillation Counters
- 0.9m Concrete Absorbers ABC

E-665 (Schellman) Muon Scattering with Hadron Detection

ANL, UC/San Diego, Fermilab, Freiburg (Germany), Harvard, Illinois/Chicago, INP/Krakow (Poland), LLNL, Maryland, MIT, Max-Planck (Germany), Northwestern, Ohio, Pennsylvania, Washington, Wuppertal (Germany), Yale

Status: Data Analysis

The experiment studies the interactions of muons with average beam energies up to 500 GeV in various targets and with the capability of making detailed measurements of the hadrons that emerge from the collision vertex. To this end, the collaboration has combined two large magnets, the CERN Vertex Magnet (CVM) and the Chicago Cyclotron Magnet in a spectrometer that is as powerful as any known. We use this spectrometer in two basic, and for the most part complementary, ways to explore:

1) The properties of hadrons emerging from deep inelastic muon collisions in hydrogen and heavy nuclei. It is possible to study single quark fragmentation and jet physics in the same CM energy range as $e^+e^$ annihilation experiments which directly observe gluon radiation. In deep inelastic muon scattering, the fragmentation of the current and diquark jets (not seen in e^+e^-) can be measured relative to the precise knowledge of the exchanged virtual photon direction. By studying the A-dependence of these phenomena, we expect to learn new things about the propagation of quarks in nuclear matter and to use the nucleus as a length scale to study nonperturbative quantum chromodynamics.

2) Complementing the fragmentation studies are studies of the deep inelastic structure functions on the same nucleon and nuclear targets. Although the targets are relatively thin, the high incident muon energy makes this experiment particularly suited to the study of structure functions at small x_{Bj} (<0.02). This region is of great interest in the study of nucleon structure. Here, all experiments are limited by kinematics rather than rates, and the increased muon energy available at Fermilab automatically increases the available kinematic range.

The experiment took data for the first time during 1987-88 using deuterium, hydrogen and xenon targets. In 1990 the apparatus was supplemented with a tracking system of drift chambers inside the CVM to improve the pattern recognition capabilities and resolution of the spectrometer. With a new target system, allowing targets to be changed every 60 seconds, muon interactions in hydrogen, deuterium, carbon, calcium and lead were studied. During the 1991 fixed-target run, higher luminosity studies of hydrogen and deuterium focussed on the difference between the quark content of neutrons and protons and on the structure of events at the highest center of mass energies yet available in muon-nucleon scattering experiments. Efforts in 1994 concentrated on final publication of the 1990 and 1991 data samples. Other results include measurements of nuclear transparency in vector meson production, Bose-Einstein correlations and the A-dependence of jet production and fragmentation.

Publications

Saturation of Shadowing at Very Low x_{Bj} , M. R. Adams et al., Phys. Rev. Lett. <u>68</u>, 3266 (1992).

Shadowing in the Muon-Xenon Inelastic Scattering Cross Section at 490 GeV, M. R. Adams et al., Phys. Lett. <u>B287</u>, 375 (1992).

First Measurement of Jet Production Rates in Deep-Inelastic Lepton-Proton Scattering, M. R. Adams et al., Phys. Rev. Lett. <u>69</u>, 1026 (1992).

An Investigation of Bose-Einstein Correlations in Muon-Nucleon Interactions at 490 GeV, M. R. Adams et al., Phys. Lett. <u>B308</u>, 418 (1993).

Measurement of the Ratio σ_n/σ_p in Inelastic Muon-Nucleon Scattering at Very Low x and Q², M. R. Adams et al., Phys. Lett. <u>B309</u>, 477 (1993).

Perturbative QCD Effects Observed in 490 GeV Deep-Inelastic Muon Scattering, M. R. Adams et al., Phys. Rev. <u>D48</u>, 5057 (1993).

 Q^2 Dependence of the Average Squared Transverse Energy of Jets in Deep-Inelastic Muon-Nucleon Scattering with Comparison to QCD Predictions, M. R. Adams et al., Phys. Rev. Lett. <u>72</u>, 466 (1994).

Production of Charged Hadrons by Positive Muons on Deuterium and Xenon at 490 GeV, M. R. Adams et al., Z. Phys. <u>C61</u>, 179 (1994).

Scaled Energy (z) Distributions of Charged Hadrons Observed in Deep-Inelastic Muon Scattering at 490 GeV from Xenon and Deuterium Targets, M. R. Adams et al., Phys. Rev. <u>D50</u>, 1836 (1994).

Production of Neutral Strange Particles in Muon-Nucleon Scattering at 490 GeV, M. R. Adams et al., Z. Phys. <u>C61</u>, 539 (1994).

Large Density and Correlation Integrals in Deep-Inelastic Muon-Nucleon Scattering at 490 GeV, M. R. Adams et al., MPI-PhE/94-12, FNAL Pub 94/217, accepted for publication in Phys. Lett. B., July 1994.

Nuclear Shadowing, Diffractive Scattering and Low Momentum Protons in μ Xe Interactions at 490 GeV, M. R. Adams et al., MPI-PhE/94-15, FNAL Pub 94/218, submitted to Z. Phys. C, July, 1994.

Measurement of Nuclear Transparencies from Exclusive ρ^0 Meson Production in Muon-Nucleus Scattering at 470 GeV, M. R. Adams et al., accepted by Phys. Rev. Lett., December, 1994.

Theses

Erik Ramberg, University of Maryland, Neutral Pion and Eta Production in Deep Inelastic Muon Scattering at 480 GeV (1989).

Perry Anthony, Massachusetts Institute of Technology, Bose-Einstein Correlations in Deep-Inelastic Muon Scattering (1990).

Martin Erdmann, University of Freiburg i.Br., Lifetime of the Coloured Proton in Muon-Proton Scattering (1990).

Stephen Magill, University of Illinois/Chicago, Xe/D₂ Cross Section Ratio from Muon Scattering at 490 Gev/C (1990).

Douglas G. Michael, Harvard University, A Study of Transverse Momentum and Jets (1990).

Stephen O'Day, University of Maryland, Charged Hadron Multiplicities in 490 GeV Deep Inelastic Muon Scattering (1990).

James J. Ryan, Massachusetts Institute of Technology, Particle Production in Deep Inelastic Muon Scattering (1991).

Alexander Salvarani, University of California/San Diego, Xe/D₂ Raio of Charged Hadron Distributions from Muon Scattering at 490 GeV/c (1991).

Silhacen Aid, University of Maryland, Measurement of the Ratio of Neutron Cross Section to Proton Cross Section in Muon Deep Inelastic Scattering at 490 GeV/c (1991).

Anwar Bhatti, University of Washington, The Ratio of the Proton and Neutron Structure Functions in 90 GeV/c Deep Inelastic Muon Scattering (1991).

Uwe Ecker, Wuppertal, Distributions of Charged Hadrons Observed in Deep Inelastic Muon-Deuterium Scattering at 490 GeV (1991).

Douglas Jansen, University of Washington, Transverse Momentum and the Energy Flow of Charged Hadrons Produced in 490 GeV/c Deep Inelastic Muon Scattering (1991).

Arnd Roser, Wuppertal, Hadron Multiplicities in Deep Inelastic Muon-Nucleon Scattering with a Maximum Center of Mass Energy of 30 GeV (1992).

Michael Schmitt, Harvard University, Deep Inelastic Exclusive ρ^0 Production using 485 GeV Muons (1991).

Stefan Söldner-Rembold, Technischen Universitaät München, Die Erzeugung von Hadronen in der Myon-Streuung an Deuterium und Zenonkernen bei 480 GeV (1992).

Robert D. Kennedy, University of California at San Diego, Measurement of the Neutron and Proton Structure Functions F_2 in Inelastic Muon Scattering (1992).

Mark David Baker, Massachusetts Institute of Technology, Azimuthal Asymmetry and Transverse Momentum of Hadrons in Deep Inelastic Muon Scattering at 490 GeV (1993). Janet Conrad, Harvard University, A Study of the Q^2 Dependence of the QCD Coupling Constant from the Transverse Momentum of Jets in Deep Inelastic Muon Scattering (1993).

Detlev Hantke, Technischen Universitaät Munchen, Untersuchung der Produktion von neutralen seltsamen Teilchen in der tief-inelastischen Myon-Nukleon-Streuung bei einer Strahlenergie von 490 GeV (1993).

Henry Clark, Ohio State University, Nuclear Decay Following Deep Inelastic Scattering at 500 GeV (1993).

Mathias Wilhelm, University of Freiburg, Hadronisation in schweren Kernen (1993).

Rurngsheng Guo, University of Illinois/Chicago, The Study of Bose-Einstein Correlation in Deep-Inelastic Muon-Nucleus Scattering at 465 GeV/c (1994).

Timothy J. Carroll, University of Illinois/Chicago, Observation of Nuclear Shadowing at Low x_{bj} in Carbon, Calcium and Lead (1994).

Panagiotis Spentzouris, Northwestern University, Measurement of the Structure Function Ratio F_2^n/F_2^p in Muon-Nucleon Scattering at Low x and Q^2 (1994).

William Dougherty, University of Washington, Charge Distributions of Leading Hadrons from 475 GeV Muon-Nucleus Scattering (1994).




Figure 1. Final neutron-to-proton structure function ratio from the full 1991 data sample. The x region below 2×10^{-3} is unique to E-665.

-





Figure 2. The structure function F2 (x, Q^2) measured at low x and compared to HERA results.



Muon PWCs

E-672

The Meson-West apparatus.

E-672 (Zieminski) Study of Hadronic Final States in Association with High Mass Dimuons

Fermilab, IHEP/Serpukhov (Russia), Illinois/Chicago, Indiana, Louisville, Michigan/Flint

Status: Data Analysis

The aim of the E-672 experiment is to study hadronic processes yielding vector mesons $(\rho/\omega, \phi, J/\psi, \psi')$ and high mass dimuon pairs (the trigger) and associated particles. The experiment shares the MW beam line, magnetic spectrometer and calorimetry with the E-706 experiment. The dimuon detector is located downstream of the forward hadronic calorimeter and consists of a toroid magnet, six PWC's with three or four planes each, two scintillator hodoscopes used in the dimuon pretrigger and pretrigger and trigger processors.

E-672 is an open geometry dimuon experiment. The geometrical acceptance for dimuon pairs produced in hA collisions at 530 GeV/c is approximately 20% and has a maximum for Feynman x = 0.25. The physics goals, which all are related to experimental tests of Quantum Chromodynamics, include:

- (a) Production of χ states by observing their radiative decays into $J/\psi\gamma$ with gammas either converting into e^+e^- pairs inside the target or observed in the LAC;
- (b) Production of b-quarks observed via their decays to J/ψ (inclusive and exclusive modes: $J/\psi K$, $J/\psi K^*$ and $J/\psi K^0$);
- (c) Production of b-quarks observed via double semileptonic BB decays into like-sign dimuons;
- (d) General properties of the production of vector mesons (ρ/ω , ϕ , J/ψ , and ψ') and Drell-Yan pairs
 - total and differential cross sections
 - gluon structure function of the incident hadron
 - production of associated charged and neutral particles
 - dependence on the inelasticity on the collision
 - the A-dependence of total and differential cross sections
- (e) $J/\psi + n\pi$ spectroscopy (same for ϕ).

The first test/physics run of the experiment took place in 1987/88. Approximately 2000 J/ ψ 's were recorded and successfully reconstructed under various running conditions. Two papers were published: one on the A-

dependence (PRL <u>D141</u>, 1 (1990)) and another on properties of J/ψ production in π^- Be and pBe collisions at 530 GeV/c (Fermilab-PUB-91-62E).

During the 1990 run we collected 5 million triggers with the 530 GeV/c π^- beam incident on Be and Cu targets. All triggers were processed through the off-line reconstruction. This gave us over 500,000 events with both muons originating from the target. The sample includes 15,000 reconstructed J/ ψ events with J/ ψ mass resolution better than 60 MeV/c² and over 500 ψ' events in the $\mu^+\mu^-$ and J/ $\psi\pi^+\pi^-$ decay modes. It also contains approximately 15,000 ϕ events and 50,000 p/ ω events. The quality of the data is far superior compared to the 1987/88 run due to extra tracking chambers, new SSD planes and reading out the LAC data without zero suppression.

We reconstructed over 100 $\chi \rightarrow J/\psi + e^+e^-$ decays and several hundred $\chi \rightarrow J/\psi\gamma$ decays. A 10 MeV mass resolution enabled a clear separation of the χ (3510) and χ (3555) signals in the $\chi \rightarrow J/\psi e^+e^-$ mode.

Several multivertex finding algorithms were developed. There are 73 events with J/ψ originating from well-separated vertices (3 sigma in transverse and longitudinal directions). Ten of the secondary vertices are outside the target region. We estimate that 26 ± 10 events are due to $B \rightarrow J/\psi X$ decay. We also observe five exclusive $B \rightarrow J/\psi K$ and $B \rightarrow J/\psi K^*$ decays.

During the 1991 run we collected 10 million triggers with 530 GeV/c and 800 GeV/c protons incident on H, Be and Cu targets.

Publications

Bottom Production in pi-Be Collisions at 515 GeV/c, R. Jesik et al., Phys. Rev. Lett. <u>74</u>, 495 (1995).




Figure 1. Combined $J/\psi K^{\pm}$, $J/\psi K^{0*}$ invariant mass.





Figure 2. Mass distribution of $e^+e^-\,J/\psi$ (solid histogram) with calculated background (dashed histogram) showing peaks corresponding to χ_{c1} and χ_{c2} .



E-683 (Corcoran) Photoproduction of High Pt Jets

Ball State, Fermilab, Houston, Iowa, Lehigh, Maryland, Michigan, Rice, Texas/Austin, Vanderbilt, Wisconsin

Status: Data Analysis

This experiment is studying the photoproduction of high p_t jets in the Wide Band Photon Beam of the Tevatron. The QCD processes of interest are QCD Compton scattering $\gamma q \rightarrow gq$ (which dominates at high x_t), and quark-gluon fusion $\gamma g \rightarrow q\overline{q}$. These processes are very distinctive, with the photon coupling as a point particle, giving all its energy to the two high- p_t jets, and producing no beam jet. The three-jet topology allows the separation of the direct-coupling processes from vector-meson-dominance-type processes, which produce the four-jet topology familiar in pp and πp interactions. Due to the lack of a beam jet and the large energy in the parton-parton frame, these jet events are expected to be very clean compared to jets produced in a π or p beam. We will measure the cross sections of both three-jet and four-jet events as functions of x_t , p_t , and y, and compare to QCD calculations. Full second-order calculations for these processes have been done by Jeff Owens at FSU.

Photoproduction of jets has a number of interesting features. The QCD Compton process is especially interesting and unique, since the gluon jet appears at the lowest order, well separated from the quark jet. Also, the angular distribution of the Compton process allows a separation of quark and gluon jets, allowing comparisons of their fragmentations. The quark-gluon fusion process probes the gluon structure function of the proton, and the fourjet events probe the high-x structure function of the photon.


The A-dependence of jet production from nuclei is of interest. The photon can produce partons deep inside a nucleus, allowing one to study the propagation of partons through nuclear matter. A photon beam is a clean probe of such processes. Also, in regions where the Compton diagram dominates, differences in propagation of quarks and gluons through nuclear matter might be observed.

Other processes which can be studied in this experiment include a higher-twist process, $\gamma q \rightarrow (\pi, p) + q$, and QED Compton scattering, $\gamma q \rightarrow \gamma q$. Confirmation of higher-twist processes is an important test of higher order effects in QCD. The A-dependence of the QED Compton process is an especially clean way to study the propagation of partons through nuclear matter.

Photons in the momentum range 100 to 400 GeV/c are tagged with a momentum uncertainty of about 2%. A plan view of the apparatus is shown in the accompanying figure. It consists of a wide-angle magnetic spectrometer, the main calorimeter array, and a forward calorimeter. The spectrometer is comprised of an SCM-105 magnet with 20 planes of drift chambers and PWC's. The main calorimeter is segmented in area and depth and consists of 528 modules. The forward calorimeter measures the energy flow in the region from $\theta_{\rm cm} = 0^{\circ}$ to about 20°. Most of this equipment has already been used in E-609, where it performed quite well.

E-683 began data-taking in June of 1991, when the fixed-target program resumed. Data-taking was complete in January of 1992. A total of about 10 million triggers were recorded to tape, fairly equally divided between hydrogen, deuterium, and six different nuclear targets. Analysis is proceeding, both at Fermilab and at the various institutions.

Two students have received M.S. degrees from work related to E-683, and three students have completed Ph.D. theses. Results have been presented at several conferences and workshops, and to date two Physical Review Letters and two articles in Nuclear Instruments and Methods have been published.



E-687 (Butler / Cumalat) Photoproduction of Charm and B

INFN/Bologna (Italy), UC/Davis, Colorado, Fermilab, INFN/Frascati (Italy), Illinois, Korea (Korea), INFN/Milano (Italy), Milano (Italy), North Carolina, Northwestern, Notre Dame, Pavia (Italy), Puerto Rico/Mayaguez, South Carolina, Tennessee, Western Kentucky, Vanderbilt

Status: Data Analysis

E-687 is a photoproduction experiment in the Wide-Band Photon Beam. Interactions of photons whose energies are typically above 200 GeV are analyzed in a multiparticle spectrometer. The physics goal of the experiment is to reconstruct large samples of particles containing heavy quarks, charm and bottom, in order to study the dynamics of heavy quark photoproduction, to carry out detailed studies of the weak decays of charm mesons and baryons, to study the decays of charm mesons and baryons, and to study J/ψ photoproduction. The spectrometer consists of two large analysis magnets, each having $30" \times 50"$ aperture and transverse momentum kicks of up to 1 GeV/c; an 8400 element silicon microstrip detector with pitch varying from 25 microns to 100 microns; a system of proportional chambers with 13,500 wires of 2 and 3 mm spacing; three atmospheric gas Cerenkov counters each having about 100 cells; two electromagnetic calorimeters for photon reconstruction and electron identification; a gas hadron calorimeter for triggering, total energy measurement and neutral hadron reconstruction; and a muon identification system consisting of scintillation counters and proportional tubes.

In the first run of the experiment, in 1987/88, over 70 million events were collected. For the 1990 run, a beam tagging system was installed which measured the incident electron energy to better than 2%. The inner electromagnetic calorimeter was replaced with a scintillating fiber calorimeter. A new high speed data acquisition system, based on the Fermilab PANDA system, was installed. In the 1990/91 run, more than 500 million events were collected with an improved trigger. The total data set contains more than 10^5 fully reconstructed examples of charm decay. These data have been entirely reconstructed and turned into Data Summary Tapes.

In 1994, 10 papers were published in refereed journals, one more was submitted and is undergoing review, and several more analyses are converging towards submission. This brings the total publications from the 1990-91 run to 27. Many results from E-687 appear in the recent compilation of particle properties by the Particle Data Group¹. In many cases, E-687 has presented new results and in other cases has produced results which rival or exceed current world averages in precision.

The physics highlights of E-687 include the most precise measurements of the lifetimes of charm mesons and baryons, detailed studies of the semileptonic decays of the D and D_s mesons, observation of charm mesons with one unit of orbital angular momentum, the confirmation of the existence of an excited charm baryon state, observation and study of Cabibbo-suppressed decays of both charm mesons and charm baryons, study of decay modes of Λ_c 's containing charged sigmas, detailed analyses of the Dalitz plots of the D and D_s mesons, and further studies of the Ω_c^0 . The figures illustrate the extent and diversity of E-687's physics results.

The lifetimes^{2,3,4} for the Ξ_c^+ , Λ_c^+ , and Ξ_c^0 , baryons were measured to higher precision than in previous measurements. The hierarchy of lifetimes observed for the charm baryons, $\tau(\Xi_c^0) < \tau(\Lambda_c^+) < \tau(\Xi_c^+)$, allows discrimination between theoretical models for the various components of the decay channels and the interference effects. This pattern of lifetimes most closely matches the predictions of Guberina et al., as indicated by the dotted lines in the figure. The lifetimes of the D⁰,⁵ the D⁺,⁵ and of the D⁺,⁶ have also been measured with unprecedented accuracy.

We observe the Ω_c^0 baryon with quark content of css in the $\Omega_c^0 \to \Omega^-\pi^+$ decay channel⁷. The ARGUS experiment observes $\Omega_c^0 \to \Xi^-K^-\pi^+\pi^+$ at about the same statistical level. The CLEO experiment observes neither of these decays and claims no evidence for the existence of the Ω_c^0 . E-687 has recently observed⁸ a signal in the decay mode at the same mass as previous observations of the $\Omega_c^0 \to \Sigma^+K^-\pi^-\pi^+$, thereby confirming its existence. We have also confirmed⁹ the existence of the excited charm baryon $\Lambda_c^{*+} \to \Lambda_c^+\pi^+\pi^-$ as first observed by ARGUS and also observed by CLEO.

Detailed analyses of the Dalitz plots of D and D⁺ mesons decaying into the K $\pi\pi$ final state have been published¹⁰. Analyses of decays D⁺ and D_s into KK π and 3 π final states are now in progress.

Studies of semi-leptonic decays of charm mesons¹¹ $D^0 \rightarrow K^-\mu^+\nu$ and $D_s^+ \rightarrow \phi^-\mu^+\nu$,¹² along with determination of the form factors for $D^+ \rightarrow \bar{K}^{*0}\mu^+\nu$,¹³ have been published. We also presented the first observation of a Cabibbo-suppressed decay of the charm baryon $\Lambda_c^+ \rightarrow pK^-K^+$,¹⁴ and studied the Cabibbo-suppressed $D^0 \rightarrow \pi^-\pi^+$ and $D^0 \rightarrow K^-K^+$ decay modes¹⁵. Studies of D^0 decays into four charged particles are now in progress.

We have begun the study of charm mesons with higher angular momentum states¹⁶. Two examples of the decays of L=1 mesons, $D_2^*(2460)^0 \rightarrow D^+\pi^-$ and a very clean $D_{s1}(2536)^+ \rightarrow D^{*+}K^0$, are illustrated.

We have published the world's largest sample (325) of events with two charm particles fully reconstructed¹⁷. The correlations between the D and \overline{D} mesons are strongly dependent on the underlying partonic properties, distributions, interactions, and fragmentation. Most distributions, such as for the rapidity gap difference $\Delta Y_{D\overline{D}}$, agree well with the simple photon-gluon fusion model, coupled with the usual parton structure functions and our detector response. The most striking deviation involves the softer acoplanarity distribution in $\Delta \phi$ between the $D\overline{D}$ pair, indicating a harder intrinsic k_{\perp} distribution for gluons within the target nucleons than had been previously postulated. These results can be compared to recent studies of heavy quark correlations at next-to-leading order QCD¹⁸. Studies of production asymmetries (differences between charm and anti-charm) in photoproduction are also in progress.


E-687 data have also provided excellent input for studies in preparation for the follow-on experiment E-831.


Additional description of the physics of E-687 can be found in Reference 19. We look forward to continuing to investigate phenomena involving the charm quark and other photoproduction-related topics at the high level of sensitivity provided by the data set obtained in the 1990-91 run.

References


- 1. Review of Particle Properties, Particle Data Group, Phys. Rev. Lett. <u>D50</u>, (1994).
- 2. Measurement of the Mass and Lifetime of the Ξ_c^+ , P. L. Frabetti et al., Phys. Rev. Lett. <u>70</u>, 1381 (1993).
- 3. Measurement of the Λ_c^+ Lifetime, P. L. Frabetti et al., Phys. Rev. Lett. <u>70</u>, 1755 (1993).
- 4. Measurement of the Lifetime of the Ξ_c^0 , P. L. Frabetti et al., Phys. Rev. Lett. 70, 2058 (1993).
- 5. Precise Measurement of the D⁰ and D⁺ Meson Lifetimes, P. L. Frabetti, et al., Phys. Lett. <u>B323</u>, 459 (1994).
- 6. Precise Measurement of the D_s^{\pm} Lifetime, P. L. Frabetti et al., Phys. Rev. Lett. <u>71</u>, 827 (1993).
- 7. First Evidence of $\Omega_c^0 \to \Omega^- \pi^+$, P. L. Frabetti et al., Phys. Lett. <u>B300</u>, 190 (1993).
- 8. Observation and Mass Measurement of $\Omega_c^0 \rightarrow \Sigma^+ K^- K^- \pi^+$, P. L. Frabetti et al., Phys. Lett. <u>B338</u>, 106 (1994).
- 9. Observation of an Excited State of the Λ_c^+ Baryon, P. L. Frabetti et al., Phys. Rev. Lett. <u>72</u>, 961 (1994).
- 10. Analysis of Three D \rightarrow KK π Dalitz Plots, P. L. Frabetti et al., Phys. Lett. <u>B331</u>, 217 (1994).
- 11. Study of $D^0 \rightarrow K^-\mu^+\nu$ in High Energy Photoproduction, P. L. Frabetti et al., Phys. Lett. <u>B315</u>, 203 (1993).
- 12. Measurement of the Form Factors for the Decay $D_s^+ \rightarrow \phi^- \mu^+ \nu$, P. L. Frabetti et al., Phys. Lett. <u>B328</u>, 184 (1994).

- 13. Analysis of the Decay Mode $D^+ \rightarrow \overline{K}^{*0}\mu^+\nu$, P. L. Frabetti et al., Phys. Lett. <u>B307</u>, 262 (1993).
- 14. Evidence for the Cabibbo-Suppressed Decay $\Lambda_c^+ \rightarrow pK^-K^+$, E-687 Collaboration, Phys. Lett. <u>B314</u>, 477 (1993).
- 15. A Measurement of the Cabibbo-Suppressed Decays $D^0 \rightarrow \pi^-\pi^+$ and $D^0 \rightarrow K^-K^+$, P. L. Frabetti et al., Phys. Lett. <u>B321</u>, 295 (1994).
- 16. Measurement of the Masses and Widths of L=1 Charm Mesons, P. L. Frabetti et al., Phys. Rev. Lett. <u>72</u>, 324 (1994).
- 17. Studies of DD Correlations in High Energy Photoproduction, P. L. Frabetti et al., Phys. Lett. <u>B308</u>, 193 (1993).
- 18. Heavy Quark Correlations in Photon-Hadron Collisions, S. Frixione et al., CERN-TH 6921/93.
- 19. Charming Photons: A Report from E-687, J. Butler and P. H. Garbincius, Fermilab Report, April-June 1993, pg. 1.





.



E-690

E-690 (Knapp) Study of Charm and Bottom Production


Columbia, Fermilab, Guanajuato (Mexico), Massachusetts, Texas A&M

Status: Data Analysis

This experiment studies proton diffraction, $pp \rightarrow pX$, with 800 GeV protons scattering from liquid hydrogen, measuring a diffracted forward proton in a forward beam spectrometer, and looking at the recoil system X in a magnetic spectrometer. The detector and its data acquisition system were designed to tolerate interaction rates on the order of 1 MHz, reading 100K events per second into a pipelined hardware processor, ultimately recording on tape more than 10K events per second of beam. In three months of running, we recorded more than 5 billion events, with periods of sustained running with 200K events per spill recorded, with a trigger requiring an incoming beam particle and an outgoing beam particle within the acceptance of the forward spectrometer but scattered out of the small beam envelope, in coincidence with at least one particle in the magnetic spectrometer.

The tracks were reconstructed with the hardware processor after the run, writing all raw data and track information out for every event, and selecting candidates for momentum balance for a secondary output. All events are now running through a vertex reconstruction program that reconstructs every event in as much detail as possible, writing out everything along with a secondary output containing candidates for complete event reconstruction and events with identified strange particles. We estimate a final yield of a few hundred million reconstructed V^0 's and more than ten million fully reconstructed events, recorded with good resolution and a geometric acceptance that favors diffractive production of heavy particles.

Our analysis efforts are focusing on diffraction of heavy particles: antibaryons, strange particles, charm particles, ... and on particle spectroscopy. With high statistics for a large number of exclusive reactions, we can determine production cross-sections and parameters of many resonances. For example, in double Pomeron production, $pp \rightarrow ppM$, we have large clean signals in meson resonances that have been considered candidates for non-q- \bar{q} mesons. For the general study of heavy particle production in diffraction, we have the opportunity to perform doubly inclusive measurements for a variety of heavy particles: measuring the momentum of the scattered forward proton and the momentum of a particular heavy particle type. Along with the measurements of exclusive reaction cross sections and distributions, this will allow detailed modeling of diffractive production in pp interactions, which could, for example, be compared with diffraction in deep inelastic ep scattering.



E-704

E-704 (Yokosawa) Experiments with the Polarized Beam Facility

ANL, Fermilab, Hiroshima (Japan), IHEP/Serpukhov (Russia), Iowa, Kyoto (Japan), Kyoto Education (Japan), Kyoto Sangyo (Japan), LANL, LAPP/Annecy (France), Northwestern, Univ. of Occup. & Env. Health (Japan), Rice, Saclay (France), Trieste (Italy), Udine (Italy)

Status: Data Analysis

Experiment 581, Construction of a Polarized Beam Facility and Measurement of the Beam Polarization by Polarimeters, has obtained initial data on the properties of the new polarized beam.

Completion of a 200-GeV/c conventional-magnet beam line allowed observation of polarized protons and polarized antiprotons from decaying lambdas and antilambdas, respectively. A beam tagging system and two polarimeters, using the Primakoff effect and Coulomb-nuclear interference, measured the beam polarization during the 1987-1988 TeV-II period. Measured beam polarization was consistent with the designed value.

Experiment 704, the Integrated Proposal on First Round Experiments with the Polarized Beam Facility, constitutes a proposal to simultaneously perform substantial parts of previously proposed Experiments 674, 676, 677 and 678. The first 1200 hours of beam time for E-704 were allocated as follows:

1) First 300 hours for $\Delta \sigma_L^{Tot}(pp)$ including tuning.

2) 300 hours for $\Delta \sigma_L^{\text{Tot}}(\overline{p}p)$

The experimenters intend to explore the spin dependence of the interactions in a global way using a straightforward experiment which measures the difference in pp and $\overline{p}p$ total cross sections between the states with helicities of target and beam parallel and antiparallel. Experience shows that an accuracy of \pm 100 microbarns can easily be achieved. A longitudinally-polarized proton target in a superconducting solenoid was used with the polarized beam during the 1990 fixed-target period. The data are being analyzed.

3) 600 hours for simultaneous measurements using a hydrogen target for A_N in large- $p_{\perp} \pi^0$, large-x π 's, lambda and sigma-zero production.

Studies of the inclusive production of neutral pions around $x_F \approx 0$ and large p_{\perp} of neutral and charged pions at large x, and of $\Lambda^0(K^0)$ and Σ^0 at large x_F were carried out simultaneously. These measurements investigate the spin effects as a function of x_F and p_{\perp} . Interpretation of the polarization of Λ^0 and Σ^0 produced inclusively from an unpolarized initial state has given rise to extensive discussion about the origin of this polarization. It is expected that information on spin transfer from initial to final states in these reactions will enlighten the debate.

Elements of the existing polarization monitor were used in conjunction with new detectors in E-704. Two large calorimeters, each consisting of 500 lead-glass cells, detected photons from the π^0 -decay. The magnetic spectrometer with proportional and drift chamber systems observed the π^{\pm} and Λ^0 and Σ^0 decay products.

The technique for measuring single spin asymmetries in hadron production was considerably improved over the previous experiments since the polarized beam allowed the use of a liquid hydrogen target.

The following data are being analyzed:

 $\Delta \sigma_L^{\text{Tot}}(pp) \text{ and } \Delta \sigma_L^{\text{Tot}}(\overline{p}p), \ \overline{p}^{\uparrow}p \rightarrow \pi^{\pm}x,$ $p^{\uparrow}p \rightarrow (\Lambda, \Sigma^0) X, \ p^{\uparrow}p \rightarrow (\text{direct } \gamma) X, \text{ and}$

detailed analyses of $p^{\uparrow}p \rightarrow \pi^0 X$ at $x_F = 0$.

The following data are published in Physics Letters:

 $p^{\uparrow}p \rightarrow \pi^{0}X, \ \overline{p}^{\uparrow}p \rightarrow \pi^{0}X \text{ at large } x_{F},$ $p^{\uparrow}p \rightarrow (\pi^{0}, \eta)X \text{ at } x_{F}= 0,$ A_{LL} measurement in $p^{\uparrow}p^{\uparrow} \rightarrow \pi^{0}X$ at $x_{F}= 0$, and $p^{\uparrow}p \rightarrow \pi^{\pm}X \text{ at } x_{F}= 0 \text{ to } 1.0.$

Publications

Analyzing Power-Measurement in Inclusive π^0 Production at High x_F, B. E. Bonner et al., Phys. Rev. Lett. <u>61</u>, 1918 (1988).

Polarized-Proton and -Antiproton Beams at Fermilab and Associated Experiments, A. Yokosawa, Int. Journal of Modern Physics A, Vol. 3, No. 12, 2753 (1988).

Analyzing Power-Measurements of Coulomb-Nuclear Interference with the Polarized-Proton and -Antiproton Beams at 185 GeV/c, N. Akchurin et al., Phys. Lett. <u>B229</u>, 299 (1989).

Measurement of the Analyzing Power in the Primakoff Process with a High-Energy Polarized Proton Beam, D. C. Carey et al., Phys. Rev. Lett. <u>64</u>, 357 (1990). The Design and Performance of the FNAL High-Energy Polarized-Beam Facility, D. P. Grosnick et al., Nucl. Instr. Meth. in Phys. Research, <u>A290</u>, 269 (1990).

First Results for the Two-Spin Parameter A_{LL} in π^0 Production by 200-GeV Polarized Protons and Antiprotons, D. L. Adams et al., Phys. Lett. <u>B261</u>, 197 (1991).

Comparison of Spin Asymmetries and Cross Sections in π^0 Production by 200-GeV Polarized Antiprotons and Protons, D. L. Adams et al., Phys. Lett. <u>B261</u>, 201 (1991).

Analyzing Power in Inclusive π^+ and π^- Production at High x_F with a 200 GeV Polarized Proton Beam, D. L. Adams et al., Phys. Lett. <u>B264</u>, 462 (1991).

High- x_t Single-Spin Asymmetry in π^0 and η Production at $x_F = 0$ by 200 GeV Polarized Antiprotons and Protons, D. L. Adams et al., Phys. Lett. <u>B276</u>, 531 (1992).

Large-x_F Spin Asymmetry in π^0 Production by 200-GeV Polarized Protons, D. L. Adams et al., Zeit Physik C <u>56</u>, 181 (1992).

Analyzing-Power Measurement of pp Elastic Scattering in the Coulomb-Nuclear Interference Region with the 200-GeV/c Polarized-Proton Beam at Fermilab, N. Akchurin et al., Phys. Rev. <u>D48</u>, 3026 (1993).

Papers Being Prepared on the E-704 Data

High- x_F Single- and Double-Spin Asymmetry in Λ Production

Large-xF Spin Asymmetry in π^+ and π^- Production by 200-GeV Polarized Antiprotons

Differences in Total Cross Sections, $\Delta \sigma_L$


Complete Asymmetry Analysis on High $x_T \pi^0$ Production

Comments on data analysis and future plans:


1. We plan to finish the analysis of single-spin asymmetry A-N in π^0 production at high p_T at 90° in the c.m.s. in p(pol.)p-interactions. Final results should include the impact on the asymmetry of charged particles associated with π^0 in both the same solid angle and in the opposite one. A scaling behavior of asymmetry in the hard interactions should be eventually checked at 200 GeV.

2. The π^0 and $\eta(550)$ invariant cross sections in pp- and $\overline{p}p$ interactions can be obtained from the data. The kinematic region will be as follows: $x_F \sim 0$; $1 < p_T < 5$ GeV/c. The interest is, do we see some dip in the cross section behavior. If we do, this dip (or break in the slope of cross section) should be connected with some structure in the asymmetry behavior at the same $p_{\rm T}$ values.


3. We will study from our data a single-spin asymmetry A_N in the η -meson production at large x_F in both pp and $\overline{p}p$ interactions. The kinematic region will be as follows: $0.3 < x_F < 0.8$ and $p_T \sim 1$ GeV/c. Earlier we saw a significant asymmetry in the $\pi^+\pi^-\pi^0$ production in the same kinematic region. Is it a case for η ?



The asymmetry A_N in the reactions $P+P \rightarrow \pi^0+X$ and $\bar{P}+P \rightarrow \pi^0+X$ at 200 GeV in different regions of x_F , integrated over p_T from 0.5 to 2 GeV/c.



 x_F dependence of the asymmetry A_N for π^+ (squares) and π^- (circles) production in the $p^\uparrow p$ reaction. For comparison, π^0 data (crosses) are also shown.



E-706 (Slattery) A Comprehensive Study of Direct Photon Production in Hadron Induced Collisions

UC/Davis, Delhi (India), Fermilab, Michigan State, Northeastern, Oklahoma, Pennsylvania State, Pittsburgh, Rochester

Status: Data Analysis

E-706 is a second generation fixed-target experiment to study events containing high transverse momentum direct photons produced in hadronic interactions. Only two leading order diagrams contribute to direct photon production: the QCD Compton diagram $(q + g \rightarrow q + \gamma)$ and the quark-antiquark annihilation process $(\bar{q} + q \rightarrow g + \gamma)$. Next-to-leading order QCD calculations now exist for both inclusive direct photon cross sections and for direct photon plus jet production.

The physics goals of E-706 include measuring the gluon distribution function of the nucleon and the charged pions. The E-706 data for incident mesons is at a significantly higher CM energy (31 GeV) than previous experiments, which are clustered at CM energies between 19 and 24 GeV. The study of direct photon plus jet events (including $\gamma\gamma$ production) provides sensitive tests of next-to-leading order QCD calculations. Direct photon data also provide input to quark and gluon fragmentation studies.

Since electromagnetic decays of neutral pions are the primary source of background to direct photon data, precision measurements of neutral pion cross sections are an essential part of this experimental program. These measurements are of interest in their own right since they provide insight into hard scattering processes. Next-to-leading order calculations of large transverse momentum neutral pion production have also recently become available.

The MWest spectrometer, which was simultaneously employed to acquire data for E-706 and E-672, is a large acceptance multiparticle spectrometer. The MWest beamline includes spoilers to reduce the muon flux incident upon the spectrometer, and a differential Cerenkov counter to identify incident particle types. Veto walls and hadron shielding upstream of the target minimize the impact of incident beam halo on the experiment. There are six planes of 50 μ m pitch silicon strip detectors upstream of the target. Different targets allow for investigation of the nuclear dependence of the various processes. Immediately downstream of the target is a pair of silicon strip detectors, with 25 µm pitch in the central region and 50 µm pitch on their outer edges, followed by eight additional silicon strip planes of 50 µm pitch. The large aperture $(122 \times 91 \text{ cm}^2)$ conventional analysis magnet provides a transverse momentum impulse of 450 MeV to charged particles. Downstream of the magnet are four proportional wire chamber modules, each containing four planes with 2.54 mm pitch. There are also two straw tube drift chambers, each with four planes in each of two views. The drift chamber resolutions are 300 μ m and 250 μ m per plane, respectively. The finely segmented, focused electromagnetic lead and liquid argon calorimeter has a radius of 1.6 m and is located 9 m downstream of the target. The standard deviation of the reconstructed π^0 mass peak is 8 MeV, while that of the η is 24 MeV. A steel hadronic calorimeter is located behind the electromagnetic calorimetry within the liquid argon cryostat. An iron and scintillator calorimeter intercepts the forward cone passing through a central hole in the liquid argon calorimeters. Downstream of the forward calorimeter is a muon identification system provided by E-672. For the purposes of E-706, the spectrometer triggers upon large transverse momentum electromagnetic showers detected in the liquid argon calorimeter.


The MWest spectrometer was commissioned during the 1987-1988 fixedtarget run. Approximately 5 million physics-quality triggers were recorded during that run using positive and negative 500 GeV beam on copper and beryllium targets. This data sample corresponds to a sensitivity of about 0.5 events per picobarn for the negative beam and about 0.8 events per picobarn for the positive beam. Seventeen students have completed their Ph.D. research using this data sample. These students have investigated a wide variety of topics including neutral pion production at low transverse momentum, neutral pion and eta production at high transverse momentum, direct photon production at high transverse momentum, recoiling jet structure in high transverse momentum events, fragmentation properties of strange particles produced in high transverse momentum hadronic interactions, neutral pion pair production, characteristics of forward energy production, and leading particle production at 800 GeV.

Inclusive high transverse momentum neutral meson and direct photon cross section measurements for incident negative pions and protons at 500 GeV have been published (PRD <u>45</u>, R3899; PRL <u>68</u>, 2584; and PRD <u>48</u>, 5). Cross sections for neutral-pion-plus-jet and photon-plus-jet production as well as comparisons of angular distributions for the photon and neutral pion triggered events are to be published in PRD.

During the 1990 fixed-target run, about 30 million triggers induced by a negative 530 GeV beam incident on beryllium and copper targets were These data provide more than a factor of fifteen increase in recorded. sensitivity relative to that acquired during our initial run. Prior to the 1991 fixed-target run, a 0.02 interaction length liquid hydrogen target was installed. During 1991, we accumulated 23 million triggers using an 800 GeV primary proton beam incident on hydrogen, beryllium, and copper targets. This data sample corresponds to a sensitivity of about ten events per picobarn. An additional 14 million triggers induced by a 530 GeV positive beam incident upon the same targets were also accumulated during this run. These data represent a sensitivity of about ten events per picobarn. A smaller sample (4 million triggers) of negative 530 GeV beam induced data was also recorded during the 1991 running, and will provide the opportunity to investigate nuclear dependence effects in the negative data, and also help establish the relative normalization of the 1990 and 1991 data samples.

It is expected that within the next two years sixteen additional graduate students will complete their Ph.D. research using data accumulated during the 1990-91 fixed-target runs. We will measure the cross section for neutral pion, eta, and direct photon production at high transverse momentum by both positive and negative 530 GeV beams as well as by 800 GeV primary protons. High statistics studies of photon-plus-jet and neutral-pion-plus-jet events will also be carried out. We also have the capability to study the inclusive production of low transverse momentum neutral pions and kaons. The variety of targets employed in this experiment will allow us to investigate the nuclear dependence of these results. We can also study leading particle production at 800 GeV.

The large acceptance MWest multiparticle spectrometer has already demonstrated its power and versatility. The large statistics, high quality direct photon data samples acquired by E-706 will provide unique insights into hadronic structure and QCD dynamics.



E-740 / 823 (Grannis / Montgomery) Study of Events in pp Collisions at 2 TeV in the D0 Detector

los Andes (Colombia), Arizona, BNL, Brown, UC/Davis, UC/Irvine, UC/Riverside, CBPF (Brazil), CINVESTAV (Mexico), Columbia, Delhi (India), Fermilab, Florida State, Hawaii, IHEP/Serpukhov (Russia), Illinois/Chicago, Indiana, INP/Krakow (Poland), Iowa State, Korea (Korea), Kyungsung (Korea), LBL, Maryland, Michigan, Michigan State, Moscow State (Russia), Nebraska, New York, Northeastern, Northern Illinois, Northwestern, Notre Dame, Oklahoma, Panjab (India), Purdue, Rice, Rochester, Saclay (France), Seoul National (Korea), SSCL, SUNY/Stony Brook, Tata (India), Texas/Arlington, Texas A&M

> Status: E-740 - Data-Taking E-823 - No Data Yet

The D0 detector is a large, hermetic 4π detector for the study of protonantiproton collisions with a center-of-mass energy of 1.8 TeV at the Fermilab Tevatron Collider. The detector stresses identification of leptons, photons, jets and missing transverse energy for high-p_T physics with high acceptance up to pseudorapidity of $|\eta| < 3$ for electrons and muons. After five years in the construction phase, the detector has been operated since 1992 by a collaboration of 44 institutions within the U.S. and overseas, with over 400 Ph.D. physicists and graduate students, to study a variety of particle physics topics with the top search as perhaps the most visible example.

The detector consists of three major subsystems. Innermost is a central tracking system containing vertex, forward and outer drift chambers. There is no central magnetic field. The drift chamber resolution is $\sim 60 \ \mu m$ (vertex) and 180 µm (forward and outer). The tracking system also includes a transition radiation detector to aid in electron identification; it provides a rejection of about 50 against single pions. The tracking chambers are surrounded by a hermetic liquid argon sampling calorimeter with uranium and copper/steel absorber. The calorimeter is contained in three cryostat vessels (a central barrel and two end caps). The calorimeter is compensating $(e/\pi \sim 1.05)$ and finely segmented to identify electrons, photons, muons and jets. The electromagnetic (EM) calorimeter covers $|\eta| < 3$ and hadronic calorimetry extends to $|\eta| < 4.4$; this large acceptance provides excellent measurement of missing transverse energy. The segmentation is $\Delta \eta \times \Delta \phi = 0.1 \times 0.1 \ (0.05 \times 0.05)$ at EM shower maximum); the energy resolution is $\sim 15\%/\sqrt{E}$ for electrons and photons (with a small constant term), $\sim 50\%/\sqrt{E} \oplus 5\%$ for single hadrons, and about 85%/ \sqrt{E} for jets. Outside the calorimeter cryostats is a muon system comprising three layers of proportional drift tubes (0.3 mm resolution) with magnetized iron toroids to provide muon momentum measurement. In the forward regions a small angle muon spectrometer (200 µm resolution) extends coverage up to |n| < 3.3.

The detector as a whole contains 116,000 channels. Data recording is initiated by a three-level trigger system: the first (Level 0) is a scintillator interaction trigger, the second (Level 1) a hardware analog trigger capable of making calorimeter energy sums, missing E_T , and coarse muon tracks, and

the third (Level 2) is a software filter implemented on a farm of 48 VAX Station 4000 computers with full event information available. A supplementary Level 1.5 trigger refines the Level 1 muon trigger.

Initial running concentrated on commissioning the apparatus and understanding the effects of the Main Ring beam which passes through the calorimeter 2m above the Tevatron beam. First collisions were observed on May 12, 1992 and the data run started after a brief shutdown in August. Over the whole of Run Ia, D0 accumulated 15pb⁻¹ of collider data including special and calibration data runs. The overall ratio of beam data recorded to beam available was about 70%, with the main loss coming from the veto imposed to stop triggering during Main Ring injection and transition and while Main Ring protons pass through the detector. Data were taken at a rate of about 2 Hz and reconstructed at the same rate on a multi-processor UNIX farm.

D0 is now taking data in Run Ib. The detector has been improved for the higher luminosities compared with Run Ia by the addition of a cosmic ray shield for the muon system and hardware Level 1.5 trigger for electrons capable of performing both threshold and simple isolation cuts. The bandwidth to tape was approximately doubled and now is 1.6 MHz which corresponds to an event rate of 3Hz.

Current Ia and Ib physics analyses at D0 are organized into five groups. The Top Quark Group was able to set a mass limit of $m_t > 131$ GeV using Run Ia data. With the larger statistics available from Run Ib, we reported observation of the top quark, with a mass of about 200 GeV, in February 1995. This is a major accomplishment in understanding the Standard Model. We will refine our measurements of the properties and decays of the top quark as we continue to take data in Run Ib.

The QCD Group has presented cross sections for inclusive jets in the central and forward regions and differential cross sections for dijet production. The dijet angular distributions have been measured, and photon cross sections and angular distributions presented. Many new analyses have extended the study of QCD at the Tevatron Collider into new regimes: the observation of rapidity gaps between forward and backward jets is a signal for colorless exchange, e.g. pomerons; the decorrelation in azimuthal angle between forward and backward jets allows tests of resummation in mixedscale problems; measurement of energy flow around jets allows the color coherence of gluon emission to be probed.

The Electroweak Group focuses on the production and decay of W and Z bosons. Results presented from Run Ia data include the W mass, W and Z production cross sections, and p_T distributions. The production of dibosons (W γ , Z γ , WW, WZ) through trilinear couplings, a test of the Standard Model, has been studied with Run Ia data. D0 is also using vector-boson-plus-jet events as a QCD laboratory: the strong coupling constant α_s has been measured from W+jet events and color coherence effects can be studied here too.

The B-Physics Group has obtained cross sections for low-pT muons, inclusive b production and J/ψ 's. The cross-sections for b and J/ψ production have been measured in previously unexplored large rapidity regions. Measurements of the inclusive b cross-section may also provide a new determination of the strong coupling constant. The b quark fragmentation function has been measured using muons within jets.

The New Phenomena Group is conducting searches for physics beyond the Standard Model. Limits on the production cross-sections for leptoquarks, W', Z' and right handed W's have been presented. In addition, mass limits and cross-sections have been set for squarks, gluinos and gauginos as predicted by supersymmetric models.

The approved D0 upgrade for Run II, E-823, must operate at luminosities near 2×10^{32} cm⁻²s⁻¹ with bunch spacings as short as 132 nanoseconds. To meet the challenges of such a high-rate environment the entire central tracking system will be replaced with a silicon microstrip detector, a scintillating-fiber tracker, a solenoid magnet and a preshower detector. The new trackers will provide enhanced pattern recognition and triggering opportunities for both lepton and photon final states. Studies of top quark, electroweak, and b physics will be significantly enhanced by the new detectors.

The scintillating fiber tracker, an innovative design based upon visible light photon counters, has passed a major developmental milestone with successful operation of a 3000-channel test stand at Fermilab. The singlechannel noise rate, quantum efficiency, and photo-electron production all meet or exceed design specifications. The construction of the solenoid magnet is scheduled to commence in 1995. Improvements in the calorimeter electronics required to meet the high-rate environment have been prototyped in a 3000channel test. The design of similar improvements for the muon electronics has also begun. A preliminary design of the upgraded DAQ and triggering system specifies a Level 1 accept rate of 10 kHz, a Level 1.5 accept rate of 1 kHz and a Level 2 output of 5-10 Hz. The new triggering elements will include the fiber tracking and preshower detectors.

Publications

Beam Tests of the D0 Uranium Liquid Argon End Calorimeters, D0 Collaboration, S. Abachi et al., Nucl. Inst. Meth. <u>A324</u>, 53 (1993).

The D0 Detector, D0 Collaboration, S. Abachi et al., Nucl. Inst. Meth. <u>A338</u>, 185 (1994).

First Generation Leptoquark Search in $p\overline{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, D0 Collaboration, S. Abachi et al., Phys. Rev. Lett. <u>72</u>, 965 (1994).

Search for the Top Quark in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, D0 Collaboration, S. Abachi et al., Phys. Rev. Lett. <u>72</u>, 2138 (1994).

Rapidity Gaps Between Jets in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, D0 Collaboration, S. Abachi et al., Phys. Rev. Lett. <u>72</u>, 2332 (1994).

Search for High Mass Top Quark Production in $p\overline{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, D0 Collaboration, S. Abachi et al., November 1994. FERMILAB-PUB-94-354-E. Submitted to Phys. Rev. Lett.

Determination of the Strong Coupling Constant (α_s) Using W + Jets Processes, D0 Collaboration, S. Abachi, et al., December 1994. Submitted to Phys. Rev. Lett.


Inclusive Muon and b-Quark Production Cross Sections in $p\overline{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, D0 Collaboration, S. Abachi et al., December 1994. Submitted to Phys. Rev. Lett.

Jet Transverse Energy Flow in $p\overline{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, D0 Collaboration, S. Abachi et al., January 1995. Submitted to Phys. Rev. Lett.


Observation of the Top Quark, D0 Collaboration, S. Abachi et al., February 1995. FERMILAB-PUB-95-028E. Submitted to Phys. Rev. Lett.

Theses

- F. Feinstein, Univ. Paris Sud, December 1987.
- T. Behnke, SUNY, Stony Brook, August 1989.
- D. Pizzuto, SUNY, Stony Brook, December 1991.
- R. Astur, Michigan State University, June 1992.
- S. Rajagopalan, Northwestern University, June 1992.
- J. Bantley, Northwestern University, June 1992.
- J. Kotcher, New York University, October 1992.
- B. Pi, Michigan State University, November 1992.
- T. Heuring, SUNY, Stony Brook, May 1993.
- T. Geld, University of Michigan, May 1993.
- S. Durston, University of Rochester, June 1993.
- A. Milder, University of Arizona, August 1993.
- J. Yu, SUNY, Stony Brook, August 1993.
- D. Norman, University of Maryland, September 1993.
- J. Cochran, SUNY, Stony Brook, December 1993.
- A. Pluquet, Saclay/Univ. Paris, January 1994.
- R. Hirosky, University of Rochester, January 1994.
- J. Thompson, SUNY, Stony Brook, April 1994.
- J. Borders, University of Rochester, April 1994.
- Q. Zhu, New York University, April 1994.
- R. Hall, University of California/Riverside, May 1994.
- M. Paterno, SUNY, Stony Brook, May 1994.
- B. May, University of Arizona, August 1994.
- D. Chakraborty, SUNY, Stony Brook, September 1994.
- M. Pang, Iowa State University, November 1994.
- V. Balamurali, University of Notre Dame, November 1994.
- G. Landsberg, SUNY, Stony Brook, November 1994.
- B. Abbott, Purdue University, December 1994.



The Run II configuration of the tracking system. Shown are the central silicon vertex tracker, the central scintillating fiber tracker, the central preshower detector and a forward tracker.



E-741 / 775 / 830 (Bellettini / Carithers) Collider Detector at Fermilab

Academia Sinica (Taiwan), ANL, Bologna (Italy), Brandeis, UCLA, Chicago, Duke, Fermilab, Frascati (Italy), Harvard, Hiroshima (Japan), Illinois, Inst. of Particle Phys. (Canada), Johns Hopkins, KEK (Japan), LBL, MIT, Michigan, Michigan State, New Mexico, Osaka City (Japan), Padova (Italy), Pennsylvania, Pisa (Italy), Pittsburgh, Purdue, Rochester, Rockefeller, Rutgers, Texas A&M, Texas Tech, Tsukuba (Japan), Tufts, Waseda (Japan), Wisconsin, Yale

Status:	E-741 - Data Analysis
	E-775 - Data-Taking
	E-830 - No Data Yet

The Collider Detector at Fermilab (CDF) is a general purpose detector system designed to explore the physics of 2 TeV proton-antiproton collisions with the Fermilab Tevatron Collider.

The heart of the CDF central detector is a 3.0 meter long, 1.5 meter radius, 1.5 Tesla superconducting solenoid with tracking chambers in the magnetic field for momentum analysis of charged particles. The solenoid is surrounded by scintillator-based calorimeters in the central region covering the angular range 30° to 150° with respect to the Tevatron beams, and two "plug" gas calorimeters in the ends of the solenoid completing the calorimeter coverage down to 10°. In all regions the calorimeters are divided into electromagnetic and hadronic sections and have a projective tower geometry to measure energy flow in fine bins of pseudorapidity and azimuth. Muon chambers are located behind the calorimeters. In the forward directions for angles below 10° and down to 2° are additional electromagnetic and hadronic gas calorimeters. The muon detector system in the forward direction includes magnetized iron toroids for momentum measurement. The original detector has approximately 100,000 channels of electronics read out via a FASTBUS data acquisition system. A three-level trigger system selects events to be recorded on magnetic tape.

CDF as E-741

For E-741 the detector had a commissioning run in 1987, accumulating 33 nb⁻¹ of integrated luminosity. In that run the Level 3 Trigger was not yet in place. The major physics run for E-741 was from June, 1988 to June, 1989 when a total of 4.7 pb⁻¹ of integrated luminosity was accumulated on tape with the complete detector. The detector and data aquisition system coped well with the delivered peak luminosities of 2×10^{30} cm⁻²sec⁻¹ -- a rate which was twice the design luminosity of the Tevatron Collider. Data reconstruction for this run was complete by the end of calendar 1989 and analysis of this data continues.

CDF as E-775

E-775 is the upgraded version of CDF for Collider Runs Ia and Ib. The new upgrades to CDF for E-775 for Collider Run Ia were extensive:

- 1. A new 1.5 inch diameter beryllium beam pipe with a 0.020 inch wall thickness was installed to replace the 2.0 inch diameter pipe used in 1989;
- 2. A new 4-layer, 46,000 channel Silicon microstrip Vertex Detector was installed around the beampipe to detect secondary vertices;
- 3. A new set of Vertex Time Projection Chambers with 4 cm drift spaces and 8,600 wires replaced the old 15 cm drift space devices;
- 4. New low noise preamplifiers were added to these Vertex TPCs;
- 5. New higher gain preamplifiers were installed on the inner layers of the Central Drift Chamber and the chamber gain was reduced to increase the lifetime of the device;
- 6. New amplifiers were installed on the outer layers of the Central Drift Chamber to give dE/dx information from 54 layers;
- 7. A vacuum leak in the solenoid cryostat was repaired;
- 8. 50 square meters of new wire chambers were added just behind the 1.1 radiation length thick solenoid as preradiator detectors;
- 9. 630 tons of steel was added to beef up the central muon detection;
- 10. 856 new chambers were added behind the steel walls and above/below the return yoke steel of the magnet to detect muons with rapidity less than 0.5;
- 11. An additional 1632 muon chambers and scintillators were added to extend the central muon coverage from rapidity of 0.5 to 1.0;
- 12. The forward (rapidity greater than 2.0) muon chambers and scintillators interspersed in the forward magnetic toroids were removed, refurbished with finer phi segmentation and reinstalled;
- 13. The gas calorimeter chamber gains were lowered to ease operation at ten times the original design luminosity;
- 14. 24,000 channels of new front-end electronics were installed on the gas calorimeters to compensate the gain change mentioned above, to shorten the integration times, and to reduce noise to the trigger system;
- 15. High voltage feedback was installed on the gas calorimeters to keep the gain stable with changing temperature and atmospheric pressure;
- 16. The existing multiplexed Analog to Digital Converter (ADC) cards were replaced with faster versions to reduce the front-end readout time from 18 to 3 milliseconds;
- 17. New luminosity monitors were installed;
- 18. Dual Fastbus Event Builders were installed to increase the data acquisition system rate capability by a factor of four to about 25 Hz;
- 19. The data acquisition system rate capability to 8 mm magnetic tape was increased from 1.2 to 8 Hertz;

- 20. The Level Two trigger processors were speeded up from 40 µsec to 20 µsec processing time per event;
- 21. A new Neural Net Level Two trigger was installed to make possible an isolation requirement on photon and electron triggers;
- 22. The computing power in the Level Three trigger farm was increased by a factor of 25 using UNIX based processors;
- 23. The offline code (and identical Level Three trigger code) was ported to UNIX;
- 24. 1000 Mips of offline computing was installed in offline farms; and
- 25. A robotic tape silo with 1.2 Terabytes of storage was installed for fast access to the data.

For Collider Run Ib, several upgrades were installed:

- 26. The SVX was replaced with a radiation-hard version, the SVX'. This device has similar acceptance but much improved signal-to-noise performance;
- 27. The DAQ system bandwidth has increased considerably with the addition of Fastbus Readout Controllers (FRC), VME-based scanner processors, and a very fast Ultranet hub connection to connect the scanners with the Level 3 trigger processors;
- 28. The Level 2 trigger processors have been replaced by a faster, more flexible system based on the DEC Alpha processor; and
- 29. New front-end electronics for the central electromagnetic strip chambers were added to allow a track match with strip clusters at Level 2 of the trigger.

In Collider Run Ia, CDF rolled into the B0 Collision Hall at the end of March, 1992, and first collisions were seen in May, 1992. During Run Ia, the E-775 detector functioned well, taking data at luminosities up to 9×10^{30} cm⁻²sec⁻¹ with 90% livetime and an overall data-taking efficiency of 71%. A total data sample of 21.4 pb⁻¹ was collected by the end of the run in June, 1993. The first-pass event reconstruction for all Run Ia data was completed by the end of 1993, and data analysis is continuing.

During Collider Run Ib, the detector has continued to function well, taking data at luminosities up to 18×10^{30} cm⁻²sec⁻¹ with 90% livetime and an overall data-taking efficiency of about 80%. Data-taking began on January 19, 1994, and by January 23, 1995, a total integrated luminosity of 50.9 pb⁻¹ had been recorded. The first-pass event reconstruction for this Run Ib data is nearly complete, and data analysis is continuing.

A total of 94 papers on CDF results have been published or submitted for publication. The main highlight to date is a paper on the observation of the top quark submitted for publication on February 24, 1995, using 48 pb⁻¹ of Run Ib data and all of the Run Ia data. Seventy-eight graduate students have submitted theses for their degrees based on CDF data.

CDF as E-830

E-830 is the upgraded version of CDF for Collider Run II, where the spacing between Tevatron bunches will decrease from 3500 nsec to 396 sec and luminosities much greater than 10^{31} cm⁻²sec⁻¹ are expected. The goal of this upgrade project is to improve the detector to enable it to operate at a luminosity of 2×10^{32} cm⁻²sec⁻¹ with a Tevatron bunch spacing as small as 132 nsec. The major components of the E-830 CDF upgrade are:

- a) Replace the plug and forward gas calorimeters with a new scintillatorbased calorimeter enabling the forward muon toroids to be moved closer to the interaction region;
- b) Upgrade the front-end electronics and trigger systems to accommodate data-taking at higher rates with shorter Tevatron bunch spacings;
- c) Upgrade the data acquiition system to increase throughput and reliability;
- d) Replace the silicon vertex detector with a device capable of withstanding higher radiation and with a readout system matched to 132 nsec spacing;
- e) Add a fiber tracker between the silicon vertex detector and the existing central drift chamber to insure continued quality of tracking pattern recognition and accuracy; and
- f) Enhance the off-line computing capability to provide for efficient production of physics results as the quantity of data increases.

The CDF Collaboration has increased dramatically in size since 1989. Nineteen new universities and national laboratories have joined to double the number of collaborating institutions to 36. A total of 459 physicists are now members, up from 187 in 1989. Of these 459, 142 are graduate students, 99 hold post-doctoral positions, and 218 are permanent staff.

Publications

The CDF Detector: An Overview, Nucl. Instrum. Methods in Physics Research, <u>A271</u>, 387 (1988).

Transverse Momentum Distributions of Charged Particles Produced in $\overline{p}p$ Interactions at $\sqrt{s} = 630$ and 1800 GeV, Phys. Rev. Lett. <u>61</u>, 1819 (1988).

Measurement of the Inclusive Jet Cross Section in $\overline{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. <u>62</u>, 613 (1989).

Measurement of W-Boson Production in 1.8-TeV $\overline{p}p$ Collisions, Phys. Rev. Lett. <u>62</u>, 1005 (1989).

Limits on the Masses of Supersymmetric Particles from 1.8 TeV $\overline{p}p$ Collisions, Phys. Rev. Lett. <u>62</u>, 1825 (1989).

Dijet Angular Distributions from $\overline{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. <u>62</u>, 3020 (1989).

Measurement of the Mass and Width of the Z^0 Boson at the Fermilab Tevatron, Phys. Rev. Lett. <u>63</u>, 720 (1989).

Search for Heavy Stable Particles in 1.8 TeV $\bar{p}p$ Collisions at the Fermilab Collider, Phys. Rev. Lett. <u>63</u>, 1447 (1989).

 K_{S^0} Production in $\overline{p}p$ Interactions at $\sqrt{s} = 630$ and 1800 GeV, Phys. Rev. D, Rapid Communication, <u>40</u>, 3791 (1989).

A Search for the Top Quark in the Reaction $\overline{p}p \rightarrow e + Jets$ at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. <u>64</u>, 142 (1990).

A Search for New Heavy Quarks in Electron-Muon Events at the Fermilab Tevatron Collider, Phys. Rev. Lett. <u>64</u>, 147 (1990).

Measurement of the Ratio $\sigma(W \rightarrow e \nu) / \sigma(Z \rightarrow ee)$ in $\overline{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. <u>64</u>, 152 (1990).

Two Jet Differential Cross Section in $\overline{p}p$ Collisions at $\sqrt{s} = 1.8$ Tev, Phys. Rev. Lett. <u>64</u>, 157 (1990).

A Measurement of D* Production in Jets from $\overline{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. <u>64</u>, 348 (1990).

Jet Fragmentation Properties in $\overline{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. <u>65</u>, 968 (1990).

A Measurement of the W Boson Mass, Phys. Rev. Lett. <u>65</u>, 2243 (1990).

Search for a Light Higgs Boson at the Tevatron Proton-Antiproton Collider, Phys. Rev. D, Rapid Communication, <u>41</u>, 1717 (1990).

The Two Jet Invariant Mass Distribution at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D, Rapid Communication, <u>41</u>, 1722 (1990).

Pseudorapidity Distributions of Charged Particles Produced in $\overline{p}p$ Interactions at $\sqrt{s} = 630$ and 1800 GeV, Phys. Rev. <u>D41</u>, 2330 (1990).

Measurement of the W Boson P_T Distribution in $\overline{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. <u>66</u>, 2951 (1991).

Measurement of the Z p_T Distribution in $\overline{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. <u>67</u>, 2937 (1991).

A Determination of $\sin^2\theta_W$ from the Forward-Backward Asymmetry in $p\bar{p} \rightarrow Z^0 X \rightarrow e^+ e^- X$ Interactions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. <u>67</u>, 1502 (1991).

Measurement of the e⁺e⁻ Invariant Mass Distribution in $\overline{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. <u>67</u>, 2418 (1991).

Search for W' \rightarrow ev and W' $\rightarrow \mu\nu$ in $\overline{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. <u>67</u>, 2609 (1991).

Measurement of $B^0\overline{B}^0$ Mixing at the Fermilab Tevatron Collider, Phys. Rev. Lett. <u>67</u>, 3351 (1991).

A Measurement of the W Boson Mass in 1.8 TeV pp Collisions, Phys. Rev. <u>D43</u>, 2070 (1991).

Top Quark Search in the Electron + Jets Channel in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. <u>D43</u>, 664 (1991).

A Measurement of $\sigma(W \rightarrow ev)$ and $\sigma(Z^0 \rightarrow e^+e^-)$ in $\overline{p}p$ Collisions at $\sqrt{s} = 1800$ GeV, Phys. Rev. <u>D44</u>, 29 (1991).

Measurement of QCD Jet Broadening in $\overline{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. <u>D44</u>, 601 (1991).

A Lower Limit on the Top Quark Mass from Events with Two Leptons in $p\overline{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. <u>68</u>, 447 (1992).

Inclusive Jet Cross Section in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. <u>68</u>, 1104 (1992).

Lepton Asymmetry in W Decays from $\overline{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. <u>68</u>, 1458 (1992).

A Search for New Gauge Bosons in $\overline{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. <u>68</u>, 1463 (1992).

Measurement of the Isolated Prompt Photon Cross Section in $p\overline{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. <u>68</u>, 2734 (1992).

Measurement of the Ratio $\sigma B(W \rightarrow \tau v) / \sigma B(W \rightarrow ev)$ in pp Collisions at $\sqrt{s} = 1.8$ TeV, as a Test of Lepton Universality, Phys. Rev. Lett. <u>68</u>, 3398 (1992).

A Measurement of the B Meson and b Quark Cross Section at $\sqrt{s} = 1.8$ TeV Using the Exclusive Decay B⁺⁻ $\rightarrow J/\psi$ K⁺⁻, Phys. Rev. Lett. <u>68</u>, 3403 (1992).

A Measurement of the Production and Muonic Decay Rate of W and Z Bosons in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. <u>69</u>, 28 (1992).

Limit on the Rare Decay $W^{+-} \rightarrow \gamma + p^{+-}$ in $p\overline{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. <u>69</u>, 2160 (1992).

The Dijet Angular Distribution at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. <u>69</u>, 2897 (1992).

Search for Squarks and Gluinos from $p\overline{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. <u>69</u>, 3439 (1992).

Inclusive J/ψ , ψ' and b-Quark Production in $\overline{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. <u>69</u>, 3704 (1992).

Topology of Three Jet Events in $\overline{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. <u>D45</u>, 1448 (1992).

Properties of Events with Large Total Transverse Energy Produced in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. <u>D45</u>, 2249 (1992).

A Limit on the Top Quark Mass from Proton-Antiproton Collisions at $\sqrt{s} = 1800$ GeV, Phys. Rev. <u>D45</u>, 3921 (1992).

Limits on the Production of Massive Stable Charged Particles, Phys. Rev. <u>D46</u>, R1889 (1992).

A Measurement of Jet Shapes in $\overline{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 70, 713 (1993).

Search for $\Lambda_b \rightarrow J/\psi \Lambda^0$ in pp Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. <u>D47</u>, R2639 (1993).

Comparison of Jet Production in $\overline{p}p$ Collisions at $\sqrt{s} = 546$ and 1800 GeV, Phys. Rev. Lett. <u>70</u>, 1376 (1993).

Measurement of the Cross Section for Production of Two Isolated Prompt Photons in $p\overline{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. <u>70</u>, 2232 (1993).

A Measurement of Jet Multiplicity in W Events Produced in $p\overline{p}$ Collisions at \sqrt{s} = 1.8 TeV, Phys. Rev. Lett. <u>70</u>, 4042 (1993).

A Study of Four-Jet Events and Evidence for Double Parton Interactions in $p\overline{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. <u>D47</u>, 4857 (1993).

A Measurement of the Bottom Quark Production Cross Section Using Semileptonic Decay Electrons in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 71, 500 (1993).

Measurement of the Dijet Mass Distribution in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. <u>D48</u>, 998 (1993).

A Prompt Photon Cross Section Measurement in $\overline{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. <u>D48</u>, 2998 (1993).

The Center-of-Mass Angular Distribution from Prompt Photons Produced in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. <u>71</u>, 679 (1993).

Observation of the Decay $B_s^0 \rightarrow J/\psi\phi$ in $p\overline{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. <u>71</u>, 1685 (1993).

A Measurement of the Bottom Quark Production Cross Section in 1.8 Tev $p\bar{p}$ Collisions Using Muons from b-Quark Decays, Phys. Rev. Lett. <u>71</u>, 2396 (1993).

Search for Quark Compositeness, Axigluons and Heavy Particles Using the Dijet Invariant Mass Spectrum Observed in $p\bar{p}$ Collisions, Phys. Rev. Lett. <u>71</u>, 2542 (1993).

Inclusive χ_c and b-Quark Production in $\overline{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. <u>71</u>, 2537 (1993).

A Search for First-Generation Leptoquarks in $\overline{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV at CDF, Phys. Rev. <u>D48</u>, R3939 (1993).

Measurement of the Average Lifetime of B-hadrons Produced in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. <u>71</u>, 3421 (1993).

Measurement of Drell-Yan Electron and Muon Pair Differential Cross-Sections in $\overline{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. <u>D49</u>, R1 (1994).

Evidence for Top Quark Production in $\overline{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D50, 2966 (1994).

A Measurement of the B Meson and b Quark Cross Sections at $\sqrt{s} = 1.8$ TeV Using the Exclusive Decay $B^0 \rightarrow J/Psi K^*(892)^0$, Phys. Rev. <u>D50</u>, 4252 (1994).

Measurement of Small Angle Antiproton-Proton Elastic Scattering at $\sqrt{s} = 546$ and 1800 GeV, Phys. Rev. <u>D50</u>, 5518 (1994).

Measurement of the $\overline{p}p$ Single Diffraction Dissociation at $\sqrt{s} = 546$ and 1800 GeV, Phys. Rev. <u>D50</u>, 5535 (1994).

Measurement of the Antiproton-Proton Total Cross Section at $\sqrt{s} = 546$ and 1800 GeV, Phys. Rev. <u>D50</u>, (5550) 1994.

A Search for the Top Quark Decaying to a Charged Higgs in $p\overline{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. <u>72</u>, 1977 (1994).

Search for Excited Quarks in $p\overline{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. <u>72</u>, 3004 (1994).

Measurement of the B⁺ and B⁰ Meson Lifetimes, Phys. Rev. Lett. <u>72</u>, 3456 (1994).

Measurement of the Ratio $\sigma B(W \rightarrow eh) / \sigma B(Z \rightarrow e^+e^-)$ in $\overline{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. <u>73</u>, 220 (1994).

Evidence for Top Quark Production in $\overline{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. <u>73</u>, 225 (1994).

Evidence for Color Coherence in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. <u>D50</u>, 5562 (1994).

W Boson + Jet Angular Distribution in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. <u>73</u>, 2296 (1994).

A Precision Measurement of the Prompt Photon Cross Section in $p\overline{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. <u>73</u>, 2662 (1994).

Search for the Top Quark Decaying to a Charged Higgs Boson in $\overline{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. <u>73</u>, 2667 (1994).

A Direct Measurement of the W Boson Width, Phys. Rev. Lett. <u>74</u>, 341 (1995).

The Charge Asymmetry in W-Boson Decays Produced in $\overline{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. <u>74</u>, 850 (1995).

Observation of Rapidity Gaps in $\overline{p}p$ Collisions at 1.8 TeV, Phys. Rev. Lett. <u>74</u>, 855 (1995).

Measurement of W - Photon Couplings with CDF in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. <u>74</u>, 1936 (1995).

Limits on Z-Photon Couplings from $p\overline{p}$ Interactions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. <u>74</u>, 1941 (1995).

Search for New Gauge Bosons Decaying into Dielectrons in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. <u>D51</u>, 949 (1995).

Search for Radiative Decays of Neutralinos in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV, submitted to Phys. Rev. Lett., July 1994. FERMILAB-PUB-94/202-E.

Measurement of W + photon and Z + photon Cross Sections in the Electron and Muon Channels in $\sqrt{s} = 1.8$ TeV Collisions, submitted to Phys. Rev. D, August 1994. FERMILAB-PUB-94/244-E.

bb Quark Pair Correlations in $p\overline{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, submitted to Phys. Rev. Lett., August 1994. FERMILAB-PUB-94/131-E.

Search for Charged Bosons Heavier than the W in $p\bar{p}$ Collisions at $\sqrt{s} = 1800$ GeV, submitted to Phys. Rev. Lett., August 1994. FERMILAB-PUB-94/268-E.

Search for New Particles Decaying to Dijets in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, submitted to Phys. Rev. Lett., December 1994. FERMILAB-PUB-94/405-E.

Kinematical Evidence for Top Pair Production in W + Multijet Events in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, submitted to Phys. Rev. D, December 1994.

Measurement of the B_8 Meson Lifetime, F. Abe et al., The CDF Collaboration, submitted to Phys. Rev. Lett., December 1994. FERMILAB-PUB-94/420-E.

A Measurement of the Ratio $\sigma \cdot B(p\overline{p} \rightarrow W \rightarrow e\nu) / \sigma \cdot B(p\overline{p} \rightarrow Z^0 \rightarrow ee)$ in $p\overline{p}$ Collisions at $\sqrt{s} = 1800$ GeV, submitted to Phys. Rev. D, February 1995. FERMILAB-PUB-95/025-E.

Observation of Top Quark Production in $\overline{p}p$ Collisions with CDF Detector at Fermilab, submitted to Phys. Rev. Lett., February 1995. FERMILAB-PUB-95/022-E.

Measurement of the W Boson Mass, submitted to Phys. Rev. Lett., March 1995. FERMILAB-PUB-95/035-E.

Properties of High-Mass Multijet Events at the Fermilab Proton-Antiproton Collider, submitted to Phys. Rev. Lett., March 1995. FERMILAB-PUB-95/038-E.


Measurement of the W Boson Mass, submitted to Phys. Rev. D, March 1995. FERMILAB-PUB-95/033-E.

Theses

G. Chiarelli	University of Pisa	March 1985
M. Sekiguchi	University of Tsukuba	
S. E. Kuhlmann	Purdue University	August 1988
D. A. Smith	University of Illinois	December 1988
T. K. Westhusing	University of Illinois	December 1988
R. D. St. Denis	Harvard University	December 1988
M. Miller	University of Pennsylvania	December 1988
Y. Morita	University of Tsukuba	January 1989
D. N. Brown	Harvard University	June 1989
R. M. Carey	Harvard University	July 1989
M. H. Schub	Purdue University	August 1989
R. M. Harris	Lawrence Berkeley Laboratory	August 1989
B. L. Flaugher	Rutgers University	October 1989
J. E. Skarha	University of Wisconsin	1989
B. Hubbard	Lawrence Berkeley Laboratory	November 1989
A. Byon	Purdue University	December 1989

		1000
G. Redlinger	University of Chicago	1989
Y. Tsay	University of Chicago	1989
W. Trischuk	Harvard University	April 1990
F. Snider	University of Chicago	March 1990
M. Contreras	Brandeis University	April 1990
H. Keutelian	University of Illinois	May 1990
S. Leone	University of Pisa	June 1990
P. Hu	Rutgers University	June 1990
S. Kanda	University of Tsukuba	June 1990
P. Schlabach	University of Illinois	August 1990
J. Walsh	University of Pennsylvania	1990
T. Mimashi	University of Tsukuba	September 1990
P. Hurst	University of Illinois	October 1990
P. Derwent	University of Chicago	November 1990
T. Hessing	Texas A&M University	December 1990
B. L. Winer	Lawrence Berkeley Laboratory	
		February 1991
G. Punzi	Suola Normale Superiore Pisa	February 1991
J. Ng	Harvard University	May 1991
A. Roodman	University of Chicago	June 1991
L. DeMortier	Brandeis University	September 1991
F. Ukegawa	University of Tsukuba	September 1991
L. Song	University of Pennsylvania	October 1991
D. Connor	University of Pennsylvania	November 1991
K. Byrum	University of Wisconsin	December 1991
V. Scarpine	University of Illinois	December 1991
R. Hughes	University of Pennsylvania	January 1992
L. Markosky	University of Wisconsin	January 1992
M. Ninomiya	University of Tsukuba	January 1992
Y. Seiya	University of Tsukuba	January 1992
S. Ógawa	University of Tsukuba	January 1992
L. Nakae	Brandeis University	April 1992
R. Markeloff	University of Wisconsin	August 1992
D. Gerdes	University of Chicago	September 1992
L. Keeble	Texas A&M University	September 1992
B. T. Huffman	Purdue University	December 1992
S. Vejcik		
	Johns Hopkins University	August 1992
Y. Seiya	University of Tsukuba	January 1993
S. M. Moulding	Brandeis University	February 1993
P. A. Maas	University of Wisconsin	August 1993
M. Incagli	University of Pisa	October 1993
V. Bolognesi	University of Pisa	October 1993
N. Turini B. Drucher	University of Bologna	October 1993
R. Drucker	Univ. of California/Berkeley	November 1993
D. Benjamin	Tufts University	November 1993
J. Lamoureux	University of Wisconsin	December 1993
C. Boswell	Johns Hopkins University	December 1993
R. Schwartz	University of Illinois	December 1993
C. Luchini	University of Illinois	December 1993
C. Jessop	Harvard University	December 1993
M. Roach-Bellino	Tufts University	January 1994
D. Kardelis	University of Illinois	January 1994

S. Dell'Agnello S. Leone M. Cobal B. Farhat B. Mattingly	University of Pisa University of Pisa University of Pisa Mass. Institute of Technology Brandeis University	February 1994 February 1994 February 1994 February 1994 March 1994
B. Farhat R. Mattingly	Mass. Institute of Technology Brandeis University	February 1994 March 1994
T. Chikamatsu	University of Tsukuba	April 1994
T. Song	University of Michigan	December 1994
J. Wang	University of Chicago	December 1994
G. Watts M. Vondracek	University of Rochester University of Illinois	December 1994 December 1994
R. Oishi	University of Tsukuba	January 1995
D. Lucchesi	University of Pisa	February 1995



E-760 (Cester) Investigation of the Formation of Charmonium States Using the Antiproton Accumulator Ring

UC/Irvine, Fermilab, INFN/Ferrara (Italy), Ferrara (Italy), INFN/Genova (Italy), Genova (Italy), Northwestern, Pennsylvania State, INFN/Torino (Italy), Torino (Italy)

Status: Data Analysis

Experiment E-760 studied charmonium states formed in $\overline{p}p$ collisions. A cooled antiproton beam of up to $4 \times 10^{11} \overline{p}$'s circulating in the Fermilab Antiproton Accumulator ring intercepts a high density hydrogen jet. States can be formed directly in $\overline{p}p$ interactions which are not directly accessible in e^+e^- interactions. The antiproton beam is cooled to $\Delta p/p = 2 \times 10^{-4}$ which allows sub-MeV widths of charmonium states to be measured directly for the first time.

The apparatus is optimized to detect charmonium states in the presence of the hadronic background through their decays to final states containing electrons and/or photons (e.g. $p\bar{p} \rightarrow \chi \rightarrow J/\psi \ \gamma \rightarrow e^+e^- \ \gamma, \ p\bar{p} \rightarrow \eta_c \rightarrow \gamma \gamma$). The main element of the detector is the central electromagnetic calorimeter, which consists of a cylindrical array of 1280 lead-glass Cerenkov counters. This is augmented in the forward direction by a planar electromagnetic calorimeter. Inside the central calorimeter are two scintillator hodoscopes, tracking chambers and a 16-cell threshold Cerenkov counter for electron identification.

E-760 took its first data with the complete apparatus in 1990. Energy scans performed at the J/ψ and ψ' found remarkably clean signals and demonstrated the capability of the detector and the Antiproton Source; precision measurements of the χ_1 and χ_2 line parameters have been published. The experiment took 31 pb⁻¹ of data in 1991, concentrating on measuring the $\gamma\gamma$ decay rate of the χ_2 state, a search for the η'_c , and measuring the η_c width. The line widths of both the J/ψ and the ψ' were also measured and a rich field of light-quark resonances which decay to neutrals is under study. The major achievement of the second run, however, was the discovery of the ${}^{1}P_1$ state: this was found as a result of an energy scan around the center of mass of the χ states in the mode $\bar{p}p \rightarrow {}^{1}P_1 \rightarrow J/\psi \pi^0 \rightarrow e^+e^- \gamma\gamma$.

Topics presently under analysis are:

- (a) Mass and width of η_c (direct measurement);
- (b) Where is the η'_c ?;
- (c) $\overline{p}p$ to $\pi^0\pi^0$, $\eta\eta$, $\pi^0\eta$, etc. (exclusive cross section as a function of energy); and
- (d) $\overline{p}p$ to $\pi^0\gamma$ (a major background and interesting in its own right).

Publications

Precision Measurements of Charmonium States Formed in $\overline{p}p$ Annihilation, T. A. Armstrong et al., Phys. Rev. Lett. <u>68</u>, 1468 (1992).

Study of the χ_1 and χ_2 Charmonium States Formed in $\overline{p}p$ Annihilations, T. A. Armstrong et al., Nucl. Phys. <u>B373</u>, 35 (1992).

Observation of the ${}^{1}P_{1}$ State of Charmonium, T. A. Armstrong et al., Phys. Rev. Lett. <u>69</u>, 2337 (1992).

Measurement of the J/ ψ and ψ' Resonance Parameters in $\overline{p}p$ Annihilation, T. A. Armstrong et al., Phys. Rev. <u>D47</u>, 772 (1993).

The Proton Electromagnetic Form Factors in the Time-Like Region from 8.9 to 13.0 GeV², T. A. Armstrong et al., Phys. Rev. Lett. <u>70</u>, 1212 (1993).

Measurement of the $\gamma\gamma$ Partial Width of the χ_2 Charmonium Resonance, T. A. Armstrong et al., Phys. Rev. Lett. <u>70</u>, 2988 (1993).


Study of the Angular Distribution of the Reaction $\overline{p}p \rightarrow \chi_2 \rightarrow J/\psi\gamma \rightarrow e^+e^-\gamma$, T. A. Armstrong et al., Phys. Rev. <u>D48</u>, 3037 (1993).

Evidence for η - η Resonances in Antiproton-Proton Annihilations at 2950 < \sqrt{s} < 3620 MeV, T. A. Armstrong et al., Phys. Lett. <u>B307</u>, 394 (1993).

Production of the f2 (1520) Resonance in Antiproton-Proton Annihilations at $\sqrt{s}=2980$ and 3526 MeV, T. A. Armstrong et al., Phys. Lett. <u>B307</u>, 399 (1993).

We have also published 7 NIM A papers on different parts of the apparatus. There have also been three reports on the Antiproton Source technology for the experiment in Accelerator Conference proceedings.

: .





E-761 (Vorobyov) An Electroweak Enigma: Hyperon Radiative Decays

Bristol (Great Britain), CBPF (Brazil), Fermilab, IHEP/Beijing (PRC), Iowa, ITEP/Moscow (Russia), PNPI (Russia), Rio de Janeiro (Brazil), Sao Paulo (Brazil), Yale

Status: Data Analysis

This experiment will probe the structure of the electroweak interaction and has two main goals. The first is to measure the asymmetry parameter for the electroweak decay $\Sigma^+ \rightarrow p\gamma$ and verify its branching ratio. The second goal will be to measure, or set new upper limits for, the branching ratio of the electroweak decay $\Xi^- \rightarrow \Sigma^-\gamma$. Since the Ξ^- are expected to be polarized, information on the asymmetry parameter may also be available.

We will use the Proton Center polarized charged hyperon beam and a new very high resolution spectrometer. The same channel as used for E-715 will allow us to utilize secondary momenta hyperons of up to 350 GeV/c. However to get the needed excellent momentum resolution of the hyperon beam, we will require a primary proton beam of very small size so that a target of 0.5 mm width in the bend plane can be used. This small target size combined with silicon strip detectors to determine the hyperon trajectory should allow a determination of the hyperon momentum to $\approx 0.15\%$. The momentum vector of the decay baryon (p from $\Sigma^+ \to p\gamma$ or $\sim \Sigma^-$ from $\Xi^- \to \Sigma^-\gamma$) will be determined by a proportional chamber spectrometer consisting of three BM109 magnets. The spectrometer high resolution will allow us to distinguish the single photon decay mode from the much more copious competing π^{0} decay mode. For the decay $\Xi^- \rightarrow \Sigma^- \gamma$, the lever arms of the decay spectrometer will be shortened from what is shown in the diagram to allow a measurement of the Ξ^{-} direction before it decays.

The position of the γ will be measured to about 1.0 mm by first converting them and then using a transition radiation detector (TRD) to measure the direction of the fast forward electrons. Following the TRD a lead glass array will measure the total electromagnetic energy. Thus the full momentum vector will be measured for the incident hyperon and all of the radiative decay products providing excellent kinematic identification.

About 220M positive beam triggers and 300M negative beam triggers were recorded in the 1990 fixed-target run.

Figure 1. Summary of the E-761 positive beam data set. The plot shows the missing mass squared of the neutral recoil assuming the incident hyperon was a Σ^+ and the charged daughter was a proton. Only charged track information is used at this stage. There are $48M \Sigma^+ \rightarrow p\pi^0$ decays and $67K \Sigma^+ \rightarrow p\gamma$ decays visible on this plot along with a small $K^+ \rightarrow \pi^+\pi^0$ background.

Figure 2. A few days of negative beam data with the same apparatus configuration as for the Figure 1 data yielded 250K $\operatorname{anti}(\Sigma^+) \to \overline{p}\pi^0$ decays and about 400 anti $(\Sigma^+) \to \overline{p}\gamma$ decays. These data allow us to measure the radiative branching ratio and magnetic moment of the $\operatorname{anti}(\Sigma^+)$.

Figure 3. The $\Sigma^+ \to p\gamma$ signal is extracted by using the E-761 photon detectors to separate events with one and two final state photons. Figure 3a shows a scatter plot of the missing neutral mass squared in the region of the photon versus a χ^2 for the hypothesis that the pattern of hits in the TRD system is consistent with one photon. The normalized projections for signal ($\chi^2 < 1$) and background ($\chi^2 > 4$) are shown in Figure 3b.

Figure 4. The data were taken in equal sub-samples with the Σ^+ polarization up and down. The magnitude of the polarization is ~12%. This allows us to extract the asymmetry parameter in the radiative decay. This result is shown along with previous low statistics measurements. It was published in PRL.


Figure 5. In an auxiliary measurement we added a pair of bent silicon crystals. Hyperons were channeled in these crystals and bent through angles of ± 1.6 mrad. We observed for the first time the precession of the Σ^+ polarization in the 45T effective magnetic field of the bent crystal. The precession angle of ~60 degrees allows a measurement of the magnetic moment of the Σ^+ in a longitudinal distance of 45 mm. This new technique may prove useful in measuring the magnetic moment of very short lived states such as the charmed baryons. This result was published in PRL.

Figure 6. A signal for $\Xi^- \rightarrow \Sigma^- \gamma$ has been extracted. The same techniques are used as in the analysis of the positive beam data. This represents >10 times the previous world sample. An analysis for the branching ratio of this decay mode yields $[1.22 \pm 0.23] \times 10^{-4}$. The asymmetry parameter is measured as +1.0 ± 1.3. These results have been submitted to PRL.


Table 1. A summary of journal publications and theses to date are given. Two more students continue to work on analyses and several more papers are in draft or are expected.

Within the past year, three Physical Review Letters have been submitted on the production polarizations and magnetic moments for the Σ^+ and $\operatorname{anti}(\Sigma^+)$ hyperons. The Σ^+ moment is +2.4613 ± 0.0034 (stat) ± 0.0040 (syst) [NM]. This 0.2% measurement is the most precise hyperon magnetic moment measurement to date.

E761 - Radiative Hyperon Decays



"First Observation of Magnetic Moment Precession of Channeled Particles (Σ^+ Hyperons) in Bent Crystals" D. Chen, *et.al.*, Phys.Rev.Lett. 69:3286,1992.



High Intensity Lab Spectrometer E771

E-771 (Cox) Beauty Production by Protons

Athens (Greece), Brown, UC/Berkeley, UCLA, Dubna (Russia), Duke, Fermilab, Houston, Lecce (Italy), MIT, McGill (Canada), Nanjing (PRC), Northwestern, Pavia (Italy), Pennsylvania, Prairie View A&M, Shandong (PRC), South Alabama, SSCL, Vanier (Canada), Virginia

Status: Data Analysis

In a brief data-taking period at the end of the 1991 run, 126 million dimuon triggers and 62 million single muon triggers were acquired in 800 Gev/c p-Si interactions. These data are presently being analyzed to extract beauty and hidden charm physics via the signatures

> $pN \rightarrow B\overline{B} + x$ B or $\overline{B} \rightarrow J / \psi + anything$

 $pN \rightarrow B\overline{B} + x$ B or $\overline{B} \rightarrow \mu + anything$

 $pN \rightarrow charmonium states + anything$ $\downarrow J/\psi + charged or neutral \pi's$

At present, Pass I processing of the dimuon data has been completed and some 20K to 35K $J/\psi \rightarrow \mu\mu$ decays have been reconstructed (the number depending on cuts necessary for the physics under study). Pass II processing of these data is beginning. Some B's have already been extracted from the J/ψ data in a quick survey of a small portion of the data.


In addition, the enhancement tentatively designated as the ${}^{3}D_{2}$ state of charmonium observed in 300 GeV/c $\pi^{\pm}N$ interactions in E-705 via its decay

$$^{3}\mathrm{D}_{2} \rightarrow \mathrm{J/\psi}\pi^{+}\pi^{-}$$

has been observed in the 800 GeV/c pN interactions in E-771. Work is proceeding on a search for the ${}^{1}P_{1}$ state which was observed in E-705 π^{\pm} and proton interactions via its decay

$$^{1}P_{1} \rightarrow J/\psi\pi^{0}$$

Pass I processing of single muon data has just begun. It is expected that most of the Pass I single muon processing will be finished by late spring 1994. Some B candidates have already been isolated in this data in a preliminary scan.



E-773 (Gollin) Measurement of the Phase Difference Between η_{00} and η_{+-} to a Precision of 1°

Chicago, Elmhurst, Fermilab, Illinois, Rutgers

Status: Data Analysis

The ratios of the amplitudes for K_L and K_S to decay into pairs of pions are

 $\eta_{00} = \frac{\operatorname{Amp}(K_L \to \pi^0 \pi^0)}{\operatorname{Amp}(K_S \to \pi^0 \pi^0)} \text{ and } \eta_{+-} = \frac{\operatorname{Amp}(K_L \to \pi^+ \pi^-)}{\operatorname{Amp}(K_S \to \pi^+ \pi^-)}.$

The magnitudes of η_{00} and η_{+-} , measured by Fermilab E-731, are nearly identical. Given the approximate equality of $|\eta_{00}|$ and $|\eta_{+-}|$, CPT conservation requires $\Delta \varphi$, the phase difference between η_{00} and η_{+-} , to be at most a fraction of a degree.

To avoid systematic uncertainties associated with imperfect knowledge of kaon beam flux, detector acceptance, and resolution smearing effects, E-773 measures $\pi\pi$ decays using a double beam technique similar to that employed by E-731, our ε' experiment. One beam passes through a thin regenerator at the start of the fiducial decay volume, while the other beam traverses a thick regenerator 12 meters further upstream. The separation is chosen to make the $\pi\pi$ decay rate inside the decay volume insensitive to $\Delta\phi$ for K_S from the upstream regenerator, and maximally sensitive to $\Delta\phi$ for K_S from the downstream regenerator. The regenerators switch beams between beam spills; data were recorded simultaneously for $\pi^0\pi^0$ and $\pi^+\pi^-$ decays in both beams. The double ratio of rates,

 $R = \frac{\Gamma_{00}(upstream)/\Gamma_{00}(downstream)}{\Gamma_{+-}(upstream)/\Gamma_{+-}(downstream)},$


differs from unity by about 0.7% per degree of $\Delta \phi$. "Upstream" and "downstream" refer to the beams containing regenerators in the upstream and downstream positions.

The E-773 detector is similar to the E-731 detector downstream of the two regenerators; both regenerators are solid scintillator to reduce backgrounds from inelastic K_S production. The $\pi^0\pi^0$ final states are measured in an 804-element lead glass array, while the $\pi^+\pi^-$ decays are detected in a 2000-channel drift chamber spectrometer. The neutral mode trigger requires four photons to strike the lead glass array; the glass and chambers are the same as those used by E-731.

We recorded about 450 million triggers during the first half of the 1991 fixed-target run (we reconfigured the detector for E-799 during the second half of the run). Before fiducial cuts, there are approximately $10^6 \text{ K} \rightarrow \pi\pi$ decays in


our data sample, which yields a measurement accuracy of 1° for $\Delta \phi$. We are finishing our analysis after presenting preliminary results during the spring and summer of 1994.

We expect to publish measurements of the phase difference between η_{00} and η_{+-} , the phase of η_{+-} , and the magnitude and phase of $\eta_{+-\gamma}$, where $\eta_{+-\gamma}$ is the ratio of the amplitudes for K_L and K_S to decay to $\pi\pi\gamma$. Shown in the accompanying figure are acceptance-corrected decay distributions for $\pi^+\pi^$ and $\pi^0\pi^0$ decays from the upstream-regenerator beam in a restricted energy range. The interference between the K_L and K_S decay amplitudes is clearly visible.



E773 acceptance-corrected z distributions, 40-50 GeV

E-781



110

E-781 (Russ) Study of Charm Baryon Physics

Bristol (Great Britain), Carnegie-Mellon, CBPF (Brazil), Fermilab, IHEP/Beijing (PRC), IHEP/Serpukhov (Russia), Iowa, ITEP (Russia), Moscow State (Russia), MPI/Heidelberg (Germany), Paraiba (Brazil), PNPI (Russia), Rochester, San Luis Potosi (Mexico), Sao Paulo (Brazil), Tel Aviv (Israel)

Status: No Data Yet


The study of charm baryons has lagged behind the recent progress in charm meson physics. The production of baryons by electron colliders or photon beams is small compared to meson production. Sample sizes of charm baryons comprise a few thousand events, compared to the hundred thousand event samples for charm mesons. In photoproduction Λ_c^+ decays comprise most of the data. Present hadron data indicate larger production of c-s baryons in hadronic interaction, especially with hyperons. E-781 runs in a mixed hyperon/pion beam. Because hadronic production of charm remains a difficult experimental challenge, current generation experiments have tended to run "open" triggers. The charm states produced are preponderantly charm mesons near x = 0, the dominant cross section in all hadronic processes. The design philosophy for E-781 is to use the fact that for all known baryons, the baryon/meson ratio increases dramatically at large x. The overall charm production cross section decreases, of course, but a good charm trigger can produce an enriched sample of charm baryons.

The charm trigger for E-781 is based on impact parameter, to provide a topology-independent trigger. All charm particles have a finite decay length, albeit short. A high resolution tracking device close to the target can select charm candidates on the basis of one or more tracks with a sufficiently large miss distance from the primary interaction point. Such a trigger is now conceivable because of recent advances in VLSI readout of silicon strip detectors and tremendous improvement in the online computer power available to an experiment. The spectrometer, shown in the accompanying figure, deploys a number of existing chambers and neutral particle detectors as well as the new silicon strip and pixel devices and the Ring-Imaging Cerenkov counter. By using VLSI amplifiers, E-781 can afford to make a vertex detector with 20 micron strips, totalling 50,000 channels of readout. This allows one to achieve 8-10 micron track spatial precision, and the large-x condition boosts all interesting tracks to high momentum (> 15 GeV) to minimize multiple Coulomb scattering errors. The computational trigger for E-781 is expected to give a charm enrichment factor at large x of at least 100. It was tested and verified in the 1991 fixed-target run.

The physics questions for a charm baryon study have to do with both production and decay mechanisms. In charm baryon decays, the charm quark may decay or interact through exchange mechanisms with the light quarks. The exchange mechanisms are not suppressed by helicity considerations as they are in meson decays. A rich spectrum of two-body resonances may dominate the final states. Do they? The discovery of resonance-dominance of charm meson final states was a surprise, and the study of decay modes in baryons is an important goal of E-781. Such a study requires good particle identification and also good photon detection. We have both. Comparison of non-leptonic and semi-leptonic modes is also important. The transition radiation detector in front of the Ring-Imaging Cerenkov is a clean tag on electrons. From a theoretical point of view, understanding the ordering of the decay rates of the four different stable charm baryons will give useful insight into which of the several competing decay mechanisms dominates these states. All these data will provide useful tests of the first-order corrections to Heavy Quark Effective Theory. For $c \rightarrow s$ transitions, details of the model can be probed.

Strong interaction physics can be studied in the production of charm baryons. The observation of a p_t -dependent polarization in the production of strange baryons has led to a resurgence of interest in spin-effects at high energies. What happens with charm baryons? E-781 will measure polarizations. There is evidence for leading production of charm baryons from some experiments, but this is not universally observed. E-781 will do a detailed x-dependence measurement of charm baryon production from several different incident beams.

The physics potential of the experiment touches many little-known areas of heavy quark physics. The focus on baryons is especially appropriate for a hadron machine. The experiment is now being installed and anticipates an extremely productive run in the 1996 fixed-target period.



E789 SCHEMATIC (PLAN VIEW)

E-789 (Kaplan / Peng) b-Quark Mesons and Baryons

Abilene Christian, Academia Sinica (Taiwan), Chicago, Fermilab, LANL, LBL, Northern Illinois, South Carolina

Status: Data Analysis

E-789 aims to study charmless two-body two-prong decays of neutral b-quark hadrons. Sensitivity to inclusive beauty decays to J/ψ and to two-prong decays of charm will also be achieved. Charmless dihadronic beauty decays

 $B_d, B_s, \Lambda_b \rightarrow \pi^+\pi^-, K^+K^-, p\overline{p}, \pi^\pm K^\mp, p\pi^-, \overline{p}\pi^+, pK^-, \overline{p}K^+$

are of particular interest for several reasons: 1) Since they are sensitive to the Kobayashi-Maskawa matrix element for $b \rightarrow u$ conversion, their observation (or non-observation) can help determine whether the Kobayashi-Maskawa (sixquark) approach to K⁰ CP-violation is valid; 2) They offer a possible avenue to the study of CP violation in the B system, since they are predicted to have relatively large CP-violating contributions; 3) The rate of $b \rightarrow u$ conversion is highly uncertain at present: it could vary by an order of magnitude and still be consistent with the results of the CLEO group.

E-789 is an exploratory effort to address this physics using the existing MEast beamline and upgraded E-605/772 spectrometer. This spectrometer, shown in the accompanying figure, uses two large analysis magnets and twenty-three planes of scintillation-counter hodoscopes and wire chambers to measure charged-particle tracks passing above and below a central beam dump. Particles are identified by electromagnetic and hadronic calorimeters, muon detectors, and a ring-imaging Cherenkov counter. An array of silicon microstrip detectors pinpoints the vertices of two-prong beauty decays to < 1mm in z. Since the average decay distance for the decays accepted by the downstream spectrometer is 1.2 cm (for a $1.3 \times 10^{-12} \text{ sec B}$ lifetime), a vertex cut 0.7 cm downstream of the mm-long target will retain more than half of these decays while greatly suppressing the copious background of dihadrons produced in the target. This suppression, combined with the excellent predicted mass resolution of ~ 0.2% at 5.3 GeV, will ensure adequate signal-to-background ratio for measurement of branching ratios as small as ~ 10^{-6} .

The E-605/772 spectrometer has demonstrated its suitability over several years for high-precision measurements at high luminosity and high counting rates. Such measurements require not only high-rate particle detectors but also high-rate data acquisition and sophisticated triggering capability. These are furnished by the Nevis Labs Data Transport and hardware trigger processor systems, which have been suitably upgraded for the beauty running. The upgraded data acquisition system is capable of recording \approx 50 megabytes per beam spill on 8mm tape cassettes. The upgraded trigger processor reconstructs the decay vertex using information from the silicon microstrip detectors, providing on-line suppression of non-heavy-quark triggers by up to an order of magnitude.

The first physics run for E-789 took place in July 1991 - January 1992. The beam time was divided roughly equally between charm and beauty running (two months each). A total of $\sim 1.5 \times 10^9$ events, collected over a total of $\sim 8.0 \times 10^4$ beam spills, have been recorded on ~ 1300 8mm tapes. Table I lists the various data sets from this run.

Data set	Quark studied	Spectrometer setting	Target material	Target dimensions $\mathbf{x} \times \mathbf{y} \times$	Total live interactions
				z (mm ³)	
1	charm	1000A	Au	$50 \times 0.1 \times 0.8$	4×10 ¹¹
2	charm	1000A	Be	50 imes 0.1 imes 0.8	1×10 ¹¹
3	beauty	1500A	Au	50 imes 0.2 imes 3	3×10^{13}
4	charm	900A	Au	50 imes 0.15 imes 1.5	7×10 ¹⁰
5	charm	900A	Be	50 imes 0.15 imes 1.5	1×10 ¹¹
6	$charm \rightarrow dileptons$	900A	Au	50 imes 0.15 imes 1.5	4×10 ¹¹
7	charmonium	2400A	Cu	Beam dump	2×10 ¹³
8	charmonium	2400A	Be	50 imes 100 imes 915	5×10 ¹²

Table I. Summary of E-789 Data Sets

The charm running was crucial for tuning our newly installed siliconstrip detectors and vertex trigger processor. Furthermore, the nuclear dependence of D meson production, measured with gold and beryllium targets, should give valuable insight into the origin of the J/ψ A-dependence observed at the same beam energy in E-772. By use of our vertex-reconstructing trigger processor and upgraded data-recording system, we were able to take up to 2×10^{10} protons per pulse on the 800-µm-long gold target (4 MHz interaction rate).

Our beauty data were collected at a spectrometer setting which simultaneously optimized sensitivity for $B \rightarrow J/\psi$ and for $B^0 \rightarrow$ dihadrons. We ran at a 50-MHz interaction rate, constrained by radiation limits at our trailer. The beauty data correspond to a total of 3.0×10^{13} interactions. Using standard assumptions for the size, shape, and A-dependence of the bb cross section, this should provide some 100 reconstructible $B \rightarrow J/\psi$ events. Assuming no dihadronic decays are observed after all cuts, the 90%-c.l. upper limit for each dihadronic B⁰ decay mode is estimated at 1.0×10^{-4} (and similar limits for $B \rightarrow$ e^+e^- , $\mu^+\mu^-$, and $e\mu$).

In addition to the measurements discussed above, we have also measured the A-dependence of J/ψ production at very large x_F (0.3 < x_F < 1.0). This was accomplished by detecting dimuons produced in the copper beam dump, as well as dimuons produced in a thick block of beryllium placed upstream of the beam dump. During the 1990 test run we had also taken data with three different targets to measure the A dependence of J/ψ production at x_F near 0. These data supplement the results at more forward x_F published by E-772.

The 900A data sets 4,5 have been analyzed for dihadron final states. Depending on how tight we make the vertex cuts, we see between 300 and 700 $D^0 \rightarrow K\pi$ events from each target, yielding measurements of the A-dependence exponent α to a statistical precision of ± 0.02 . Our preliminary D^0 production cross section and lifetime measurements are consistent with previous measurements. An RMS mass resolution of ≈ 5 MeV is observed for the D meson peak. Data set 6 was obtained by prescaling the non-dilepton triggers to provide the maximum sensitivity for possible $D^0 \rightarrow dilepton$ decays. The 90%-c.l. upper limits for $D^0 \rightarrow dileptons$ should be $\approx 0.5 \times 10^{-5}$ each for e⁺e⁻, $\mu^+\mu^-$, and eu.

Preliminary results from an analysis of $\approx 15\%$ of the 1500A dimuon sample were presented¹⁹ at the Dallas ICHEP meeting. Of 15,000 J/ ψ and 300 ψ ' decays observed, six J/ ψ s have decay vertices located at least 7 mm downstream of the target. These J/ ψ events are consistent with originating from the B \rightarrow J/ ψ X inclusive decays. Analysis of the dielectron and dihadron data samples are underway.

E-789 has been the subject of several talks and papers¹⁻³⁰. Two M. S. theses^{9,14} and one Ph.D dissertation²³ on E-789 have been completed.


References

- 1. Backgrounds to the Detection of Two-Body Hadronic B Decays, D. M. Kaplan et al., Proceedings of the Workshop on High Sensitivity Beauty Physics at Fermilab, 301 (1987).
- 2. Feasibility of Detecting $B \rightarrow h^+h^-$ in a Fixed-Target Experiment, J. C. Peng et al., Proceedings of the International Conference on Medium and High Energy Physics, May, 1988, Taipei, Taiwan, World Scientific, New Jersey, 449 (1989).
- 3. Prospects for High-Luminosity Rare B-Decay Experiments, D. M. Kaplan, Fermilab Publication FN-526 (1989).
- 4. Prospects for B Physics on Fermilab Experiment E-789, D. M. Alde, Proceedings of HADRON 89, International Conference on Hadron Spectroscopy, Ajaccio, France, September, 1989, Edition Frontieres, p 529.
- 5. Performance of a Silicon Microstrip Detector in a High Radiation Environment, C. S. Mishra et al., FERMILAB-Conf-90/107, Proceedings of the 15th APS Division of Particles and Fields General Meeting (DPF90), Houston, January, 1990.
- 6. Dilepton and Dihadron Production in Proton-Nucleus Collisions at 800 GeV, C. S. Mishra, et al., FERMIIAB-Conf-90/100-E, Proceedings of the XXVth Rencontres de Moriond, High Energy Hadronic Interactions, Les Arcs, March, 1990.
- 7. Operation of Silicon Microstrip Detectors in a High Radiation Environment, J. S. Kapustinsky et al., FERMILAB- Conf-90/214-E,

Proceedings of the Symposium on Detector Research and Development for the SSC, Fort Worth, October, 1990.

- Issues for High-Luminosity Fixed-Target Rare-B-Decay Experiments, D. M. Kaplan, FERMILAB-Conf-90/257E, Proceedings of the 1990 Snowmass Summer Study.
- 9. A Parallel Pipelined Dataflow Trigger Processor, C. Lee, M.S. thesis, Northern Illinois University (Electrical Engineering Department), December, 1990.
- 10. A Parallel Pipelined Dataflow Trigger Processor, C. Lee et al., IEEE Trans. Nucl. Sci. <u>38</u>, 461 (1991).
- 11. A Trigger for Beauty, G. Charpak et al., Nucl. Instr. Meth. <u>A306</u>, 439 (1991).
- Fixed-Target Study of Low-Multiplicity Decays of Charm and Beauty, D. M. Kaplan, presented at Future Directions in B Physics, The Ohio State University, Columbus, Ohio, May, 1991.
- 13. Nuclear Effects on Heavy Quark Production, Results from Fermilab Experiments E-772 and E-789, M. J. Leitch et al., Nucl. Physics. <u>A544</u>, 197c (1992).
- 14. A Parallel Processor for a Fermilab Heavy-Quark Experiment, J. Sa, M.S. thesis, Northern Illinois University (Physics Department), December, 1991.
- 15. A Multichannel Discriminator System for Silicon Strip Detector Readout, B. Turko et al., IEEE Trans. Nucl. Sci. <u>39</u>, 758 (1992).
- 16. Preliminary Results from E-789, M. Kowitt et al., Proceedings of the XXVIIth Rencontres de Moriond, March, 1992.
- 17. Radiation Damage Effects on the Silicon Microstrip Detector in E-789 A Fixed Target Experiment at Fermilab, J.S. Kapustinsky et al., Proceedings of the International Conference on Advanced Technology and Particle Physics, Como, Italy, 1992.
- Fermilab Experiment 789: Two-Prong Decays of Charm and Beauty, D. M. Kaplan, Topical Seminar on The Standard Model and Just Beyond, San Miniato, Italy, June, 1992.
- 19. Preliminary Results from Fermilab E-789, J. C. Peng et al., Proceedings of the International Conference on High Energy Physics, Dallas, 1992.
- 20. First Results from Fermilab Experiment 789, M. H. Schub, APS DPF Meeting, Fermilab, November, 1992.
- 21. Test of Principle of an Optical Trigger for Beauty, W. Luebke, APS DPF Meeting, Fermilab, November, 1992.
- 22. Results of B-Meson Production from Fermilab E-789, J. C. Peng, Proceedings of the International Workshop on B-Factories, Tsukuba, Japan, 1992.

- 23. Hadronic Production of J/ψ at Large X_F in 800 GeV p+Cu and p+Be Collisions, M. S. Kowitt, Ph. D. thesis, University of California at Berkeley, December, 1992.
- 24. Test of Principle of an Optical Trigger for Beauty, D. M. Kaplan et al., Nucl. Instr. & Meth. <u>A330</u>, 33 (1993).
- 25. A Simple Drift-Tube Telescope for Detector Tests, D. M. Kaplan et al., Nucl. Instr. & Meth. <u>A336</u>, 116 (1993).
- 26. Beauty and Charm Production from Fermilab Experiment 789, D. M. Jansen et al., FERMILAB-CONF-93-129-E, to appear in Proceedings of the 28th Rencontres de Moriond, Les Arcs, France, March 20-27, 1993.
- 27. E-789 and P-865: High-Rate Fixed-Target Studies of Charm and Beauty, D. M. Kaplan et al., FERMILAB-CONF-93-162-E, to appear in Proceedings of the Workshop on Heavy Quarks at Fixed-Target (HQ93), Frascati, Italy, May 31-June 2, 1993.
- 28. A Fast Ring-Imaging Cherenkov Counter for a Fixed-Target Heavy-Quark Experiment, D. M. Kaplan et al., FERMILAB-CONF-93-148, First Workshop on RICH Detectors, Bari, Italy, June 1-5, 1993, to appear in Nucl. Instr. & Meth.
- 29. Production of J/ψ at Large x_F in 800 GeV/c p-Copper and p-Beryllium Collisions, M. S. Kowitt et al., Lawrence Berkeley Laboratory preprint LBL-34790/UC-414, submitted to Phys. Rev. Lett. (1993).
- 30. Nuclear Dependence of Neutral D-Meson Production by 800 GeV/c Protons, M. J. Leitch et al., submitted to Phys. Rev. Lett. (1993).



E-791 (Appel / Purohit) / E-769 (Appel) Hadroproduction of Charm and Beauty

E-791: UC/Santa Cruz, CBPF (Brazil), Cincinnati, CINVESTAV (Mexico), Fermilab, IIT, Kansas State, Mississippi, Ohio State, Princeton, Puebla (Mexico), Rio de Janeiro (Brazil), Sao José do Rio Preto (Brazil), South Carolina, Tel Aviv (Israel), Tufts, Wisconsin, Yale

Status: E-769, E-791 - Data Analysis

E-769 is an experiment to measure the properties of hadronic charm production using the Tagged Photon Spectrometer facility. It measures the flavor, x, p_t and A dependences of this process at the same time and in a single apparatus.

The experiment collected its data during the 1987-88 fixed-target running period, recording interactions of 250 GeV beams of identified pions, kaons and protons. The beam was incident on a foil target assembly with four materials: beryllium, aluminum, copper and tungsten, segmented in the beam direction. The total data set consists of about 400 million triggers with about 200 million each of negative beam events (85% pi, 15% kaon) and positive beam events (40% pi, 30% kaon and 30% proton). This data set, unprecedented in high energy physics at the time, required a highly parallel, multimicroprocessor system for data acquisition, designed and implemented specially for E-769. The off-line analysis also extended the use of microprocessor farms, being the first at Fermilab to use commercial processors with elements of the Computing Division CPS software for largescale reconstruction of experiment data.

E-791 has broken new ground in charm and beauty physics. Located in the Tagged Photon Laboratory it has a 500 GeV/c π^- beam incident on a foil target. Charm and beauty events are selected by a high-E_T trigger made possible by the segmented nature of the electromagnetic and hadronic calorimeters. The detector has twenty-three planes of high-resolution silicon strip devices followed by thirty-seven planes of drift-chambers and PWC's. Two Cerenkov detectors and a muon wall are used with the calorimeters to identify particle types. The experiment took data in the 1991 fixed-target run and wrote to tape over 20 billion events. About 200,000 charm decays have been fully reconstructed (20 × E-691's sample of 10,000 fully reconstructed charm decays). It should be possible to reconstruct a couple of hundreds of beauty decays partially and a few B decays fully.

While several features of charm decays are now understood (the pattern of lifetimes, the small contributions from exchange, annihilation and colorsuppressed diagrams) there remain several open questions. These include the degree to which two-body decays dominate, the role of final state interactions and, of course, the pattern of lifetimes of the charm-strange baryons. E-791, being a very high-statistics as well as open-geometry experiment, is ideal for observing rare branching ratios into fully charged modes and has good background rejection for γ and π^0 modes. Semileptonic and leptonic modes of charm particle decay are of particular interest because they probe the weak charm decay vertex without the complications of final-state interactions. E-691 had marginal sensitivity to πev and φev decays and E-791 will have important results there. Branching ratio measurements for even the copious modes are currently at the 10% level and will be improved. E-791 has good sensitivity to D_s^+ and Λ_c^+ semileptonic decays, will measure form-factors and polarization effects in these decays and will search for purely leptonic decays such as $D_s^+ \rightarrow \tau^+ v_{\tau}$ and $D^+ \rightarrow \mu^+ v_{\mu}$.

 $D^0-\bar{D}^0$ mixing is predicted to be unobservably small in the Standard Model. E-791's factor-of-twenty increase in statistics explores an interesting new region where physics beyond the Standard Model could be observed. The higher statistics will also allow precision studies of charm hadroproduction. The experiment's sample of partially reconstructed B mesons should be sufficient to extract the total bb production cross-section.

E-791 is simultaneously exploring challenging new technologies. The vast number of reconstructed events was made possible by fast front-end electronics (<40 μ s readout times), fast data acquisition and high-speed writing to 8 mm tape (10 Mbyte/sec).

Nine Ph.D. students gained hardware and running experience on E-791, but have completed or are working on physics analyses based on E-691 or E-769 data. A total of 11 Ph.D. theses based on E-769 have been accepted, with an additional four expected. All more recent Ph.D. students, 25 as of this writing, have both their hardware and analysis experience with E-791. The first three Ph.D. theses based on E-791 data have been accepted.

E-769 Publications

Using Multiple RISC CPUs in Parallel to Study Charm Quarks, C. Stoughton and D. J. Summers, Computers in Physics <u>6</u>, 371 (1992).

Feynman-x and Transverse Momentum Dependence of D^{\pm} and D^{0} , \overline{D}^{0} Production in 250 GeV π^{-} -Nucleon Interactions, G. A. Alves et al., Phys. Rev. Lett. <u>69</u>, 3147 (1992).


Atomic Mass Dependence of D^{\pm} and D^{0} , \overline{D}^{0} Production in 250 GeV π^{\pm} - Nucleon Interactions, G. A. Alves et al., Phys. Rev. Lett. <u>70</u>, 722 (1993).

Enhanced Leading Production of D^{\pm} and D^{\pm} in 250 GeV π^{\pm} - Nucleon Interactions, G. A. Alves et al., Phys. Rev. Lett. <u>72</u>, 812 (1994).

 D^{\pm} Production in 250 GeV $\pi^{\pm}N$ Interactions, G. A. Alves et al., Phys. Rev. D49, R4317 (1994).

E-791 Publications

The E-791 Parallel Architecture Data Acquisition System, S. Amato et al., Nucl. Instr. Meth. <u>A324</u>, 535 (1993).



E-799 (Wah / Yamanaka) A Search for the Rare Decay $K_L \rightarrow \pi^0 l^+ l^-$

UCLA, Chicago, Colorado, Elmhurst, Fermilab, Illinois, Osaka (Japan), Rutgers (Phase II includes UC/San Diego, Rice, Virginia, Wisconsin)

Status: Phase I - Data Analysis	Status:
Phase II - No Data Yet	

E-799 was proposed to be executed in two phases. Phase I (E-799I) finished data-taking early in 1992 and Phase II (E-799II) will be performed during the next fixed-target run in the mid-90s. E-799 focuses upon rare decays, particularly $K_L \rightarrow \pi^{0}l^+l^-$ (where l could be electron, muon, or neutrino) that could have large direct CP violating amplitudes.

E-799I took data in the last Fermilab fixed-target running period from October 1991 until January 1992 using the high intensity MC beamline. About 1000 video cassettes (1 terabyte; 500 million triggers) of data were collected. The data collected has sensitivities approaching 10^{-9} for a variety of rare decays. The important decay modes to be studied are $K_L \rightarrow \pi^0 ee$, $\pi^0 \mu\mu$, $\pi^0 \nu\nu$ (all three have dominant direct CP-violating amplitudes); $K_L \rightarrow \mu\mu\gamma$, eeee, $\mu\mu ee$, $\pi^+\pi^-ee$ (Dalitz and related form factor study); $\pi^0 \rightarrow ee\gamma$, $\pi^0 \rightarrow eeee$ (π^0 Dalitz and related form factor study); $\pi^0\mu e$, $\pi^0 \rightarrow \mu e$ (lepton number violation); and a few others such as $K_L \rightarrow ee\gamma\gamma$ which is very important for background understanding for $K_L \rightarrow \pi^0 ee$.

We have finished the analysis of $K_L \rightarrow \pi^0 ee$, $K_L \rightarrow \pi^0 \mu\mu$, $\pi^0 \rightarrow ee$, $\pi^0 \rightarrow \mu e$, $K_L \rightarrow eeee$, $K_L \rightarrow \pi^0 \nu \overline{\nu}$, $K_L \rightarrow \pi^0 \pi^0 \gamma$, $K_L \rightarrow ee\gamma\gamma$, and Λ and $\overline{\Lambda}$ polarization. We have improved the upper limit on the branching ratio for $K_L \rightarrow \pi^0 \mu\mu$ by more than a factor 200, and it is still found to be background-free. We have also observed clean $\pi^0 \rightarrow ee$ events for the first time, by tagging π^0 's from $K_L \rightarrow 3\pi^0$ decays. Other decay modes are currently under analysis, and should be finished in 1995.

The table below summarizes our final results.


Decay Mode	Evts seen before E-799	E-799I	E-799I results	Paper
$\pi^0 \rightarrow ee$	(contentious)	8	$(8.0^{+4.1}_{-2.9}\pm0.5)\!\! imes\!10^{-8}$	PRL <u>71,</u> 34 (1993)
$K_L\!\!\rightarrow\pi^0\!ee$	br<5.5×10 ⁻⁹	-	br<4.3×10 ⁻⁹	PRL <u>71</u> , 3918 (1993)
$K_L \rightarrow \pi^0 \mu \mu$	br<2.5×10 ⁻⁶	-	br<5.1×10 ⁻⁹	PRL <u>71</u> , 3914 (1993)
$\pi^0 \rightarrow \mu e$	br<1.6×10 ⁻⁸	-	br<8.6×10 ⁻⁹	PL <u>B320,</u> 407 (1994)
$K_L {\rightarrow} eeee$	2+6	27	$(3.96\pm0.84)\times10^{-8}$	PRL <u>72,</u> 3000 (1994)
$K_L \! ightarrow \pi^0 \pi^0 \gamma$	none	-	br<2.3×10 ⁻⁴	PR <u>D50</u> , 1874 (1994)
$K_L\!\!\rightarrow\pi^0\!\nu\overline{\nu}$	$br < 2.4 \times 10^{-4}$	-	$br < 5.8 \times 10^{-5}$	PRL <u>72,</u> 3758 (1994)
$K_L {\rightarrow} ee \gamma \gamma$	$(6.6\pm3.2)\times10^{-7}$	58	$(6.5\pm1.3)\times10^{-7}$	PRL <u>73,</u> 2169 (1994)
$K_L \rightarrow \mu \mu \gamma$	1	160	$(3.88+0.32) \times 10^{-7}$	Submitted

It should be noted that the open geometry of the E-799 detector, the high acceptances for multi-body final states, and the high energy of the decaying kaons, leads to unprecedented sensitivities to numerous rare and not so rare kaon and neutral pion decays. We produced many new physics results from the E-799I data.

<u>R&D and preparation for KTeV: E-799II</u>

We will be using the same technique with a substantially improved detector and new beamline to reach a sensitivity for 4-body decays of 10^{-11} . The most important detector upgrade will be the new pure CsI electromagnetic calorimeter. The same detector will be used for $2\pi \epsilon'/\epsilon$ studies (E-832). This program is named 'KTeV' and was approved in February 1992. A comprehensive design report on the KTeV program was produced in April 1992 outlining the physics goals, the beam, the siting, and the detector in much detail. This KTeV report also describes the full details of the calorimeter material tests and thus its justification for various parameters.

The construction of the new experimental hall began in early 1994. We have decided to use the "digital photomultiplier" for the calorimeter after many studies and tests with the prototypes. Other major detector elements include a very hermetic scintillation fiber photon veto, a multi-module Transition Radiation Detector for independent pion/electron identification, and a very high speed, high throughput data acquisition system.



Plan View of E800 Spectrometer (not to scale)

E-800 (Johns / Rameika) High Precision Measurement of the Omega Minus Magnetic Moment

Arizona, Depauw, Fermilab, Michigan, Minnesota

Status: Data Analysis

The primary goal of E-800 was to make a precision measurement of the Ω^{-} hyperon. This was accomplished during the 1991 fixed-target run. From a sample of 2.35×10^{5} polarized Ω^{-} 's produced by a neutral beam, μ_{Ω} - was measured to be $-2.024 \pm 0.056 \mu_{N}$. Other physics results from the experiment include measurements of the Ω^{-} and Ξ^{-} asymmetry parameters, as well as detailed studies of the polarization processes in hyperon production.

Publications


A Precision Measurement of the Ω^- Magnetic Moment, N. B. Wallace et al., accepted for publication in Phys. Rev. Lett., February 1995.

Theses

A Study of Polarization in Hyperon Production Processes, D. M. Woods, Univ. of Minnesota, January 1994.

Measurement of the Decay Asymmetries of the Omega-Minus Baryon, G. M. Guglielm, Univ. of Minnesota, August 1994.

A Precision Measurement of the Magnetic Moment of the W⁻ Hyperon, N. B. Wallace, Univ. of Minnesota, June 1995.



E-803

E-803 (Reay) Muon Neutrino to Tau Neutrino Oscillations

Aichi (Japan), Athens (Greece), UC/Davis, UCLA, Chonnam (Korea), Columbia, Fermilab, Gifu (Japan), Gyeongsang (Korea), Hirosaki (Japan), IIT, Indiana, Kansas State, Kinki (Japan), Kobe (Japan), KAIST (Korea), Korea (Korea), Michigan, Minnesota, Nagoya Institute of Tech. (Japan), Nagoya (Japan), Okayama (Japan), Osaka City (Japan), Osaka Commerce (Japan), Osaka Sci. Ed. Inst. (Japan), Seoul (Korea), Soai (Japan), South Carolina, Technion (Israel), Toho (Japan), Tufts, Utsunomiya (Japan), Yokohama (Japan)


Status: No Data Yet


Fermilab E-803 is a short-baseline neutrino oscillation v_{μ} , $v_e \rightarrow v_{\tau}$ appearance experiment sensitive to ultra-small mixing angles, for neutrino mass differences in the cosmologically interesting range. Interest in oscillations has been stimulated by the apparent deficit of v_e coming from the sun, and of v_{μ} coming from atmospheric cosmic-ray interactions. Recent COBE measurements suggest that a third of the dark matter needed to close the universe could be hot. According to the see-saw mechanism, v_{τ} potentially is the most massive neutrino, hence a leading candidate for the missing hot component.

E-803 will achieve a sensitivity which is 100 times better than the seminal E-531 Fermilab experiment, and ten times better than present CERN efforts, by using a wide-band Main Injector neutrino beam of unprecedented intensity. The E-803 apparatus is a third-generation hybrid emulsion-electronic spectrometer based on experience gained in previous Fermilab experiments E-531 and E-653. Muon or electron neutrinos oscillating to v_{τ} will produce τ from charged-current interactions. The subsequent τ decays will leave a permanent record in an emulsion target with 1-micron spatial resolution. Information from the electronic spectrometer will be used both to locate events and together with emulsion measurements to provide p_{T} and other kinematic constraints on the short-lived τ decay. Proposed 90% confidence-level (CL) oscillation limits are given in the accompanying figure.

If τ candidates are observed, E-803 will be able to use its precise determination of p_T to fit τ mass and proper decay times for individual candidates in a variety of decay channels. The resulting discovery potential for observing oscillations is approximately five times the 90% CL limits shown in the figure.

An additional E-803 byproduct will be a measurement of charm and anti-charm production by neutrinos and antineutrinos, providing an engineering input to deep-inelastic neutrino measurements of weak interaction parameters, as well as a 3% determination of the Kobayashi-Maskawa matrix element V_{cd} . Since receiving approval in late 1993, the E-803 collaboration has been developing a more complete experimental design and performing associated Monte Carlo studies. Prototypes for detector subsystems have been constructed, and some competing designs have been beam-tested. Within a year, all subsystems will be selected and understood at the level required to begin construction.





E-811 (Orear) Physics at E0 for Collider Run Ib

CERN, Cornell, Fermilab

Status: No Data Yet

The goals are two-fold: (1) to get new, accurate values of the rho value (ratio of real to imaginary part of the forward scattering amplitude) and total cross section at the full collider energy, and (2) to test out a new detector scheme designed to do the same thing at a higher energy collider. These new detectors are designed to measure very small angle elastic scatterings within a millimeter or two of the beam. They consist of bundles of 100 micron scintillating fibers lined up parallel to the beam and remotely adjustable in position. Light generated in a fiber is led outside the vacuum tank by glass fiber optics undergoing a 90 degree bend to a series of two image intensifiers. The image on the final phosphor is registered on a CCD and dumped onto data tape after an appropriate trigger. The voltage signal on the final phosphor allows it to behave as the anode of a photomultiplier tube and can be used as part of the trigger. This new detector has been tested in a 10 GeV pion beam at CERN and found to be 100% efficient with zero background, both for the CCD image and the fast pulse obtained from the anode. Such a detector is equivalent to a bundle of 15,000 independently readable scintillation counters. each with 100% efficiency, with zero noise, no cracks, and position resolution in both dimentions of about 30 microns.

Four such detectors will be installed at the same far positions used by E-710. During the shutdown between Runs Ia and Ib one such detector has been installed and shown to work in the beam pipe vacuum. In E-710 the detectors were able to get within 2.2 mm of the beam without running into too much background. Analysis of simulated data has shown that if these new detectors can take data down to 2.5 mm of the beam that the rho value can be obtained to an accuracy of 0.017 and the total cross section to 1 mb. This is based on a sample obtained by running for 10 hours at 10 events per second. Most of the running will be in the parasitic mode, but we are planning for a total of one week of dedicated running near the end of Run Ib.





Fig. 1. The Lab E (CCFR) neutrino detector. The target calorimeter consists of six independently movable target carts, numbered 1 through 6 as indicated. The muon spectrometer consists of three toroidal magnet units (A, B and C), and a pair of drift chamber stations at the far downstream end.



E-815

E-815 (Bernstein / Shaevitz) Precision Measurements of Neutrino Neutral Current Interactions Using a Sign-Selected Beam

Adelphi, Cincinnati, Columbia, Fermilab, Kansas State, Oregon, Rochester, Xavier

Status: No Data Yet

A major physics goal of the 1990's will be precision tests of the electroweak sector of the Standard Model. The Standard Model makes definite predictions which can be confirmed or refuted with sufficiently precise measurements. Comparing the value of $\sin^2\theta_w$ measured in e⁺e⁻ collisions at the Z⁰ pole, at hadron colliders, and in deep-inelastic neutrino-nucleon scattering tests the radiative corrections to the Standard Model and allows us to search for physics beyond it.


E-815 (NuTeV) will exploit the full power of the high-energy, highintensity Tevatron neutrino beam to significantly improve the precision of the measurements of the electroweak parameters. The new sign-selected beam will enable us to measure neutrino and anti-neutrino interactions separately. This has two significant advantages: (1) previously limiting systematic errors can be eliminated or reduced, and (2) sign-selection will provide the first precision measurement of ρ . The value of ρ , the ratio of neutral-to-charged current coupling strengths, reflects the structure of the Higgs sector so a precise determination of ρ is a powerful probe of the nature of electroweak unification. Furthermore, both ρ and $\sin^2\theta_w$ are radiatively corrected by m_t in a known way. Hence before the discovery of the top quark, the electroweak measurements can predict its mass; after m_t has been directly measured, requiring consistency between the predicted and measured values is a stringent test of the Standard Model.

NuTeV will yield a measurement of (1) $\sin^2\theta_w$ with an expected error of $\delta(\sin^2\theta_w) = \pm 0.0025$ (statistical and systematic errors combined), and (2) ρ with an error of ± 0.0054 , a factor of six improvement over existing data. These errors can be compared to measurements of mt or M_W; the corresponding error on mt is 30 GeV/c² and only 130 MeV/c² on M_W, competitive with the expectations from the collider measurements. The vN measurements have a unique dependence on the radiative corrections and are the only measurements which directly determine both $\sin^2\theta_w$ and ρ .

Neutrino-nucleon scattering has always been a rich source of information on the structure of nucleons and tests of QCD and NuTeV will build on that tradition. We will use our experience from E-744/E-770 to reduce the systematic errors on α_S and Λ_{QCD} through the use of an extensive test beam program for calibrating the apparatus. E-744/E-770 has already provided the best measurement of $\alpha_S(M_Z)$; NuTeV can reduce that error by nearly a factor of two. In addition, the sign-selected beam will allow us to make more precise

measurements of the antiquark distributions, charm and strange sea, and $R_L = \sigma_L / \sigma_T$.

This program will make use of much of the existing detector and can therefore be conducted with only a modest expense to the Laboratory. We regard E-815 as the first experiment in a new generation of high-statistics, precision measurements of neutrino-nucleon scattering continuing into the next millennium.



E-831 (Cumalat) A High Statistics Study of States Containing Heavy Quarks Using the Wideband Photon Beam and the E-687 Multiparticle Spectrometer

UC/Davis, Colorado, Fermilab, INFN/Frascati (Italy), Illinois/Champaign, Korea (Korea), Lebedev (Russia), INFN/Milano (Italy), Milano (Italy), North Carolina, Notre Dame, INFN/Pavia (Italy), Pavia (Italy), Puebla (Mexico), Puerto Rico, South Carolina, Tennessee, Vanderbilt, Wisconsin

Status: No Data Yet


The spectrometer used in Fermilab Experiment 687 to study the photoproduction and decay of charmed particles will be upgraded to enable it to accumulate 10^6 fully reconstructed charm particles. The physics will involve high precision studies of the D semileptonic decays, QCD studies of Double D events, a measurement of the absolute branching fraction for the D⁰ meson, searches for D⁰ mixing, CP violation, rare and forbidden decays, fully leptonic decays of the D⁺, and a systematic investigation of charm baryons and their lifetimes. The estimates of charm yields are based on reasonable extrapolations from channels we have already studied in E-687.

The increased yield of charm will be obtained by (1) running at over five times the average luminosity of E-687 and (2) increasing the efficiency of the detector by a factor of two. The increased luminosity will be achieved by lowering the beam energy to 250 GeV, using the positron arm of the beam, and running at higher average proton intensity.

The detector must be upgraded to handle the increased luminosity. Major changes are:

- 1. Speeding up the hadron calorimeter and using it in the First Level Trigger to reduce deadtime;
- 2. Improving the response time of the silicon vertex microstrip detector;
- 3. Deadening the PWCs in the beam region and adding straw tube planes to cover the deadened regions. The straw tubes are expected to improve tracking over the entire aperture;
- 4. Speeding up the front-end electronics by a factor of ten;
- 5. Speeding up the data acquisition system; and
- 6. Improving the Second Level Trigger.

Additional changes will be made to the muon detectors and the electromagnetic calorimeters. The target is to be segmented with microstrip planes inserted between target elements. The experiment plans to be able to track a portion of the charged charm particles before they decay.



E-832 (Hsiung / Winstein) A New Tevatron Search for Direct CP Violation in the 2π Decays of the Neutral Kaon

UCLA, UC/San Diego, Chicago, Colorado, Elmhurst, Fermilab, Osaka (Japan), Rice, Rutgers, Virginia, Wisconsin

Status: No Data Yet

The goal of this new experiment is a measurement of the ratio of the CP violation parameters, ε'/ε , in the $K^0\overline{K}^0$ system to a precision of 1.0×10^{-4} , to search for direct CP violation phenomenon in the neutral kaon system at the Fermilab Tevatron. This is a factor of seven improvement in precision over the previous Fermilab experiment E-731 and the CERN experiment NA31.

So far the only manifestations of CP violation are a result of a lack of symmetry in the rate of particle-antiparticle transitions in the $\Delta S = \pm 2$ processes $K^0 \leftrightarrow \overline{K}^0$. This experiment addresses the issue as to whether the CP violation is confined to a $\Delta S = 2$ interaction (the superweak model) or has a $\Delta S = 1$ component, as naturally arises in the standard six-quark model (Cabbibo-Kobayashi-Maskawa). Although there is considerable uncertainty in the predictions for the size of ε'/ε in the standard model, this measurement would severely constrain the models and, if non-zero but small (<10⁻³), would give an important new "handle" on the phenomenon of CP violation, even were the "top" discovered in the current Tevatron Collider run.

The experiment makes use of a double-beam technique, essentially the same as E-731, whereby both K_L and K_S decays are studied simultaneously: a totally active regenerator is placed in one of the beams to provide a K_S component with very small background and the regenerator is alternated from beam to beam to reduce the effects of any beam and detector asymmetries. The goal of the experiment is to collect 6×10^6 K_L $\rightarrow 2\pi^0$ events along with 1.2×10^7 K_S $\rightarrow 2\pi^0$ "normalizing" events, and at the same time to collect 3×10^7 K_L $\rightarrow \pi^+\pi^-$ events and 6×10^7 K_S $\rightarrow \pi^+\pi^-$ "normalizing" events for the double ratio measurement.


For this effort and Phase II of E-799 (rare K decay experiment), a new KTeV facility will be constructed which takes full advantage of the Tevatron primary protons up to 5×10^{12} per spill and its superior duty cycle to provide a factor of three increase in usable K_L flux in the 100 GeV/c region over E-731. Special attention has been paid to significantly improving the neutral beam stability, reducing the neutral beam halo, and reducing the background muon rate. The spectrometer consists of a 60 meter vacuum decay space, electromagnetic calorimetry, tracking and magnetic spectrometer, nearly hermetic photon vetoes, transition radiation detectors, and hadron and muon detectors.

The neutral final state $(2\pi^0)$ is detected with a new $1.9m \times 1.9m$ high resolution (better than 1%) electromagnetic calorimeter made of an array of

3100 blocks of pure CsI crystals. A newly developed "digital" PMT-base (digitizing the PMT signal with a current switcher and a flash ADC right on the base and running at 53 MHz) is used to read out the CsI array for a better understanding of the calorimeter in the higher rate environment. Triggering in the neutral mode is effected by counting clusters in the CsI array by a hardware cluster finder. The $\pi^+\pi^-$ are detected with a 2000 sense-wire highrate drift chamber spectrometer. A new, large-aperture KTeV magnet, providing a p_T kick up to 450 MeV/c, will be used for momentum measurement of charged particles. Scintillation hodoscope counters and an improved in-time track processor are used for the charged trigger. The most serious background, $K_L \rightarrow 3\pi^0$, is significantly reduced by means of a nearly hermetic system of 12 new photon-veto anti-counters, designed to detect extra gammas outside the solid angle of the CsI calorimeter including the beam Inelastic regeneration is greatly reduced by the detection of the holes. production of secondaries in the totally active scintillation regenerator. The $K_{\mu3}$ background is rejected by the muon shielding and anti-counters behind the CsI calorimeter, and by crude hadron vetoes. A new buffer matrix data acquisition system with a level-3 parallel processing filter is used for the high data rate environment.

With the long decay space, the experiment can also measure the K_L - K_S interference in both the $2\pi^0$ and $\pi^+\pi^-$ data sample to obtain $\Delta\phi$, the phase difference between ϕ_{00} and ϕ_{+-} , to a precision of 0.2°, a very stringent test of CPT invariance.

The experiment is now in preparation for the next fixed-target run. A KTeV Design Report (FN-580) has been prepared for the project. A new KTeV experimental hall is now under construction at the NM4 enclosure in the NM beamline for operation in the 1996 fixed-target run at the Tevatron.



UC/Irvine, Fermilab, INFN/Ferrara (Italy), Ferrara (Italy), INFN/Genova (Italy), Genova (Italy), Northwestern, Pennsylvania State, INFN/Torino (Italy), Torino (Italy)


Status: No Data Yet

Experiment E-835 is a continuation of the studies of charmonium states formed in $\overline{p}p$ collisions performed in E-760. The experiment will take data during the 1996 fixed-target run. The aims of this run include

- a) a precision determination of the mass and total width of the η_c and of the product of the branching fractions $B(\eta_c \rightarrow \overline{p}p) \times B(\eta_c \rightarrow \gamma \gamma)$;
- b) the confirmation of the ${}^{1}P_{1}$ signal and a more precise determination of the ${}^{1}P_{1}$ parameters;
- c) a search for the η'_c and determination of its mass and width;
- d) the determination of the mass and total width of the χ_0 and of the products of the branching fractions $B(\chi_0 \to \overline{p}p) \times B(\chi_0 \to \gamma\gamma)$ and of $B(\chi_0 \to \overline{p}p) \times B(\chi_0 \to J/\psi + \gamma)$; and
- e) the search for the ${}^{3}D_{2}$ and ${}^{1}D_{2}$ charmonium states.

The experiment will also measure the angular distributions in radiative decays of the χ_1 and χ_2 . The studies on the spectroscopy of light-quark states which decay to all photons will continue concurrently with the main charmonium topics.

Based on our experience in E-760, an integrated luminosity of about 200 pb^{-1} is required and several improvements to achieve this are under active development. To produce the required instantaneous luminosity, the density of the gas-jet target is being increased by lowering its operating temperature to ~23° Kelvin. Improvements in the antiproton accumulation rate and in the Antiproton Source itself will allow us to use an antiproton beam of up to 120 mA, a factor of three higher than in E-760. A new set of inner tracking devices is being built. It includes new straw-chambers, a new hodoscope, a silicon system and two planes of scintillating fibers read out with VLPC's. The electromagnetic calorimeters remain but their electronics is being improved to avoid problems from pile-up, and a new data acquisition and online filtering system capable of handling the increased data rate is under development as part of the Fermilab DART project.



E-853 (Murphy) Test of Low Intensity Extraction from the Tevatron Using Channeling in a Bent Crystal

ANL, Boston College, UCLA, CEBAF, Fermilab, IHEP/Serpukhov (Russia), JINR/Dubna (Russia), MPEI (Russia), New Mexico, PNPI (Russia), SSCL, SUNY/Albany, Texas/Austin, Vanderbilt, Virginia, Wisconsin

Status: Data-Taking

E-853 is a test of the feasibility and efficiency of extracting a low-intensity beam from the halo of the Tevatron using channeling in a bent silicon crystal. It will also test the effectiveness of bent crystals used as halo scrapers for collider experiments. The motivation of the experiment is to apply crystal extraction to TeV-range accelerators.

In 1992 E-853 was approved for 72 hours of dedicated study time during the 1994 Collider run. Some experiment setup work such as crystal alignment and detector commissioning can occur parasitically. Some of the accelerator tests connected with the experiment have already been carried out parasitically.

The Tevatron is a good test bed for studies of crystal extraction since it is superconducting, a collider, operates at higher energy, and has high energy physics experiments. These features offer a distinct advantage over the other crystal extraction experiment at CERN (RD22).

E-853 will attempt to remove 10^{-6} of the circulating protons in the accelerator each second (about 10^6 protons/sec). The present luminosity lifetime is approximately 18 hours. The above extraction rate corresponds to a proton beam intensity lifetime of 278 hours so that the luminosity lifetime during these extraction experiments should be roughly 17 hours, which is a negligible reduction.


E-853 is taking place in the C0 straight section, the normal location of the proton abort line. During collider runs, the abort line is not used at 900 GeV, so one kicker magnet has been replaced by a bent crystal (see the figure). The crystal is positioned to the outside of the beam with an upward curvature of 640 μ rad to deflect beam halo into the field-free region of the Lambertson magnets. The crystal is mounted in the B48 straight section at the upstream end of a 1-m beam pipe with articulating bellows which serves as a precision goniometer. Instrumentation in the extracted line is used for diagnostics. Scintillators and silicon micro-strip planes in the line monitor the extracted beam. A CCD camera imaging a fluorescent flag is also mounted in the line. Since the C0 abort line is used for disposing of 150 GeV protons during Tevatron injection, the detectors in the line must retract when the Tevatron is not in a 900 GeV store. There are two monitors at the crystal location to measure the interaction of the circulating protons with the crystal. An unbent crystal has been placed at the bent crystal location to study whether halo beam scattered by the crystal created intolerable backgrounds at the collider experiments. The CDF counting rate was found to be a tolerable 5 KHz for normal circulating beam. Based on these studies, the effects of crystal extraction should have little or no deleterious effects on a collider experiment so that it should be possible to perform parasitic studies of crystal extraction during a collider run. The effect of RF noise on the beam in the absence of collimation was also studied during a store at 900 GeV. Collimation effects were observed with conventional collimators and the silicon crystal at the proposed bent crystal location. A bent crystal has now been installed in the Tevatron. Some preliminary studies have already been carried out.

Publications

G. Jackson, Proc. 1993 Part. Acc. Conf., p. 402 (1993).

R. Carrigan et al., Nucl. Instr. Meth. <u>B90</u>, 128 (1994).

R. Carrigan et al., Proc. Workshop on B Physics at Hadron Colliders, Snowmass, p. 645 (1993).



E-862

E-862 (Christian) Search for Antihydrogen in the Reaction $\overline{p}p \rightarrow \overline{H}pe^-$

UC/Irvine, Fermilab, Penn State, SLAC

Status: No Data Yet


The goal of this experiment is the detection of a sample of antihydrogen atoms – the bound state ($\overline{p}e^+$). This will be the first element ever constructed entirely out of antimatter. A source of antihydrogen atoms is needed to compare antihydrogen with hydrogen spectroscopy, to search for interactions that violate CPT.

A fast antiproton passing by a stationary proton will generate electronpositron pairs; occasionally a positron will be created in a bound instead of a continuum state about the antiproton and form antihydrogen. The cross section for this process is 3.8 pb for an antiproton momentum of 6 GeV/c. Experiment E_{692} runs parasitically on experiment E-835, which will integrate a sample of 200 pb⁻¹ in a study of $\overline{p}p$ annihilation in a hydrogen gas jet; the integrated luminosity will produce a sample of 700 antihydrogen atoms.

Antihydrogen atoms emerge from the gas jet with the same tiny momentum distribution as the cooled antiproton beam has in the Fermilab Accumulator, $\Delta p/p = 2 \times 10^{-4}$. Being neutral, the atoms exit the Accumulator at the first dipole magnet, A5B3, 15 m from the gas jet, and enter the E-862 beamline laid between the Accumulator and Debuncher rings in the Accumulator tunnel. At the entrance to the line the atoms strike a known 3 cm^2 spot on a 400 µg/cm² carbon foil, and disassociate into an antiproton and a positron of equal velocities. The momentum vector of the antiproton is known from the tune of the Accumulator ring to 2×10^{-4} , and that of the positron, which is smeared by the momentum distribution of the atomic 1s state, to 10^{-2} . The coincidence between an antiproton and a positron, appearing in such a thin $(10^{-5}\chi_0)$ foil, and each with a preset and narrowly defined momentum, defines an antihydrogen event.


A spectrometer, consisting of a pair of weak solenoid lenses and a dipole magnet, separates the positron from the antiproton, filters the positron momentum to 1%, and focuses the positron onto a scintillator 2.5 cm in diameter and 1 cm thick. There the positron stops; the light output of the scintillator gives the positron's time of arrival and a measure of its kinetic energy. The scintillator is surrounded by a 4π NaI detector which detects the photons from the positron's 2γ annihilation. The whole positron spectrometer is 3 m long. The antiproton is undeflected by the weak fields of the positron spectrometer. Its momentum and velocity are measured in a separate spectrometer instrumented with proportional wire chambers and time-offlight counters. The antiproton spectrometer is approximately 30 meters long, and uses two Antiproton Source magnets to provide a 10 degree bend.

This experiment is now in preparation for the next fixed-target run.



E-866

PLAN VIEW



E-866 (McGaughey) / E-772 (Moss) Measurement of $\overline{d}(x)$ / $\overline{u}(x)$ in the Proton

E-866: Abilene Christian, Academia Sinica (Taiwan), ANL, Caltech, Fermilab, Georgia State, LANL, Louisiana, New Mexico, Northern Illinois, ORNL, Texas A&M, Valparaiso

E-866 - No Data Yet

E-772 made a precise measurement of the A-dependence of Drell-Yan dimuon production in 900 GeV proton interactions, with data taken in the 1987 fixed-target running period.

E-866 proposes to greatly improve the experimental knowledge of $\overline{d}_p(x)/\overline{u}_p(x)$ via precision measurement of the ratio of Drell-Yan yields from protons on protons to protons on deuterium.

$$\frac{\mathbf{Y}_{\mathrm{DY}}^{\mathbf{p}+\mathbf{p}}}{\mathbf{Y}_{\mathrm{DY}/2}^{\mathbf{p}+\mathbf{D}}}\bigg|_{\mathbf{x}_{\mathrm{f}}>0.2} \cong 1 - \left[\frac{\overline{\mathbf{d}}_{\mathbf{p}}(\mathbf{x}) - \overline{\mathbf{u}}_{\mathbf{p}}(\mathbf{x})}{\overline{\mathbf{d}}_{\mathbf{p}}(\mathbf{x}) + \overline{\mathbf{u}}_{\mathbf{p}}(\mathbf{x})}\right] \tag{1}$$

In addition to being five times more sensitive than our earlier E-772 measurement on W, it uses the lightest possible nuclei, thereby minimizing any nuclear effects that could obscure extraction of the structure function ratios. The left-hand side of Eq. (1) can be measured as a function of x with experimental systematic errors that will be, at most, $\pm 1.5\%$. The range in x to be investigated is $0.04 \le x \le 0.3$. The upper limit arises because the sea distribution is a rapidly falling function of x [~ $(1 - x)^8$]. The lower limit arises from the fact that we require the Drell-Yan dilepton pair ($\mu^+\mu^-$) to have a mass appreciably greater (4 GeV) than the mass of the ψ' (3.69 GeV).

The experiment will be carried out using essentially the same equipment as E-772. This setup allowed a high statistics measurement of the ratio of Drell-Yan yields from a variety of nuclear targets. The experimental layout used in E-772 is shown in the figure. The RICH counter will not be used as muons are sufficiently well selected via their range. The three dipoles, SM0, SM12, and SM3, serve as a dimuon spectrometer. The first magnet, SM0, serves to open up the small opening angle of low-mass dimuon pairs, SM12 focuses high p_T muons into the downstream detectors, and both SM12 and SM3 are used to measure the muon momenta. A hadron absorber (e⁻¹³) of Cu, C, and CH₂ blocks is placed in the gap of SM12. In this configuration, the apparatus has an energy resolution of 150 MeV at the J/ ψ and 200 MeV at the Υ , and z vertex resolution is more than sufficient to reject dimuon pairs created in the beam dump. In addition to the Drell-Yan data, high-statistics data on J/ψ and ψ' production, as well as a few thousand $\Upsilon(1S)$, $\Upsilon(2S)$ and $\Upsilon(3S)$ events, from H and D targets will also be obtained. The proposed experiment makes use of existing equipment and requires only three months of beam time (one month of setup and checkout, and two months of data-taking).

E-772 Publications

Precision Nuclear Targets for Drell-Yan Cross Section Measurements at 800 GeV, J. C. Gursky et al., Nucl. Instr. and Meth. <u>A282</u>, 62 (1989).

Test of Scaling of the Massive Dihadron Cross Section, D. M. Kaplan et al., Phys. Rev. <u>D41</u>, 2334 (1990).

Improved Limit on Axion Production in 800 GeV Hadronic Showers, R. Guo et al., Phys. Rev. <u>D41</u>, 2924 (1990).

Nuclear Dependence of Dimuon Production at 800 GeV/c, D. M. Alde et al., Phys. Rev. Lett. <u>64</u>, 2479 (1990).

A-Dependence of J/Psi and Psi' Production at 800 GeV/c, D. M. Alde et al., Phys. Rev. Lett. <u>66</u>, 133 (1991).


Nuclear Dependence of the Production of Upsilon Resonances at 800 GeV, D. M. Alde et al., Phys. Rev. Lett. <u>66</u>, 2285 (1991).

Limit on the $\overline{d}/\overline{u}$ Asymmetry of the Nucleon Sea from Drell-Yan Production, P. L. McGaughey, et al., Phys. Rev. Lett. <u>69</u>, 1726 (1992).

Cross Sections for the Production of High-Mass Muon Pairs from 800 GeV Proton Bombardment of Deuterium, P. L. McGaughey et al., Phys. Rev. <u>D50</u>, 3038, (1994).

Thesis

Ming-Jer Wang, Case Western Univ. (1991).



E-868

E-868 (Geer) Search for Antiproton Decay at the Fermilab Antiproton Accumulator


UCLA, Fermilab, Michigan, Nebraska, Penn State

Status: No Data Yet


E-868 (APEX) is an experiment designed to search for antiproton decay at the Fermilab Antiproton Accumulator. The CPT theorem requires that the antiproton lifetime $\tau_{\overline{p}}$ equals the proton lifetime which we know exceeds 10^{32} years. In practice we can only hope to observe antiproton decay if $\tau_{\overline{p}} << 10^{32}$ years. APEX is therefore a test of the CPT theorem and of the intrinsic stability of antimatter.

Our present experimental knowledge of the stability of the antiproton is modest. Prior to the recent T-861 test experiment, which was designed to prepare the way for APEX, the best limit on $\tau_{\overline{p}}$ came from observing ~1000 antiprotons in an ion trap for two months, which yielded $\tau_{\overline{p}} > 3$ months. The T-861 experiment at the Fermilab Antiproton Accumulator searched for explicit two-body decay modes of the antiproton containing an electron in the final state (angular momentum conservation requires that there is a final state fermion; electron, muon, or neutrino). T-861 obtained limits on several antiproton decay modes, the most stringent being $\tau_{\overline{p}} / BR(\overline{p} \to e^{-\gamma}) > 1848$ years at the 95% confidence level. [S. Geer et al., PRL <u>72</u>, 1596 (1994)].

The APEX experiment is designed to repeat the T-861 search for antiproton decay with a factor of 1000 improved sensitivity ($\tau_{\overline{D}}$ / BR = 10⁵-10⁶ years for several decay modes). The experiment is located at the AP50 region of the Antiproton Accumulator, and will take data when there are of order 10^{12} antiprotons stored in the Accumulator at 8.9 GeV/c and stacking is not taking place. The experiment consists of a 3.5-meter long decay tank, downstream of which are (i) three horizontal and three vertical scintillating fiber tracking planes to allow reconstruction of charged tracks coming from the decay fiducial volume; (ii) DEDX counters to distinguish between single electrons and pairs from conversions in the tank window; (iii) a lead-scintillator preradiator to assist electron identification; (iv) a lead-scintillator electromagnetic calorimeter to measure energies and enable reconstruction of electrons and photons; (v) a lead-scintillator tail catcher behind the calorimeter to further assist electron identification; and (vi) a limitedacceptance muon telescope to explore the possibility of searching for decay modes in which there is a muon in the final state.



Plan View



E-871

E-871 (Dukes / Luk) Search for CP Violation in the Decays of $\Xi^- / \overline{\Xi}^+$ and $\Lambda / \overline{\Lambda}$ Hyperons

Academia Sinica (Taiwan), UC/Berkeley, Fermilab, IIT, LBL, South Alabama, Virginia


Status: No Data Yet

In the thirty years since the discovery of CP violation our understanding of the phenomenon has improved little despite a long series of beautiful experiments. It still remains a small peculiarity found only in the decays of the K_{L} . Whether CP violation is a property unique to the kaon system and whether direct CP violation exists — as predicted by the Standard Model remain outstanding experimental questions.

Both of these important issues are addressed by E-871 which seeks to perform a high-sensitivity search for CP violation in the decay of Ξ and Λ hyperons. The signature for a CP asymmetry is a difference between the angular distributions (α parameter) of the Ξ^- and $\overline{\Xi}^+$ decay daughters or in the decay daughters of the Λ and $\overline{\Lambda}$. The two measurements are done simultaneously through the decay sequence: $\Xi^- \to \Lambda \pi^-$, $\Lambda \to p\pi^-$ and its CP conjugate. The goal of the experiment is a sensitivity in the difference of the α parameters of less than 10⁻⁴, three orders of magnitude better than the current experimental limit. Standard Model predictions range from about 5×10^{-4} to about an order of magnitude lower. The CP violation is manifestly direct, or $|\Delta S|=1$.

The design of the E-871 spectrometer is based on twenty years of experience in doing hyperon physics at Fermilab. The apparatus is simple and has a much higher rate capability than previous hyperon experiments. A target followed by a curved collimator embedded in a dipole (hyperon) magnet produces a momentum and charge-selected secondary beam. Following an evacuated decay region is a wire chamber spectrometer composed of nine high-rate narrow pitch (1.0 mm - 2.0 mm) wire chambers separated by a dipole spectrometer magnet. There is a total of 20,000 wires. The magnetic fields of the hyperon and spectrometer magnets are periodically reversed to switch between Ξ and Ξ ⁺ data-taking modes. A simple first-level trigger requiring a left-right charged particle coincidence at the rear of the spectrometer selects events with an anticipated $10\% \equiv$ yield. A hadronic calorimeter on the proton side makes that part of the trigger muon-blind. Fast front-end latches and TDCs readout using the Nevis transport system allow an event rate of up to 100,000 per spill second with minimal dead time. A parallel data acquisition system based on the successful E-791 model builds the events and writes them to tape. We expect to log approximately 100 billion events.

E-871 is the first dedicated hyperon CP violation experiment. Measurement of a non-zero asymmetry would be the first evidence of CP violation outside of the neutral kaon system and would be unambiguous evidence of direct CP violation.



E-872

E-872 (Lundberg / Paolone) Measurement of τ Production from the Process $\nu_{\tau} + N \rightarrow \tau$

Aichi (Japan), Athens (Greece), UC/Davis, Fermilab, Gifu (Japan), Hirosaki (Japan), Kinki (Japan), Kobe (Japan), Minnesota, Nagoya (Japan), Northeastern, Okayama (Japan), Osaka City (Japan), Osaka Commerce (Japan), Osaka Sci. Ed. Inst. (Japan), Soai (Japan), South Carolina, Toho (Japan), Tufts, Utsunomiya (Japan)

Status: No Data Yet

The direct observation of the tau neutrino through its charged-current interaction, in the manner of the v_e and v_{μ} discoveries, waits to be made. Since 1975 the desire to detect the v_{τ} has been strong, but the proposed experiments were technically challenging, required large resources and relied on poorly known charm production cross-sections. In retrospect, using what we know now, it is clear that these efforts were not optimized to see v_{τ} interactions. Today, the v_{τ} production uncertainties are small, and using ultra-high resolution emulsions coupled with the technology of 1994 we can be confident in E-872 of measuring such an experimentally demanding process. There is compelling experimental evidence that a third neutrino exists, but since the v_{τ} is the focus of many theoretical and experimental studies its direct confirmation is due.

Experimental observation of v_{τ} charged-current interactions requires high proton intensities at high energy and extremely good detector resolution. An 800 GeV primary proton beam from the Fermilab Tevatron in conjunction with a high-resolution active target meets these requirements. In E-872 we will produce tau neutrinos in a beam dump and directly measure v_{τ} chargedcurrent interactions by observing τ production and subsequent decay in an emulsion target. This is the same technique currently being used to search for the $v_{\mu} \rightarrow v_{\tau}$ oscillations in the CERN CHORUS experiment and is also proposed for the Fermilab Main Injector experiment, E-803. Since E-872 will see the signal the oscillation experiments *hope* to observe, we view E-872 as an important step in addressing the exciting question of neutrino mass and mixing.

Tau neutrinos are produced predominantly from the leptonic decay of the D_s meson in the decay sequence $D_s \rightarrow \tau + \nu_{\tau}, \tau \rightarrow \nu_{\tau}$. In this experiment D_s mesons will be produced by 800 GeV protons interacting in a tungsten beam dump. Both the D_s and the daughter τ will decay in the dump, each decay producing one ν_{τ} . The number of ν_{τ} per incident proton which will be produced in the beam dump through this process is 1.5×10^{-4} . The number of ν_{τ} charged-current interactions that will occur per centimeter of target material is determined by the ν_{τ} energy and interaction cross section. Because of the energy dependence of the ν_{τ} cross section, the neutrinos from each of the decays ($D_s \rightarrow \tau + \nu_{\tau}$, and $\tau \rightarrow \nu_{\tau}$) have very different interaction probabilities. Their energy spectra are determined by the x_f dependence of the D_s production cross section. An effective interaction cross section of 0.42×10^{-37} cm² can be used to estimate the interaction yield. Within a solid angle acceptance of ± 9 mr this gives $6.5 \times 10^{-18} v_{\tau}$ charged-current interactions per centimeter of emulsion $(\rho = 3.72 \text{ g/cm}^3)$ per proton. Taking into account all other sources of v_{τ} , such as secondary production from charm, D[±] decays, B-meson decays and Drell-Yan increases this number by 14% to $7.4 \times 10^{-18} v_{\tau}$ charged-current interactions per centimeter of emulsion per proton. Given this interaction rate, we plan to use 15 cm of emulsion and have set as a goal to accumulate 2×10^{18} integrated protons. The latter can be achieved in a 30-week running period, assuming that an intensity of 10^{13} protons per minute can be delivered at a 75% efficiency. Before fiducial volume cuts and efficiency cuts this will yield approximately 220 interactions. We estimate that cuts will reduce the sample by about 15%. Details of these yield calculations are given in the proposal.

SECTION IX. MASTER LIST OF PROPOSALS

The Master List of proposals contains an entry for each proposal submitted to Fermilab; a typical entry is explained on the next page. In addition to the formal title of the proposal and a brief parenthetical explanation, the name of the spokesperson and a list of participating institutions are included. In the lower part of each entry the specific requests for running time to complete the experiment are listed together with approval action by the Laboratory. For approved proposals only, the amount of running time granted is given together with the current status and extent of beam time used so far.

Most of the information about each proposal stored in the Program Planning Office data file is given in the Master List; lists of proposals shown elsewhere in this Workbook are based on the information contained in the Master List.

For proposals with number below 700, only those which are approved or unconsidered or deferred are listed in the following pages; those with obsolete status (rejected or withdrawn/inactive) are omitted, which explains the gaps in the sequential listing. The complete listing is given starting with proposal 700.

Proposal		amendment indicated	to an original pro by an alphabetic	ΓΗΕ MASTER LIST oposal is sometimes al character).
	Running at F	During ermilab	Spokesperson	Institutions of Experimenters
→ NAL (BF	TRINO #1A M: NEUTRINO ARI NEUTRINO PROPOS ROAD BAND BEAM	EA-W B HOI	CLINE, DAVID RN NEUTRINO BEAM	FERMILAB HARVARD UNIVERSITY PENNSYLVANIA, UNIV. OF WISCONSIN, UNIV. OF
			THE 1	UNSPECIFIED S S WITH COMPLETION ED AS 2 x 10 TO 17TH PROTONS
For	Progress of Last — Approval St Date of Proposa	s of Appro Running o atus with or Revisio pposal (oft	r Exposure Dates and Specific on and Specific Re	s th the Date and Amount c Amounts of Approval equests (if available) parenthetical description

Total nu	osals having a number below 7 aber of proposals - 876 Tota	al number of approved & pending proposa	s - 428	
NAL NEUTI	trino Area - Wide Band Horn INO PROPOSAL. nd beam incident on target ca	David B. Cline		FERMILAB HARVARD UNIVERSITY UNIVERSITY OF PENNSYLVANIA UNIVERSITY OF WISCONSIN-MADISON
Request Approval		urs urs with completion of the experiment def 2 x 10 to the 17th protons on a horn-	ined as 20,000 events focused beam	with
Complete	30 Jun, 75 2,850 Hos	Gerald A. Smith		DUKE UNIVERSITY
BEAM: Net STUDY OF	HYBRID #2B trino Ares - 30 in. Hødron Be Multiparticle P-P AND PI-P IN UBBLE CHAMBER-OPTICAL SPARK CI	am Teractions from 100 gev/c to 400 gev/c Wi	TH A	FERMILAB IOWA STATE UNIVERSITY UNIVERSITY OF MARYLAND MICHIGAN STATE UNIVERSITY NOTRE DAME UNIVERSITY PURDUE UNIVERSITY UNIVERSITY OF TORONTO (CANADA) UNIVERSITY OF WISCONSIN-MADISON
Request	11 May, 70 Unspecif	ied but to include an exposure for study from 75 to 300 GeV	of p - p and pi p	Interactions
Approvel	29 Apr, 71 500 K 1 1 May, 71 450 K 1		ANL/Fermilab, MSU, Duke, Toronto, Noti Purdue, Wisconsin	
Complete	22 Apr, 74 479 K	Pix 114K pix of p - p a 200 105K pix of p - p a 300 123K pix of pi p a 200 54K pix of pi p a 100 83K pix of pi+ - p a 100 bonus pix: 350K pix from #37A, #121A, #125, #137, #138, #141A, #145, #252		
3 MONO	POLE #3	Philippe Eberhard		LAWRENCE BERKELEY LABORATORY
PROPOSAL	trino Area - Miscellaneous For A SEARCH FOR MAGNETIC MON			· · ·
Request Approval Complete	1 Aug, 70 Target E	<pre>m dump.j xposure(s) to 1 x 10 to 18th protons xposure(s) rgets Exposed</pre>		
BEAM: Me NEUTRON	DN CROSS SECTION #4 on Area - M3 Beam OTAL CROSS SECTIONS UP TO 300 oss sections on H2, D2, heavy			LAWRENCE BERKELEY LABORATORY UNIVERSITY OF MICHIGAN
Request		urs with 100 hours for tune up and 200 ho cross sections	urs for data to measur	re total
Approval Complete	l Aug, 70 400 Ho 20 Mar, 74 1,450 Ho	urs		
BEAM: Me: PROPOSAL		Donald I. Meyer Differential elastic scattering cross se	CTIONS	ARGONNE NATIONAL LABORATORY FERMILAB INDIANA UNIVERSITY
(In addi simultan Request	0 170 GEV/C. 1on, data will be taken on K+ ously; t from 0.1 - 2.0 or 3.1 10 Jun, 70 1,600 How	0.]		UNIVERSITY OF MICHIGAN
Approval Complete	1 Aug, 70 800 Hot 28 Jan, 75 2,350 Hot			
BEAM: Me: EXPERIME	AL HYPERON #8 on Ares - M2 Beam TS IN A NEUTRAL HYPERON BEAM. vey, delts s = 2 decay search.	Lee G. Pondrom		UNIVERSITY OF MICHIGAN RUTGERS UNIVERSITY UNIVERSITY OF WISCONSIN-MADISON
Request Approval	12 Jun, 70 260 Hou 1 Aug, 70 400 Hou	urs for data urs		L = = = = =
Complete 2 NEUTR	22 Mar, 76 2,450 Hou DN BACKWARD SCATTER			CARELTON UNIVERSITY (CANADA)
BEAM: Me: A STUDY (GEV/C.	on Ares - M3 Besm	NGE SCATTERING IN THE MOMENTUM RANGE 50-3	00	MICHIGAN STATE UNIVERSITY OHIO STATE UNIVERSITY
Request Approval Completed	15 Jun, 70 760 Hou 1 Aug, 70 600 Hou 2 Dec, 74 1,300 Hou	irs with priority lower than exp #4		
BEAM: Net PROPOSAL REGION.	N-PROTON INELASTIC #14 trino Area - Miscellaneous TO STUDY INELASTIC HIGH-ENERGY .001 - 0.07 and missing mass f	PROTON-PROTON COLLISIONS IN THE DIFFRAC	TIVE	COLUMBIA UNIVERSITY Suny at stony brook
Request Approval Completed	15 Jun, 70 200 Hou 1 Mar, 71 150 Hou 21 Jun, 73 140 Hou	irs with low priority		
1A NEUTR BEAM: Neu NEUTRINO	NO #21A trino Area - Dichromatic HYSICS AT VERY HIGH ENERGIES. tic beam incident on target ce ter.)	Barry C. Barish		CALIFORNIA INSTITUTE OF TECHNOLOG FERMILAB
Request Approval	15 Jun, 70 750 Hou 1 Aug, 70 1,200 Hou 26 Jun, 74 1,200 Hou			imately 400
Completed	11 Nov, 74 1,200 Hou 2 Nov, 75 2,450 Hou	ers with remaining running to be coording ers	ted with exp# 254	

	MULTIGAMMA #22 BEAM: Meson Ares - M2 Beam	George B. C		BROOKHAVEN NATIONAL LABORATORY VIRGINIA POLYTECHNIC INSTITUTE
	MULTIGAMMA EVENTS FROM MAGNE		A SEARCH FOR	
	Request15 Jun, 70Approval1 Aug, 70Completed26 Jun, 74	200 Hours for hadron beam use onl	у	
25A	PHOTON TOTAL CROSS BEAM: Proton Ares - East	SECTION #25A David O. Ca	aldwell	UNIV. OF CALIFORNIA, SANTA BARBARA FERMILAB
	MEASUREMENT OF THE TOTAL PHO PHOTON ENERGIES FROM 14 TO 3	TOABSORPTION CROSS SECTION ON H, D, C 00 GEV, AND A SEARCH FOR THE PHOTOPRO	, CU, AND PB FOR DUCED MONOPOLE.	LEBEDEV PHYSICAL INST. (RUSSIA) UNIVERSITY OF TORONTO (CANADA)
			ng, 400 hours for data rs for the experiment to continue da	ita taking
26	MUON #26	Louis N. Ha		
Ū	BEAM: Neutrino Area - Muon/H	adron Beam STIC MUON SCATTERING AND TEST OF SCAL		UNIV. OF CALIFORNIA, SAN DIEGO CORNELL UNIVERSITY LAWRENCE BERKELEY LABORATORY MICHIGAN STATE UNIVERSITY
	Request15 Jun, 70Approval1 Aug, 706 Aug, 73Completed16 Aug, 73	500 Hours 500 Hours defined as 3 x 10 to th	e 17th protons	
7.4	Completed 16 Apr, 74 NEUTRON DISSOCIATIO	900 Hours		
7 А	BEAM: Meson Area - M3 Beam PROPOSAL TO STUDY THE COHERE	,,	osen	FERMILAB UNIVERSITY OF MASSACHUSETTS NORTHWESTERN UNIVERSITY UNIVERSITY OF ROCHESTER
	Request15 Jun, 70Approval1 Mar, 71Completed24 Apr, 74	Unspecified 200 Hours for low priority Stage 850 Hours	I running	
8A	15-FOOT NEUTRINO/H24		ry	CERN (SWITZERLAND)
	DIFFRACTION SCATTERING OF NE	and Horn Hard Penetrating Radiation in the Nei JTRINOS AND DEEP INELASTIC MUON-NEUTR TEST OF DELTA S≖DELTA Q RULE ⊋ HIGH M	IND SCATTERING IN A	UNIVERSITY OF HAWAII AT MANOA LAWRENCE BERKELEY LABORATORY UNIVERSITY OF WISCONSIN-MADISON
		1.000 K Pix to include 500K pix with	h the primary protons incident on th	e hadron
	Approval 1 Dec, 71	the constraint that runn	n normal targetry os in neon (greater than or equal to ning conditions yield at least 10,00 s using special targeting	30%) with 0 events;
	9 May, 75		he 22% neon mixture under horn focus	ing
	Completed 11 Jun, 75	97 K P1x		
1A	15-FOOT ANTI-NEUTRIN BEAM: Neutrino Area - Wide B PROPOSAL TO INVESTIGATE MUON			ARGONNE NATIONAL LABORATORY CARNEGIE-MELLON UNIVERSITY PURDUE UNIVERSITY
	Request 15 Jun, 70	1,000 K Pix requiring a total expose 13th protons per pulse of	ure of 10 to the 19th protons with 1 on target	0 to the
	Approval 1 Dec, 71 Completed 13 Aug, 77	200 K Pix maximum with the constru 7,000 antineutrino inter 211 K Pix	aint that the running conditions yie	ld at least
-	DETECTOR DEVELOPME		Iuggett	LOUISIANA STATE UNIVERSITY
	BEAM: Neutrino Area - Miscel NUCLEAR-ELECTROMAGNETIC CASC (Ionization spectrometer dev	Laneoùs ADE DEVELOPMENT STUDY. 21opment.)		MAX-PLANCK INSTITUTE (GERMANY)
	Request15 Jun, 70Approval1 Aug, 70Completed26 Jun, 74	400 Hours in two calibration runs Parasitic Running 50 Hours		
6A	PROTON-PROTON SCAT BEAM: Internal Target Area (C-0)		FERMILAB Jinr, Dubna (Russia)
	A PROPOSAL TO STUDY SMALL AN (Using a gas jet target and	GLE P-P SCATTERING AT VERY HIGH ENERG: the internal proton beam.)	IES.	UNIVERSITY OF ROCHESTER ROCKEFELLER UNIVERSITY
	Request15Jun, 70Approval1Feb, 71Completed24Jun, 73	550 Hours 500 Hours 700 Hours		
7A	30-INCH P-P @ 300 #37A	Ernest I. Ma	lamud	CALIFORNIA INSTITUTE OF TECHNOLOG
	BEAM: Neutrino Area - 30 in. MULTIBODY FINAL STATES IN PP			UNIV. OF CALIFORNIA, LOS ANGELES Fermilab Indiana University
	Request 15 Jun, 70 3 May, 71 Approval 26 Aug, 71	100 K Pix of p - p interactions at	t 100,200,300,400,500 GeV in 15-foot t one fixed high energy in 30-inch c ents where there is downstream spark	hamber
	Completed 1 Jun, 73	data to be shared with a		
	15-FOOT NEUTRINO/H2 BEAM: Neutrino Ares - Wide B PROPOSAL TO STUDY NEUTRINO II AT NAL.			FERMILAB UNIVERSITY OF HAWAII AT MANOA LAWRENCE BERKELEY LABORATORY UNIVERSITY OF MICHIGAN
	Al NAL. Request 15 Jun, 70 19 Jul, 71 Approval 17 Dec, 71	200 K Pix with 10 to the 13th prof 500 K Pix with 10 to the 13th prof 300 K Pix meximum with the constr		
	Completed 13 Jan, 76		of neutrinos in hydrogen	
0	MUON SEARCH #48	Robert K. Ad	dair	BROOKHAVEN NATIONAL LABORATORY
0	BEAM: Proton Area - Center			FERMILAB
		Y AND POLARIZATION OF MUONS PRODUCED	DIRECTLY BY THE	YALE UNIVERSITY

51A MISSING BEAM: Meso	n Ares - M2 Besm		Eberhard Von Goeler	NORTHEASTERN UNIVERSITY		
Request Approval	RA AND DECAY MODES 15 Jun, 70 14 Aug, 73 23 Oct, 74	850 Hours	ITH MASSES UP TO 15 GEV			
Completed 53A 15-FOOT	NEUTRINO/H28	&NE #53A	Charles Baltay	BROOKHAVEN NATIONAL LABORATORY COLUMBIA UNIVERSITY		
SEARCH FOR	THE INTERMEDIATE	BOSON, LEPTON	PAIR PRODUCTION, AND A STUDY OF DEEPLY NEUTRING INTERACTIONS IN LIQUID NEON.	COLOMBIA UNIVERSITI		
Request		1,000 K P1x	of neutrino interactions in 15-foot with 70% neon and	30% deuterium		
	6 Jul, 71	1,000 K P1x	and with inserted plate with 900K pix of neutrino interactions in neon with s 100K pix in hydrogen with two plates	ingle plate and		
	16 Jun, 76 25 Jan, 78	200 K P1×	requested increase of the approved picture total from to include an increase of 300K beyond the approximate	1 100K to 200K 11v 150K pix		
	25 5817 10		presently available for the experiment; at least 150K are requested during the summer or fall of 1978	(pix additional		
Approval	19 Jun; 78 17 Dec; 71	100 K P1×	to include an increase of 300K pix; this follows reje in neon or plates to yield at least 20,000 events tot	ection of the al including		
	29 Jun, 76 28 Jun, 78	450 K Pix	total including about 50K pix already taken total including an extension for 300K pix			
Completed	9 Mar, 81		Owen Chemberlein	ARGONNE NATIONAL LABORATORY		
BEAM: Mes	ZED SCATTERIN In Ares - M1 Besm		Owen Chamberlain	FERMILAB HARVARD UNIVERSITY		
A PROPOSAL 100, AND		ZATION IN P P,	PI- P, AND PI+ P ELASTIC SCATTERING AT 50,	LAWRENCE BERKELEY LABORATORY SUFFOLK UNIVERSITY YALE UNIVERSITY		
Request			for setup, tests, and data to include additional time for 4 weeks of data at 300) GeV and 1 week		
Approval	1 Aug, 70	800 Hours	at 100 GeV; running requires accelerator operation at	those energies		
			with an attempt to provide 300 GeV data under the cor running not interfere with other major laboratory pro	ndition that the ngrams		
Completed	N SEARCH #63A	1,900 Hours	James K. Walker	FERMILAB		
BEAM: Int	PARTICLE PRODUCTIO			UNIVERSITY OF HAWAII AT MANOA NORTHERN ILLINOIS UNIVERSITY		
	oduction in proton		the Internal Target Area;			
Request Approval	15 Jun, 70 17 Dec, 70	400 Hours				
Completed	19 Oct, 73	400 Hours 2,600 Hours	with understanding that additional photon production taken at 60, 50, 40, 30, and 20 mrads	d918 Monto De		
	-PROTON MISS		67A Felix Sannes	FLORIDA STATE UNIVERSITY		
BEAM: Int SEARCH FOI RESOLUTIO	rnal Target Area (C-0) UP TO 10 GEV	MASS PRODUCED IN P + P TO P + MM WITH A	RUTGERS UNIVERSITY UPSALA COLLEGE		
Request	15 Jun, 70	Unspecified				
Approval Completed	1 Feb, 71 8 Aug, 73					
	CSCATTERING # In Area - M6 Beam	69A	Joseph Lach	FERMILAB RUTHERFORD-APPLETON LABS.(ENGLAND		
ELASTIC S	ATTERING OF THE LO		NS. ulomb interference.)	YALE UNIVERSITY		
Request	15 Jun, 70	380 Hours	of 'ideal time' to make coulomb interference measurem stable particles and diffraction peak measurements wi			
	1 Dec, 70	180 Hours	of 'ideal time' to make coulomb interference measurem stable particles; also see exp# 97 and 497			
Approvel Completed	15 Sep, 70 3 Mar, 76					
70 LEPTON			Leon M. Lederman	COLUMBIA UNIVERSITY		
STUDY OF 1			INTERACTIONS; SEARCH FOR INTERMEDIATE	FERMILAB		
Request						
Approval Completed	1 Dec, 70 1 Dec, 74	600 Hours	and 1,100 hours for study of lepton pairs			
72 QUARK	¥72		Lawrence B. Leipuner	BROOKHAVEN NATIONAL LABORATORY		
EXPERIMEN'	n Area - M4 Beam AL PROPOSAL TO NAL		сн.	YALE UNIVERSITY		
Request	ing ionization ene 15 Jun, 70	100 Hours	for data taking			
Approval Completed	1 Aug, 70 11 Jun, 73	200 Hours 500 Hours				
75 QUARK	475 n Arem - M2 Beam		Taiji Yamanouchi	FERMILAB New York University		
A PROPOSAL (Measureme	TO SEARCH FOR FRAM	nd total energ	GED QUARKS. y of fractionally charged			
perticles Request	using momentum sel 29 Jun, 70		for tests and data taking			
Approval Completed	1 Sep, 70					
76 MONOP	OLE #76 rino Ares - Miscel:	apeous	Richard A. Carrigan	FERMILAB		
SEARCH FOR	MAGNETIC MONOPOLES a beam-dump target	S PRODUCED AT	NAL.			
Request	15 Jun, 70	Parasitic Ru				
Approval Completed	1 Sep, 70 1 Dec, 74		ure(s) with parasitic running s Exposed			

81A	NUCLEAR CHEMIS BEAM: Meson Ares - Mi PRELIMINARY SURVEY OF (Nuclear chemistry and	200 GEV	OUS PROTON INTER	Sheldon Kaufman		ARGONNE NATIONAL LABORATORY BROOKHAVEN NATIONAL LABORATORY CARNEGIE-MELLON UNIVERSITY UNIVERSITY OF CHICAGO
						UNIV. OF ILLINOIS, CHICAGO CIRCLE PURDUE UNIVERSITY RBL, ORSAY (FRANCE)
	Approval 1 A		Parasitic Ru Target Expos 197 Bombar	ure(s)		
82	K ZERO REGENER	Beam		Valentine L. Teleg		UNIV. OF CALIFORNIA, SAN DIEGO UNIVERSITY OF CHICAGO
	(See exp #425.)					SLAC UNIVERSITY OF WISCONSIN-MADISON
	Approval 15 S	Sep, 70	800 Hours	for preliminary run and data		
	Completed 5 J	lov, 74 Jul, 75	3,500 Hours	total including additional 30	0 hours with complex nuclear ta	rgets
86A	PION DISSOCIATIO		4	Henry J. Lubatti		LAL, ORSAY (FRANCE)
	A PROPOSAL TO STUDY IN OF MULTI-PION FINAL ST (Using a streamer cham	ELASTIC	DM HE NUCLEI.	PROCESSES BY OBSERVING COHERE		UNIVERSITY OF WASHINGTON
	Approval 28 M	lul, 70 lay, 71 lar, 76	1,050 Hours 800 Hours 800 Hours	for setup, tests and data tak with low priority	ing	
87A	PHOTOPRODUCTI		A	Thomas O'Hallora	n	COLUMBIA UNIVERSITY
	PHOTON-NUCLEI COLLISIO	HEAVY L	EPTONS AND I	NTERMEDIATE BOSONS FROM PHOTO	N-NUCLEON AND	FERMILAB UNIVERSITY OF HAWAII AT MANOA UNIVERSITY OF ILLINOIS, CHAMPAIGN
	25 F	eb, 71	4,400 Hours 600 Hours	for setup, tests, and data ta	king	
	13 N 28 J	lov, 75 1u1, 77	1,100 Hours 1	with an extension of 500 hour with an additional 2,000 hour	s of data taking s for study of charmed baryon p	roduction
90	EMULSION/PROTO BEAM: Meson Area - Mis CRACOW NUCLEAR EMULSIO	cellaneo	ous	Wladyslaw Wolter		INP, KRAKOW (POLAND)
	Request 23 J Approval 1 A	un, 70 ug, 70	Emulsion Exp Emulsion Exp	osure		
		ep, 72	4 Stack(
95A	PHOTON SEARCH BEAM: Proton Ares - We PROPOSAL FOR EXAMINATI (Single and digamma pr	st ON OF WI				FERMILAB Johns Hopkins University
		ict, 70		of data taking with parasitic for further study of diphoton		
		un, 71	400 Hours 1,650 Hours W	with an extension in an effor	t to approach the 12.5 weeks of	running
	• 5 J 12 S	un, 71 an, 77 ep, 77	400 Hours 1,650 Hours v	which was requested	t to approach the 12.5 weeks of 1 3 weeks of running at 200/300	
96	5 J 12 S Completed 17 O ELASTIC SCATTER BEAM: Meson Area - M6	un, 71 an, 77 ep, 77 ict, 77 ING #9 Beam	400 Hours 1,650 Hours 1,950 Hours 3,400 Hours 6	which was requested	1 3 weeks of running st 200/300	GeV ARGONNE NATIONAL LABORATORY UNIVERSITY OF BARI (ITALY)
96	5 J Completed 17 0 ELASTIC SCATTER BEAN: Meson Area - M6 FOCUSING SPECTROMETER (Measure elastic scatt	un, 71 an, 77 ep, 77 ect, 77 ING #99 Beam FACILITY ering an	400 Hours 1.650 Hours 1.950 Hours 3.400 Hours 6 7. 40 quesi eles	which was requested with approval of an additiona David Ritson tic scattering of pi+(-),	1 3 weeks of running st 200/300	GeV ARGONNE NATIONAL LABORATORY UNIVERSITY OF BARI (ITALY) BROWN UNIVERSITY CERN (SWITZERLAND)
96	5 J <u>Completed</u> <u>17 O</u> <u>ELASTIC SCATTER</u> <u>BEAM: Meson Area - M6</u> FOCUSING SPECTROMETER	un, 71 an, 77 ep, 77 ect, 77 ING #99 Beam FACILITY ering an	400 Hours 1.650 Hours 1.950 Hours 3.400 Hours 6 7. 40 quesi eles	which was requested with approval of an additiona David Ritson tic scattering of pi+(-),	1 3 weeks of running st 200/300	GeV ARGONNE NATIONAL LABORATORY UNIVERSITY OF BARI (ITALY) BROWN UNIVERSITY CERN (SWITZERLAND) CORNELL UNIVERSITY FERMILAB
96	5 J Completed 17 0 ELASTIC SCATTER BEAN: Meson Area - M6 FOCUSING SPECTROMETER (Measure elastic scatt	un, 71 an, 77 ep, 77 ect, 77 ING #99 Beam FACILITY ering an	400 Hours 1.650 Hours 1.950 Hours 3.400 Hours 6 7. 40 quesi eles	which was requested with approval of an additiona David Ritson tic scattering of pi+(-),	1 3 weeks of running st 200/300	GeV ARGONNE NATIONAL LABORATORY UNIVERSITY OF BARI (ITALY) BROWN UNIVERSITY CERN (SWITZERLAND) CORNELL UNIVERSITY FERMILAB MASSACHUSETTS INST. OF TECHNOLOGY NORTHEASTERN UNIVERSITY
96	5 J 12 S Completed 17 O ELASTIC SCATTER BEAN: Meson Area - M6 FOCUSING SPECTROMETER (Measure elastic scatt K+(-), p+(-) on H2 and Request 3 D Approval 1 D	un, 71 an, 77 ct, 77 ct, 77 ING #99 FACILITY ering an D2 up t D2 up t ec, 70 ec, 70	400 Hours 1.650 Hours 1.950 Hours 3.400 Hours 6 7. 1.950 Hours 6 7. 1.950 Hours 6 7. 1.950 Hours 6 7. 1.950 Hours 1.950	which was requested with approval of an additiona David Ritson tic scattering of pi+(-),	1 3 weeks of running st 200/300	GeV ARGONNE NATIONAL LABORATORY UNIVERSITY OF BARI (ITALY) BROWN UNIVERSITY CERN (SWITZERLAND) CORNELL UNIVERSITY FERMILAB MASSACHUSETTS INST. OF TECHNOLOGY
	5 J 12 S Completed 17 O ELASTIC SCATTER BEAM: Meson Area - M6 FOCUSING SPECTROMETER (Measure elestic scatt K+(-), p+(-) on H2 and Request 3 D Approval 1 D Completed 17 F MUON #98	un, 71 an, 77 ct, 77 ct, 77 ING #94 Beam FACILITY ering an D2 up t ec, 70 eb, 75	400 Hours 1.650 Hours 1.950 Hours 3.400 Hours 6 7. 1.000 Hours 1.000 Hours 800 Hours 2.550 Hours	which was requested with approval of an additional David Ritson tic scattering of pi+(-), with t up to 1.5.)	1 3 weeks of running st 200/300	GeV ARGONNE NATIONAL LABORATORY UNIVERSITY OF BARI (ITALY) BROWN UNIVERSITY CERN (SWITZERLAND) CORNELL UNIVERSITY FERMILAB MASSACHUSETTS INST. OF TECHNOLOGY NORTHEASTERN UNIVERSITY STANFORD UNIVERSITY UNIVERSITY OF CHICAGO
	5 J 12 S Completed 17 O ELASTIC SCATTER BEAM: Meson Area - M6 FOCUSING SPECTROMETER (Measure elastic scatt K+(-), p+(-) on H2 and Approval 1 D Completed 17 F MUON #98 BEAM: Neutrino Area - MUON-PROTON INELASTIC	un, 71 an, 77 cct, 77 ING #94 Beam FACILITY ering an D2 up t ecc, 70 ec, 70 eb, 75 Muon/Had ScATTERI	400 Hours 1,650 Hours 1,950 Hours 3,400 Hours 6 /. 1,000 Hours 200 GeV/c 1,000 Hours 800 Hours 2,550 Hours 2,550 Hours 1,000 Beam ING EXPERIMENT	which was requested with approval of an additional David Ritson tic scattering of pi+(-), with t up to 1.5.) for check out and data taking	1 3 weeks of running st 200/300	GeV ARGONNE NATIONAL LABORATORY UNIVERSITY OF BARI (ITALY) BROWN UNIVERSITY CERN (SWITZERLAND) CORNELL UNIVERSITY FERMILAB MASSACHUSETTS INST. OF TECHNOLOGY NORTHEASTERN UNIVERSITY STANFORD UNIVERSITY
	5 J 12 S Completed 17 O ELASTIC SCATTER BEAM: Meson Area - M6 FOCUSING SPECTROMETER (Mesure elastic scatt K+(-), p+(-) on H2 and Request 3 D Approval 1 D Completed 17 F MUON #98 BEAM: Neutrino Area - BEAM: Neutrino Area sepertur MUON-PROTON INELASTIC (Using a large apertur Request 2 D	un, 71 an, 77 cct, 77 cct, 77 cct, 77 lING #99 Beam FACILITY ering an D2 up t ec, 70 ec, 70 eb, 75 Muon/Had SCATTERI e magnet	400 Hours 1.650 Hours 1.950 Hours 3.400 Hours 6 7. 1.000 Hours 2.550 Hours 2.550 Hours 1.000 Beam ING EXPERIMENT to detect so 1.600 Hours	which was requested with approval of an additional David Ritson tic scattering of pi+(-), with t up to 1.5.) for check out and data taking Herhert L. Anderson T AT THE NATIONAL ACCELERATOR cattered muons and charged for tests and data taking	1 3 weeks of running st 200/300	GeV ARGONNE NATIONAL LABORATORY UNIVERSITY OF BARI (ITALY) BROWN UNIVERSITY CERN (SWITZERLAND) CORNELL UNIVERSITY FERMILAB MASSACHUSETTS INST. OF TECHNOLOGY NORTHEASTERN UNIVERSITY STANFORD UNIVERSITY UNIVERSITY OF CHICAGO HARVARD UNIVERSITY UNIVERSITY OF ILLINOIS, CHAMPAIGN
	5 J 12 S Completed 17 O ELASTIC SCATTER BEAM: Meson Area - M6 FOCUSING SPECTROMETER (Measure elastic scatt K+(-), p+(-) on H2 and Request 3 D Approval 1 D Completed 17 F MUON #98 BEAN: Neutrino Area - MOUON-PROTON INELASTIC MUON-RFORON INELASTIC (Using a large apertur hadrons.) Request 2 D Approval 19 J 6 A 26 J	un, 71 an, 77 cct, 77 ING #94 Beam FACILITY ering an D2 up t ec, 70 eb, 75 Muon/Had ScATTERI e magnet lec, 70 an, 71 ug, 73 un, 74	400 Hours 1.650 Hours 1.950 Hours 3.400 Hours 6 7. 1.000 Hours 2.500 GeV/c 1.000 Hours 2.550 Hours 1.600 Hours 1.600 Hours 400 Hours 400 Hours 400 Hours	which was requested with approval of an additional David Ritson tic scattering of pi+(-), with t up to 1.5.) for check out and data taking Herhert L. Anderson T AT THE NATIONAL ACCELERATOR cattered muons and charged for tests and data taking	1 3 weeks of running st 200/300 DN LABORATORY. 00 hours of parasitic testing) H2	GeV ARGONNE NATIONAL LABORATORY UNIVERSITY OF BARI (ITALY) BROWN UNIVERSITY CERN (SWITZERLAND) CORNELL UNIVERSITY FERMILAB MASSACHUSETTS INST. OF TECHNOLOGY NORTHEASTERN UNIVERSITY STANFORD UNIVERSITY UNIVERSITY OF CHICAGO HARVARD UNIVERSITY UNIVERSITY OF ILLINOIS, CHAMPAIGN
	5 J 12 S Completed 17 O ELASTIC SCATTER BEAM: Meson Area - M6 FOCUSING SPECTROMETER (Measure elestic scatt K+(-), p+(-) on H2 and Request 3 D Approval 1 D Completed 17 F MUON #98 BEAM: Neutrino Area - MUON-PROTON INELASTIC (Using a large apertur hadrons.) Request 2 D Approval 19 J 6 A 2 Completed 17 F ASSOCIATED PROI	un, 71 an, 77 ct, 77 ct, 77 iNG #99 Beam FACILITY ering an D2 up t ec, 70 eb, 75 Muon/Had ce, 70 an, 71 ug, 73 un, 74 eb, 75	400 Hours 1.650 Hours 1.950 Hours 3.400 Hours 6 7 1.900 Hours 2.50 Hours 2.550 Hours 1.000 Hours 2.550 Hours 1.600 Hours 400 Hours 400 Hours 1.600 Hours	which was requested with approval of an additional David Ritson tic scattering of pi+(-), with t up to 1.5.) for check out and data taking Herbert L. Anderson T AT THE NATIONAL ACCELERATOR cattered muons and charged for tests and data taking of initial running with H2 (1) with approval for both D2 and	1 3 weeks of running st 200/300 DDN LABORATORY. 00 hours of parasitic testing) H2 data taking	GeV ARGONNE NATIONAL LABORATORY UNIVERSITY OF BARI (ITALY) BROWN UNIVERSITY CERN (SWITZERLAND) CORNELL UNIVERSITY FERMILAB MASSACHUSETTS INST. OF TECHNOLOGY NORTHEASTERN UNIVERSITY STANFORD UNIVERSITY UNIVERSITY OF CHICAGO HARVARD UNIVERSITY UNIVERSITY OF CHICAGO HARVARD UNIVERSITY UNIVERSITY OF OXFORD (ENGLAND)
98	5 J 12 S Completed 17 O ELASTIC SCATTER BEAN: Meson Area - M6 FOCUSING SPECTROMETER (Measure elastic scatt K+(-), p+(-) on H2 and Request 3 D Approval 1 D Completed 17 F MUON #98 BEAM: Neutrino Area - M6 MUON-PROTON INELASTIC (Using a large apertur hadrons.) Request 2 D Approval 19 J 6 A 2 Completed 17 F ASSOCIATED PROI BEAN: Meson Area - M6 A STUDY OF PI+ P TO K+ FACILITY.	un, 71 an, 77 ct, 77 ct, 77 iNG #99 Beam FACILITY ering an D2 up t ec, 70 eb, 75 Muon/Had scatteri en, 70 en, 71 ug, 73 un, 74 eb, 75 DUCTIC Beam SIGMA+	400 Hours 1.650 Hours 1.950 Hours 3.400 Hours 6 7. 1.000 Hours 2.00 GeV/c to 1.000 Hours 800 Hours 2.550 Hours 1.600 Hours 400 Hours 400 Hours 1.600 Hours 1.600 Hours 400 Hours 1.600 Hours 1.600 Hours 400 Hours 1.800 Ho	which was requested with approval of an additional David Ritson tic scattering of p1+(-), with t up to 1.5.) for check out and data taking Herhert L. Anderso T AT THE NATIONAL ACCELERATOR cattered muons and charged for tests and data taking of initial running with H2 (1) with approval for both D2 and with additional 60D hours for Robert E. Diebold K+ Y-STAR+ USING THE FOCUSIN	1 3 weeks of running st 200/300 DN LABORATORY. D0 hours of parasitic testing) H2 date taking G SPECTROMETER	GeV ARGONNE NATIONAL LABORATORY UNIVERSITY OF BARI (ITALY) BROWN UNIVERSITY CERN (SWITZERLAND) CORNELL UNIVERSITY FERMILAB MASSACHUSETTS INST. OF TECHNOLOGY NORTHEASTERN UNIVERSITY STANFORD UNIVERSITY UNIVERSITY OF CHICAGO HARVARD UNIVERSITY UNIVERSITY OF ILLINOIS, CHAMPAIGN UNIVERSITY OF OXFORD (ENGLAND)
98	5 J 12 S Completed 17 O ELASTIC SCATTER BEAM: Meson Area - M6 FOCUSING SPECTROMETER (Meesure elestic scatt K+(-), p+(-) on H2 and Request 3 D Approval 1 D Completed 17 F MUON #98 BEAN: Neutrino Area - MUON-PROTON INELASTIC (Using a large epertur hadrons.) Request 2 D Approval 19 J 6 A 26 J Completed 17 F ASSOCIATED PROI ASTUDY OF PI+ P TO K+ FACILITY. Incident momenta from Request 3 D	un, 71 an, 77 ep, 77 ict, 77 ING #90 Beam FACILITY ering an D2 up t ec, 70 eb, 75 Muon/Had e magnet ec, 70 an, 71 ug, 73 UUCTIC Beam SIGMA+ 20 - 12 ec, 70	400 Hours 1.650 Hours 1.950 Hours 3.400 Hours 6 7. 1.000 Hours 2.550 Hours 2.550 Hours 1.600 Hours 2.550 Hours 1.600 Hours 400 Hours 1.600 Hours 1.600 Hours 1.600 Hours 2.550 Hours 1.600 Hours 1.600 Hours 1.800 Hours 1.	which was requested with approval of an additional David Ritson tic scattering of p1+(-), with t up to 1.5.) for check out and data taking Herhert L. Anderso T AT THE NATIONAL ACCELERATOR cattered muons and charged for tests and data taking of initial running with H2 (1) with approval for both D2 and with additional 60D hours for Robert E. Diebold K+ Y-STAR+ USING THE FOCUSIN	1 3 weeks of running st 200/300 DN LABORATORY. D0 hours of parasitic testing) H2 date taking G SPECTROMETER	GeV ARGONNE NATIONAL LABORATORY UNIVERSITY OF BARI (ITALY) BROWN UNIVERSITY CERN (SWITZERLAND) CORNELL UNIVERSITY FERMILAB MASSACHUSETTS INST. OF TECHNOLOGY NORTHEASTERN UNIVERSITY STANFORD UNIVERSITY UNIVERSITY OF CHICAGO HARVARD UNIVERSITY UNIVERSITY OF OXFORD (ENGLAND) ARGONNE NATIONAL LABORATORY FERMILAB SLAC
98	12 S Completed 17 O ELASTIC SCATTER BEAM: Meson Area - M6 FOCUSING SPECTROMETER (Measure elestic scatt K+(-), p+(-) on H2 and Request 3 D Approval 1 D Completed 17 F MUON-PROTON INELASTIC (Using a large apertur hadrons.) Request 2 D Approval 19 J 6 A 26 J Completed 17 F ASSOCIATED PROI 8 SUDY OF PI+ P TO K+ FACILITY. (Incident momenta from Request 3 D Approval 25 N Completed 17 F	un, 71 an, 77 ep, 77 ict, 77 ING #90 Beam FACILITY ering an D2 up t ec, 70 eb, 75 Muon/Had scATTERI e magnet ec, 70 an, 71 ug, 73 un, 74 eb, 75 DUCTIC Beam SIGMA+ 20 - 12 eo, 70 eo, 74 an, 78	400 Hours 1,650 Hours 1,950 Hours 3,400 Hours 6 / d quesi elest co 200 GeV/c to 1,000 Hours 800 Hours 2,550 Hours 1,600 Hours 400 Hours 400 Hours 1,600 Hours 1,600 Hours 1,600 Hours 1,600 Hours 1,600 Hours 1,600 Hours 1,600 Hours 1,800 Hours 1	which was requested with approval of an additional David Ritson tic scattering of p1+(-), with t up to 1.5.) for check out and data taking Herbert L. Anderso T AT THE NATIONAL ACCELERATOR cattered muons and charged for tests and data taking of initial running with H2 (1) with approval for both D2 and with additional 400 hours for Robert E. Diebold K+ Y-STAR+ USING THE FOCUSING rom 0.04 - 0.6.) for tests and data taking	1 3 weeks of running st 200/300 DN LABORATORY. D0 hours of parasitic testing) H2 date taking G SPECTROMETER	GeV ARGONNE NATIONAL LABORATORY UNIVERSITY OF BARI (ITALY) BROWN UNIVERSITY CERN (SWITZERLAND) CORNELL UNIVERSITY FERMILAB MASSACHUSETTS INST. OF TECHNOLOGY NORTHEASTERN UNIVERSITY STANFORD UNIVERSITY UNIVERSITY OF CHICAGO HARVARD UNIVERSITY UNIVERSITY OF OXFORD (ENGLAND) ARGONNE NATIONAL LABORATORY FERMILAB SLAC STANFORD UNIVERSITY
98	5 J 12 S Completed 17 O ELASTIC SCATTER BEAM: Meson Area - M6 FOCUSING SPECTROMETER (Measure elastic scatt K+(-), p+(-) on H2 and Request 3 D Approval 1 D Completed 17 F MUON #98 BEAN: Neutrino Area - MUON-PROTON INELASTIC (Using a large apertur hadrons.) Request 2 D Approval 19 J 6 A Completed 17 F ASSOCIATED PROI BEAM: Meson Area - M6 A STUDY OF PI+ P TO K+ FACILITY. (Incident momenta from Request 3 D Approval 25 A PARTICLE SEARCH BEAM: Proton Area - Ea	un, 71 an, 77 ep, 77 ict, 77 ING #90 Beam FACILITY ering an D2 up t ec, 70 eb, 75 Muon/Had SCATTERI e magnet ec, 70 an, 71 ug, 73 un, 74 eb, 75 DUCTIC Beam SIGMA+ 20 - 12 ec, 70 iov, 74 an, 78 [#100A	400 Hours 1.650 Hours 1.950 Hours 3.400 Hours 6 7 1.900 Hours 2.50 Hours 2.550 Hours 1.000 Hours 2.550 Hours 1.600 Hours 400 Hours 400 Hours 1.600 Hours 1.600 Hours 300 Hours 1.600 Hours 300 Hours 1.800 Hours 300 Hours 500 Hours 500 Hours 500 Hours 500 Hours 500 Hours 500 Hours 500 Hours	which was requested with approval of an additional David Ritson tic scattering of pi+(-), with t up to 1.5.) for check out and data taking Flerhert L. Anderson T AT THE NATIONAL ACCELERATOR cattered muons and charged for tests and data taking of initial running with H2 (1) additional 40D hours for Robert E. Diebold K+ Y-STAR+ USING THE FOCUSING rom 0.04 - 0.6.) for tests and data taking Pierre A. Piroue	1 3 weeks of running at 200/300 DN LABORATORY. 00 hours of parasitic testing) H2 data taking G SPECTROMETER	GeV ARGONNE NATIONAL LABORATORY UNIVERSITY OF BARI (ITALY) BROWN UNIVERSITY CERN (SWITZERLAND) CORNELL UNIVERSITY FERMILAB MASSACHUSETTS INST. OF TECHNOLOGY NORTHEASTERN UNIVERSITY STANFORD UNIVERSITY UNIVERSITY OF CHICAGO HARVARD UNIVERSITY UNIVERSITY OF OXFORD (ENGLAND) ARGONNE NATIONAL LABORATORY FERMILAB SLAC
98	5 J 12 S Completed 17 O ELASTIC SCATTER BEAH: Meson Area - M6 FOCUSING SPECTROMETER (Measure elastic scatt K+(-), p+(-) on H2 and Request 3 D Approval 10 Completed 17 F MUON-PROTON INELASTIC (Using a large apertur) Nadrons.) Request 2 D Request 2 D 26 J Completed 17 F 6 A StuDy OF PI+ P TO K+ FACILITY. 5 D Request 3 D 26 J Completed 17 F 7 K ASSOCIATED PROI BEAM: Meson Area - M6 A STUDY OF PI+ P TO K+ FACILITY. Incident momenta from Request 3 D Approval 25 N PARTICLE SEARCH BEAM: Proton Area - Ea A PROPOSAL TO STUDY PA PARTICLE SEARCH BEAM: Proton Area - Ea PROPOSAL TO STUDY PA Partic Interactions with nucl 101	un, 71 an, 77 ep, 77 it, 77 it	400 Hours 1.650 Hours 1.950 Hours 3.400 Hours 6 7 1.900 Hours 2.50 GeV/c hours 2.550 Hours 1.000 Hours 2.550 Hours 1.600 Hours 400 Hours 1.600 Hours 1.600 Hours 1.600 Hours 1.600 Hours 1.800 Hours 500 Hours 500 Hours 500 Hours 500 Hours 500 Hours 1.600 Hours 1.600 Hours 1.800 Ho	which was requested with approval of an additional David Ritson tic scattering of p1+(-), with t up to 1.5.) for check out and data taking Herbert L. Anderso T AT THE NATIONAL ACCELERATOR cattered muons and charged for tests and data taking of initial running with H2 (1) with approval for both D2 and with additional 400 hours for Robert E. Diebold K+ Y-STAR+ USING THE FOCUSING rom 0.04 - 0.6.) for tests and data taking	1 3 weeks of running at 200/300 DN LABORATORY. 00 hours of parasitic testing) H2 data taking G SPECTROMETER	GeV ARGONNE NATIONAL LABORATORY UNIVERSITY OF BARI (ITALY) BROWN UNIVERSITY CCRN (SWITZERLAND) CORNELL UNIVERSITY FERMILAB MASSACHUSETTS INST. OF TECHNOLOGY NORTHEASTERN UNIVERSITY UNIVERSITY OF CHICAGO HARVARD UNIVERSITY UNIVERSITY OF OXFORD (ENGLAND) ARGONNE NATIONAL LABORATORY FERMILAB SLAC STANFORD UNIVERSITY UNIVERSITY OF CHICAGO

BEAM: Meson Ar INTRA-NUCLEAR	PROTONS @ 200 #103 David T. King es - Miscellaneous CASCADE PRODUCED BY 200 GEV PROTONS.	UNIVERSITY OF TENNESSEE, KNOXVILLE
Request Approval Completed	21 Dec, 70 Emulsion Exposure 1 Feb, 71 Emulsion Exposure 20 Sep, 72 1 Stack(s)	
BEAM: Meson Ar	TOTAL CROSS SECTIONS ON HYDROGEN AND DEUTERIUM.	BROOKHAVEN NATIONAL LABORATORY FERMILAB MAX-PLANCK INSTITUTE (GERMANY) ROCKEFELLER UNIVERSITY UNIVERSITY OF WASHINGTON
Request	8 Jan, 71 700 Hours for tests and data taking 16 Jun, 76 1,300 Hours total with additional 600 hours and particle search exp# 354 8 Mar, 71 700 Hours	for completion of cross section data
Approval Completed	29 Jun, 76 1,300 Hours including an additional 600 hour exp# 354 22 Dec, 77 2,650 Hours	s for the remainder of exp* 104 and
BEAM: Meson Ar	PROTONS @ 200 #105 Prince K. Malhotra es - Miscellaneous STUDY SOME CHARACTERISTICS OF PROTON-NUCLEON AND PROTON-NUCL 600 GEV USING NUCLEAR EMULSIONS.	JAMMU UNIVERSITY (INDIA) PANJAB UNIVERSITY (INDIA) EUS TATA INSTITUTE (INDIA)
Request Approval Completed	14 Jan, 71 Emulsion Exposure 1 Apr, 71 Emulsion Exposure 20 Sep, 72 1 Stack(s)	
attenuation, r	se`- M2 Beam ⊳ERIMENT. Júing including hadron cascade development, muon adioactivity.)	FERMILAB
Request Approval Completed	4 Feb, 71 40 Hours for irradiation 1 Mar, 71 40 Hours 2 Jun, 75 350 Hours	
		CALIFORNIA INSTITUTE OF TECHNOLOG UNIV. OF CALIFORNIA, LOS ANGELES FERMILAB UNIV. OF ILLINOIS, CHICAGO CIRCLE INDIANA UNIVERSITY MAX-PLANCK INSTITUTE (GERMANY)
Request Approval	 15 Feb, 71 400 Hours for test run and overview 10 Aug, 72 900 Hours for tests and data taking 21 Oct, 76 900 Hours for data taking 5 Apr. 72 800 Hours 16 Nov, 73 600 Hours with understanding that approxim 800 hours of running will be use 18 Nov, 76 1.000 Hours with expectation that 800 hours 	d for exp# 260
Completed	weeks for tuneup of beam and equ 9 Apr, 78 1,600 Hours	
BEAM: Meson Are	GE EXCHANGE #111 Alvin V. Tollestrup JOY PI- P TO PIO N AND PI- P TO ETA N AT HIGH ENERGY.	CALIFORNIA INSTITUTE OF TECHNOLOG LAWRENCE BERKELEY LABORATORY
Request Approval Completed	15 Feb, 71 450 Hours for tests and data taking 1 Feb, 71 400 Hours 19 Sep, 74 1,800 Hours	
BEAM: Meson Are	PROTONS @ 200 #114 Piyare L. Jain ea - Miscellaneous 10 GEV PROTON AND PION INTERACTION WITH NUCLEAR EMULSION.	SUNY AT BUFFALO
Request Approval Completed	24 Feb, 71 Emulsion Exposure 1 Mar, 72 Emulsion Exposure 20 Sep, 72 1 Stack(s)	
BEAM: Neutrino SEARCH FOR LONG	PARTICLES #115 M. Lynn Stevenson Area - Miscellaneous >LIVED PARTICLES Ison or approximately equal 0.1 msec; analysis of a beam dump.)	LAWRENCE BERKELEY LABORATORY
Request Approval Completed	l Mør, 71 Pæræsitic Running 26 Aug, 71 Pæræsitic Running 23 Nov, 74 6 Hours	
BEAM: Meson Are	PROTONS @ 200 #116 Jacques D. Hebert - Miscellaneous High energy protons in Nuclear Emulsions Loaded with B 10 An	UNIVERSITY OF BARCELONA (SPAIN) CRN, STRASBOURG (FRANCE) FERMILAB UNIVERSITY OF LYON (FRANCE) MCGILL UNIVERSITY (CANADA) UNIVERSITY OF MONTREAL (CANADA) UNIVERSITY OF OTTAWA (CANADA) UNIVERSITY OF VALENCIA (SPAIN)
Request Approval Completed	31 Mar, 71 Emulsion Exposure 1 Apr, 71 Emulsion Exposure 20 Sep, 72 5 Stack(s)	
7A EMULSION/F BEAM: Meson Are	PROTONS @ 200 #117A Osamu Kusumoto - Miscelleneous STUDY OF 200 AND 500 GEV/C PROTON-PROTON COLLISIONS IN EMULS	KINKI UNIVERSITY (JAPAN) KOBE UNIVERSITY (JAPAN) OSAKA CITY UNIVERSITY (JAPAN) OSAKA SCIENCE EDUC. INST. (JAPAN) WAKAYAMA MEDICAL COLLEGE (JAPAN)
Request	2 Mar, 71 Emulsion Exposure	

	E SCATTERING #118A Area - M6 Beam	George W. Brandenburg	UNIVERSITY OF BARI (ITALY) BROWN UNIVERSITY
HADRON SPECTI (Single part:	RA FROM HIGH ENERGY INTE	RACTIONS. rom pions, kaons, and protons	FERMILAB MASSACHUSETTS INST. OF TECHNOLOGY
Request	20 Jun, 73 1,200 22 Oct, 76 950	Hours for tests and data taking Hours total with additional 250 hours of data tak Hours with an additional 350 hours to extend exi: see proposal #513	
Approval Completed	25 Nov, 74 600 18 Nov, 76 950 20 Jul, 77 2,550	Hours Hours with additional 350 hours for continued dat Hours	ta taking
EARLY PI ZER	al Target Área (C-O) O PARTICLE PRODUCTION SU	David B. Cline RVEY WITH THE GAS JET TARGET. the internal proton beam.)	UNIVERSITY OF CHICAGO HARVARD UNIVERSITY UNIVERSITY OF WISCONSIN-MADISON
Request Approval Completed	9 Mar, 71 Unspec 1 Jun, 71 200 29 May, 73 1,200	Hours	
A 30-INCH PI BEAM: Neutrin A PROPOSAL TO	+ & P - P @ 100 #121 no Ares - 30 1n. Hedron D SEARCH FOR VERY HEAVY		UNIV. OF CALIFORNIA, DAVIS LAWRENCE BERKELEY LABORATORY
CHAMBER Request		<pre>K Pix K Pix K Pix total with 50K at each of four incident pro</pre>	oton momenta, 100, 200, 300,
Approval	26 Aug, 71 50	and 400 GeV/c < Pix in bare chamber with events where there is data to be shared with exp #2B	downstream spark chamber
Completed	23 Jan, 74 104 P @ 100 #125	Douglas R. O. Morrison	CERN (SWITZERLAND)
BEAM: Neutrin PROPOSAL TO S	no Area - 30 In. Hadron STUDY PI- P REACTIONS AT	Beam 60 AND 200 GEV/C IN THE 30-INCH.	CLAIN (SWITZERLAND)
Request Approval Completed	27 Aug, 71 50	<pre>< Pix < Pix in bare chamber with events where there is</pre>	downstream spark chamber
BEAM: Neutri	P @ 200 #137 no Ares - 30 1n. Hedron + P INTERACTIONS AT HIG		UNIV. OF CALIFORNIA, BERKELEY FERMILAB LAWRENCE BERKELEY LABORATORY
Request Approval Completed	26 Aug, 71 50	<pre>< Pix < Pix in bare chamber with events where there is deta to be shared with exp #2B < Pix</pre>	downstream spark chamber
8 30-INCH P- BEAM: Neutrin	P @ 400 #138 no Area - 30 in. Hadron	Jack C. Vander Velde	UNIVERSITY OF MICHIGAN UNIVERSITY OF ROCHESTER
Request Approval Completed	26 Aug, 71 50	C Pix total; combined experiment from proposals # C Pix in bare chamber with events where there is data to be shared with exp #2B C Pix	
1A 30-INCH P- BEAM: Neutrin	P @ 200 #141A no Area - 30 in. Hadron	Thomas H. Fields	ARGONNE NATIONAL LABORATORY FERMILAB IOWA STATE UNIVERSITY UNIVERSITY OF MARYLAND MICHIGAN STATE UNIVERSITY
Request Approval Completed	26 Aug, 71 50	(Pix (Pix in bare chamber with events where there is data to be shared with exp #2B (Pix	
2 SUPER-HEA	AVY ELEMENTS #142 no Area - Miscellaneous	Raymond W. Stoughton ELEMENTS BY IRRADIATIONS AT NAL.	ARGONNE NATIONAL LABORATORY OAK RIDGE NATIONAL LABORATORY
Request Approval Completed	26 Aug, 71 Target	tic Running with a total of 10 to the 18th protor Exposure(s) Farget(s)	ns on target
3A 30-INCH PI BEAM: Neutrin PROPOSAL FOR	P @ 300 #143A	George R. Kalbfleisch Seem / OF ALL INTERACTIONS IN A PI P EXPOSURE OF	BROOKHAVEN NATIONAL LABORATORY CASE WESTERN RESERVE UNIVERSITY
Request Approval Completed	12 Jul, 71 50 26 Aug, 71 50	C Pix (Pix (Pix in bare chamber with events where there is data to be shared with exp #2B (Pix	downstream spark chamber
7 SUPER-HEA BEAM: Meson A PROPOSAL OF A PROTONS.	AVY ELEMENTS #147 Area - Miscellaneous an experiment on the fis	Monique DeBeauvais S10N OF VERY HEAVY NUCLEI INDUCED BY 200 GEV	CRN, STRASBOURG (FRANCE) UNIVERSITY OF OTTAWA (CANADA)
Request Approval Completed	6 Aug, 73 Target	Exposure(s) Exposure(s) Xxposure(s)	
2B PHOTOPRO BEAM: Proton PROPOSAL TO E AT HIGH ENERG	DDUCTION #152B Area - East SUILD AN ELECTRON-PHOTON DIES.	Clemens A. Heusch FACILITY AT NAL AND TO MEASURE PHOTON SCATTERING elastic and inelastic scattering	UNIV. OF CALIFORNIA, SANTA CRUZ
	tion, and a search for n 19 Jul, 71 300		
Approval	23 Jun, 72 490 4 Mar, 74 350	iours total with an additional 190 hours of data fours with understanding that there will be a col development and construction of equipment v fours approximately with the experiment to be cor	llaborative effort in with exp# 263
Completed	13 Nov, 78 1,950	time of the fall 1978 shutdown	

154	30-INCH HYBRID #154 Irwin A. Pless BEAM: Neutrino Ares - 30 in. Hedron Beam TEST OF PROPORTIONAL WIRE CHAMBERS IN HYBRID SYSTEMS.	BROWN UNIVERSITY FERMILAB ILLINOIS INSTITUTE OF TECHNOLOGY UNIVERSITY OF ILLINOIS, CHAMPAIGN INDIANA UNIVERSITY JOHNS HOPKINS UNIVERSITY MASSACHUSETTS INST. OF TECHNOLOGY OAK RIDGE NATIONAL LABORATORY RUTGERS UNIVERSITY STEVENS INSTITUTE OF TECHNOLOGY UNIVERSITY OF TENNESSEE, KNOXVILLE YALE UNIVERSITY
	Request 23 Jun, 71 2,000 K Pix Approval 27 Aug, 71 20 K Pix with understanding that work will be done in two phases. Phase I - design, construction, installation, and initial of upstream tagging system Phase II - use of downstream PHC's for feasibility test ru 6 Aug, 73 120 K Pix with additional 100K pix to be taken with single type inciparticles at a given energy	n of 20K pix
	Completed 13 Mar, 74 105 K Pix of pi p a 150 GeV	
155	15-FOOT EMI TEST #155 Vincent Z. Peterson BEAM; Neutrino Area - Mide Bend Horn PROPOSAL TO DEVELOP A PHASE I EXTERNAL MUON IDENTIFIER (EMI) FOR USE WITH THE NAL 30 CUBIC METER BUBBLE CHAMBER.	UNIVERSITY OF HAWAII AT MANOA LAWRENCE BERKELEY LABORATORY
	Request 15 Jul, 71 Test Running Approval 27 Aug, 71 Permisitic Running with understanding that completion of Phase I will i neutrino beam with 15-ft bubble chamber in operation pix to be determined at a later date	and number of
	17 Dec, 71 Parasitic Running with 100K pix to be taken from exp# 45A exposures ta operating; film containing about 200 events to be de as feasible to aid in preliminary tuneup and checkin 26 Jun, 74 50 K Pix with formal approval for dedicated pictures to follow succ	livered as soon 9
	analysis of 200 events from exp# 45A exposures	
15/	Completed 30 Nov. 74 14 K P1x EMULSION/PROTONS @ 200 #156 Kiyoshi Niu	AICHI UNIV. OF EDUCATION (JAPAN)
150	ELVIOLSION/FROITONS (# 200 #150 Kiyoshi INu BEAM: Meson Area - Miscellaneous STUDY OF SECONDARY PARTICLES PRODUCED BY 200 AND 500 GEV PROTONS IN EMULSION CHAMBERS.	AICHI UNIY. OF EDUCATION (JAPAN) KWANSEI GAKUIN UNIVERSITY (JAPAN) NAGOYA UNIVERSITY (JAPAN) UNIVERSITY OF TOKYO (JAPAN) YOKOHAMA NATIONAL UNIV. (JAPAN)
	Request 15 Aug, 71 Emulsion Exposure Approval 1 Sep, 71 Emulsion Exposure Completed 20 Sep, 72 13 Stack(s)	
161	30-INCH P - P&NE @ 300 #161 James Mapp BEAM: Neutring Ares - 30 in. Hedron Beam PROPOSAL TO SURVEY HIGH ENERGY PROTON COLLISIONS IN NEON AND TO SEARCH FOR ANOMALOUS PHOTON BUNDLES AT NAL.	UNIVERSITY OF WISCONSIN-MADISON
	Request 13 Oct, 71 50 K Pix Approval 6 Aug, 73 50 K Pix Completed 25 Jun, 74 51 K Pix	
163 <i>A</i>	A 30-INCH PI P&NE @ 200 #163A William D. Walker BEAM: Neutring Ares - 30 in. Hedron Beam PROPOSAL FOR A STUDY OF THE INTERACTION OF HIGH ENERGY PI- WITH NEON.	DUKE UNIVERSITY UNIVERSITY OF NORTH CAROLINA
	Request 4 Dec, 71 50 K Pix Approval 19 Jul, 72 50 K Pix Completed 18 Jun, 74 52 K Pix	
171	EMULSION/PROTONS @ 200 #171 Jere J. Lord BEAM: Meson Ares - Miscellaneous PROPOSED EMULSION EXPERIMENT SEARCH FOR SHORT LIVED PARTICLES AT HIGH ENERGIES.	UNIVERSITY OF WASHINGTON
	Request 10 May, 72 Emulsion Exposure Approvel 1 Aug, 72 Emulsion Exposure Completed 20 Sep, 72 6 Steck(s)	
172	15-FOOT ANTI-NEUTRINO/H2&NE#172 Henry J. Lubatti BEAM: Neutrino Ares - Wide Band Horn ANTINEUTRINO INTERACTIONS IN THE 15-FOOT H2-NEON BUBBLE CHAMBER.	UNIV. OF CALIFORNIA, BERKELEY UNIVERSITY OF HAWAII AT MANOA LAWRENCE BERKELEY LABORATORY UNIVERSITY OF WASHINGTON
	Request 16 May, 72 50 K Pix Approval 19 Jul, 72 50 K Pix Completed 25 May, 76 49 K Pix	
177	PROTON-PROTON ELASTIC #177A Jay Orear BEAM: Proton Area - West BEAM: Proton Area - West EARLY MEASUREMENT OF HIGH ENERGY P P LARGE ANGLE ELASTIC SCATTERING.	CORNELL UNIVERSITY LEBEDEV PHYSICAL INST. (RUSSIA) MCGILL UNIVERSITY (CANADA) NORTHEASTERN UNIVERSITY
	Request 12 Jun, 72 100 Hours for initial run 27 Oct. 72 700 Hours total with additional 600 hours for data Approval 13 Aug, 73 100 Hours for Phase I; counter tests to demonstrate success of proportience	
	28 Jun, 76 700 Hours with 600 hours additional for data 19 Nov, 76 1,500 Hours with additional 800 hours to collect data at 200 GeV and 4 t-values of 18 GeV squared; completion of run expected by 7 Mar. 77 2,200 Hours with additional 700 hours to collect data in high t region	15 Feb 1977
	Completed 19 Apr, 77 2,400 Hours	
178	MULTIPLICITIES #178 Wit Busza BEAM: Meson Ares - M6 Beam	CARELTON UNIVERSITY (CANADA)
	A STUDY OF THE AVERAGE MULTIPLICITY AND MULTICIPLICITY DISTRIBUTIONS IN HADRON-NUCLEUS COLLISIONS AT HIGH ENERGIES. (Using Cerenkov counter pulse height analysis.)	FERMILAB MASSACHUSETTS INST. OF TECHNOLOGY
	Request 16 Jun, 72 60 Hours including 20 hours for tests Approval 6 Aug, 73 100 Hours with understanding that running will be on a parasitic bas: tuning of M6 beam line by exp* 96 25 Oct 76 200 Hours with a dilitional line by exp* 96	
	25 Oct, 74 200 Hours with an additional 100 hours of running in the M6 beam line Completed 14 Aug, 75 800 Hours	

180	15-FOOT ANTI-NEUTRINO/H2&NE#180 Pavel F. Ermolov BEAM: Neutrino Ares - Wide Band Horn A Study of ANTINEUTRINO INTERACTIONS IN THE NAL 15-FOOT BUBBLE CHAMBER, FILLED WITH HYDROGEN AND MEON.	FERMILAB UNIVERSITY OF MICHIGAN ITEP, MOSCOW (RUSSIA) USER DROCKWARD (RUSSIA)
	Request23 Jun, 72200 K PixApproval11 Jul, 7250 K Pix of antineutrinos to run before exp# 172 and to the two H2/neon mixtures29 Jun, 76200 K Pix including an additional 150K pix; with the exp experiment will involve a total of 500K pix	
81	Approved/Inactive 1 Jun, 77 273 K Pix as of 01 Jun 1977 EMULSION/PROTONS @ 300 #181 Arthur S. Cary BEAM: Neutrino Area - Miscellaneous	HARVEY MUDD COLLEGE
	THE DIRECT PRODUCTION OF ELECTRON PAIRS IN NUCLEAR EMULSION BY 100 AND 200 GEV PROTONS. Request 27 Jul, 72 Emulsion Exposure	
_	Approval 15 Nov, 72 Emulsion Exposure Completed 20 Oct, 73 3 Stack(s)	
83	EMULSION/PROTONS @ 200 #183 M. I. Tretjakova BEAM: Meson Area - Miscelleneous A proposal of the photoemulsion experiment at the national accelerator laboratory (Batavia).	LEBEDEV PHYSICAL INST. (RUSSIA)
_	Request7 Jul, 72Emulsion ExposureApproval1 Aug, 72Emulsion ExposureCompleted20 Sep, 723 Stack(s)	
84	PARTICLE SEARCH #184 Peter J. Wanderer BEAM: Internel Terget Area (C-0) SEARCH FOR A NEW CLASS OF PENETRATING MASSIVE PARTICLES AT C-0.	UNIVERSITY OF CHICAGO HARVARD UNIVERSITY UNIVERSITY OF PENNSYLVANIA UNIVERSITY OF WISCONSIN-MADISON
	Request 14 Sep, 72 Unspecified Approval 5 Oct, 72 400 Hours with installation to begin at time of removal extending for a period of one month 6 Aug, 73 600 Hours with approval for occupancy at C-0 for 6 weeks 22 Feb, 74 760 Hours with authorized extension of 160 hours	
	Completed 29 May, 74 800 Hours	
86	PROTON-DEUTERON SCATTERING #186 Adrian Melissinos BEAM: Internal Target Area (C-0) A PROPOSAL TO STUDY SMALL ANGLE PROTON-DEUTERON SCATTERING. (Using a gas jet target with deuterium and the internal proton beam; t from 0.001 - 0.020.)	FERMILAB JINR, DUBNA (RUSSIA) UNIVERSITY OF ROCHESTER ROCKEFELLER UNIVERSITY
	Request 19 Oct, 72 400 Hours Approval 1 Nov, 72 400 Hours Completed 19 Aug, 74 450 Hours	
87	PARTICLE SEARCH #187 Leon M. Lederman BEAM: Proton Area - Center PHASE 0.8 - SEARCH FOR LONG-LIVED MASSIVE OBJECTS (HIGH ENERGY CALIBRATION RUN). (Relying on r.f. bunching and time of flight measurement.)	COLUMBIA UNIVERSITY FERMILAB
	Request 5 Sep, 72 Unspecified Approval 30 Oct, 72 100 Hours Completed 6 Nov, 73 200 Hours	
88	PROTON-NUCLEON INCLUSIVE #188 Felix Sannes BEAM: Internal Target Area (C-0) A PROPOSAL TO MEASURE CROSS SECTIONS FOR P-P TO P-X, N-X AS A FUNCTION OF S AND MX SQUARED USING THE INTERNAL TARGET FACILITY AT NAL.	UNIV. OF ILLINOIS, CHICAGO CIRCLE IMPERIAL COLLEGE (ENGLAND) RUTGERS UNIVERSITY UPSALA COLLEGE
	Request 25 Oct, 72 200 Hours Approvel 1 Nov, 72 200 Hours Completed 9 May, 73 1,050 Hours	
89	EMULSION/PROTONS @ 200 #189 David Ritson BEAM: Meson Ares - Miscellaneous NUCLEAR EMULSION EXPOSURES TO 400 GEV. (For student laboratory use.)	STANFORD UNIVERSITY
	Request16 Oct, 72Emulsion ExposureApproval2 Nov, 72Emulsion ExposureCompleted20 Sep, 722 Plate(s)	
94	30-INCH P - D @ 100 #194 C. Thornton Murphy BEAM: Neutrino Ares - 30 in. Hadron Besm PROPOSAL TO STUDY PROTON-DEUTERON INTERACTIONS IN THE 30-INCH BUBBLE CHAMBER.	CARNEGIE-MELLON UNIVERSITY FERMILAB UNIVERSITY OF MICHIGAN SUNY AT STONY BROOK
	Request 13 Nov, 72 200 K Pix Approval 1 Mar, 74 100 K Pix in bare chamber with downstream chamber data i Completed 20 Aug, 76 92 K Pix	f it can be arranged
95	EMULSION/PROTONS @ 300 #195 Yu K. Lim BEAM: Neutring Ares - Miscellaneous PROPOSAL TO MEASURE THE LIFETIME OF THE NEUTRAL PION.	CRFC, CAMBRIDGE Emmanuel college Mississippi state university University of singapore(singapore)
	Request 13 Nov, 72 Emulsion Exposure Approval 15 Nov, 72 Emulsion Exposure Completed 10 Jun, 75 3 Stack(s)	
96	30-INCH P - D @ 400 #196 Roderich J. Engelmann BEAM: Neutrino Area - 30 in. Hadron Beam PROTON-DEUTERON INTERACTIONS IN THE BARE 30-INCH BUBBLE CHAMBER.	CARNEGIE-MELLON UNIVERSITY FERMILAB UNIVERSITY OF MICHIGAN SUNY AT STONY BROOK
	Request 13 Nov, 72 100 K Pix Approval 21 Mar. 74 100 K Pix in bare chamber with downstream chamber data i	······································

BEAM: Interna A PROPOSAL FO (Use of the g	as jet target with H2 and D	и METER FOR THE GAS JET TARGET. 12 to study p — p and p — d	IMPERIAL COLLEGE (ENGLAND) UNIVERSITY OF ROCHESTER RUTGERS UNIVERSITY		
Request Approval		s s contingent on construction of C-O extensio s with the understanding that concurrent run arranged whenever possible			
BEAM: Neutrin SEARCH FOR WE	ARTICLE SEARCH #199 • Ares - Miscelleneous AKLY PRODUCED MASSIVE LONG	Sherman Frankel	FERMILAB University of Pennsylvania		
Request Approval	(Using a threshold Cerenkov counter.) Request 21 Dec, 72 Target Exposure(s)				
BEAM: Neutrin SEARCH FOR TA	MONOPOLE #202 • Area - Miscellaneous chyon Monopoles in cosmic r	ets Exposed David F. Bartlett AYS ABOVE 15-FOOT BUBBLE CHAMBER.	UNIVERSITY OF COLORADO AT BOULDE PRINCETON UNIVERSITY		
Request Approval Completed	fringe field.) 1 Feb, 73 800 Hour 22 Aug, 73 Parasitic 19 May, 76 Cosmic Ray		I		
203A MUON #203 BEAM: Neutrin FEASIBLE SEAR	o Ares - Muon/Hadron Beam	Leroy T. Kerth Predicted by gauge theories and concurrent Mpton scattering.	UNIV. OF CALIFORNIA, BERKELEY FERMILAB LAWRENCE BERKELEY LABORATORY PRINCETON UNIVERSITY		
Request Approvel Completed	26 Mar, 75 500 Hour	s with muon beam intensity of 5 x 10 to the s with formal approval of 1 x 10 to the 18th s with the expectation to run the experiment s	protons		
205A EMULSION	MUONS @ 150 #205A Ares - Miscellaneous	Osamu Kusumoto Ollision at energy more than 100 gev in	KINKI UNIVERSITY (JAPAN) KOBE UNIVERSITY (JAPAN) OKAYAMA UNIVERSITY (JAPAN) OSAKA CITY UNIVERSITY (JAPAN) OSAKA SCIENCE EDUC. INST. (JAPAN) UNIVERSITY OF TOKYO (JAPAN)		
Request Approval Completed	4 Apr, 73 Emulsion E 15 Jun, 73 Emulsion E 16 Oct, 73 2 Stac	xposure			
	o Area - 30 in. Hadron Beam	Fu Tak Dao The thirty-inch bubble chamber.	CALIFORNIA INSTITUTE OF TECHNOLOG IOWA STATE UNIVERSITY TUFTS UNIVERSITY VANDERBILT UNIVERSITY		
Request Approval Completed	Request 1 May, 73 50 K Pix Approval 21 Mar, 74 100 K Pix in bare chamber with downstream chamber data if it can be arranged				
EII BEAM DUM BEAM: Neutring PROPOSAL FOR	P #211 5 Area - Miscellaneous AdDATION MEASUREMENTS AROU ements to confirm calculation	Kiaus Goebei ND a proton beam dump at 300 gev.	CERN (SWITZERLAND) Fermilab		
Request Approval Completed			L		
16 FORM FACT BEAM: Meson An A MEASUREMENT	ea - Ml Beam	Donald H. Stork Direct Pion-Electron Scattering.	UNIV. OF CALIFORNIA, LOS ANGELES FERMILAB JINR, DUBNA (RUSSIA) NOTRE DAME UNIVERSITY UNIVERSITY OF PITTSBURGH		
Request Approval Completed		s for testing and running at 100 GeV to asse: s with additional 500 hours of running in M- encouragement to select a single high energ	1 beam line and		
BEAM: Neutring A COMPARISON (Request	 & P - P @ 200 #217 Area - 30 in. Hadron Beam F 100 GEV AND 200 GEV PI+ - 29 May, 73 50 K Pi 	- P INTERACTIONS.	UNIV. OF CALIFORNIA, DAVIS LAWRENCE BERKELEY LABORATORY SLAC		
Approval Completed	6 Aug, 73 50 K P1) 15 May, 74 85 K P1)	×			
PION-DEUTERON) Area - 30 in. Hadron Beam INTERACTIONS AT 200 GEV/C.	Philip M. Yager	UNIV. OF CALIFORNIA, DAVIS INP, KRAKOW (POLAND) WARSAW UNIVERSITY, INP, (POLAND) UNIVERSITY OF WASHINGTON		
Request Approval Completed	29 May, 73 50 K Pi) 21 Mar, 74 50 K Pi) 18 Sep, 74 72 K Pi)	in bare chamber with downstream chamber da	ta if it can be arranged		
BEAM: Internal P - P INELASTI	COTON INELASTIC #221 Target Area (C-0) C SCATTERING IN THE DIFFRAC of experiment #14A.)		COLUMBIA UNIVERSITY SUNY AT STONY BROOK		
Request		s including 200 hours of setup and tuning			

226	K ZERO CHARGE RADIUS #226 BEAM: Meson Area - M4 Beam Coherent K-Short regeneration by elects	Valentine L. Telegdi	UNIVERSITY OF CHICAGO LHE, ETH HONGGERBERG (SWITZERLAN) UNIVERSITY OF WISCONSIN-MADISON		
	Request 12 Jun, 73 720 Hou 15 Nov, 74 2,100 Hou	urs urs total for Phase 1, 500 hours in M4 line; and Pi M3 line	hase 2, 1600 hours in		
		urs urs with a total of 800 hours approved for the com E-226	bination of E-486 and		
28	Completed 17 Mer, 77 1,200 Hou 30-INCH PI + & P - P @ 60 #228	Thomas Ferbel	UNIVERSITY OF MICHIGAN		
20	BEAM: Neutrino Area - 30 in. Hadron Bea	MM A STUDY OF MULTIPARTICLE PRODUCTION IN P - P	UNIVERSITY OF ROCHESTER		
	Request 16 Jun, 73 25 K F 20 Feb, 74 35 K F Approval 6 Aug, 73 25 K F	-1x total with a pi/p ratio of 5/3 Fix in bare chamber with tagged beam Fix including additional 10K pix and a pi/p ratio (of about 5/3		
29	DETECTOR DEVELOPMENT #229 BEAM: Meson Area - M1 Beam A PROPOSAL FOR TESTING A TRANSITION RAI	Luke C. L. Yuan	BROOKHAVEN NATIONAL LABORATORY		
	Request 19 Jun, 73 100 Hou	urs c Running for about 200 hours			
30	MULTIGAMMA #230 BEAM: Meson Area - M3 Beam A SEARCH FOR "SCHEIN EVENTS" AND EVENTS	Michael J. Longo s with a high multiplicity of gammas.	UNIVERSITY OF MICHIGAN		
	Request 25 Jun, 73 40 Hou	urs urs with restriction that wide gap chambers will nu ference with other experiments in the area	ot cause any inter-		
32	EMULSION/PROTONS @ 300 #232 BEAM: Neutrino Ares - Miscellaneous 400-GEV PROTONS ON COMPLEX NUCLEI.		UNIVERSITY OF TENNESSEE, KNOXVILLI		
	Request 6 Jul, 73 Emulsion Approval 16 Aug, 73 Emulsion				
	300 GEV (AND 400 GEV) PROTON INTERACTIO		IAP, BUCHAREST (ROMANIA) CRN, STRASBOURG (FRANCE) FERMILAB UNIVERSITY OF LUND (SWEDEN) MCGILL UNIVERSITY (CANADA) UNIVERSITY OF NANCY (FRANCE) UNIVERSITY OF OTTAWA (CANADA) UNIV. OF PARIS VI, LPG (FRANCE) UNIVERSITY OF QUEBEC (CANADA) LRC, LYON (FRANCE) INFN, ROME (ITALY) IFC, VALENCIA (SPAIN)		
	Request 16 Jul, 73 Emulsion Exposure Approvsl 16 Aug, 73 Emulsion Exposure Completed 20 Oct, 73 8 Stack(s)				
34	15-FOOT ENGINEERING RUN #234 BEAM: Neutrino Area - 15 ft. Hadron Bee AN ENGINEERING RUN FOR THE NAL 15-FOOT	3m	FERMILAB FLORIDA STATE UNIVERSITY		
	Request 1 Aug, 73 50 K F Approval 6 Aug, 73 50 K F Completed 5 Nov, 74 57 K F				
:36A	A HADRON JETS #236A BEAM: Meson Area - M1 Beam A PROPOSAL TO EXPLORE THE LARGE-PT DOMA STRUCTURE.	Paul M. Mockett AIN: INCLUSIVE CROSS SECTIONS AND POSSIBLE JET	FERMILAB TUFTS UNIVERSITY UNIVERSITY OF WASHINGTON		
	16 Dec, 76 1,150 Hou Approval 22 Jan, 74 550 Hou	urs including additional 600 hours to complete exp week running period			
37	EMULSION/PROTONS @ 300 #237 BEAM: Neutrino Ares - Miscellaneous EMULSION EXPOSURE TO 300 GEV PROTONS. Request 14 Aug. 73 Emulsion	Jere J. Lord	UNIVERSITY OF WASHINGTON		
38	Approval 11 Sep, 73 Emulsion Completed 10 Jun, 75 5 Sta EMULSION/PROTONS @ 400 #238	ack(s)	UNIVED SITE OF WASHINGTON		
50	ELANI NEUTING ANGE - MIScalleneous EMULSION EXPOSURE TO 400 GEV PROTONS. Request 14 Aug. 73 Emulsion Approval 12 Mer. 74 Emulsion	Exposure	UNIVERSITY OF WASHINGTON		
30		William Frati	FERMILAB		
	BEAM: NEUTINO AREA - MISCELLANEOUS PROPOSAL FOR A FURTHER SEARCH FOR LONG (With a Cerenkov counter looking at the degree monitor pipe.)	LIVED PARTICLES AT NAL.	TERMILAB UNIVERSITY OF PENNSYLVANIA		
	Request 15 Jul, 73 Paresitic	c Running			

(continued)

242	EMULSION/PROTONS @ 300 #242 BEAM: Neutring Ares - Miscellaneous Study of Secondary Particles Produced by 300 gev pro	Kiyoshi Niu otons in emulsion chambers	AICHI UNIV. OF EDUCATION (JAPAN) NAGOYA UNIVERSITY (JAPAN) YOKOHAMA NATIONAL UNIV. (JAPAN)
	Request28Sep. 73EmulsionExposureApproval22Nov. 73EmulsionExposureCompleted20Oct, 732Stack(s)		
243	EMULSION/PROTONS @ 400 #243 BEAM: Neutring Ares - Miscelleneous Study of Secondary particles produced by 400 gev pr	Kiyoshi Niu otons in emulsion chambers.	AICHI UNIV. OF EDUCATION (JAPAN) KONAN UNIVERSITY (JAPAN) NAGOYA UNIVERSITY (JAPAN) YOKOHAMA NATIONAL UNIV. (JAPAN)
	Request28 Sep, 73Emulsion ExposureApproval12 Mar, 74Emulsion ExposureCompleted9 Dec, 757 Stack(s)		
244	EMULSION/PROTONS @ 300 #244 BEAM: Neutring Ares - Miscelleneous Interaction of 300 gev protons in Nuclear Emulsion.	Piyare L. Jain	SUNY AT BUFFALO
	Request 1 Oct, 73 Emulsion Exposure Approval 22 Nov, 73 Emulsion Exposure Completed 20 Oct, 73 1 Stack(s)		
245	EMULSION/PROTONS @ 400 #245 BEAM: Neutring Ares - Miscellaneous Interaction of 400 Gev Protons in Nuclear Emulsion.	Piyare L. Jain	SUNY AT BUFFALO
	Request 1 Oct, 73 Emulsion Exposure Approval 3 Mar, 74 Emulsion Exposure Completed 9 Dec, 75 1 Stack(s)		
247	PARTICLE SEARCH #247 BEAM: Neutrino Area - Wide Band Horn A PROPOSED EXPERIMENT TO SEARCH FOR HEAVY LEPTONS. (Using a hybrid emulsion-spark chamber arrangement.	Eric H. S. Burhop	UNIV. COLLEGE DUBLIN (IRELAND) FERMILAB UNIVERSITY OF LIBRE (BELGIUM) LONDON UNIVERSITY COLLEGE(ENGLAND) INFN, ROME (ITALY) UNIVERSITY OF STRASBOURG (FRANCE)
	Approval 2 Oct, 73 Unspecified but with 26 Mar, 75 1,000 Hours with form condition bubble ch	est for a bombardment of 2 x 10 to the 18th proton expectation of test running for feasibility studie al approvel for 2 x 10 to the 18th protons subject that running is compatible with exp# 310 and the amber program al approvel for 2 x 10 to the 18th protons and hig	s to the 15-ft
	Completed 18 May, 76 350 Hours		
248	NEUTRON ELASTIC SCATTERING #248 BEAM: Meson Arem - M3 Beam NEUTRON-PROTON DIFFRACTION SCATTERING UP TO 300 GEV (Differential cross sections with t from 0.1 to 3.5 referred to ms exp #411.)	; formerly	UNIVERSITY OF MICHIGAN
	Request 15 May, 70 700 Hours as an est Approval 1 Aug, 70 400 Hours Completed 10 Dec, 76 2,400 Hours	1mate	
249	EMULSION/PROTONS @ 400 #249 BEAM: Neutrino Ares - Miscellaneous CRACOW EMULSION EXPOSURE TO 400 GEV PROTONS.	Wladyslaw Wolter	INP, KRAKOW (POLAND)
	Request 8 Oct, 73 Emulsion Exposure Approval 12 Mar, 74 Emulsion Exposure Completed 9 Dec, 75 3 Stack(s)		
250	EMULSION/PROTONS @ 300 #250 BEAM: Neutring Ares - Miscellaneous PHENOMENOLOGICAL STUDY OF PROTON-NUCLEUS COLLISION GEV).	Osamu Kusumoto At NAL ENERGIES IN EMULSION (300	KINKI UNIVERSITY (JAPAN) KOBE UNIVERSITY (JAPAN) OSAKA CITY UNIVERSITY (JAPAN) OSAKA SCIENCE EDUC. INST. (JAPAN) WAKAYAMA MEDICAL COLLEGE (JAPAN)
	Request 10 Oct, 73 Emulsion Exposure Approval 22 Nov, 73 Emulsion Exposure Completed 20 Oct, 73 1 Stack(s)		
251	EMULSION/PROTONS @ 400 #251 BEAM: Neutring Ares - Miscellaneous PHENOMENOLOGICAL STUDY OF PROTON-NUCLEUS COLLISION GEV).	Osamu Kusumoto at nal energies in emulsion (400	KINKI UNIVERSITY (JAPAN) KOBE UNIVERSITY (JAPAN) OSAKA CITY UNIVERSITY (JAPAN) OSAKA SCIENCE EDUC. INST. (JAPAN) WAKAYAMA MEDICAL COLLEGE (JAPAN)
	Request10 Oct, 73Emulsion ExposureApproval22 Oct, 73Emulsion ExposureCompleted9 Dec, 753 Stack(s)		
252	30-INCH P-P @ 100 #252 BEAM: Neutrino Ares - 30 in. Hadron Beam STUDY OF MULTIPARTICLE PRODUCTION IN A 30-INCH BUBB (Formerly known as experiment #138I.)	Thomas Ferbel Le chamber.	UNIVERSITY OF MICHIGAN UNIVERSITY OF ROCHESTER
	data to b	hamber with events where there is downstream spark e shared with exp #2B	Chember
252	Completed 6 Dec, 72 33 K Pix	Luka W. Mo	
233	NEUTRINO #253 BEAM: Neutrino Area - Wide Band Horn NEUTRINO-ELECTRON SCATTERING AT NAL.	Luke W. Mo	IHEP, BELJING (PRC) UNIVERSITY OF MARYLAND NATIONAL SCIENCE FOUNDATION UNIVERSITY OF OXFORD (ENGLAND) VIRGINIA POLYTECHNIC INSTITUTE
	Request 15 Oot, 73 Perasitic Running expl Approval 7 Jul, 75 Peresitic Running Completed 7 Mar, 79 2,050 Hours	ected to total 1,000 hours	

.

.

-					
254	NEUTRINO #254 George R. Kalbficisch BEAM: Neutrino Area - Dichromatic PROPOSAL TO SEARCH FOR A SECOND MUON NEUTRINO. (Dichromatic beam incident on target calorimeter with muon spectrometer of exp #21A; muon monitoring instrumentation will be added.)	BROOKHAVEN NATIONAL LABORATORY CALIFORNIA INSTITUTE OF TECHNOLOGY FERMILAB PURDUE UNIVERSITY			
	Request 17 Oct, 73 300 Hours with total flux of 3 x 10 to the 17th protons Approval 22 Nov, 74 300 Hours with a formal approval for 3 x 10 to the 17th protons an that running can be coordinated with exp# 21	d the hope			
	Completed 15 Oct, 75 550 Hours				
255	EMULSION/MUONS @ 150 #255 BEAM: Neutring Ares - Miscelleneous EXPOSURE OF NUCLEAR EMULSIONS TO A BEAM OF 150 GEV MUONS AT THE NATIONAL ACCELERATOR LABORATORY.	SUNY AT BUFFALO			
	Request 15 Oct, 73 Emulsion Exposure Approval 22 Oct, 73 Emulsion Exposure Completed 16 Oct, 73 I Stack(s)				
359		· · · · · · · · · · · · · · · · · · ·			
230	PION INCLUSIVE #258 Melvyn Jay Shochet BEAM: Proton Ares - West A PROPOSAL TO MEASURE PARTICLES PRODUCED AT HIGH TRANSVERSE MOMENTUM BY PIONS.	UNIVERSITY OF CHICAGO PRINCETON UNIVERSITY			
	Request 22 Oct, 73 Unspecified Approval 26 Jun, 74 800 Hours Completed 9 Jul, 79 1,500 Hours				
260	HADRON JETS #260 Donald W. McLeod	CALIFORNIA INSTITUTE OF TECHNOLOGY			
	BEAM: Meson Area - M6 Beam	UNIV. OF CALIFORNIA, LOS ANGELES			
	A PROPOSAL TO STUDY HIGH PT PHYSICS WITH A MULTIPARTICLE SPECTROMETER.	FERMILAB UNIV. OF ILLINOIS, CHICAGO CIRCLE INDIANA UNIVERSITY MAX-PLANCK INSTITUTE (GERMANY)			
	Request 26 Oct, 73 650 Hours				
	9 Aug, 76 1,150 Hours including an extension of 500 hours to complete the expen Approvel 16 Nov, 73 200 Hours to come out of the 800 hours previously approved for expa	~iment ↓ llOA			
	13 Aug, 76 950 Hours for data including an additional 750 hours with the under that the commitment to the experiment is to be complete P				
	Completed 20 Sep, 76 2,300 Hours	u			
261	DETECTOR DEVELOPMENT #261 Ching Lin Wang BEAM: Meson Area - M1 Beam PROPOSAL TO TEST TRANSITION COUNTERS AT NAL.	BROOKHAVEN NATIONAL LABORATORY FERMILAB			
	Request26 Oct, 73Perestitic Running expected to total 200 hoursApproval17 Jan, 74Perestitic Running for about 200 hoursCompleted20 Nov, 74600 Hours				
262	NEUTRINO #262 Barry C. Barish BEAM: Neutrino Area - Dichromatic NEUTRAL CURRENT INVESTIGATION AT NAL. (Using the Dichromatic beam, target calorimeter, and spectrometer of exp. #2LA.)	CALIFORNIA INSTITUTE OF TECHNOLOGY FERMILAB			
	Request28 Oct, 73300 Hours to include 3 x 10 to the 17th protonsApproval16 Nov, 73300 Hours with understanding that this will include 3 x 10 to the 1Completed20 Mar, 74400 Hours	l7th protons			
264	EMULSION/PI- @ 200 #264 Poh Shien Young BEAM: Neutrino Ares - Miscellaneous	MISSISSIPPI STATE UNIVERSITY UNIVERSITY OF TENNESSEE, KNOXVILLE			
	EXPOSURE OF EMULSIONS TO 200-300 GEV PI- FOR NEW DETERMINATION OF MEAN LIFE OF PI ZERO.				
	Request31 Oct, 73Emulsion ExposureApproval12 Mar, 74Emulsion ExposureCompleted7 Oct, 742 Stack(s)				
265	EMULSION/PROTONS @ 400 #265 Poh Shien Young	CRFC, CAMBRIDGE			
	BEAM: Neutring Area - Miscellaneous Exposure of Emulsions to 400 GEV protons for New Determination of Mean Life of Pi Zero.	MISSISSIPPI STATE UNIVERSITY			
	Request 31 Oct, 73 Emulsion Exposure Approval 12 Mar, 74 Emulsion Exposure				
	Completed 9 Dec, 75 3 Stack(s)				
268	INCLUSIVE PHOTON #268 Joel Mellema	BROOKHAVEN NATIONAL LABORATORY			
	BEAM: Meson Area - M2 Beam A proposal to study meson production at large P- transverse with a gamma ray	CALIFORNIA INSTITUTE OF TECHNOLOGY LAWRENCE BERKELEY LABORATORY			
	A PROPOSAL TO STUDY MESON PRODUCTION AT LARGE P- TRANSVERSE WITH A GAMMA RAY DETECTOR. (Induced by protons @ 300 GeV and by pi+- @ 100 and 200 GeV; using photon detector of exp #111.)				
	Request 5 Nov, 73 900 Hours total with an initial run of 500 hours				
	3 Nov, 75 l.200 Hours including a three-week extension Approval 21 Mar, 74 100 Hours of running in diffracted proton beam to demonstrate feas 26 Jun, 74 100 Hours with formal approval for parasitic running using a pion b				
	of exp# 51 22 Nov, 74 600 Hours including an additional 500 hours of running in a pion b 10 Nov, 75 900 Hours including an additional three week run to obtain data at angle with a 200 GeV beam				
	Completed 11 Feb, 76 1,850 Hours				
271	EMULSION/PROTONS @ 200 #271 Kurt Gottfried	IAP, BUCHAREST (ROMANIA)			
	BEAM: Neutrino Area - Miscellaneous	CERN (SWITZERLAND)			
	MULTIPARTICLE PRODUCTION IN NUCLEI BY PROTONS OF SEVERAL HUNDRED GEV. (Using target materials consisting of fine wires imbedded in emulsion or foils covering the emulsion; 200 GeV exposure.)	CORNELL UNIVERSITY UNIVERSITY OF LUND (SWEDEN)			
	Request 30 Nov, 73 Emulsion Exposure				
	Approval16 Jan, 74Emulsion ExposureCompleted10 Jun, 7510 Stack(s)				

90	ADRON DISSOCIATION #272 EAM: Meson Ares - M1 Beam	Thomas Ferbel	BROOKHAVEN NATIONAL LABORATORY FERMILAB		
A	ROPOSAL TO MEASURE COHERENT DISSOCIATION OF PI T FERMILAB ENERGIES.	I-, K-, AND PBAR INTO TWO-BODY SYSTEMS	UNIVERSITY OF MINNESOTA UNIVERSITY OF ROCHESTER		
	Request 5 Dec, 73 600 Hours 9 Jun, 75 900 Hours total with the additional 300 hours of data taking at 150 and 300 GeV/c incident momentum Approval 7 Jul, 75 600 Hours				
C	ompleted 3 Dec, 79 1,950 Hours	XXX 10	CUDICITAL AL DECUTS INTU (CEDMANU)		
8	PLASTIC DETECTORS #275 Heam: Neutring Ares - Miscelleneous XPOSURE OF PLASTIC-DETECTOR STACKS TO A 300 GE		CHRISTIAN-ALBRECHTS UNIV.(GERMANY)		
A	equest 17 Dec, 73 Detector Exposure pproval 20 Oct, 73 Detector Exposure completed 20 Oct, 73 4 Stack(s)				
BI	DUARK #276 EAN: Neutrino Ares - Miscellaneous SEARCH FOR STABLE INTEGRALLY CHARGED MASSIVE Mass spectroscopic analysis of irradiated tars	Andreas Van Ginneken Particles (Han-Nambu Quarks). get.)	ARGONNE NATIONAL LABORATORY UNIVERSITY OF CHICAGO FERMILAB		
A	tequest 25 Jan, 74 Target Exposure(s spproval 8 Jul, 74 Target Exposure(s 30 Aug, 76 Target Exposure(s completed 2 Nov, 75 3 Targets Exp	s) s) with different chemicals and re-exposure of	two previous samples		
BI	EMULSION/PROTONS @ 400 #279 HEAM: Neutring Ares - Miscellaneous HE INTERACTION OF PA=PAE+E- AT 400 GEV.	David T. King	UNIVERSITY OF TENNESSEE, KNOXVILLE		
A	tequest 28 Jan, 74 Emulsion Exposure Approve1 12 Mer, 74 Emulsion Exposure completed 9 Dec, 75 3 Stack(s)				
	BO-INCH P - D @ 200 #280	Thomas H. Fields	ARGONNE NATIONAL LABORATORY		
	EAM: Neutrino Ares - 30 in. Hadron Beam ROPOSAL TO STUDY P - D INTERACTIONS AT 205 GEV	V/C IN THE 30-INCH BUBBLE CHAMBER.	CIPP (CANADA) JINR, DUBNA (RUSSIA) MOSCOW STATE UNIVERSITY (RUSSIA)		
A	tequest 1 Feb, 74 100 K Pix (pprovel 21 Mar, 74 100 K Pix in be completed 11 Oct, 75 103 K Pix	are chamber with downstream chamber data if it	can be arranged		
	0-INCH HYBRID #281 EAM: Neutrino Ares - 30 in. Hadron Beam	Gerald A. Smith	IOWA STATE UNIVERSITY UNIVERSITY OF MARYLAND		
PI	ROPOSAL TO STUDY HIGH ENERGY PROTON-PROTON AND AL 30-INCH BUBBLE CHAMBER-WIDE GAP SPARK CHAME		MICHIGAN STATE UNIVERSITY NOTRE DAME UNIVERSITY		
_	request 1 Feb, 74 400 K Pix inclu	uding 200K pix of p - p 300 GeV and 200K pix of			
A	momentum 25 Sep, 74 700 K Pix total including 300K pix of p - p a 300 GeV, 100K pix of pi p a 100 GeV, and 300K pix of pi p a 375 GeV Approval 22 Nov, 74 300 K Pix in a combination of pi- and p bombardments at an energy greater than or equal to 300 GeV and with the understanding that following this run				
C	work	with the wide gap chamber system will be termi 1 p interactions at 360 GeV/c			
	PARTICLE PRODUCTION #284	James K. Walker	FERMILAB		
SI ((EAM; Proton Area - West URVEY OF PARTICLE PRODUCTION IN PROTON COLLISI Continuation of work begun in exp #63A.)	IONS AT NAL.	NORTHEASTERN UNIVERSITY NORTHERN ILLINOIS UNIVERSITY		
Aj	at th	ded roughly as 150 hours for satup and testing he four energies of 100, 200, 300, and 400 GeV	and 150 hours each		
285 S	SUPER-HEAVY ELEMENTS #285 EAM: Neutrino Area ~ Miscellaneous	Leon M. Lederman	COLUMBIA UNIVERSITY FERMILAB		
<u>A</u>	SEARCH FOR A NEW STATE OF MATTER IN THE ANALY				
A;	equest 21 Feb, 74 Target Exposure(s pproval 27 Feb, 74 Target Exposure(s ompleted 2 Aug, 76 3 Targets Exp	5)	·		
	DI-LEPTON #288 EAM: Proton Ares ~ Center	Leon M. Lederman	COLUMBIA UNIVERSITY Fermilab		
A	STUDY OF DI-LEPTON PRODUCTION IN PROTON COLLI Formerly known as exp #70 III.)	ISIONS AT NAL.	SUNY AT STONY BROOK		
Re	Request 21 Feb. 74 Unspecified 10 May, 76 1.500 Hours additional for mu-mu II 10 Nov, 77 4.500 Hours with a request for an additional 3.000 hours for high intensity and high resolution studies				
Ap	nigh resolution studies Approval 18 Jan, 74 1.000 Hours 17 Nov, 76 2.500 Hours with additional 1.500 hours not to extend beyond 1 Sep 1977 16 Nov, 77 5.500 Hours with an extension of about 3.000 hours until August 1978, and with a request for a progress report in May 1978				
Co	ompleted 23 Jul, 78 6,850 Hours				
00 0	ROTON-HELIUM SCATTERING #289 EAM: Internal Target Area (C-0) MALL ANGLE PROTON-HELIUM ELASTIC AND INELASTIC		UNIVERSITY OF ARIZONA FERMILAB JINR, DUBNA (RUSSIA)		
BE SM	(Using an internal proton beam with a gas jet target.) Request 1 Mar, 74 700 Hours Approval 22 Mar, 74 700 Hours conditional upon successful development of the helium jet technique				
BE SM (L Re Ap	pprovel 22 Mar, 74 700 Hours condi				
BE SM (L Re Ap Co		Winslow F. Baker	UNIVERSITY OF ARIZONA FERMILAB		
90 B BE BA (I BE BA (F	pproval 22 Mar, 74 700 Hours condi ompleted 8 Nov, 77 1.050 Hours RACKWARD SCATTERING #290				

292	BEAM: Neutrino MULTIPARTICLE (Using target)	naterials consist	LEOUS LEI BY PROTONS (199 of fine wir)	Kurt Gottfried OF SEVERAL HUNDRED GEV. es imbedded in emulsion	IAP, BUCHAREST (ROMANIA) CERN (SWITZERLAND) CORNELL UNIVERSITY UNIVERSITY OF LUND (SWEDEN)
	or foils cover Request Approval Completed	30 Nov, 73 E 16 Jan, 74 E	400 GeV exposur mulsion Exposur mulsion Exposur	re.) e	
95	30-INCH PI + BEAM: Neutrino	9 Dec, 75 & P - D @ 200 Ares - 30 in. Ha	dron Beam	Gideon Yekutieli	CRN, STRASBOURG (FRANCE) FERMILAB
	A STUDY OF PI+ Request	- D INTERACTIONS 15 Mar, 74		N THE 30-INCH BUBBLE CHAMBER AT NAL.	WEIZMANN INSTITUTE (ISRAEL)
	Approval	14 Aug, 74 21 Mar, 74	150 K Pix total pi+ - 100 K Pix in ba and y	l including an additional 50K pix due - d events are chamber with downstream chamber da with request that interest be switched ardment	ita if it can be arranged;
	Completed	27 Aug, 74 2 Nov, 75		additional 50K pix to yield the reque	ested number of p1+ - d
97	QUARK SEARCH US	Area - 30 in. Ha ING 400-500 GEV onization energy	PROTONS.	Lawrence B. Leipuner	BROOKHAVEN NATIONAL LABORATORY
	Request Approval Completed	15 Apr, 74 15 May, 74 10 Jul, 74		beam of 5 x 10 to the 4th particles/p	ulse and a 200 msec spill
99	PRECISION STUDY PROTONS.	Area — 30 in. Ha	COLLISIONS INDUC	Irwin A. Pless Ded by incident 150 gev/c pions and	BROWN UNIVERSITY UNIVERSITY OF CAMBRIDGE (ENGLAND FERMILAB ILLINOIS INSTITUTE OF TECHNOLOGY UNIVERSITY OF ILLINOIS, CHAMPAIGN INDIANA UNIVERSITY JOHNS HOPKINS UNIVERSITY UNIVERSITY OF LETAT (BELGIUM) MASSACHUSETTS INST. OF TECHNOLOG SUNY AT ALBANY NIJMEGEN UNIVERSITY (NETHERLANDS OAK RIDGE NATIONAL LABORATORY RUIGERS UNIVERSITY STEVENS INSTITUTE OF TECHNOLOGY UNIVERSITY OF TENNESSEE, KNOXVILL
	Réquest	16 May, 74 1	,200 K P1x at 15	O GeV equally split between study of	P - D, DI - D, ADD
	Approval	22 Nov, 74 6 Aug, 76	p1+ - 600 K P1x of p1 500 K P1x to be	• p interactions p, p - p, and pi+ - p interaction e pi+ - p a 150 GeV/c in 30-inch bubbl m and with 100K pix of pi p now in	s at 150 GeV/c e chamber with PWC hybrid
	Completed	28 Oct, 76 22 Nov, 76	660 K Pix with provi mode; 431 K Pix with	additional 160K pix from a collaborat de an overall package of 500K pix to 160K pix already taken at this time 229K pix remaining to be taken under	be taken in an enriched K+
00	BADTICLE SI		decla	Discussion A Discussion	
00	PARTICLE SI BEAM: Proton Ar STUDY OF PARTIC TARGETS.	es ~ Esst	HIGH TRANSVERSE	Pierre A. Piroue Momenta using hydrogen and deuterium	UNIVERSITY OF CHICAGO PRINCETON UNIVERSITY
	Request		300,	a liquid hydrogen/deuterium target an 400, and 500 GeV	d at beam energies of 200,
	Approval Completed	26 Jun, 74 24 Apr, 76	750 Hours with	hydrogen target	
05	BEAM: Meson Are PROPOSAL TO STU	SSOCIATION a - M3 Beam DY THE COHERENT I of work begun 1	DISSOCIATION OF	Bruno Gobbi NEUTRONS.	FERMILAB NORTHWESTERN UNIVERSITY UNIVERSITY OF ROCHESTER SLAC
	Request Approval Completed	26 Jun, 74	calen 900 Hours witho for H 200 Hours with	. to include one month of running ever dar 1975 ut approval for the installation of t 2 and D2 cross section measurements additional 300 hours for particle sea	he transmission target
10	NEUTRINO # BEAM: Neutrino		Horn	David B. Cline ONS AT FERMILAB.	FERMILAB HARVARD UNIVERSITY UNIVERSITY OF PENNSYLVANIA RUIGERS UNIVERSITY UNIVERSITY OF UNICONSTRUMED FOR
	Request		Horn	clude 2 × 10 to the 18th protons on t system focused for negatives without	
	Approval	22 Nov, 74 1	18th 000 Hours with	for positives a formal approval for 2 x 10 to the 1	8th protons and the under-
		17 Nov, 76 1	000 Hours to al	ing that use will be made of a horn f so include running with the Quadrupol	e Triplet train for an
		15 Mar, 77 2	500 Hours with	ure of 1 x 10 to the 18th protons dur formal additional approval as follows ns using the sign-selected-bare-targe	1 - 2 x 10 to the 18th t train understood to focus
			antin	eutrinos, and 2 x 10 to the 18th prot et train load	ons using the Quadrupole
		21 Mar, 78 3	antin Tripl 500 Hours with	eutrinos, and 2 x 10 to the 18th prot et train load additional approval for a final run t g wide-band horn running for the 15-f	o complete the experiment

311	30-INCH PBAR - P @ 100 #311 William W. Neale	UNIVERSITY OF CAMBRIDGE (ENGLAND)
	BEAM: Neutrino Ares - 30 in. Hadron Beam Proposal to Study Multiparticle Production in High Energy Antiproton-Proton Interactions with the Fermilab 30-inch Bubble Chamber.	MICHIGAN STATE UNIVERSITY
	INTERACTIONS with the remained surface booster chambers. Request 6 Jun, 74 100 K Pix with equal numbers of pbar and pi- Approval 26 Jun, 74 100 K Pix to be obtained with not more than 200K pulses of the ch Completed 27 Jan, 75 98 K Pix	amber
313	PROTON-PROTON POLARIZATION #313 Homer A. Neal	INDIANA UNIVERSITY
	BEAM; Internal Target Area (C-0) Polarization in P - P Elastic, inelastic and inclusive reactions at Fermilab	
	ENERGIES. (Using a gas jet target with hydrogen, the internal proton beam, the	
	spectrometer of exp #198A, and a new carbon polarimeter.) Request 5 Jun, 74 1,500 Hours total with two jet pulses per cycle	
	Approval 26 Jun, 74 1,000 Hours with about 800 hours of running on polarization in elas and about 200 hours of running to observe polarization	in inelastic
	channels 15 Mar, 77 1,000 Hours with encouragement to use some of the remaining running further data on polerization in inelastic processes; se	
	Completed 30 Mar, 77 850 Hours with some approved running remaining; see exp #522	
317	PROTON-NUCLEON INELASTIC #317 Rodney L. Cool BEAM: Internal Target Area (C-0)	UNIVERSITY OF ARIZONA Fermilab
	PROTON DIFFRACTION DISSOCIATION ON HYDROGEN AND DEUTERIUM. (Using the gas jet target and internal proton beam.)	JINR, DUBNA (RUSSIA) UNIVERSITY OF ROCHESTER
	Request 7 Jun, 74 800 Hours for tests and data taking	ROCKEFELLER UNIVERSITY
	Approvel 3 Jul, 74 800 Hours using ges jet with running to be interleaved with exp# Completed 1 Nov, 75 1,400 Hours	321
319	MUON #319 K. Wendell Chen BEAM: Neutrino Area - Muon/Hadron Beam	FERMILAB Michigan state University
	FURTHER TEST OF SCALING AT HIGH MOMENTUM TRANSFERS IN DEEP INELASTIC MUON SCATTERING. (A continued exploration of the studies begun in exp #26.)	
	Request 10 Jun, 74 1,100 Hours Approval 26 Mar, 75 500 Hours for a scaling test at high energies Completed 20 Sep, 76 900 Hours	
320	NEUTRINO #320 Frank Sciuli	CALIFORNIA INSTITUTE OF TECHNOLOGY
	BEAM: Neutring Ares - Dichromstic Proposal to Measure Neutral Current cross-sections and associated inelastic Distributions in the Narroh-Band Beam.	FERMILAB
	Request 10 Jun, 74 1,200 Hours with request of 3 x 10 to the 18th protons total and in	itial run of
	l x 10 to the 18th protons for investigation Approval 26 Jun، 74 500 Hours with a formal approval for 1 x 10 to the 18th protons p positive finding of neutral currents and with the incli	
	assign higher priority for running to exp# 320 than to exp# 21	
	Completed 1 Oct, 74 500 Hours	
321	PROTON-PROTON INELASTIC #321 Juliet Lee-Franzini BEAM: Internal Target Area (C-0)	COLUMBIA UNIVERSITY SUNY AT STONY BROOK
	A HIGH PRECISION EXPERIMENT TO MEASURE THE INELASTIC P – P CROSS SECTION AND ITS ASSOCIATED FORMARD MULTIPLICITIES AT SMALL MOMENTUM TRANSFER. (Using a new hydrogen gas iet target and the internal proton beam.)	
	Request11 Jun, 742,000 Hours total including 800 hours for testingApproval3 Jul, 74800 Hours with running to be interleaved with exp# 317 and using	the existing
	cryogenic hydrogen jet 26 Mar, 75 800 Hours with approval to use a room temperature gas jet of thei	r own design
224	Completed 20 Sep. 76 1,900 Hours	
324	INCLUSIVE SCATTERING #324 Howard L. Weisberg BEAM: Meson Area - M1 Beam A PROPOSAL TO STUDY SINGLE PARTICLE INCLUSIVE SPECTRA IN HIGH ENERGY HADRON-HADRON	UNIVERSITY OF PENNSYLVANIA
	COLLISIONS	
	Request 11 Apr, 74 1,000 Hours Approval 24 Jun, 74 500 Hours Completed 13 Aug, 77 1,200 Hours	
325	PARTICLE SEARCH #325 Pierre A. Piroue	UNIVERSITY OF CHICAGO
545	BEAM: Proton Area - East STUDY OF DI-MUON PRODUCTION AT HIGH TRANSVERSE MOMENTA.	PRINCETON UNIVERSITY
	Request 12 Jun, 74 Perasitic Running Approval 25 Nov. 74 Perasitic Running with the stipulation that this running time will	he concurrent with
	the previously approved 600 hours for explanation that this funning time will the previously approved 600 hours for exp# 300 6 May, 76 600 Hours for a portion of the program estimated to require 13 we	
	the expectation to continue the experiment during anoth period	er running
_	26 Oct, 76 1,200 Hours during a six-week running period to begin in January 19 Completed 28 Feb. 77 1,500 Hours	77
326	DI-MUON #326 Melvyn Jay Shochet	UNIVERSITY OF CHICAGO PRINCETON UNIVERSITY
	PROPOSAL TO MEASURE MUON PAIRS PRODUCED AT HIGH TRANSVERSE MOMENTUM BY PIONS.	
	Request 29 May, 74 Unspecified 7 Jul, 75 400 Hours 2 Feb 77 900 Hours	
	2 Feb, 77 800 Hours to be run in conjunction with exp #258 in the P-West pi adding a second arm to the exp #258 spectrometer	ON DEAM DY
	Approval 15 Mar, 77 800 Hours	
	Completed 26 Apr, 82 2,000 Hours	
327	DETECTOR DEVELOPMENT #327 Wade W. M. Allison BEAM: Neutrino Ares - Miscellsneous	MASSACHUSETTS INST. OF TECHNOLOGY UNIVERSITY OF OXFORD (ENGLAND)
327	DETECTOR DEVELOPMENT #327 Wade W. M. Allison	

328	EMULSION/PI- @ 200 #328 BEAM: Neutrino Ares - Miscelleneous PROPOSAL TO STUDY THE INTERACTIONS OF PI- ACCELERATOR.	M. I. Tretjakova - Mesons in Nuclear Emulsion at the Fermilab	LEBEDEV PHYSICAL INST. (RUSSIA)		
	Request5 Aug, 74 Emulsion E:Approval5 Aug, 74 Emulsion E:Completed7 Oct, 74 5 Stac	xposure			
329	EMULSION/PROTONS @ 300 #329 BEAM: Neutring Ares - Miscellaneous PROPOSAL TO STUDY THE INTERACTIONS OF PRO ACCELERATOR.	M. I. Tretjakova otons in nuclear emulsion at the fermilab	LEBEDEV PHYSICAL INST. (RUSSIA)		
	Request5 Aug, 74 Emulsion ExApproval3 Jun, 75 Emulsion ExCompleted10 Jun, 752 Stack	xposure			
330	PARTICLE SEARCH #330 BEAM: Meson Ares - M4 Beam SEARCH FOR MASSIVE NEUTRAL PARTICLES. (Using time-of-flight and a total absorp Request 6 Aug. 74 1,300 Hours	s to include 800 hours for tuneup parasitic to exp	*305 and 500 hours		
	Approval 22 Jan, 75 100 Hours Completed 7 Jul, 75 150 Hours				
331	DI-MUON #331 BEAM: Neutrino Ares - Muon/Hadron Beam PROPOSAL FOR A DETAILED STUDY OF DI-MUON (Alternative version of exps #308 & #323 cyclotron spectrometer.)	James E. Pilcher PRODUCTION.	UNIVERSITY OF CHICAGO PRINCETON UNIVERSITY		
	Request 10 Aug, 74 Unspecified Approval 25 Nov, 74 400 Hours Completed 22 Mar, 76 1,400 Hours	s for an initial run at an incident beam intensity the 6th particles/pulse	of about 10 to		
335	MUON SEARCH #335 BEAM: Meson Area - M1 Beam A SEARCH FOR DIRECT MUON PRODUCTION IN TH	Orrin D. Fackler He Forward Direction.	CALIFORNIA INSTITUTE OF TECHNOLOGY UNIVERSITY OF CHICAGO FERMILAB PRINCETON UNIVERSITY ROCKEFELLER UNIVERSITY		
	Approval 22 Nov, 74 200 Hours	s total including time for tests and data s provided that this running time can be arranged to interfere substantially with the ongoing phys in the MI beam line			
24	Completed 6 Jun, 75 300 Hours				
36	EMULSION/PROTONS @ 400 #336 BEAM: Neutrino Area - Miscellaneous Multiparticle Production in Nucleon-Nucle		KWANSEI GAKUIN UNIVERSITY (JAPAN)		
	Request 9 Sep, 74 Emulsion Ex Approval 19 Oct, 74 Emulsion Ex Completed 9 Dec. 75 2 Stack	posure			
337	DI-MUON #337 BEAM: Meson Ares - Miscellaneous MEASUREMENT OF DI-MUON EVENTS IN THE MESC		FERMILAB MAX-PLANCK INSTITUTE (GERMANY)		
	Request20 Sep, 743 HoursApproval27 Sep, 743 HoursCompleted7 Feb, 755 Hours	5			
338	30-INCH PI D @ 360 #338 BEAM: Neutrino Ares - 30 in. Hadron Beam PION-DEUTERON INTERACTIONS AT 400 GEV/C.	Keihachiro Moriyasu	UNIV. OF CALIFORNIA, DAVIS INP, KRAKOW (POLAND) WARSAW UNIVERSITY, INP, (POLAND) UNIVERSITY OF WASHINGTON		
	Request 21 Sep, 74 100 K Pix Approval 24 Sep, 74 50 K Pix Completed 28 Aug, 76 53 K Pix	< in bare chamber with downstream chamber data if	it can be arranged		
339	EMULSION/PI- @ 200 #339 BEAM: Neutrino Ares - Miscelleneous CRACOW EMULSION EXPOSURE TO 200 GEV PIONS	Wladyslaw Wolter S.	INP, KRAKOW (POLAND)		
	Request12 Sep, 74Emulsion ExApproval1 Oct, 74Emulsion ExCompleted9 Jun, 754 Stack	posure			
340	EMULSION/ELECTRONS @ HI E #3 BEAM: Proton Ares - Miscellaneous Study of the electron-photon cascade show	•	KOBE UNIVERSITY (JAPAN) KONAN UNIVERSITY (JAPAN) SAITAMA UNIVERSITY (JAPAN) UNIVERSITY OF TOKYO (JAPAN) UTSUNOMIYA UNIVERSITY (JAPAN) WASEDA UNIVERSITY (JAPAN)		
	Request25 Sep, 74Emulsion ExApproval10 Oct. 74Emulsion ExCompleted5 Oct. 7610 Stack	posure			
41	15-FOOT P - P @ 400 #341 BEAM: Neutrino Area - 15 ft. Hødron Beam INTERACTIONS OF PI+ MESONS AND PROTONS IN		UNIV. OF CALIFORNIA, DAVIS LAWRENCE BERKELEY LABORATORY		
	Approval 4 Dec, 74 25 K Pix 8 Dec, 75 25 K Pix	Request 1 Oct, 74 100 K Pix Approval 4 Dec, 74 25 K Pix of tagged pi+ and p at 150 GeV in H2 to develop analysis techniques for 15-foot bubble chamber film			
	Completed 21 Dec, 75 34 K P1x 15-EOOT P - P @ 300 #343		ADCONNE MATTOMAL LABORATOR		
24.2	15-FOOT P - P @ 300 #343 BEAM: Neutrino Area - 15 ft. Hadron Beam	Roderich J. Engelmann	ARGONNE NATIONAL LABORATORY UNIVERSITY OF KANSAS		
343	PROPOSAL TO STUDY NEUTRAL PARTICLE PRODUC FERMILAB 15-FOOT BUBBLE CHAMBER.	CTION IN 250 GEV P - P INTERACTIONS IN THE	SUNY AT STONY BROOK TUFTS UNIVERSITY		

COL	(index)	
344	30-INCH PBAR - P @ 50 #344 Laszlo J. Gutay BEAM: Neutrino Area - 30 in. Hadron Beam PROPOSAL TO SURVEY CENTRAL COLLISIONS IN PBAR - P TO MESONS BETWEEN 30 AND 60 GEV/C	CNTRL RES INST, BUDAPEST (HUNGARY) FERMILAB PURDUE UNIVERSITY
	IN THE 30-INCH BUBBLE CHAMBER AT FERMILAB. Request 4 Oct. 74 100 K Pix to be taken in < 200K chamber expansions Approval 27 Nov. 74 100 K Pix with the qualification that it must be possible to ob pictures in no more than one calender month of runnin Completed 1 Nov. 76 145 K Pix	tain these g time
_		INVERSION OF LIVERDOOL (ENCLAND)
345	30-INCH PBAR - D @ 100 #345 Gosta Ekspong BEAM: Neutrino Ares - 30 in. Hadron Beam PROPOSAL TO STUDY MULTIPARTICLE PRODUCTION IN 100 GEV/C ANTI-PROTON-DEUTERIUM INTERACTIONS WITH THE FERMILAB 30-INCH BUBBLE CHAMBER.	UNIVERSITY OF LIVERPOOL (ENGLAND) UNIVERSITY OF STOCKHOLM (SWEDEN) VANDERBILT UNIVERSITY
	Request 5 Oct, 74 100 K Pix with a Cerenkov tagged incoming beam Approval 4 Dec, 74 100 K Pix with the qualification that serious consideration be of the PWC downstream system Completed 7 Sep, 76 61 K Pix with 39K pix remaing to be taken under earlier approv	
_	complete on 29 Jun 1977	
346	EMULSION/PROTONS @ 400 #346 Gosta Ekspong BEAM: Nautrino Area - Miscellaneous SEARCH FOR HEAVY. SHORTLIVED PARTICLES. Request 6 Oct. 74 Emulsion Exposure	UNIVERSITY OF STOCKHOLM (SWEDEN)
	Request 6 Oct, 74 Emulsion Exposure Approval 21 Oct, 74 Emulsion Exposure Completed 9 Dec, 75 1 Stack(s)	
350	INCLUSIVE NEUTRAL MESON #350 Robert W. Kenney	BROOKHAVEN NATIONAL LABORATORY
	BEAM: Meson Area - M2 Beam A PROPOSAL TO STUDY NEUTRAL PIONS AND MESON INCLUSIVE PRODUCTION WITH INCIDENT MEGATIVE PIONS IN THE TRIPLE REGGE REGION. (Using the photon detector of exp #111.)	CALIFORNIA INSTITUTE OF TECHNOLOGY LAWRENCE BERKELEY LABORATORY
	Request 11 Oct, 74 500 Hours Approval 21 Nov, 74 400 Hours 16 Dec, 74 400 Hours with up to 150 hours approved for a particle search w that this time be included within the 900 hours alrea for exps# 268 and 350	ith the condition dy spproved for
_	Completed 24 Feb, 77 900 Hours	
356	NEUTRINO #356 Frank Sciulli	CALIFORNIA INSTITUTE OF TECHNOLOGY FERMILAB
	BEAM: Neutrino Area - Dichromatic STUDIES OF DEEP INELASTIC DIFFERENTIAL DISTRIBUTIONS AT HIGH ENERGIES FOR NEUTRINO AND ANTI-NEUTRINO BEAMS. (A continuation of the work begun in exp #21A with a new narrow band beam and changed apparatus.)	UNIVERSITY OF ROCHESTER ROCKEFELLER UNIVERSITY
	Request18 Oct, 74 1,000 HoursApproval22 Nov, 74 1,000 Hours with a formal commitment of 2 x 10 to the 18th proton the feasibility of developing the improved Dichromati	
	Completed 17 Jan, 79 1,350 Hours	
357	PARTICLE SEARCH #357 Decam: Meson Area - M2 Beam A PROPOSAL TO SEARCH FOR CHARMED PARTICLES AND MEASUREMENTS OF TWO-PARTICLE INCLUSIVE CROSS SECTIONS AT LARGE P-TRANSVERSE. (Employing a two-arm magnetic spectrometer.)	FERMILAB UNIVERSITY OF MICHIGAN PURDUE UNIVERSITY
	Request 19 Oct, 74 2,400 Hours Approval 16 Dec, 74 600 Hours Completed 7 Jun, 76 1,700 Hours	
358	DI-MUON #358 Wonyong Lee BEAM: Proton Area - East DI-MUON PRODUCTION BY NEUTRONS.	COLUMBIA UNIVERSITY CORNELL UNIVERSITY FERMILAB UNIVERSITY OF HAWAII AT MANOA UNIVERSITY OF ILLINOIS, CHAMPAIGN
	Request 20 Oct, 74 Unspecified Approval 27 Nov, 74 300 Hours of neutron running to be interleaved within the 600 h Completed 1 Oct, 75 400 Hours	ours already
>01	LAMBDA BETA-DECAY #361 BEAM: Meson Area - M2 Beam PRECISION MEASUREMENT OF LAMBDA BETA DECAY PARAMETERS. (Will run with experimental set-up for neutral hyperon #8.)	UNIVERSITY OF MICHIGAN UNIVERSITY OF MINNESOTA RUTGERS UNIVERSITY UNIVERSITY OF WISCONSIN-MADISON
	Request 14 Nov, 74 300 Hours 23 Jan, 76 350 Hours total including 150 hours in unpolarized lambda-zero hours in polarized lambda-zero beam Approval 15 Nov, 77 300 Hours	beem and 200
	Completed 29 Oct, 79 1,250 Hours	
62	EMULSION/PI- @ 200 #362 Piyare L. Jain BEAM: Neutrino Ares - Miscellaneous INTERACTION OF 200 - 400 GEV PIONS WITH EMULSION NUCLEI.	SUNY AT BUFFALO
	Request 15 Nov, 74 Emulsion Exposure Approval 25 Nov, 74 Emulsion Exposure Completed 9 Jun, 75 1 Stack(s)	
63	PARTICLE SEARCH #363 Stephen L. Olsen BEAM: Internal Target Area (C-0) A PROPOSAL TO SEARCH FOR CHARMED PARTICLE PRODUCTION NEAR THRESHOLD.	FLORIDA STATE UNIVERSITY IMPERIAL COLLEGE (ENGLAND) UNIVERSITY OF ROCHESTER RUTGERS UNIVERSITY
	Request24 Nov, 74UnspecifiedApproval16 Dec, 74500 Hours of running with the rotating carbon filament targetCompleted9 Apr, 75650 Hours	
365	PARTICLE SEARCH #365 David A. Garelick BEAM: Meson Area - M2 Beam A PROPOSAL TO SEARCH FOR THE PRODUCTION OF CHARMED MESONS IN PI - P INTERACTIONS.	NORTHEASTERN UNIVERSITY
	Request 27 Nov. 74 200 Hours including 40 hours for testing Approval 31 Dec. 74 200 Hours during a two week run with a pessive, nonmegnetized s be used in conjunction with a muon trigger	teel absorber to
_	Completed 5 Feb, 75 200 Hours	

	PARTICLE SEARCH #366 Maris A. Abolins BEAM: Meson Area - M3 Beam STUDY OF HEAVY. NARROW MESONS USING A MASS-FOCUSING SPECTROMETER. (Experiment consists mainly of rearranged components from exp #12.)	CARELTON UNIVERSITY (CANADA) FERMILAB MICHIGAN STATE UNIVERSITY OHIO STATE UNIVERSITY
1	Request27 Nov, 74 UnspecifiedApproval16 Dec, 74600 Hours for a particle search to be slanted particularly identification of charmed mesons24 Nov, 751,200 Hours with an additional 600 hours to explore the possil	toward an
1	in the K- pi+ mass spectrum Completed 2 Jul, 76 2,500 Hours	
1	PARTICLE SEARCH #369 Thomas B. W. Kirk BEAM: Neutrino Area - Muon/Hadron Beam A A SEARCH FOR CHARMED PARTICLES. (Using the spectrometer originally developed for exp #98.)	FERMILAB HARVARD UNIVERSITY UNIVERSITY OF ILLINOIS, CHAMPAIGN MAX-PLANCK INSTITUTE (GERMANY) TUFTS UNIVERSITY
	Request 9 Dec, 74 700 Hours for data with 300 pulses/hour and 1 x 10 to the 60 Approval 17 Mar, 76 600 Hours Completed 13 Aug, 77 1,000 Hours	th pi-/pulse
1	NEUTRINO #370 David B. Cline BEAM: Neutrino Ares - Quadrupole Triplet Continued search for New Particle production using the EXP #1A detector.	FERMILAB HARVARD UNIVERSITY UNIVERSITY OF PENNSYLVANIA UNIVERSITY OF WISCONSIN-MADISON
	Request9 Dec, 74500 Hours with a total of 1 x 10 to the 18th protons and a 1Approval7 Jul, 75500 Hours with the hope of providing 1 x 10 to the 18th protCompleted19 Mar, 75400 Hours	msec spill
1	SUPER-HEAVY ELEMENTS #371 Mira Juric BEAM: Meson Area - Miscellaneous Investigation of the production of heavy fragments induced by particles of high Energies.	UNIVERSITY OF BELGRADE(YUGOSLAVIA)
1	Request 2 Dec, 74 Target Exposure(s) Approval 12 Mar, 75 Target Exposure(s) Completed 20 Dec, 75 2 Stack(s)	
E	EMULSION/MUONS @ 200 #373 Piyare L. Jain BEAM: Neutrino Ares - Miscellaneous INTERACTION OF 50 - 100 GEV MUONS WITH EMULSION NUCLEI.	SUNY AT BUFFALO
4	Request 8 Jul, 75 Emulsion Exposure Approval 24 Sep, 76 Emulsion Exposure to muons 2 225 GeV/c and with an intensity n 50K particles/sq cm Completed 22 Nov, 76 2 Stack(s)	not to exceed
E A	EMULSION/PROTONS @ 300 #374 D. H. Davis BEAM: Neutring Ares - Miscellaneous A proposal to search for charmed particles originating from interactions of 300 gev/c Protons in emulsion nuclei.	UNIVERSITY OF BELGRADE(YUGOSLAVIA) UNIV. COLLEGE DUBLIN (IRELAND) INP, KRAKOW (POLAND) UNIVERSITY OF LIBRE (BELGIUM) LONDON UNIVERSITY COLLEGE(ENGLANI THE OPEN UNIVERSITY (ENGLAND) INFN, ROME (ITALY) UNIVERSITY OF STRASBOURG (FRANCE) WARSAW UNIVERSITY, INP, (POLAND)
A	Request 25 Jan, 74 Emulsion Exposure Approval 12 Mar, 75 Emulsion Exposure with the understanding that exp# 374 will re Completed 10 Jun, 75 1 Stack(s)	place exp# 364
E	PARTICLE SEARCH #379 BEAM: Neutrino Ares - 15 ft. Hadron Beam Search for short lived states decaying weakly via leptonic modes.	CALIFORNIA INSTITUTE OF TECHNOLOGY UNIVERSITY OF ROCHESTER STANFORD UNIVERSITY
ļ	Request 5 Feb. 75 1,000 Hours Approval 26 Mar. 75 200 Hours for testing and initial data taking 17 Nov. 76 600 Hours with 400 hours for high priority running and with 17 Nov. 76 600 Hours with 400 hours for high priority running and with 18 Mar. 77 600 Hours with 400 hours for high priority running 19 Mar. 77 600 Hours with a hope of combining the two requested running single block of running but with the understanding number of hours would be somewhat less than reques	liminary enelysis periods into a that the total
_	Completed 8 Jun, 77 1,250 Hours	
E	15-FOOT NEUTRINO/H2&NE #380 Charles Baltay SEAM: Neutring Ares - Dichrometic STUDY OF THE PROPERTIES OF WEAK NEUTRAL CURRENTS IN THE INTERACTIONS OF A NARROW BAND VEUTRING BEAM IN LIQUID NEON.	BROOKHAVEN NATIONAL LABORATORY COLUMBIA UNIVERSITY
4	Request 6 Feb, 75 200 K Pix Approval 7 Jul, 75 200 K Pix in a heavy neon-hydrogen mixture contingent upon t and adequate performance of an improved narrow-ban 24 Jun, 77 200 K Pix at higher energies using the D C Dichromatic train Use of the Dichromatic horn to be considered later	d beam ; new requests for
81 I P	Completed 31 Oct, 79 196 K P1x PROTON-NUCLEON SCATTERING #381 Ernest I. Malamud BEAM: Internal Target Area (C-O) #EASUREMENT OF THE REAL PART OF THE P - N AND P - P FORWARD SCATTERING AMPLITUDES; RODUCTION OF LOW MASS ISOBARS IN THE VERY SMALL MOMENTUM TRANSFER REGION. (Uses gas jet target.)	UNIVERSITY OF ARIZONA FERMILAB JINR, DUBNA (RUSSIA) UNIVERSITY OF ROCHESTER
A	Request 20 Feb, 75 300 Hours Approval 26 Mar, 75 300 Hours Completed 30 Mar, 77 600 Hours	
82 F	PARTICLE SEARCH #382 JEAM: Neutring Area - Mugn/Hadron Beam A SEARCH FOR CHARMED HADRONS PRODUCED BY MUON DEEP INELASTIC SCATTERING IN TAGGED NUCLEAR EMULSIONS.	CORNELL UNIVERSITY FERMILAB INP, KRAKOW (POLAND) MICHIGAN STATE UNIVERSITY UNIVERSITY OF WASHINGTON
E A N	(Using drift chambers to locate events and reduce scanning time.)	
19 A N (R	Request 21 Feb, 75 Emulsion Exposure Approval 26 Mar, 75 Emulsion Exposure with a provision that it does not seriously of the muon and neutrino program	

	INCLUSIVE K-SHORT #383 BEAM: Meson Area - M4 Beem A PROPOSAL TO STUDY THE INCLUSIVE PRODUCTION OF K ZERO SHORT BY K MINUS ON HYDROGEN. (To use the M4 line as a charged beem at momenta of 20 - 150 GeV/c.)	UNIV. OF CALIFORNIA, DAVIS UNIV. OF CALIFORNIA, SAN DIEGO CARELTON UNIVERSITY (CANADA) MICHIGAN STATE UNIVERSITY		
	Request 24 Feb, 75 500 Hours Approvel 29 Jun, 76 500 Hours with 200 hours for setup and original run and 30 Completed 7 May, 78 2,200 Hours	0 hours for fingl run		
85	EMULSION/PROTONS @ 400 #385 Yog Prakash BEAM; Neutring Ares ~ Miscellaneous PROPOSAL FOR EXPOSURE OF A STACK OF NUCLEAR EMULSIONS TO PROTONS OF 400 GEV/C.	DELHI UNIVERSITY (INDIA) JAMMU UNIVERSITY (INDIA) PANJAB UNIVERSITY (INDIA) RAJASTHAN UNIVERSITY (INDIA)		
	Request 5 Mar, 75 Emulsion Exposure Approvel 11 Mar, 75 Emulsion Exposure Completed 9 Dec, 75 1 Stack(s)			
36	EMULSION/NEW PARTICLES #386 Jere J. Lord BEAM: Neutrino Ares - Miscellaneous A SEARCH FOR LOW ENERGY NEUTRAL PARTICLES AND PARTICLE INTERACTIONS INVOLVING SMALL ENERGY EXCHANGES IN THE NEUTRINO BEAM.	UNIVERSITY OF WASHINGTON		
	Request 7 Mer, 75 Emulsion Exposure Approval 27 Mar, 75 Emulsion Exposure Completed 29 Dec, 76 1 Stack(s)			
87	EMULSION/PI- @ 200 #387 Richard J. Wilkes BEAM: Neutring Ares - Miscellaneous 100 TO 300 GEV PION INTERACTIONS IN EMULSION AND HEAVY ELEMENT TARGETS.	UNIVERSITY OF WASHINGTON		
	Request 7 Mar, 75 Emulsion Exposure Approval 13 May, 75 Emulsion Exposure Completed 9 Jun, 75 4 Stack(s)			
88	15-FOOT ANTI-NEUTRINO/H2&NE#388 Vincent Z. Peterson BEAM: Neutrino Area - Dichromatic PROPOSAL TO STUDY NEUTRAL CURRENT NEUTRINO AND ANTI-NEUTRINO INTERACTIONS IN THE 15-FOOT BUBBLE CHAMBER USING THE EXTERNAL MUON IDENTIFIER AND A DICHROMATIC BEAM.	FERMILAB UNIVERSITY OF HAWAII AT MANOA LAWRENCE BERKELEY LABORATORY		
	Request 24 Apr, 75 200 K Pix 7 Jun, 78 500 K Pix or 5 x 10 to the 18th protons Approval 7 Jul, 75 200 K Pix of antineutrino bombardment with a heavy neon-hy contingent upon the construction and adequate pe improved narrow-band beam; see proposal #455 24 Jun, 77 200 K Pix at higher energies using the D C Dichromatic train	rformance of an		
	use of the Dichromatic horn to be considered lat 28 Jun, 78 200 K Pix with a decision to maintain the approval as it s Completed 12 Sep, 79 181 K Pix			
390	15-FOOT ANTI-NEUTRINO/D2 #390 Arthur F. Garfinkel BEAM: Neutrino Ares - Wide Band Horn ANTI-NEUTRINO INTERACTIONS IN THE DEUTERIUM-FILLED 15-FOOT BUBBLE CHAMBER.	ARGONNE NATIONAL LABORATORY CARNEGIE-MELLON UNIVERSITY PURDUE UNIVERSITY		
	Request 29 Apr, 75 300 K Pix Approval 7 Jul, 75 300 K Pix 28 Jun, 78 300 K Pix with a total of 150K pix presently scheduled for the experiment during the fall 1978 run			
	Request 29 Apr, 75 300 K Pix Approvel 7 Jul, 75 300 K Pix 28 Jun, 78 300 K Pix with a total of 150K pix presently scheduled for the fall 1978 run			
	Request 29 Apr, 75 300 K Pix Approvel 7 Jul, 75 300 K Pix 28 Jun, 78 300 K Pix with a total of 150K pix presently scheduled for			
91	Request 29 Apr, 75 300 K Pix Approval 7 Jul, 75 300 K Pix 28 Jun, 78 300 K Pix with a total of 150K pix presently scheduled for the fall 1978 run 19 Mar, 79 250 K Pix			
91	Request 29 Apr, 75 300 K Pix Approval 7 Jul, 75 300 K Pix 28 Jun, 78 300 K Pix with a total of 150K pix presently scheduled for the fail 1978 run 19 Mar, 79 250 K Pix Approved/Inactive 1 Apr, 79 10 K Pix as of 1 Apr 1979 MUON #391 BEAM: Neutrino Area - Muon/Hadron Beam	the experiment during UNIV. OF CALIFORNIA, BERKELEY FERMILAB LAWRENCE BERKELEY LABORATORY PRINCETON UNIVERSITY		
	Request 29 Apr, 75 300 K Pix Approval 7 Jul, 75 300 K Pix 28 Jun, 78 300 K Pix with a total of 150K pix presently scheduled for the fall 1978 run 19 Mar, 79 250 K Pix Approved/Inactive 1 Apr, 79 10 K Pix as of 1 Apr 1979 MUON #391 BEAM: Neutrino Area - Muon/Hadron Beam EXPLORATION OF RARE MUON-INDUCED PROCESSES. Request 15 Feb. 75 Unspecified Approvel 7 Jul, 75 Peresitic Running concurrent with exp# 203	the experiment during UNIV. OF CALIFORNIA, BERKELEY FERMILAB LAWRENCE BERKELEY LABORATORY PRINCETON UNIVERSITY		
	Request 29 Apr, 75 300 K Pix Approval 7 Jul, 75 300 K Pix 28 Jun, 78 300 K Pix with a total of 150K pix presently scheduled for the fall 1978 run 19 Mar, 79 250 K Pix Approved/Inactive 1 Apr, 79 19 Mar, 79 250 K Pix Approved/Inactive 1 Apr, 79 10 K Pix as of 1 Apr 1979 MUON #391 Leroy T. Kerth BEAM: Neutrino Ares - Muon/Hadron Beam EXPLORATION OF RARE MUON-INDUCED PROCESSES. Request 15 Feb, 75 4 Approval 7 Jul, 75 Perasitic Running concurrent with exp# 203 Completed 18 May, 78 BEAM: Meson Ares - M2 Beam CALORIMETER-ARRAY STUDY OF HIGH P-TRANSVERSE EVENTS. Request 21 May, 75 Approval 7 Jul, 75 450 Hours total including 150 hours of tests Approval 7 Jul, 75 450 Hours total including 150 hours of tests Approval 7 Jul, 75	the experiment during UNIV. OF CALIFORNIA, BERKELEY FERMILAB LAWRENCE BERKELEY LABORATORY PRINCETON UNIVERSITY see exp #203A LEHIGH UNIVERSITY UNIVERSITY OF PENNSYLVANIA UNIVERSITY OF WISCONSIN-MADISON		
95	Request 29 Apr, 75 300 K Pix Approval 7 Jul, 75 300 K Pix 28 Jun, 78 300 K Pix with a total of 150K pix presently scheduled for the fall 1978 run 19 Mar, 79 250 K Pix Approved/Inactive 1 Apr, 79 10 K Pix as of 1 Apr 1979 MUON #391 Leroy T. Kerth BEAM: Neutrino Ares - Muon/Hadron Beam EXPLORATION OF RARE MUON-INDUCED PROCESSES. Request 15 Feb. 75 Unspecified Approval 7 Jul, 75 Paresitic Running concurrent with exp# 203 Completed 18 May, 78 Unspecified but for information on the total extent of run, HADRON JETS #395 Walter Selove BEAM: Meson Ares - M2 Beam CALORIMETER-ARRAY STUDY OF HIGH P-TRANSVERSE EVENTS. Request 21 May. 75 450 Hours total including 150 hours of tests Approvel 7 Jul, 75 450 Hours contingent upon the successful completion of the	the experiment during UNIV. OF CALIFORNIA, BERKELEY FERMILAB LAWRENCE BERKELEY LABORATORY PRINCETON UNIVERSITY see exp #203A LEHIGH UNIVERSITY UNIVERSITY OF PENNSYLVANIA UNIVERSITY OF WISCONSIN-MADISON		
95	Request 29 Apr. 75 300 K Pix Approval 7 Jul, 75 300 K Pix 28 Jun, 78 300 K Pix with a total of 150K pix presently scheduled for the fall 1978 run 19 Mar, 79 250 K Pix Approved/Inactive 1 Apr, 79 19 Mar, 79 250 K Pix Approved/Inactive 1 Apr, 79 10 K Pix as of 1 Apr 1979 MUON #391 Leroy T. Kerth BEAM: Neutrino Ares - Muon/Hadron Beam EXPLORATION OF RARE MUON-INDUCED PROCESSES. Request 15 Feb, 75 Approval 7 Jul, 75 Parasitic Running concurrent with exp# 203 Completed 18 May. 78 Unspecified but for information on the total extent of run. HADRON JETS #395 Walter Selove BEAM: Meson Ares - M2 Beam CALORIMETER-ARRAY STUDY OF HIGH P-TRANSVERSE EVENTS. Request 21 May. 75 450 Hours total including 150 hours of tests Approval 7 Jul, 75 450 Hours planned for the M5 beam line 1.50 Hours Completed 16 Nov. 77 1.150 Hours HADRON DISSOCIATION #396 Konstantin Goulianos ELASTIC SCATTERING AND DI	the experiment during UNIV. OF CALIFORNIA, BERKELEY FERMILAB LAWRENCE BERKELEY LABORATORY PRINCETON UNIVERSITY see exp #203A LEHIGH UNIVERSITY UNIVERSITY OF PENNSYLVANIA UNIVERSITY OF WISCONSIN-MADISON celorimeter tests		
6	Request 29 Apr. 75 300 K Pix Approval 7 Jul, 75 300 K Pix 28 Jun, 78 300 K Pix with a total of 150K pix presently scheduled for the fall 1978 run 19 Mar. 79 250 K Pix Approved/Inactive 1 Apr. 79 10 K Pix as of 1 Apr 1979 MUON #391 Leroy T. Kerth BEAM: Neutrino Area - Muon/Hadron Beam EXPLORATION OF RARE MUON-INDUCED PROCESSES. Request 15 Feb. 75 Unspecified Approvel 7 Jul, 75 Perasitic Running concurrent with exp# 203 Completed 18 May. 78 Unspecified but for information on the total extent of run, HADRON JETS #395 Walter Selove BEAM: Meson Area - M2 Beam CALORIMETER-ARRAY STUDY OF HIGH P-TRANSVERSE EVENTS. Request 21 May. 75 450 Hours total including 150 hours of tests Approval 7 Jul, 75 450 Hours contingent upon the successful completion of the planned for the M5 beam line Completed 16 Nov. 77 1.150 Hours HADRON DISSOCIATION #396 Konstantin Goulianos BEAH: Meson Area - M6 Beam ELASTIC SCATTERING AND DIFFRACTION DISSOCIATION AT SMALL MOMENTUM TRANSFER FOR PI+-, K+-, P. PBAR AND N. 7 Jul. 75 600 Hours f	the experiment during UNIV. OF CALIFORNIA, BERKELEY FERMILAB LAWRENCE BERKELEY LABORATORY PRINCETON UNIVERSITY see exp #203A LEHIGH UNIVERSITY UNIVERSITY OF PENNSYLVANIA UNIVERSITY OF WISCONSIN-MADISON celorimeter tests ROCKEFELLER UNIVERSITY FERMILAB NORTHWESTERN UNIVERSITY UNIVERSITY OF ROCHESTER		
25	Request 29 Apr. 75 300 K Pix Approval 7 Jul. 75 300 K Pix 28 Jun. 78 300 K Pix with a total of 150K pix presently scheduled for the fall 1978 run 19 Mar. 79 250 K Pix Approved/Inactive 1 Apr. 79 10 K Pix as of 1 Apr 1979 MUON #391 Leroy T. Kerth BEAM: Neutrino Ares - Muon/Hadron Beam Everoy T. Kerth BEAM: Neutrino Ares - Muon/Hadron Beam Everoy T. Kerth BEAM: Neutrino Ares - Muon/Hadron Beam Everoy T. Kerth BEAM: Neutrino Ares - Muon/Hadron Beam Everoy T. Kerth BEAM: Meson Ares - M2 Beam Unspecified but for information on the total extent of run. HADRON JETS #395 Walter Sclove BEAM: Meson Ares - M2 Beam CaLoRIMETER-ARRAY STUDY OF HIGH P-TRANSVERSE EVENTS. Request 21 May. 75 450 Hours total including 150 hours of tests Approval 7 Jul. 75 450 Hours total including 150 hours of tests Approval 7 Jul. 75 450 Hours total including 150 hours of tests Approval 7 Jul. 75 450 Hours total including 150 hours of tests Approval 7 Jul. 75 100 Hours Gompleted 16 Nov. 77 1.50 Hours <td>the experiment during UNIV. OF CALIFORNIA, BERKELEY FERMILAB LAWRENCE BERKELEY LABORATORY PRINCETON UNIVERSITY see exp #203A LEHIGH UNIVERSITY UNIVERSITY OF PENNSYLVANIA UNIVERSITY OF WISCONSIN-MADISON celorimeter tests ROCKEFELLER UNIVERSITY FERMILAB NORTHWESTERN UNIVERSITY UNIVERSITY OF ROCHESTER SLAC</td>	the experiment during UNIV. OF CALIFORNIA, BERKELEY FERMILAB LAWRENCE BERKELEY LABORATORY PRINCETON UNIVERSITY see exp #203A LEHIGH UNIVERSITY UNIVERSITY OF PENNSYLVANIA UNIVERSITY OF WISCONSIN-MADISON celorimeter tests ROCKEFELLER UNIVERSITY FERMILAB NORTHWESTERN UNIVERSITY UNIVERSITY OF ROCHESTER SLAC		
95 96	Request 29 Apr, 75 300 K Pix Approval 7 Jul, 75 300 K Pix 28 Jun, 78 300 K Pix with a total of 150K pix presently scheduled for the fall 1978 run 19 Mar, 79 250 K Pix Approved/Inactive 1 Apr, 79 10 Mar, 79 250 K Pix Approved/Inactive 1 Apr, 79 10 K Pix as of 1 Apr 1979 MUON #391 Leroy T. Kerth BEAM: Neutrino Area - Muon/Hadron Beam EXPLORATION OF RARE MUON-INDUCED PROCESSES. Request 15 Feb, 75 Unspecified Approval Approval 7 Jul, 75 BEAM: Meubrino Y Buspecified Numperified but for information on the total extent of run. HADRON JETS #395 Walter Selove BEAM: Meson Area - M2 Beam CaLoRIMETER-ARRAY STUDY OF HIGH P-TRANSVERSE EVENTS. Request 21 May. 75 450 Hours total including 150 hours of tests Approval 7 Jul, 75 450 Hours total including 150 hours of tests Approval 7 Jul, 75 450 Hours Completed 16 Nov. 77 i.150 Hours Mours HADRON DISSOCIATION #396 Konstantin Goulianos BEAM: Meson A	the experiment during UNIV. OF CALIFORNIA, BERKELEY FERMILAB LAWRENCE BERKELEY LABORATORY PRINCETON UNIVERSITY see exp #203A LEHIGH UNIVERSITY UNIVERSITY OF PENNSYLVANIA UNIVERSITY OF WISCONSIN-MADISON celorimeter tests ROCKEFELLER UNIVERSITY FERMILAB NORTHWESTERN UNIVERSITY UNIVERSITY OF ROCHESTER SLAC imately 5 weeks		
95 96 97	Request 29 Apr. 75 300 K Pix Approval 7 Jul. 75 300 K Pix 28 Jun. 78 300 K Pix with a total of 150K pix presently scheduled for the fall 1978 run 19 Mar. 79 250 K Pix Approved/Inactive 1 Apr. 79 10 K Pix with a total of 150K pix presently scheduled for the fall 1978 run 19 Mar. 79 250 K Pix Approved/Inactive 1 Apr. 79 10 K Pix with a total of 1 Apr 1979 MUON #391 Leroy T. Kerth BEAM: Neutrino Ares - Muon/Hadron Beam Everoy T. Kerth BEAM: Neutrino Ares - Muon/Hadron Beam Everoy T. Kerth BEAM: Neutrino Ares - Muon/Hadron Beam Everoy T. Kerth BEAM: Meson Ares - M2 Beam Unspecified but for information on the total extent of run. HADRON JETS #395 Walter Selove BEAM: Meson Ares - M2 Beam CaloRIMETER-ARRAY STUDY OF HIGH P-TRANSVERSE EVENTS. Request 21 May. 75 450 Hours total including 150 hours of tests Approval 7 Jul. 75 450 Hours cotal ngent upon the successful completion of the planned for the M5 beam line Completed 16 Nov. 77 1.50 Hours HADRON DISSOCIATION #396 Konstantin Goulianos BEAM: Meson Ares - M6 Beam	the experiment during UNIV. OF CALIFORNIA, BERKELEY FERMILAB LAWRENCE BERKELEY LABORATORY PRINCETON UNIVERSITY see exp #203A LEHIGH UNIVERSITY UNIVERSITY OF PENNSYLVANIA UNIVERSITY OF WISCONSIN-MADISON celorimeter tests ROCKEFELLER UNIVERSITY FERMILAB NORTHWESTERN UNIVERSITY UNIVERSITY OF ROCHESTER SLAC		

577	EMULSION/ELECTRONS @ > 100 #399 Robert L. Golden BEAM: Proton Ares - Miscellaneous PRODUCTION OF ELECTROMAGNETIC CASCADE SHOWERS BY SEVERAL HUNDRED GEV ELECTRONS IN EMULSION CHAMBERS.	JOHNSON SPACE CENTER (NASA) KANAGAWA UNIVERSITY (JAPAN) ISAS, TOKYO UNIVERSITY (JAPAN) UNIVERSITY OF WASHINGTON
	Request 5 May, 75 1.000 Emulsion Exposure Approval 19 Jun, 75 Emulsion Exposure to electrons with fluxes of 10, 1,000, a Completed 5 Oct, 76 6 Stack(s)	nd 200K/sq cm
400	PARTICLE SEARCH #400 James E. Wiss BEAM: Proton Area - East A SEARCH FOR NEW PARTICLES PRODUCED IN ASSOCIATION WITH THE HADRONIC PRODUCTION OF PSI (3.1) MESONS. (Using a proton beam of about 10 to the 7th into the zero degree neutral beam line and the spectrometer of exp #401/458 with additions.)	UNIVERSITY OF BOLOGNA (ITALY) UNIVERSITY OF COLORADO AT BOULDER FERMILAB UNIVERSITY OF ILLINOIS, CHAMPAIGN INFN, MILANO (ITALY) UNIVERSITY OF MILANO (ITALY) UNIVERSITY OF PAVIA (ITALY) YALE UNIVERSITY
	Request 22 May, 75 870 Hours Approval 7 Jul, 75 400 Hours 2 Jul, 76 400 Hours with a total of 1,000 hours approved for the c. #401, and #458 14 Mar, 77 400 Hours with a total of 2,000 hours for the combination 1 Apr, 78 Unspecified since approved running time has been used by e: 7 Jul, 80 500 Hours	n of exps #400,401 & 458
401	PHOTOPRODUCTION #401 Michael F. Gormley BEAM: Proton Area - East PHOTOPRODUCTION OF HIGH MASS TWO-BODY FINAL STATES. (Using an improved exp #87A apparatus and an additional sweeping magnet in the photon beam.)	FERMILAB UNIVERSITY OF ILLINOIS, CHAMPAIGN
	Request 22 May. 75 300 Hours 1 Jun, 78 1,100 Hours Approval 7 Jul, 75 300 Hours 2 Jul, 76 300 Hours with a total of 1,000 hours approved for the component with a total of 2,000 hours for the component of 1 Apr. 78 14 Mar. 77 600 Hours with a total of 2,000 hours for the combination 1 Apr. 78 29 Jun, 76 600 Hours	n exps #400,401,&458
	Completed 26 Nov, 79 2,100 Hours	
04	INCLUSIVE NEUTRON #404 H. Richard Gustafson BEAM: Meson Ares - M2 Beam INCLUSIVE NEUTRON PRODUCTION BY PROTONS ON PROTONS AND NUCLEI.	UNIVERSITY OF MICHIGAN RUTGERS UNIVERSITY UNIVERSITY OF WISCONSIN-MADISON
	Request 22 May, 75 500 Hours Approval 11 Mar, 76 Parasitic Running with the condition that there will be no other work in the Meson Laboratory Completed 5 Jul, 77 350 Hours	significant interference with
15	PARTICLE PRODUCTION #415 Lee G. Pondrom BEAM: Meson Ares - M2 Beam MEASUREMENTS OF PI- CU TO K-SHORT, LAMBDA AND NEUTRON INCLUSIVE CROSS SECTIONS. (For proposal #360 with the apparatus of exp #8 in the M2 beam line.)	BROOKHAVEN NATIONAL LABORATORY UNIVERSITY OF MICHIGAN RUTGERS UNIVERSITY UNIVERSITY OF WISCONSIN-MADISON
	Request 24 May, 75 100 Hours Approval 28 Jun, 75 100 Hours Completed 18 Oct, 76 100 Hours	
16	PARTICLE SEARCH #416 Henry J. Lubatti BEAM: Meson Ares - MI Beam STREAMER CHAMBER SEARCH FOR NEW STATES WHICH DECAY SEMI-LEPTONICALLY. (Using the streamer chamber originally proposed for exp #86A with additional muon counters.)	UNIV. OF CALIFORNIA, DAVIS LAL, ORSAY (FRANCE) UNIVERSITY OF WASHINGTON
	Request 27 May, 75 300 Hours Approval 29 May, 75 300 Hours with the understanding that the total running is exp# 86A is to remain within 800 hours Completed 1 Jul, 75 400 Hours	time for exp# 416 and
18	PARTICLE PRODUCTION #418 Felix Sannes BEAM: Internal Target Area (C-0) NUCLEAR SIZE DEPENDENCE FOR PARTICLE PRODUCTION AT INTERMEDIATE TRANSVERSE MOMENTUM. (With the spectrometer used for exp #363.)	IMPERIAL COLLEGE (ENGLAND) UNIVERSITY OF ROCHESTER RUTGERS UNIVERSITY
	Request 2 Jun, 75 Unspecified Approval 7 Jul, 75 500 Hours contingent upon the fact that such running does interference with the requirements of other explicit in that area	
19	Completed 22 Oct, 75 900 Hours EMULSION/PROTONS @ 300 #419 Giorgio Giacomelli BEAM: Neutrino Area - Miscellaneous SEARCH FOR SHORT LIVED PARTICLES PRODUCED BY 300 GEV PROTONS IN EMULSIONS.	UNIVERSITY OF BOLOGNA (ITALY)
	Request2 Jun, 75Emulsion ExposureApproval10 Jun, 75Emulsion ExposureCompleted10 Jun, 751 Stack(s)	
21	EMULSION/PROTONS @ 300 #421 Venedict P. Dzhelepov BEAM: Neutrino Ares - Miscelleneous EXPOSURE OF AN EMULSION CHAMBER TO A 300 GEV/C PROTON BEAM. Request 18 Jun, 75 Emulsion Exposure	JINR, DUBNA (RUSSIA)
	Approval 18 Jun, 75 Emulsion Exposure Completed 24 Jun, 75 1 Stack(s)	
23	EMULSION/PROTONS @ 400 #423 Hisahiko Sugimoto BEAM: Neutrino Ares - Miscelleneous SEARCH FOR NEW PARTICLES IN EMULSION CHAMBERS.	HIROSAKI UNIVERSITY (JAPAN) ICRR, UNIVERSITY OF TOKYO (JAPAN) UNIVERSITY OF TOKYO (JAPAN)
		WASEDA UNIVERSITY (JAPAN)

424	EMULSION/MUONS @ 200 #424 Tomonori Wada BEAM, Neutring Ares - Miscellsnegus Multiple pion production by 200 geV/c Muons.	ASHIKAGA INST. OF TECH. (JAPAN) ICRR, UNIVERSITY OF TOKYO (JAPAN) OKAYAMA UNIVERSITY (JAPAN) SAITAMA UNIVERSITY (JAPAN)
	Request 23 Jun, 75 Emulsion Exposure Approval 9 Feb, 76 Emulsion Exposure in the muon beam while it is operating for existing for	xp# 319 at a momentum
125	K ZERO REGENERATION #425 BEAM: Meson Area - M4 Beam PROPOSAL TO INVESTIGATE REGENERATION OF NEUTRAL K-MESONS AT VERY HIGH ENERGIES. (Using a liquid hydrogen terget; see exp #82.)	UNIV. OF CALIFORNIA, SAN DIEGO UNIVERSITY OF CHICAGO LHE, ETH HONGGERBERG (SWITZERLAND SLAC
	Request 24 Jun, 75 600 Hours Approval 18 Mar, 75 600 Hours contingent upon exp# 425 providing a hydrogen targe Completed 17 May, 76 1,400 Hours	UNIVERSITY OF WISCONSIN-MADISON et (see exp# 82)
26	FRAGMENTATION PARTICLES #426 Katsura Fukui BEAM: Meson Area - Miscellaneous PROPOSAL ON THE STUDY OF FRAGMENTATION PARTICLES CREATED IN A PLASTIC DETECTOR BY 300 GEV PROTONS.	HANSCOM A.F.B. GEOPHYSICS LAB. UNIVERSITY OF KIEL (GERMANY)
	Request 27 May, 75 Detector Exposure Approval 28 Jul, 75 Detector Exposure Completed 20 Mar, 76 16 Stack(s)	
127	DETECTOR DEVELOPMENT #427 BEAM: Meson Ares - MI Beam A PROPOSAL FOR TESTING A TRANSITION RADIATION DETECTOR AND A HIGH ENERGY SHOWER DETECTOR FOR COSMIC RAY EXPERIMENTS.	BROOKHAVEN NATIONAL LABORATORY
	Request 27 Jun. 75 50 Hours Approval 4 Jan. 78 100 Hours during an opportunity for running in the MI-beam in Completed 10 Jan. 78 40 Hours with only a portion of the objectives of the experi to problems with the MI-beam and the accelerator	
128	EMULSION/PROTONS @ 400 #428 Jacques D. Hebert BEAM: Neutrino Ares - Miscellsmeous 400 GEV PROTON INTERACTIONS IN NUCLEAR EMULSION.	UNIVERSITY OF BELGRADE(YUGOSLAVIA) CRN, STRASBOURG (FRANCE) FERMILAB UNIVERSITY OF LUND (SWEDEN) UNIVERSITY OF LYON (FRANCE) UNIVERSITY OF OTTAWA (CANADA) UNIV. OF PARIS VI, LPG (FRANCE) UNIVERSITY OF QUEBEC (CANADA) UNIVERSITY OF SANTANDER (SPAIN) UNIVERSITY OF VALENCIA (SPAIN) UNIVERSITY OF VALENCIA (SPAIN) UNIVERSITY OF WALENCIA (SPAIN)
	Request4 Aug, 75Emulsion ExposureApproval25 Aug, 75Emulsion ExposureCompleted9 Dec, 7514 Stack(s)	
134	EMULSION/PROTONS @ 400 #434 Shoji Dake BEAM: Neutrino Arem - Miscellaneous cascade showers originated in jet showers.	KOBE UNIVERSITY (JAPAN) Konan University (Japan) Saitama University (Japan) University of Tokyo (Japan) Utsunomiya University (Japan)
	Request16 Sep, 75Emulsion ExposureApproval20 Sep, 75Emulsion ExposureCompleted9 Dec, 753 Stack(s)	
35	MUON SEARCH #435 Robert K. Adair BEAM: Proton Ares - Center MEASUREMENT OF THE POLARIZATION OF PROMPT MUONS AT X = 0.14 AT P-TRANSVERSE = 0 AND P-TRANSVERSE = 1.5 GEV/C. (Extension of measurements begun in experiment #48.)	BROOKHAVEN NATIONAL LABORATORY FERMILAB YALE UNIVERSITY
	Request18 Sep. 75250 Hours total including 50 hours of testsApproval25 Nov, 75250 Hours of setup and running timeCompleted2 Jul, 76250 Hours	
36	DI-MUON #436 Robert K. Adair BEAM: Proton Area - Center DETERMINATION OF THE POSSIBLE DI-MUON CHARACTER OF THE PROMPT MUON FLUX.	BROOKHAVEN NATIONAL LABORATORY FERMILAB YALE UNIVERSITY
_	Request18 Sep, 7575 Hours including 40 hours of testsApproval7 Oct, 75100 Hours to be completed during the operating period due toCompleted29 Oct, 75200 Hours	end in Nov. 1975
38	NEUTRON-NUCLEUS INELASTIC #438 Lawrence W. Jones BEAM: Meson Area - M3 Beem INELASTIC CROSS SECTIONS OF NEUTRONS ON NUCLEI.	UNIVERSITY OF MICHIGAN
	Request 26 Sep, 75 500 Hours Approval 25 Nov, 75 200 Hours Completed 18 Apr, 77 350 Hours	
39	MULTI-MUON #439 David A. Garelick BEAM: Meson Area ~ M2 Beam HIGH SENSITIVITY SEARCH FOR NEW STATES WHICH DECAY INTO MUONS.	UNIVERSITY OF MICHIGAN NORTHEASTERN UNIVERSITY TUFTS UNIVERSITY UNIVERSITY OF WASHINGTON
	Request26 Sep, 75500 Hours with 200 hours for tests and 300 hours for data31 May, 771,600 Hours to include 3 additional one-month periods of runninApproval25 Nov, 75400 Hours24 Jun, 77800 Hours with the understanding that the 400-hour extension under previous approval be used for investigation o27 Jul, 77800 Hours with the previous constraints on the further runnin 26 Nove with the previous constraints on the further runnin	and time remaining f multi-muon events g removed
	24 Mar, 78 1,600 Hours with an extension until the spring 1978 shutdown, b overriding priority Completed 19 May, 78 1,700 Hours	

440	LAMBDA MA BEAM: Meson Are PROPOSAL FOR A	a - M2 Beam	••	0 Gerry M. Bunce	UNIVERSITY OF MICHIGAN RUTGERS UNIVERSITY UNIVERSITY OF WISCONSIN-MADISON
	Request Approval Completed	26 Sep, 75 25 Nov, 75 22 Mar, 77	160 Hours 160 Hours 250 Hours		
41	LAMBDA PLUS ANY (Extension of p	n - M2 Beam Tudy Lambda Po Thing With Liq Previous measur	LARIZATION I UID HYDROGEN ements of 30	Lee G. Pondrom N THE INCLUSIVE REACTION PROTON - PROTON TO I TARGET. 0 GeV protons on beryllium to	UNIVERSITY OF MICHIGAN RUTGERS UNIVERSITY UNIVERSITY OF WISCONSIN-MADISON
	400 GeV protons Request Approval Completed	29 Sep, 75 25 Nov, 75 2 Jul, 77	150 Hours 150 Hours 400 Hours		
42	NUCLEAR FR BEAM: Internel STUDY OF NUCLEA GEV.	Target Area (C	-0)	Frank Turkot Ton Heavy Nucleus collisions from 10 to 500	FERMILAB PURDUE UNIVERSITY
		temperature gas 26 Sep: 75 11 May, 77	400 Hours	with heavy gases.) for data taking to include additional time to search for quarks bou fragments	nd in nuclear
	Approval Completed	25 Nov, 75 25 Jun, 77 13 Aug, 77	400 Hours 400 Hours 1,200 Hours	without time for the quark search	
44		Area - Muon/Hac ST FOR HIGH-PR: rupole Triplet n beam.)	IORITY RUNNI	A. J. Stewart Smith NG TO MEASURE HIGH-MASS MUON PAIRS. stem for producing a high	UNIVERSITY OF CHICAGO PRINCETON UNIVERSITY
	Request	25 Sep, 75 31 May, 77		with a request for a 400 hour extension for a scali increase the sensitivity at high masses	ng test and to
_	Approval Completed	24 Nov, 75 24 Jun, 77 3 Jan, 78	400 Hours 400 Hours 1,100 Hours	with a decision not to grant an extension	
48		E INVESTIGATION	N OF VIRTUAL	William A. Loomis PHOTOABSORPTION BY NUCLEAR MATTER. vy targets; see proposal	UNIVERSITY OF CHICAGO FERMILAB HARVARD UNIVERSITY MASSACHUSETTS INST. OF TECHNOLOG MICHIGAN STATE UNIVERSITY TUFTS UNIVERSITY
					I OF IS ONLY ERSITI
	Request Approval Completed	29 Jun, 77	Parasitic R Parasitic R	to study both photoabsorption by nuclear matter and charmed particles (the latter to employ a Cerenkov unning for about 300 hours concurrent with exp #203 unning for about 300 hours for study of photoabsorpt without the disruption required to install th	production of counter) ion of nuclear matter;
51	Approval Completed INCLUSIVE S BEAM; Meson Are	9 Jun. 77 15 Mar, 77 29 Jun. 77 7 May, 78 CATTERING a - M6 Beam DEPENDENCE OF 1	300 Hours Parasitic R Parasitic R 900 Hours #451 INCLUSIVE PR	to study both photoabsorption by nuclear matter and charmed particles (the latter to employ a Cerenkov unning for about 300 hours concurrent with exp #203 unning for about 300 hours for study of photoabsorpt without the disruption required to install th Donald S. Barton OCESSES AND ASSOCIATED MULTIPLICITY.	production of counter) ion of nuclear matter; e Cerenkov counter UNIVERSITY OF BARI (ITALY) BROWN UNIVERSITY FERMILAB
51	Approval Completed INCLUSIVE S BEAM: Meson Are STUDY OF THE A- (Using the sing Request Approval	9 Jun. 77 15 Mar, 77 29 Jun. 77 7 May, 78 CATTERING a - M6 Beam DEPENDENCE OF J 1e arm spectron 17 Oct, 75 30 Jun, 76	300 Hours Parasitic R Parasitic R 900 Hours #451 INCLUSIVE PRI meter facili 600 Hours 400 Hours	to study both photoabsorption by nuclear matter and charmed particles (the latter to employ a Cerenkov unning for about 300 hours concurrent with exp #203 sunning for about 300 hours for study of photoabsorpt without the disruption required to install th Donald S. Barton OCESSES AND ASSOCIATED MULTIPLICITY. ty.) including 100 hours of tests	production of counter) ion of nuclear matter; e Cerenkov counter UNIVERSITY OF BARI (ITALY) BROWN UNIVERSITY
	Approval Completed INCLUSIVE S BEAM: Meson Are STUDY OF THE A- (Using the sing Request	9 Jun. 77 15 Mar, 77 29 Jun. 77 7 May, 78 CATTERING a - M6 Beam DEPENDENCE OF 1 1e arm spectron 17 Oct, 75 30 Jun, 76 6 Sep, 78 OR #456 a - M1 Beam THE KAON FORM F	300 Hours Parasitic R Parasitic R 900 Hours #451 INCLUSIVE PR meter facili 600 Hours 500 Hours 500 Hours	to study both photoabsorption by nuclear matter and charmed particles (the latter to employ a Cerenkov unning for about 300 hours concurrent with exp #203 sunning for about 300 hours for study of photoabsorpt without the disruption required to install th Donald S. Barton OCESSES AND ASSOCIATED MULTIPLICITY. ty.) including 100 hours of tests	production of counter) ion of nucleer metter; e Cerenkov counter UNIVERSITY OF BARI (ITALY) BROWN UNIVERSITY FERMILAB MASSACHUSETTS INST. OF TECHNOLOG
	Approval Completed INCLUSIVE S BEAM: Meson Are STUDY OF THE A- (Using the sing Request Approval Completed FORM FACTC BEAM: Meson Are MEASUREMENT OF	9 Jun. 77 15 Mar, 77 29 Jun. 77 7 May, 78 CATTERING a - M6 Beam DEPENDENCE OF 1 1e arm spectron 17 Oct, 75 30 Jun, 76 6 Sep, 78 OR #456 a - M1 Beam THE KAON FORM F	300 Hours Parasitic R Parasitic R 900 Hours #451 INCLUSIVE PR meter facili 600 Hours 500 Hours FACTOR. n exp #216.) 800 Hours 500 Hours 950 Hours	to study both photombsorption by nuclear matter and charmed particles (the latter to employ a Cerenkov unning for about 300 hours concurrent with exp #203 unning for about 300 hours for study of photombsorpt without the disruption required to install th Donald S. Barton OCESSES AND ASSOCIATED MULTIPLICITY. ty.) including 100 hours of tests Donald H. Stork	production of counter) ion of nuclear matter; e Cerenkov counter UNIVERSITY OF BARI (ITALY) BROWN UNIVERSITY FERMILAB MASSACHUSETTS INST. OF TECHNOLOG WARSAW HEP LABORATORY (POLAND) UNIV. OF CALIFORNIA, LOS ANGELES FERMILAB JINR, DUBNA (RUSSIA) NOTRE DAME UNIVERSITY UNIVERSITY OF PITTSBURGH
6	Approval Completed INCLUSIVE S BEAM: Meson Are STUDY OF THE A- (Using the sing Request Approval Completed FORM FACTO BEAM: Meson Are MEASUREMENT OF (Continuation o Request Approval Completed PHOTOPRODUCTION BEAM: Proton Ar	9 Jun. 77 15 Mar, 77 29 Jun. 77 7 May, 78 CATTERING a - M6 Beam DEPENDENCE OF J 1e arm spectron 17 Oct, 75 30 Jun, 76 6 Sep, 78 DR #456 a - M1 Beam THE KAON FORM F f work begun 1r 17 Oct, 75 7 Dec, 76 13 Apr. 77 DUCTION #45 ea - East EXPERIMENT AT d band photon 1	300 Hours Parasitic R Parasitic R 900 Hours #451 INCLUSIVE PR meter facili 600 Hours 500 Hours 500 Hours 500 Hours 950 Hours 1,450 Hours 8 FERMILAB.	to study both photoabsorption by nuclear matter and charmed particles (the latter to employ a Cerenkov unning for about 300 hours concurrent with exp #203 uning for about 300 hours for study of photoabsorpt without the disruption required to install th Donald S. Barton OCESSES AND ASSOCIATED MULTIPLICITY. ty.) including 100 hours of tests Donald H. Stork including 200 hours of tests including an additional 450 hours for data taking w for a report on preliminary results from existing d	production of counter) ion of nuclear matter; e Cerenkov counter UNIVERSITY OF BARI (ITALY) BROWN UNIVERSITY FERMILAB MASSACHUSETTS INST. OF TECHNOLOG WARSAW HEP LABORATORY (POLAND) UNIV. OF CALIFORNIA, LOS ANGELES FERMILAB JINR, DUBNA (RUSSIA) NOTRE DAME UNIVERSITY UNIVERSITY OF PITTSBURGH
56	Approval Completed INCLUSIVE S BEAM: Meson Are STUDY OF THE A- (Using the sing Request Approval Completed FORM FACTO BEAM: Meson Are MEASUREMENT OF (Continuation o Request Approval Completed PHOTOPRODI BEAM: Proton Ar PHOTOPRODUCTION (Using the bros	9 Jun. 77 15 Mar, 77 29 Jun. 77 7 May, 78 CATTERING a - M6 Beam DEPENDENCE OF J 17 Oct, 75 30 Jun, 76 6 Sep, 78 OR #456 a - M1 Beam THE KAON FORM F f work begun 1r 17 Oct, 75 7 Dec, 76 13 Apr, 77 DUCTION #45 est - East EXPERIMENT AT EXPERIMENT AT CALL AND FORM F 17 Oct, 75 7 Dec, 76 13 Apr, 77 DUCTION #45 est - East EXPERIMENT AT CL C, 75 7 May, 76 2 Jul, 76 14 Mar, 77	300 Hours Parasitic R Parasitic R 900 Hours #451 INCLUSIVE PR meter facili 600 Hours 500 Hours 500 Hours 500 Hours 950 Hours 1,450 Hours 8 FERMILAB. beam; a cont 700 Hours 300 Hours 300 Hours	to study both photoabsorption by nuclear matter and charmed particles (the latter to employ a Cerenkov unning for about 300 hours for study of photoabsorpt without the disruption required to install th Donald S. Barton OCESSES AND ASSOCIATED MULTIPLICITY. ty.) including 100 hours of tests Donald H. Stork including 200 hours of tests including an additional 450 hours for data taking w for a report on preliminary results from existing d start of the next running period Wonyong Lee inuation of work begun in with 300 hours for testing, 600 hours for data with a total of 1,000 hours for the comina #401, and #458 with a total of 2,000 hours for the combination of	production of counter) ion of nuclear matter; e Cerenkov counter UNIVERSITY OF BARI (ITALY) BROWN UNIVERSITY FERMILAB MASSACHUSETTS INST. OF TECHNOLOG' WARSAW HEP LABORATORY (POLAND) UNIV. OF CALIFORNIA, LOS ANGELES FERMILAB JINR, DUBNA (RUSSIA) NOTRE DAME UNIVERSITY UNIVERSITY OF PITTSBURGH ith a request ata before the COLUMBIA UNIVERSITY FERMILAB UNIVERSITY OF ILLINOIS, CHAMPAIGN tion of exps #400. expts #400.401.8458
56	Approval Completed INCLUSIVE S BEAM: Meson Are STUDY OF THE A- (Using the sing) Request Approval Completed FORM FACTO BEAM: Meson Are MEASUREMENT OF (Continuation o Request Approval Completed PHOTOPRODUCTION (Using the bros exp #87A and #4 Request Approval Approval	9 Jun. 77 15 Mar, 77 29 Jun. 77 7 May, 78 CATTERING a - M6 Beam DEPENDENCE OF J le arm spectron 17 Oct, 75 30 Jun, 76 6 Sep, 78 OR #456 a - M1 Beam THE KAON FORM f f work begun 1r 17 Oct, 75 25 Nov, 75 7 Dec, 76 13 Apr, 77 DUCTION #45 ea - East EXPERIMENT AT d band photon to 01.) 17 Oct, 75 7 May, 76 2 Jul, 76 14 Mar, 77 1 Apr, 78 ve 27 Oct, 81	300 Hours Parasitic R Parasitic R 900 Hours #451 INCLUSIVE PRI meter facili 600 Hours 500 Hours 500 Hours 950 Hours 1,450 Hours 8 FERMILAB. beam: a cont 700 Hours 900 Hours 1,000 Hours	to study both photoabsorption by nuclear matter and charmed particles (the latter to employ a Cerenkov unning for about 300 hours for study of photoabsorpt without the disruption required to install th Donald S. Barton OCESSES AND ASSOCIATED MULTIPLICITY. ty.) including 100 hours of tests Donald H. Stork including 200 hours of tests including an additional 450 hours for data taking w for a report on preliminary results from existing d start of the next running period Wonyong Lee inuation of work begun in with 300 hours for testing, 600 hours for data with a total of 2,000 hours for the comination of since approved running time has been used by exp #8	production of counter) ion of nuclear matter; e Cerenkov counter UNIVERSITY OF BARI (ITALY) BROWN UNIVERSITY FERMILAB MASSACHUSETTS INST. OF TECHNOLOG WARSAW HEP LABORATORY (POLAND) UNIV. OF CALIFORNIA, LOS ANGELES FERMILAB JINR, DUBNA (RUSSIA) NOTRE DAME UNIVERSITY UNIVERSITY OF PITTSBURGH ith a request ata before the COLUMBIA UNIVERSITY FERMILAB UNIVERSITY OF ILLINOIS, CHAMPAIGN tion of exps #400. expts #400.401.8458 78
56	Approval Completed INCLUSIVE S BEAM: Meson Are STUDY OF THE A- (Using the sing Request Approval Completed FORM FACTO BEAM: Meson Are MEASUREMENT OF (Continuation o Request Approval Completed PHOTOPRODUCTION EVAM: Proton Ar PHOTOPRODUCTION EVAM: PROTON AR Approved/Inacti	9 Jun. 77 15 Mar, 77 29 Jun. 77 7 May, 78 CATTERING a - M6 Beam DEPENDENCE OF J 1e arm spectron 17 Oct, 75 30 Jun. 76 6 Sep, 78 OR #456 a - M1 Beam THE KAON FORM F f work begun 1r 17 Oct, 75 7 Dec, 76 13 Apr. 77 DUCTION #45 ea - East EXPERIMENT AT d band photon to 01.) 17 Oct, 75 7 May, 76 2 Jul, 76 1 Apr. 77 Not, 81 PROTONS @ Area - Miscelli	300 Hours Parasitic R Parasitic R 900 Hours #451 INCLUSIVE PR meter facili 600 Hours 400 Hours 500 Hours 500 Hours 950 Hours 1,450 Hours 8 FERMILAB. beam: a cont 700 Hours 300 Hours 1,000 Hours 1,000 Hours 1,000 Hours 1,000 Hours	to study both photoabsorption by nuclear matter and charmed particles (the latter to employ a Cerenkov unning for about 300 hours for study of photoabsorpt without the disruption required to install th Donald S. Barton OCESSES AND ASSOCIATED MULTIPLICITY. ty.) including 100 hours of tests including 100 hours of tests including an additional 450 hours for data taking w for a report on preliminary results from existing d start of the next running period Wonyong Lee inuation of work begun in with 300 hours for testing, 600 hours for data #401, and #458 with a total of 2,000 hours for the combination of since approved running time has been used by exp #8	production of counter) ion of nuclear matter; e Cerenkov counter UNIVERSITY OF BARI (ITALY) BROWN UNIVERSITY FERMILAB MASSACHUSETTS INST. OF TECHNOLOG WARSAW HEP LABORATORY (POLAND) UNIV. OF CALIFORNIA, LOS ANGELES FERMILAB JINR, DUBNA (RUSSIA) NOTRE DAME UNIVERSITY UNIVERSITY OF PITTSBURGH ith a request ata before the COLUMBIA UNIVERSITY FERMILAB UNIVERSITY OF ILLINOIS, CHAMPAIGN tion of exps #400. expts #400.401.8458

	EMULSION/PROTONS @ 400 #46 BEAM: Neutrino Ares - Miscellaneous SEARCH FOR SHORT LIVED PARTICLES PROD		UNIVERSITY OF BOLOGNA (ITALY) UNIVERSITY OF FIRENZE (ITALY)
	Request18 Nov, 75EmulsioApproval26 Nov, 75EmulsioCompleted9 Dec, 751 S		
63	EMULSION/PROTONS @ 400 #46 BEAM: Neutring Ares - Miscellaneous		KAZAKH STATE UNIV., (KAZAKHSTAN) LEBEDEV PHYSICAL INST. (RUSSIA) ITEP, MOSCOW (RUSSIA) NPI, ST. PETERSBURG (RUSSIA) TASHKENT, PHY.TEC.INS (UZBEKISTAN)
	Approval 26 Nov, 75 Emulsio	n Exposure n Exposure tack(s)	
	NUCLEAR FRAGMENTS #466 BEAM: Proton Ares - Miscelleneous A PROPOSAL FOR THE STUDY OF HIGH-ENER ANGULAR AND ENERGY DISTRIBUTIONS OF N BOMBARDED WITH 200-300 GEV PROTONS.	Norbert T. Porile GY REACTION MECHANISMS BY THE MEASUREMENT OF THE UCLEAR FRAGMENTS RECOILING FROM TARGETS	ARGONNE NATIONAL LABORATORY UNIVERSITY OF CHICAGO UNIV. OF ILLINOIS, CHICAGO CIRCLE PURDUE UNIVERSITY
	Request 9 Jan, 76 500 H Approval 30 Mar, 76 500 H	ours ours to be met on an essentially parasitic basis with t that this work will not constitute an interference the proton area program argets Exposed	the understanding a with the rest of
467	TEST MUON IRRADIATION #467 BEAM: Neutring Ares - Miscellaneous	Melvin Freedman	ARGONNE NATIONAL LABORATORY
	Request 13 Jan, 76 Target Approval 28 Apr, 76 Parasit	RADIATION WITH MUON SPILL BEAM BEHIND EXP #319. Exposure(s) ic Running for a bombardment of chlorine and thallium 4 exp #319 or exp #398 argets Exposed	targets downstream of
	PARTICLE SEARCH #468 BEAM: Meson Area - M2 Beam	Phillip H. Steinberg	UNIVERSITY OF MARYLAND
		lours in a 400 GeV proton beam at an intensity of 10 to protons/pulse lours including an additional 150 hours to improve the s another run of the experiment ours	
	PARTICLE SEARCH #469 BEAM: Meson Area - M6 Beam SEARCH FOR HEAVY LONG-LIVED PARTICLES (Using the single arm spectrometer fa	David Cutts	UNIVERSITY OF BARI (ITALY) BROWN UNIVERSITY CERN (SWITZERLAND) FERMILAB MASSACHUSETTS INST. OF TECHNOLOG
	Request 23 Jmn, 76 150 H Approval 3 Feb, 78 150 H Completed 15 May, 78 400 H	ours with the understanding that the schedule for this desired running for exp #451 in some jeopardy	
172	PARTICLE SEARCH #472 BEAM: Meson Area - M2 Beam SEARCH FOR HEAVY PARTICLES PRODUCED I (Experiment would use modified exp #3	57 spectrometer.) ours including 100 hours of tests ours	FERMILAB UNIVERSITY OF MICHIGAN PURDUE UNIVERSITY
81	EMULSION/PI- @ 300 #481 BEAM: Neutrino Area - Miscellaneous INVESTIGATION OF MULTIPLE PRODUCTION	Yoshiyuki Takahashi	OSAKA CITY UNIVERSITY (JAPAN) Shinshu University (Japan)
	Request28 Apr, 76 EmulsioApproval12 May, 76 Emulsio	n Exposure 10K particles per cm. sq. over a square of 1	10 cm × 10 cm
	NEUTRINO #482 BEAM: Neutrino Area - Quadrupole Trip STUDY OF DI-MUON EVENTS PRODUCED IN N	Barry C. Barish	CALIFORNIA INSTITUTE OF TECHNOLOG FERMILAB NORTHWESTERN UNIVERSITY UNIVERSITY OF ROCHESTER ROCKEFELLER UNIVERSITY
		ours to be run with the Quadrupole Triplet train load w 200 GeV at 10 to the 13th protons per pulse ic Running with other experiments using the neutrino be ours	
86	K ZERO CROSS SECTION #486 BEAM: Meson Ares - M4 Beam PROPOSAL TO STUDY THE ATOMIC NUMBER D ANTI-PARTICLE TOTAL CROSS SECTIONS.	Bruce D. Winstein EPENDENCE OF THE DIFFERENCE BETWEEN PARTICLE AND	UNIVERSITY OF CHICAGO LHE, ETH HONGGERBERG (SWITZERLANI UNIVERSITY OF WISCONSIN-MADISON
	(Using the apparatus of exps #82 and #425 with modifications.) Request 7 Mmy, 76 200 Hours to be run in a modified version of the M-4 neutral beam; data taking to require 1.4 x 10 to the 17th protons into the meson production target Approval 30 Jun, 76 200 Hours with a total of 800 hours approved for the combination of E-486 and E-226		
	Completed 17 Mar, 77 950 H		
	PARTICLE SEARCH #490	Jack Sandweiss	FERMILAB LAWRENCE BERKELEY LABORATORY
	BEAM: Meson Ares - M1 Beam SEARCH FOR SHORT LIVED PARTICLES USIN	G A HIGH RESOLUTION STREAMER CHAMBER.	YALE UNIVERSITY

_					
494	(This experiment is an off-shoot		COLUMBIA UNIVERSITY FERMILAB SUNY AT STONY BROOK		
	Approval 17 May, 76	800 Hours 800 Hours «400 Hours including an additional six weeks of running with the exper expected to terminate in February 1977	iment		
495	XI-ZERO PRODUCTION #49. BEAM: Meson Ares - M2 Besm PROPOSAL TO STUDY CASCADE ZERO A (Experiment would use the spectr	AND ANTILAMBDA PRODUCTION AND POLARIZATION.	BROOKHAVEN NATIONAL LABORATORY UNIVERSITY OF MICHIGAN RUTGERS UNIVERSITY UNIVERSITY OF WISCONSIN-MADISON		
	Request17 May, 76Approval17 Nov, 76Completed28 Aug, 78	400 Hours 400 Hours 700 Hours			
497	CHARGED HYPERON #497 BEAM: Proton Ares - Center ELASTIC SCATTERING OF THE HYPERC		FERMILAB Iowa state university Yale university		
	sections, and a particle search.	n fluxes and differential elastic cross .)			
	26 Jan, 79	,200 Hours with 600 hours for flux measurements and new particle searc hours to measure differential cross sections 800 Hours including an additional 400 hours to search for the b-parti the beam is commissioned			
		400 Hours initial approval ,500 Hours see proposal #697			
498		F #498 Charles R. Gruhn IC RISE IN THE MOST PROBABLE ENERGY LOSS IN THIN SOLID	LOS ALAMOS NATIONAL LABORATORY		
	FILMS. Request 26 May, 76 Approval 14 Jun, 76 Pa Completed 18 Aug, 76	50 Hours in an electron beam at the highest energies available arasitic Running that will not disturb the normal proton area program 50 Hours	l		
499	EMULSION/PROTONS @ 40	00 #499 Junsuke Iwai	WASEDA UNIVERSITY (JAPAN)		
	BEAM: Neutrino Ares - Miscellane		· · · · · · · · · · · · · · · · · · ·		
	Request 1 Jun, 76 Approval 16 Aug, 76 Em Completed 15 Jan, 78	<pre>2 Exposure(s) mulsion Exposure with one stack exposed to an intensity of 600K proton</pre>	s∕sq cm end a		
	COMPTECED 15 Sent 76				
501	TEST MUON IRRADIATION BEAM: Neutring Ares - Muon/Hadro PROPOSAL FOR A MEASUREMENT OF TH MUONS AT FERMILAB ENERGIES.		BROOKHAVEN NATIONAL LABORATORY UNIVERSITY OF PENNSYLVANIA		
501	BEAM: Neutrino Area - Muon/Hadro PROPOSAL FOR A MEASUREMENT OF TH MUONS AT FERMILAB ENERGIES. Request 11 Aug, 76 Approval 28 Oct, 76 Te	on Beam HE TRANSITION RATE FOR CL(37) AND AR(37) INDUCED BY 25 Hours an integrated flux of - about 5 x 10 to the 9th times (e/30 0.7th - muons a 75, 150, and 250 GeV arget Exposure(s) parasitic to running of upstream muon experiments	UNIVERSITY OF PENNSYLVANIA		
	BEAM: Neutrino Ares - Muon/Hadro PROPOSAL FOR A MEASUREMENT OF TH MUONS AT FERMILAB ENERGIES. Request 11 Aug, 76 Approval 28 Oct, 76 Ta Completed 1 Dec, 76	on Beam HE TRANSITION RATE FOR CL(37) AND AR(37) INDUCED BY 25 Hours an integrated flux of - about 5 x 10 to the 9th times (e/30 0.7th - muons a 75, 150, and 250 GeV arget Exposure(s) parasitic to running of upstream muon experiments 2 Targets Exposed	UNIVERSITY OF PENNSYLVANIA		
	BEAM: Neutrino Ares - Muon/Hadro PROPOSAL FOR A MEASUREMENT OF TH MUONS AT FERMILAB ENERGIES. Request 11 Aug. 76 Approval 28 Oct. 76 Ta Completed 1 Dec. 76 MONOPOLE #502 BEAM: Neutrino Ares - Miscellane SEARCH FOR MONOPOLES ABOVE THE 1 (Mouid require a scuttle in the building.)	on Beam HE TRANSITION RATE FOR CL(37) AND AR(37) INDUCED BY 25 Hours an integrated flux of - about 5 x 10 to the 9th times (e/30 0.7th - muons @ 75, 150, and 250 GeV arget Exposure(s) parasitic to running of upstream muon experiments 2 Targets Exposed David F. Bartlett BOUS 15-FOOT BUBBLE CHAMBER. roof of the 15-foot bubble chamber	UNIVERSITY OF PENNSYLVANIA 0) to the UNIVERSITY OF COLORADO AT BOULDER GENERAL ELECTRIC R&D CENTER		
	BEAM: Neutrino Ares - Muon/Hadro PROPOSAL FOR A MEASUREMENT OF TH MUONS AT FERMILAB ENERGIES. Request 11 Aug. 76 Approval 28 Oct. 76 Ta Completed 1 Dec. 76 MONOPOLE #502 BEAM: Neutrino Ares - Miscellane SEARCH FOR MONOPOLES ABOVE THE 1 (Mouid require a scuttle in the building.)	on Beam HE TRANSITION RATE FOR CL(37) AND AR(37) INDUCED BY 25 Hours an integrated flux of - about 5 x 10 to the 9th times (e/30 0.7th - muons @ 75, 150, and 250 GeV arget Exposure(s) parasitic to running of upstream muon experiments 2 Targets Exposed David F. Bartlett eous 15-FOOT BUBBLE CHAMBER. roof of the 15-foot bubble chamber osmic Ray Running to include use of the fringe field of the 15-foot bu	UNIVERSITY OF PENNSYLVANIA 0) to the UNIVERSITY OF COLORADO AT BOULDER GENERAL ELECTRIC R&D CENTER bble chember		
	BEAM: Neutrino Ares - Muon/Hadro PROPOSAL FOR A MEASUREMENT OF TH MUONS AT FERMILAB ENERGIES. Request 11 Aug. 76 Approval 28 Oct. 76 Ta Completed 1 Dec. 76 MONOPOLE #502 BEAM: Neutrino Ares - Miscellane SEARCH FOR MONOPOLES ABOVE THE 1 (Mouid require a scuttle in the building.) Request 30 Jul, 76 Completed	on Beam HE TRANSITION RATE FOR CL(37) AND AR(37) INDUCED BY 25 Hours an integrated flux of - about 5 x 10 to the 9th times (e/30 0.7th - muons 0 75, 150, and 250 GeV arget Exposure(s) parasitic to running of upstream muon experiments 2 Targets Exposed David F. Bartlett eous 15-FOOT BUBBLE CHAMBER. roof of the 15-foot bubble chamber osmic Ray Running to include use of the fringe field of the 15-foot bu magnet during two long runs; approximately 7 months requested with lexan and later with emulsion detecto osmic Ray Running during parasitio operation in the fringe field of th	UNIVERSITY OF PENNSYLVANIA 0) to the UNIVERSITY OF COLORADO AT BOULDER GENERAL ELECTRIC R&D CENTER bble chamber of data-taking rs		
	BEAM: Neutrino Ares - Muon/Hadro PROPOSAL FOR A MEASUREMENT OF TH MUONS AT FERMILAB ENERGIES. Request 11 Aug. 76 Approval 28 Oct. 76 Ta Completed 1 Dec. 76 MONOPOLE #502 BEAM: Neutrino Ares - Miscellane SEARCH FOR MONOPOLES ABOVE THE 1 (Mould require a scuttle in the building.) Request 30 Jul. 76 Co Approval 2 Sep. 76 Co	on Beam HE TRANSITION RATE FOR CL(37) AND AR(37) INDUCED BY 25 Hours an integrated flux of - about 5 x 10 to the 9th times (e/30 0.7th - muons @ 75, 150, and 250 GeV arget Exposure(s) parasitic to running of upstream muon experiments 2 Targets Exposed David F. Bartlett BOUS 15-FOOT BUBBLE CHAMBER. roof of the 15-foot bubble chamber Dosmic Ray Running to include use of the fringe field of the 15-foot bu magnet during two long runs; approximately 7 months requested with lexan and later with emulsion detecto	UNIVERSITY OF PENNSYLVANIA 0) to the UNIVERSITY OF COLORADO AT BOULDER GENERAL ELECTRIC R&D CENTER bble chamber of data-taking rs		
502	BEAM: Neutrino Ares - Muon/Hadro PROPOSAL FOR A MEASUREMENT OF TH MUONS AT FERMILAB ENERGIES. Request 11 Aug. 76 Approval 28 Oct. 76 Ta Completed 1 Dec. 76 MONOPOLE #502 BEAM: Neutrino Ares - Miscellane SEARCH FOR MONOPOLES ABOVE THE 1 (Would require a scuttle in the building.) Request 30 Jul. 76 Co Approval 2 Sep. 76 Co Completed 23 Jun. 80 Co EMULSION/PI- @ 300 #503 BEAM: Neutrino Ares - Miscellane	on Beam HE TRANSITION RATE FOR CL(37) AND AR(37) INDUCED BY 25 Hours an integrated flux of - about 5 x 10 to the 9th times (e/30 0.7th - muons @ 75, 150, and 250 GeV arget Exposure(s) parasitic to running of upstream muon experiments 2 Targets Exposed David F. Bartlett Bous 15-FOOT BUBBLE CHAMBER. roof of the 15-foot bubble chamber Dosmic Ray Running to include use of the fringe field of the 15-foot bu magnet during two long runs; approximately 7 months requested with lexan and later with emulsion detecto ossmic Ray Running during parasitic operation in the fringe field of th chamber magnet Takeshi Ogata	UNIVERSITY OF PENNSYLVANIA 0) to the UNIVERSITY OF COLORADO AT BOULDER GENERAL ELECTRIC R&D CENTER bble chamber of data-taking rs e 15-foot bubble HIROSAKI UNIVERSITY (JAPAN) ICRR, UNIVERSITY OF TOKYO (JAPAN) KONAN UNIVERSITY (JAPAN)		
502	BEAM: Neutrino Ares - Muon/Hadro PROPOSAL FOR A MEASUREMENT OF TH MUONS AT FERMILAB ENERGIES. Request 11 Aug, 76 Approval 28 Oct, 76 Ta Completed 1 Dec, 76 MONOPOLE #502 BEAM: Neutrino Ares - Miscellane SEARCH FOR MONOPOLES ABOVE THE 1 (Mould require a scuttle in the building.) Request 30 Jul, 76 Co Approval 2 Sep, 76 Co Completed 23 Jun, 80 Co EMULSION/PI-@ 300 #503 BEAM: Neutrino Ares - Miscellane	Don Beam HE TRANSITION RATE FOR CL(37) AND AR(37) INDUCED BY 25 Hours an integrated flux of - about 5 x 10 to the 9th times (e/30 0.7th - muons @ 75, 150, and 250 GeV arget Exposure(s) parasitic to running of upstream muon experiments 2 Targets Exposed David F. Bartlett BOUS 15-FOOT BUBBLE CHAMBER. roof of the 15-foot bubble chamber Dosmic Ray Running to include use of the fringe field of the 15-foot bu megnet during two long runs; approximately 7 months requested with lexan and later with emulsion detecto Dosmic Ray Running during parasitic operation in the fringe field of the chamber magnet BOM Takeshi Ogata BOUS 4 ENERGY PION-NUCLEUS INTERACTIONS.	UNIVERSITY OF PENNSYLVANIA 0) to the UNIVERSITY OF COLORADO AT BOULDER GENERAL ELECTRIC R&D CENTER bble chamber of data-taking rs e 15-foot bubble HIROSAKI UNIVERSITY (JAPAN) ICRR, UNIVERSITY OF TOKYO (JAPAN) KONAN UNIVERSITY (JAPAN) KWANSEI GAKUIN UNIVERSITY (JAPAN)		
502	BEAM: Neutrino Ares - Muon/Hadro PROPOSAL FOR A MEASUREMENT OF TH MUONS AT FERMILAB ENERGIES. Request 11 Aug. 76 Approval 28 Oct. 76 Ta Completed 1 Dec. 76 MONOPOLE #502 BEAM: Neutrino Ares - Miscellane SEARCH FOR MONOPOLES ABOVE THE 1 (Mould require a scuttle in the building.) Request 30 Jul, 76 Co Approval 2 Sep. 76 Co Completed 23 Jun. 80 Co EMULSION/PI-@ 300 #503 BEAM: Neutrino Ares - Miscellane Valuest 30 Jul, 76 Co Approval 2 Sep. 76 Co Completed 23 Jun. 80 Co EMULSION/PI-@ 300 #503 BEAM: Neutrino Area - Miscellane MULTIPARTICLE PRODUCTION IN HIGH Request 12 Aug. 76 Em Approval 19 Aug. 76 Em	on Beam HE TRANSITION RATE FOR CL(37) AND AR(37) INDUCED BY 25 Hours an integrated flux of - about 5 x 10 to the 9th times (e/30 0.7th - muons @ 75, 150, and 250 GeV arget Exposure(s) parasitic to running of upstream muon experiments 2 Targets Exposed David F. Bartlett BOUS 15-FOOT BUBBLE CHAMBER. roof of the 15-foot bubble chamber Dosmic Ray Running to include use of the fringe field of the 15-foot bu magnet during two long runs; approximately 7 months requested with lexan and later with emulsion detecto ossmic Ray Running Chamber magnet Takeshi Ogata BOUS 4 ENERGY PION-NUCLEUS INTERACTIONS. mulsion Exposure consisting of eight blocks of mulsion exposed to 50K in a p1- beam of 200 GeV/c or greater	UNIVERSITY OF PENNSYLVANIA 0) to the UNIVERSITY OF COLORADO AT BOULDER GENERAL ELECTRIC R&D CENTER bble chamber of data-taking rs e 15-foot bubble HIROSAKI UNIVERSITY (JAPAN) ICRR, UNIVERSITY OF TOKYO (JAPAN) KONAN UNIVERSITY (JAPAN) KWANSEI GAKUIN UNIVERSITY (JAPAN)		
502 503	BEAM: Neutrino Ares - Muon/Hadro PROPOSAL FOR A MEASUREMENT OF TH MUONS AT FERMILAB ENERGIES. Request 11 Aug, 76 Approval 28 Oct, 76 Ta Completed 1 Dec, 76 MONOPOLE #502 BEAM: Neutrino Ares - Miscellane SEARCH FOR MONOPOLES ABOVE THE 1 (Mould require a scuttle in the building.) Request 30 Jul, 76 Co Approval 2 Sep, 76 Co Completed 23 Jun, 80 Co EMULSION/PI-@ 300 #503 BEAM: Neutrino Ares - Miscellane MULSION/PI-@ 300 #503 BEAM: Neutrino Ares - Miscellane MULSION/PI-@ 300 #503 BEAM: Neutrino Ares - Miscellane MULTIPARTICLE PRODUCTION IN HIGH Request 12 Aug, 76 Em Approval 19 Aug, 76 Em Completed 18 Jan, 78	on Beam HE TRANSITION RATE FOR CL(37) AND AR(37) INDUCED BY 25 Hours an integrated flux of - about 5 x 10 to the 9th times (e/30 0.7th - muons 0 75, 150, and 250 GeV arget Exposure(s) parasitic to running of upstream muon experiments 2 Targets Exposed David F. Bartlett Bous 15-FOOT BUBBLE CHAMBER. roof of the 15-foot bubble chamber Dosmic Ray Running to include use of the fringe field of the 15-foot bu magnet during two long runs; approximately 7 months requested with lexan and later with emulsion detecto chamber magnet David F. Bartlett Posmic Ray Running to include use of the fringe field of the chamber magnet David Lexan and later with emulsion detecto David F. Bartlett Posmic Ray Running Takeshi Ogata Henergy PION-NUCLEUS INTERACTIONS. mulsion Exposure consisting of eight blocks of mulsion exposed to 50K in a pi- beam of 200 GeV/c or greater 4 Stack(s)	UNIVERSITY OF PENNSYLVANIA 0) to the UNIVERSITY OF COLORADO AT BOULDER GENERAL ELECTRIC R&D CENTER bble chember of dete-teking rs e 15-foot bubble HIROSAKI UNIVERSITY (JAPAN) ICRR, UNIVERSITY (JAPAN) ICRR, UNIVERSITY (JAPAN) KONAN UNIVERSITY (JAPAN) KWANSEI GAKUIN UNIVERSITY (JAPAN) perticles/sq cm		
502 503	BEAM: Neutrino Ares - Muon/Hadro PROPOSAL FOR A MEASUREMENT OF TH MUONS AT FERMILAB ENERGIES. Request 11 Aug, 76 Approval 28 Oct, 76 Ta Completed 1 Dec, 76 MONOPOLE #502 BEAM: Neutrino Ares - Miscellane SEARCH FOR MONOPOLES ABOVE THE 1 (Would require a scuttle in the building.) Request 30 Jul, 76 Co Completed 23 Sep, 76 Co Completed 23 Jun, 80 Co EMULSION/PI-@ 300 #503 BEAM: Neutrino Ares - Miscellane MULTIPARTICLE PRODUCTION IN HIGH Request 12 Aug, 76 Em Approval 19 Aug, 76 Em PROTON POLARIZATION # BEAM: Meson Ares - M2 Beam	on Beam HE TRANSITION RATE FOR CL(37) AND AR(37) INDUCED BY 25 Hours an integrated flux of - about 5 x 10 to the 9th times (e/30 0.7th - muons 0 75, 150, and 250 GeV arget Exposure(s) parasitic to running of upstream muon experiments 2 Targets Exposed David F. Bartlett Bous 15-FOOT BUBBLE CHAMBER. roof of the 15-foot bubble chamber Dosmic Ray Running to include use of the fringe field of the 15-foot bu megnet during two long runs; approximately 7 months requested with lexan and later with emulsion detecto chamber magnet David F. Bartlett Posmic Ray Running to include use of the fringe field of the chamber magnet David J. State of the fringe field of the chamber magnet Posmic Ray Running Takeshi Ogata 4 ENERGY PION-NUCLEUS INTERACTIONS. mulsion Exposure consisting of eight blocks of mulsion exposed to 50K in a pi- beam of 200 GeV/c or greater 4 Stack(s)	UNIVERSITY OF PENNSYLVANIA 0) to the UNIVERSITY OF COLORADO AT BOULDER GENERAL ELECTRIC R&D CENTER bble chamber of data-taking rs e 15-foot bubble HIROSAKI UNIVERSITY (JAPAN) ICRR, UNIVERSITY OF TOKYO (JAPAN) KONAN UNIVERSITY (JAPAN) KWANSEI GAKUIN UNIVERSITY (JAPAN)		
502 503	BEAM: Neutrino Ares - Muon/Hadro PROPOSAL FOR A MEASUREMENT OF TH MUONS AT FERMILAB ENERGIES. Request 11 Aug. 76 Approval 28 Oct. 76 Ta Completed 1 Dec. 76 MONOPOLE #502 BEAM: Neutrino Ares - Miscellane SEARCH FOR MONOPOLES ABOVE THE 1 (Mould require a scuttle in the building.) Request 30 Jul, 76 Co Approval 2 Sep. 76 Co Completed 23 Jun. 80 Co EMULSION/PI-@ 300 #503 BEAM: Neutrino Ares - Miscellane MULTIPARTICLE PRODUCTION IN HIGH Request 12 Aug. 76 Em Approval 19 Aug. 76 Em Approval 19 Aug. 76 Em Approval 19 Aug. 76 Em Completed 18 Jan. 78 PROTON POLARIZATION # BEAM: Meson Ares - M2 Beam A SEARCH FOR PROTON POLARIZATION Request 16 Aug. 76 Approval 29 Jun. 78	Dn Beam HE TRANSITION RATE FOR CL(37) AND AR(37) INDUCED BY 25 Hours an integrated flux of - about 5 x 10 to the 9th times (e/30 0.7th - muons a 75, 150, and 250 GeV arget Exposure(s) parasitic to running of upstream muon experiments 2 Targets Exposed David F. Bartlett Book of the fringe field of the 15-foot bu magnet during two long runs; approximately 7 months requested with lexan and later with emulsion detecto osmic Ray Running to include use of the fringe field of the chamber magnet David F. Bartlett Book of the fringe field of the 15-foot bu magnet during two long runs; approximately 7 months requested with lexan and later with emulsion detecto osmic Ray Running buring parasitic operation in the fringe field of the chamber magnet Dakeshi Ogata Book of substance of 200 GeV/c or greater Mulsion Exposure consisting of eight blocks of mulsion exposed to 50K in a pi- beam of 200 GeV/c or greater Mulsion Exposure consisting of eight blocks of mulsion exposed to 50K in a pi- beam of 200 GeV/c or greater NIN INCLUSIVE PRODUCTION AT 300 GEV/C. 100 Hours with a change in the targetting angle of the primary proton the meson area 100 Hours with a change in the targetting angle of the primary proton the meson area	UNIVERSITY OF PENNSYLVANIA 0) to the UNIVERSITY OF COLORADO AT BOULDER GENERAL ELECTRIC R&D CENTER bble chamber of data-taking rs e 15-foot bubble HIROSAKI UNIVERSITY (JAPAN) ICRR, UNIVERSITY OF TOKYO (JAPAN) KONAN UNIVERSITY (JAPAN) KONAN UNIVERSITY (JAPAN) perticles/sq cm BROOKHAVEN NATIONAL LABORATORY UNIVERSITY OF MICHIGAN RUTGERS UNIVERSITY UNIVERSITY OF WISCONSIN-MADISON		
502 503 505	BEAM: Neutrino Ares - Muon/Hadro PROPOSAL FOR A MEASUREMENT OF TH MUONS AT FERMILAB ENERGIES. Request 11 Aug, 76 Approval 28 Oct, 76 Ta Completed 1 Dec, 76 MONOPOLE #502 BEAM: Neutrino Ares - Miscellane SEARCH FOR MONOPOLES ABOVE THE 1 (Mouid require a scuttle in the building.) Request 30 Jul, 76 Co Approval 2 Sep, 76 Co Completed 23 Jun, 80 Co EMULSION/PI-@ 300 #503 BEAM: Neutrino Ares - Miscellane MULTIPARTICLE PRODUCTION IN HIGH Request 12 Aug, 76 Em Approval 19 Aug, 76 Em Completed 19 Aug, 76 Em Approval 19 Aug, 76 Em Approval 19 Aug, 76 Em Assarch FOR PROTON POLARIZATION # BEAM: Meson Ares - M2 Beam A SEARCH FOR PROTON POLARIZATION Request 16 Aug, 76 Approval 29 Jun, 78 Completed 29 Jun, 78	Dn Beam HE TRANSITION RATE FOR CL(37) AND AR(37) INDUCED BY 25 Hours en integrated flux of - shout 5 x 10 to the 9th times (e/30 0.7th - muons 2 75, 150, and 250 GeV arget Exposure(s) parasitic to running of upstream muon experiments 2 Targets Exposed David F. Bartlett Bardet Exposed David F. Bartlett Book of the 15-foot bubble chamber David F. Bartlett Book of the 15-foot bubble chamber David F. Bartlett Book of the fringe field of the 15-foot bu megnet during two long runs; approximately 7 months requested with lexan and later with emulsion detecto osmic Ray Running during parasitic operation in the fringe field of the chamber magnet Dakeshi Ogata Book of mulsion exposed to 50K in a pi- beam of 200 GeV/c or greater Mulsion Exposure consisting of eight blocks of mulsion exposed to 50K in a pi- beam of 200 GeV/c or greater Mulsion Exposure Samuel Peter Yamin N IN INCLUSIVE PRODUCTION AT 500 GEV/C. 100 Hours with a change in the targetting angle of the primary proton the mechanie in the targetting angle of the primary proton the mechanie in the time available for exp #495 50 Hours	UNIVERSITY OF PENNSYLVANIA 0) to the UNIVERSITY OF COLORADO AT BOULDER GENERAL ELECTRIC R&D CENTER bble chember of dete-teking rs e 15-foot bubble HIROSAKI UNIVERSITY (JAPAN) ICRR, UNIVERSITY OF TOKYO (JAPAN) KONAN UNIVERSITY (JAPAN) KWANSEI GAKUIN UNIVERSITY (JAPAN) perticles/sq cm BROOKHAVEN NATIONAL LABORATORY UNIVERSITY OF MICHIGAN RUTGERS UNIVERSITY UNIVERSITY OF WISCONSIN-MADISON beem for		
502 503 505	BEAM: Neutrino Ares - Muon/Hadro PROPOSAL FOR A MEASUREMENT OF TH MUONS AT FERMILAB ENERGIES. Request 11 Aug. 76 Approval 28 Oct. 76 Ta Completed 1 Dec. 76 MONOPOLE #502 BEAM: Neutrino Ares - Miscellane SEARCH FOR MONOPOLES ABOVE THE 1 (Mould require a scuttle in the building.) Request 30 Jul. 76 Co Approval 2 Sep. 76 Co Completed 23 Jun. 80 Co EMULSION/PI-@ 300 #503 BEAM: Neutrino Ares - Miscellane MULTIPARTICLE PRODUCTION IN HIGH Request 12 Aug. 76 Em Approval 2 Sep. 76 Co Completed 23 Jun. 80 Co EMULSION/PI-@ 300 #503 BEAM: Neutrino Ares - Miscellane MULTIPARTICLE PRODUCTION IN HIGH Request 12 Aug. 76 Em Approval 19 Aug. 76 Em Completed 18 Jan. 78 PROTON POLARIZATION # BEAM: Meson Ares - M2 Beam A SEARCH FOR PROTON POLARIZATION # Completed 29 Jun. 78 Completed 29 Jun. 78 Completed 29 Jun. 78 <t< th=""><th>on Beam HE TRANSITION RATE FOR CL(37) AND AR(37) INDUCED BY 25 Hours an integrated flux of - about 5 x 10 to the 9th times (e/30 0.7th - muons a 75, 150, and 250 GeV arget Exposure(s) parasitic to running of upstream muon experiments 2 Targets Exposed David F. Bartlett Bound Colspan= 2 <t< th=""><th>UNIVERSITY OF PENNSYLVANIA 0) to the UNIVERSITY OF COLORADO AT BOULDER GENERAL ELECTRIC R&D CENTER bble chamber of data-taking rs e 15-foot bubble HIROSAKI UNIVERSITY (JAPAN) ICRR, UNIVERSITY OF TOKYO (JAPAN) KONAN UNIVERSITY (JAPAN) KONAN UNIVERSITY (JAPAN) perticles/sq cm BROOKHAVEN NATIONAL LABORATORY UNIVERSITY OF MICHIGAN RUTGERS UNIVERSITY UNIVERSITY OF WISCONSIN-MADISON</th></t<></th></t<>	on Beam HE TRANSITION RATE FOR CL(37) AND AR(37) INDUCED BY 25 Hours an integrated flux of - about 5 x 10 to the 9th times (e/30 0.7th - muons a 75, 150, and 250 GeV arget Exposure(s) parasitic to running of upstream muon experiments 2 Targets Exposed David F. Bartlett Bound Colspan= 2 <t< th=""><th>UNIVERSITY OF PENNSYLVANIA 0) to the UNIVERSITY OF COLORADO AT BOULDER GENERAL ELECTRIC R&D CENTER bble chamber of data-taking rs e 15-foot bubble HIROSAKI UNIVERSITY (JAPAN) ICRR, UNIVERSITY OF TOKYO (JAPAN) KONAN UNIVERSITY (JAPAN) KONAN UNIVERSITY (JAPAN) perticles/sq cm BROOKHAVEN NATIONAL LABORATORY UNIVERSITY OF MICHIGAN RUTGERS UNIVERSITY UNIVERSITY OF WISCONSIN-MADISON</th></t<>	UNIVERSITY OF PENNSYLVANIA 0) to the UNIVERSITY OF COLORADO AT BOULDER GENERAL ELECTRIC R&D CENTER bble chamber of data-taking rs e 15-foot bubble HIROSAKI UNIVERSITY (JAPAN) ICRR, UNIVERSITY OF TOKYO (JAPAN) KONAN UNIVERSITY (JAPAN) KONAN UNIVERSITY (JAPAN) perticles/sq cm BROOKHAVEN NATIONAL LABORATORY UNIVERSITY OF MICHIGAN RUTGERS UNIVERSITY UNIVERSITY OF WISCONSIN-MADISON		
502 503 505	BEAM: Neutrino Ares - Muon/Hadro PROPOSAL FOR A MEASUREMENT OF TH MUONS AT FERMILAB ENERGIES. Request 11 Aug. 76 Approval 28 Oct. 76 Ta Completed 1 Dec. 76 MONOPOLE #502 BEAM: Neutrino Ares - Miscellane SEARCH FOR MONOPOLES ABOVE THE 1 (Mould require a souttle in the building.) Request 30 Jul. 76 Co Approval 2 Sep. 76 Co Completed 23 Jun. 80 Co EMULSION/PI-@ 300 #503 BEAM: Neutrino Ares - Miscellane MULTIPARTICLE PRODUCTION IN HIGH Request 12 Aug. 76 Em Approval 19 Aug. 76 Em Assarch FOR PROTON POLARIZATION # BEAM: Meson Ares - M2 Beam A SEARCH FOR PROTON POLARIZATION Request 16 Aug. 76 BEAM: Neutrino Ares - M2 Beam A SEARCH FOR PROTON POLARIZATION Request 16 Aug. 76 BEAM: Neutrino Ares - M2 Beam A SEARCH FOR PROTON POLARIZATION Request 16 Aug. 76 Request 17 Aug. 76	Drive Drive 25 Hours an integrated flux of - about 5 x 10 to the 9th times (e/30 0.7th - muons a 75, 150, and 250 GeV arget Exposure(s) parasitic to running of upstream muon experiments 2 Targets Exposed David F. Bartlett Bound F. Bartlett <td <="" colspan="2" th=""><th>UNIVERSITY OF PENNSYLVANIA 0) to the UNIVERSITY OF COLORADO AT BOULDER GENERAL ELECTRIC R&D CENTER bble chamber of data-taking rs e 15-foot bubble HIROSAKI UNIVERSITY (JAPAN) ICRR, UNIVERSITY OF TOKYO (JAPAN) KONAN UNIVERSITY (JAPAN) KWANSEI GAKUIN UNIVERSITY (JAPAN) particles/sq cm BROOKHAVEN NATIONAL LABORATORY UNIVERSITY OF MICHIGAN RUTGERS UNIVERSITY UNIVERSITY OF WISCONSIN-MADISON beam for KOBE UNIVERSITY (JAPAN) KONAN UNIVERSITY (JAPAN) SAITAMA UNIVERSITY (JAPAN) UNIVERSITY OF TOKYO (JAPAN) XM exposed to</th></td>	<th>UNIVERSITY OF PENNSYLVANIA 0) to the UNIVERSITY OF COLORADO AT BOULDER GENERAL ELECTRIC R&D CENTER bble chamber of data-taking rs e 15-foot bubble HIROSAKI UNIVERSITY (JAPAN) ICRR, UNIVERSITY OF TOKYO (JAPAN) KONAN UNIVERSITY (JAPAN) KWANSEI GAKUIN UNIVERSITY (JAPAN) particles/sq cm BROOKHAVEN NATIONAL LABORATORY UNIVERSITY OF MICHIGAN RUTGERS UNIVERSITY UNIVERSITY OF WISCONSIN-MADISON beam for KOBE UNIVERSITY (JAPAN) KONAN UNIVERSITY (JAPAN) SAITAMA UNIVERSITY (JAPAN) UNIVERSITY OF TOKYO (JAPAN) XM exposed to</th>		UNIVERSITY OF PENNSYLVANIA 0) to the UNIVERSITY OF COLORADO AT BOULDER GENERAL ELECTRIC R&D CENTER bble chamber of data-taking rs e 15-foot bubble HIROSAKI UNIVERSITY (JAPAN) ICRR, UNIVERSITY OF TOKYO (JAPAN) KONAN UNIVERSITY (JAPAN) KWANSEI GAKUIN UNIVERSITY (JAPAN) particles/sq cm BROOKHAVEN NATIONAL LABORATORY UNIVERSITY OF MICHIGAN RUTGERS UNIVERSITY UNIVERSITY OF WISCONSIN-MADISON beam for KOBE UNIVERSITY (JAPAN) KONAN UNIVERSITY (JAPAN) SAITAMA UNIVERSITY (JAPAN) UNIVERSITY OF TOKYO (JAPAN) XM exposed to

507	HIGH ENERGY CHANNELING #507 Edouard N. Tsyganov BEAM: Meson Area - M1 Beam PROPOSAL TO STUDY CHANNELING AT FERMILAB. (Using the spectrometer of exp #456.)	UNIV. OF CALIFORNIA, LOS ANGELES FERMILAB JINR, DUBNA (RUSSIA) KHARKOV PHYS-TECH INST (UKRAINE) LEHIGH UNIVERSITY ITEP, MOSCOW (RUSSIA) SUNY AT ALBANY TOMSK POLVTECH. INST. (USSR) INR, WARSAW (POLAND)
	Request 8 Sep, 76 250 Hours use of the M-1 beam is requested in conjunct:	ion with operation of form
	factor #456 Approval 1 Jun, 77 250 Hours with the understanding that this activity wi the program in the M1 beam	ll not delæy significantly
508	Completed 30 Mey, 77 350 Hours EMULSION/PROTONS @ 500 #508 Wladyslaw Wolter BEAM: Meson Area - Test Beam	INP, KRAKOW (POLAND)
	STUDY OF THE MECHANISM FOR MULTIPLE PRODUCTION OF PARTICLES AT HIGH ENERGIES. Request 15 Sep, 76 Emulsion Exposure consisting of 3 emulsion stacks Approval 24 Sep, 76 Emulsion Exposure Completed 26 Apr, 85 7 Emulsion Stack(s)	
509	EMULSION/MUONS @ 200 #509 T. Shirai BEAM: Neutrino Ares - Miscellaneous SEARCH FOR THE LARGE ANGLE SCATTERING OF MUONS.	KANAGAWA UNIVERSITY (JAPAN) Kobe University (Japan) University of Tokyo (Japan)
	Request 13 Sep. 76 Emulsion Exposure of 10 to the 6th particles/sq cm Approvel 24 Sep. 76 Emulsion Exposure Completed 8 Oct, 76 1 Stack(s)	
510	EMULSION/ELECTRONS @ HI E #510 Kiyoshi Niu BEAM: Proton Ares - Miscellaneous study of cascade showers initiated by electrons.	AICHI UNIV. OF EDUCATION (JAPAN) NAGOYA UNIVERSITY (JAPAN) YOKOHAMA NATIONAL UNIV. (JAPAN)
	Request9 Sep. 76Emulsion ExposureApproval24 Sep. 76Emulsion ExposureCompleted5 Oct, 766 Stack(s)	
515	PARTICLE SEARCH #515 Jerome L. Rosen BEAM: Meson Area - M1 Beam PROPOSAL TO STUDY CHARGED PARTICLES PRODUCED IN HADRONIC INTERACTIONS.	CARNEGIE-MELLON UNIVERSITY FERMILAB NORTHWESTERN UNIVERSITY NORTHWEATERN UNIVERSITY
	Request5 Oct, 761.000 Hours in a high intensity pi- beam @ 200 GeV/cApproval14 Mar, 77800 HoursCompleted10 Mar, 822.650 Hours	NOTRE DAME UNIVERSITY
516	PHOTOPRODUCTION #516 E. Thomas Nash BEAM: Proton Area - East A STUDY OF PHOTOPRODUCTION USING A MAGNETIC SPECTROMETER AT THE TAGGED PHOTON LAB.	UNIV. OF CALIFORNIA, SANTA BARBARA CARELTON UNIVERSITY (CANADA) UNIVERSITY OF COLORADO AT BOULDER FERMILAB NATIONAL RESEARCH COUNCIL (CANADA) UNIVERSITY OF OKLAHOMA UNIVERSITY OF TORONTO (CANADA)
	Request 5 Oct, 76 1,000 Hours in the tagged photon beam assuming a primary with 2.9 x 10 to the 15th protons/hour 3 Oct, 77 1,000 Hours with 6 x 10 to the 12th protons per pulse, a 10 sec. cycle Approvel 15 Nov, 77 1,000 Hours to include 400 hours for testing and 600 hours	l sec. flattop and a
522	Completed 1 Jun, 81 4,500 Hours PROTON POLARIZATION #522 Harold O. Ogren BEAH: Internal Target Area (C-0)	INDIANA UNIVERSITY
	A STUDY OF INCLUSIVE PROTON POLARIZATION. Request 28 Oct, 76 840 Hours the experiment would run with the existing experiment would run with the existing experiment larget area Approval 25 Jun, 77 800 Hours conditional on cryogenic operation of the internal target area	
524	Completed 21 Mar, 78 700 Hours EMULSION/PROTONS > 500 GEV #524 Richard J. Wilkes BEAM: Meson Area - Test Beam Frotons of Protons of Energy Greater than 500 GEV IN EMULSION AND HEAVY NUCLEI.	UNIVERSITY OF WASHINGTON
	AND PERVY NUCLEI. Request 18 Jan, 77 Emulsion Exposure of 10 plates would be exposed to fluxes particles/sq.cm. Approval 3 Mar, 77 Emulsion Exposure with a momentum of approximately 500 Ge Completed 26 Appr, 85 6 Emulsion Stack(s)	
525	EMULSION/PI- @ 300 #525 BEAM: Neutrino Area - Miscellaneous PROPOSAL TO STUDY PROTON-NUCLEUS INTERACTIONS IN EMULSION PLATES WITH EMBEDDED METAL POWDER GRANULES AT 300 GEV.	UNIVERSITY OF WASHINGTON
	Request 18 Jan, 77 Emulsion Exposure of 10 plates would be exposed in a negative from 75,000 - 200.000 particles/sq.om. 13 Dec, 77 Emulsion Exposure with a request for the beam energy to the second se	

531	NEUTRINO ; BEAM: Neutrino	Area - Wide Band	Horn	AICHI UNIV. OF EDUCATION (JAPAN) FERMILAB	
	A PROPOSAL TO EMULSION SPECT	STUDY WEAK DECAY	LIFETIMES OF NEUTRINO PRODUCED PARTICLES IN A TAGG	ED ICRR, UNIVERSITY OF TOKYO (JAPAN) KOBE UNIVERSITY (JAPAN) KOBE UNIVERSITY (JAPAN) KOREA UNIVERSITY (CANADA) NAGOYA UNIVERSITY (CANADA) OHIO STATE UNIVERSITY OKAYAMA UNIVERSITY (JAPAN) OSAKA CITY UNIVERSITY (JAPAN) OSAKA CITY UNIVERSITY (JAPAN) OSAKA CITY UNIVERSITY (JAPAN) UNIVERSITY OF OTTAWA (CANADA) UNIVERSITY OF TORONTO (CANADA) UNIVERSITY OF TORONTO (CANADA) VIRGINIA POLYTECHNIC INSTITUTE YOKOHAMA NATIONAL UNIV. (JAPAN)	
	Request	19 May, 78 3	,500 Hours or a total proton flux of 3 x 10 to the ,000 Hours including a second parasitic run ,250 Hours total with an additional 1,100 hours red to the 18th protons each, the first to 1 the second to be antineutrinos (350 GeV	quested for two runs of 6 x 10 be neutrinos (350 GeV pi+),	
	Approval	15 Mar, 77 P 1 Jul, 79 P	arasitic Running concurrent with other neutrino exp arasitic Running concurrent with the next 15-foot Wide Band Horn	periments	
	Completed	1 Jun, 81 3			
33	PI-MU ATON BEAM: Meson Ar PROPOSAL TO ME	es – M3 Besm	Gordon B. Thomson Formation of PI-MU atoms in K-Long M 3 decay.	UNIVERSITY OF CHICAGO STANFORD UNIVERSITY UNIVERSITY OF WISCONSIN-MADISON	
	Request	1 Feb, 77	500 Hours based on 3 x 10 to the 6th K-longs/pulse	e in the M3 beam	
	Approval	18 Mar, 77 19 Mar, 79 2	500 Hours with the requirement that preliminary s' costs for the experiment are reasonable 100 Hours for the additional 1.500 hours requested		
	Completed	28 Nov, 79 2	complete the experiment 050 Hours		
36	EMULSION/	NEUTRINO #53 Area - Wide Band	6 Kiyoshi Niu	AICHI UNIV. OF EDUCATION (JAPAN) NAGOYA UNIVERSITY (JAPAN)	
			IN NUCLEAR EMULSIONS. 500 Hours or 1 x 10 to the 18th protons to be run	YOKOHAMA NATIONAL UNIV. (JAPAN)	
	Approval	10 Feb, 77 P	beam on a parasitic basis with the regul arasitic Running		
	Completed	13 Aug, 77	2 Stack(s)		
537	DI-MUON #5 BEAM: Proton A PROPOSAL TO ST	rea - West	Bradley B. Cox CTIONS IN THE P-WEST HIGH INTENSITY LABORATORY	UNIVERSITY OF ATHENS (GREECE) FERMILAB MCGILL UNIVERSITY (CANADA) UNIVERSITY OF MICHIGAN SHANDONG UNIVERSITY (PRC)	
	Request 14 Feb, 77 1,700 Hours with 300 hours of tuning and 600 hours initial data run to be followed by 800 hours for final data run, all in high intensity secondary beam				
			,400 Hours to include 100 hours of tuneup, 300 hour 700 hours of pi+ → 200 or 300 GeV and 30 ,000 Hours in high intensity secondary beam. Phase for tune up and 750 hours for data takin p bars. Phase 2 would consist of 250 h	00 hours of pber Ə 100 GeV e 1 would consist of 250 hours ng on di-muon production by ours for tune up and 750 hours	
	Approval Completed	16 Mar, 78 1 28 Feb, 82 2	for data taking on di-electron productio 2000 Hours for study of di-muon production by pbars 2000 Hours		
40		ea – M3 Beam Ew Metastable par	Michael J. Longo TICLES TRAPPED IN MATTER.	UNIVERSITY OF MICHIGAN	
	Request	22 Mar, 77 l	900 Hours with a running period of six months in 4 used 50 - 75% of the time available.	the M3 beam. The beam would be	
	Approval Completed	23 May, 77 P 21 Feb, 78	arasitic Running conditional on negotiation of an a will be mounted and run under low		
545	15-FOOT NE	UTRINO/D2&HI	Z #545 George A. Snow	ILLINOIS INSTITUTE OF TECHNOLOGY	
	PROPOSAL FOR A IN THE 15-FOOT	Area - Wide Band N EXTENSION OF E- BUBBLE CHAMBER W n will be without	151/E-227 TO STUDY NEUTRING INTERACTIONS IN DEUTER ITH PLATES.	UNIVERSITY OF MARYLAND SUNY AT STONY BROOK TOHOKU UNIVERSITY (JAPAN) TUPTS UNIVERSITY	
	Request	18 Apr, 77 21 Dec, 77	300 K Pix 500 K Pix to be run in the wide band beam with 1.3	3 x 10 to the 13th protons per	
	Approval	16 Mar, 78	pulse incident on the target at 400 GeV 350 K Pix or equivalently 3.5 x 10 to the 18th pro the test of the plate system will be suc	otons; with the assumption that ccessful	
	Completed	28 Jun, 78 17 Jan, 79	350 K Pix to be run in the 15-ft chamber without p 317 K Pix	places	
4 6	BEAM: Neutrino HIGH ENERGY NE			UNIV. OF CALIFORNIA, BERKELEY FERMILAB UNIVERSITY OF HAWAII AT MANOA LAWRENCE BERKELEY LABORATORY	
				UNIVERSITY OF WASHINGTON UNIVERSITY OF WISCONSIN-MADISON	
	Request Approval Completed	27 Apr, 77 29 Jun, 77 P 26 Jan, 78	250 K Pix with specific interest in an exposure of spasitic Running concurrent with other neutrino run 375 K Pix	f 5 x 10 to the 18th protons	
547	BEAM: Neutrino	PROTONS @ 40 Area - Miscellan		CRN, STRASBOURG (FRANCE) UNIVERSITY OF LYON (FRANCE) UNIVERSITY OF SANTANDER (SPAIN)	
47	TELESCOPE TECH				
547		VIQUES. 27 Apr, 77 E	mulsion Exposure in a 400-500 GeV proton beam with particles over a surface 5 x 5 cm mulsion Exposure	incoming flux of 5 x 10 to the 4th	

549	QUARK #549 BEAM: Neutring	9 Michael J. Longo	UNIVERSITY OF MICHIGAN STANFORD UNIVERSITY
	A SEARCH FOR F	FRACTIONAL CHARGES USING ACCELERATOR AND LOW TEMPERATURE TECHNIQUES.	
	Request Approval	2 May, 77 Peresitic Running to expose at least 12 niobium spheres in the with intensities of > 1 x 10 to the 13th per 16 May, 77 Peresitic Running contingent on the target being prepared and experimenters	pulse
	Approved/Insc	tive 1 Oct, 78 1 Target Exposure(s) as of 1 Oct 1978	
552		ERING #552 Felix Sannes 1 Terset Ares (C-O) STUDY P - P ELASTIC AND P - D COHERENT SCATTERING.	IMPERIAL COLLEGE (ENGLAND) UNIVERSITY OF ROCHESTER RUTGERS UNIVERSITY
	Request Approval Completed	6 May, 77 900 Hours 25 Jun, 77 800 Hours conditional on cryogenic operation of the Internal 9 Apr. 78 950 Hours	Target Area
553	NEUTRINO		CORNELL UNIVERSITY
	A PROPOSAL TO NEUTRINOS	o Area - Wide Band Horn SEARCH FOR SHORT-LIVED PARTICLES PRODUCED BY ANTINEUTRINOS AND id emulsion-visual detecter.)	UNIVERSITY OF LIBRE (BELGIUM) UNIVERSITY OF LUND (SWEDEN) UNIVERSITY OF OKLAHOMA UNIVERSITY OF PADOVA (ITALY) UNIVERSITY OF PITTSBURGH INFN, ROME (ITALY) UNIVERSITY OF SVDNEY (AUSTRALIA) UNIVERSITY OF TORINO (ITALY) YORK UNIVERSITY (CANADA)
	Request Approval	6 May, 77 2,000 Hours with a specific request for 4 x 10 to the 18th pro 5 Mar, 79 2,500 Hours total with an additional 1,000 hours for a run of the 18th protons with the broad band beam tuned fo 24 Jun, 77 Parasitic Running conditional on review of detector tests	at least 7 × 10 to
		16 Nov, 77 Peresitic Running conditionel on review of detector tests in J 1 Jul, 79 Peresitic Running concurrent with the next 15-foot bubble chem Wide Bend Horn	
	Completed	1 Apr, 80 1,500 Hours	
555	BEAM: Meson Ar A PROPOSAL TO PRODUCTION AT	IVPERON #555 Thomas J. Devlin rea - M2 Beam STUDY CROSS SECTIONS AND POLARIZATION IN NEUTRAL STRANGE PARTICLE HIGH TRANSVERSE MOMENTUM. utral hyperon beam and associated experimental	UNIVERSITY OF MICHIGAN UNIVERSITY OF MINNESOTA RUTGERS UNIVERSITY UNIVERSITY OF WISCONSIN-MADISON
	Request Approval Completed	6 May, 77 250 Hours for tuneup and data 19 May, 78 530 Hours for tuning and data at intensities of 1 x 10 to the 15 Nov, 78 450 Hours 17 Feb, 82 650 Hours	e 11th per pulse
557	PROPOSAL TO ST SPECTROMETER.	ETS #557 Ernest I. Malamud res - Test Beam TUDY HADRON JETS WITH THE CALORIMETER TRIGGERED MULTIPARTICLE of work begun in exp #260.)	UNIVERSITY OF ARIZONA CALIFORNIA INSTITUTE OF TECHNOLOGY FERMILAB FLORIDA STATE UNIVERSITY GEORGE MASON UNIVERSITY UNIV. OF ILLINOIS, CHICAGO CIRCLE INDIANA UNIVERSITY UNIVERSITY OF MARYLAND IHEP, PROTVINO (SERPUKHOV)(RUSSIA) RUTGERS UNIVERSITY
	Request	9 May, 77 1,600 Hours for data with a suggested run plan as follows - 400	
	Approval	800 hours with upgraded M6-beam at 300 GeV, and 400 24 Jun, 77 l,600 Hours conditional on a better understanding of beam requ: experiment after an upgrading of the M6 beam	
	Completed	14 Jul, 84 1,470 Hours	
564	BEAM: Neutrino DIRECT DETECTI	EMULSION/NEUTRINO#564 Louis Voyvodic b Area - Mide Band Horn ion of short-lived particles from neutring interactions in nuclear ide the 15-foot bubble chamber.	FERMILAB ILLINOIS INSTITUTE OF TECHNOLOGY JINR, DUBNA (RUSSIA) UNIVERSITY OF KANSAS INP, KRAKOW (POLAND) ITEP, MOSCOW (RUSSIA) IHEP, PROTVINO (SERPUKHOV)(RUSSIA) INST.FOR NUCL. RESEARCH (BULGARIA) UNIVERSITY OF SYDNEY (AUSTRALIA) UNIVERSITY OF WASHINGTON
	Request	11 May, 77 1.500 Hours with a specific request for neutrinos from a total 3 x 10 to the 18th; running is proposed during the period with a deuterium fill planned for the spring 8 May, 79 1,100 Hours additional to be run parasitically in the 15-ft chu two auxiliary cameras is requested for the neutring	15-foot running g of 1978 ømber. film from
	Approval	running 24 Jun, 77 Parasitic Running with the understanding that the experiment im	
	Approval Completed	running	mpose only a small impact

565	30-INCH HYBRID #565 Irwin A. Pless BEAM: Neutrino Ares - 30 in. Hadron Beam A STUDY OF THE DETAILED CHARACTERISTICS OF HADRON-NUCLEUS COLLISIONS USING THE FERMILAB HYBRID SPECTROMETER. (The experiment would be run with aluminum, silver, and gold foil targets mounted inside the 30-inch hydrogen-filled bubble chamber.) Request 2 Jun, 77 3,000 K Pix in a 400 GeV proton beam (400 hours, 1,000K pix) and a 200 line	BROWN UNIVERSITY FERMILAB COLLEGE DE FRANCE (FRANCE) INDIANA UNIVERSITY MASSACHUSETTS INST. OF TECHNOLOGY NIJMEGEN UNIVERSITY (NETHERLANDS) OAK RIDGE NATIONAL LABORATORY RUTGERS UNIVERSITY STEVENS INSTITUTE OF TECHNOLOGY UNIVERSITY OF TEL-AVIV (ISRAEL) UNIVERSITY OF TEL-AVIV (ISRAEL) UNIVERSITY OF TENESSEE, KNOXVILLE TOHOKU GARUUN UNIVERSITY (JAPAN) TOHOKU UNIVERSITY (JAPAN) YALE UNIVERSITY
	plus pion beam (800 hours, 2,000K pix) 7 Feb, 78 2,000 K Pix to be taken as follows- 500K pix with 200 GeV incident pio 500K pix with 200 GeV incident pi- 800K pix with 200 GeV incident pi- 200K pix with 400 GeV incident pro	tons
	Approval 16 Mar, 78 Parasitic Running with exp #570 Completed 1 Jun, 82 1,068 K Pix total for E-565 and E-570	
567	PARTICLE SEARCH #567 Michael S. Witherell BEAM: Proton Ares - West SEARCH FOR CHARM PRODUCTION IN 200 GEV/C HADRON INTERACTIONS. (Using the spectrometer for exp #302 with additions.)	BROOKHAVEN NATIONAL LABORATORY CEN-SACLAY (FRANCE) FERMILAB PRINCETON UNIVERSITY UNIVERSITY OF TORINO (ITALY)
	Request13 Jun, 77500 HoursApproval24 Jun, 77500 Hours with 100 hours for checkout and 400 hours for data-takingCompleted7 Nov, 791,650 Hours see exp #650	
568	EMULSION/PI- @ 300 #568 Jacques D. Hebert BEAM: Neutring Arem - Miscellaneous 300 Gev PION INTERACTIONS IN NUCLEAR EMULSION.	UNIVERSITY OF BELGRADE(YUGOSLAVIA) CRN, STRASBOURG (FRANCE) FERMILAB UNIVERSITY OF LUND (SWEDEN) UNIVERSITY OF NANCY (FRANCE) UNIVERSITY OF OTTAWA (CANADA) UNIV. OF PARIS VI, LPG (FRANCE) LRC, LYON (FRANCE) UNIVERSITY OF SANTANDER (SPAIN) UNIVERSITY OF VALENCIA (SPAIN)
	Request8 Aug, 77 Emulsion Exposure of 3 stacks in a negative beam of about 30K particlesApproval16 Sep, 77 Emulsion Exposure of 3 stacks in a 300 GeV negative beam with a flux of per cm sq over an area of 3 x 3 cm sq	
	Completed 15 Jan, 78 3 Stack(s)	
570	30-INCH HYBRID #570 Irwin A. Pless BEAM: Neutrino Ares - 30 in. Hadron Beam PROPOSAL FOR A STUDY OF PARTICLE PRODUCTION AND DYNAMICS FROM X = 0 TO X = 1 AND THE DEPENDENCE ON INCIDENT QUANTUM NUMBERS. (Supercedes proposal #488. Will use the forward gamma detector and the downstream ISIS system with the 30-inch hybrid spectrometer.)	BROWN UNIVERSITY FERMILAB COLLEGE DE FRANCE (FRANCE) INDIANA UNIVERSITY MASSACHUSETTS INST. OF TECHNOLOGY NIJMEGEN UNIVERSITY (NETHERLANDS) OAK RIDGE NATIONAL LABORATORY RUTGERS UNIVERSITY STEVENS INSTITUTE OF TECHNOLOGY UNIVERSITY OF TEL-AVIV (ISRAEL) UNIVERSITY OF TENNESSEE, KNOXVILLE TOHOKU GARUIN UNIVERSITY (JAPAN) TOHOKU UNIVERSITY (JAPAN) YALE UNIVERSITY
	Request 16 Sep, 77 2.000 K Pix to be taken with the 30-inch hybrid spectrometer exposed to 1.000K pix in a positive beam with 10% K+ and equal fraction protons and pi+, and 1.000K pix in a negative beam with 20% Approval 16 Mar, 78 1.500 Hours for a run of 15 weeks duration; combined with exp #565 Completed 1 Jun, 82 1.066 K Pix total for E-565 and E-570	ns of
573	EMULSION/PI- @ 300 #573 Noriyuki Ushida BEAM: Neutrino Area - Miscellaneous A SEARCH FOR CHARMED PARTICLES PRODUCED BY 300 GEV/C NEGATIVE PIONS IN NUCLEAR EMULSION.	AICHI UNIV. OF EDUCATION (JAPAN) Nagoya University (Japan) Yokohama National Univ. (Japan)
	Request 29 Nov, 77 3 Stack(s) exposed in a negative pion beam to an integrated flux of the 3rd particles per cm sq	7.5 × 10 to
	Approvel 29 Nov, 77 3 Stack(s) Completed 15 Jan, 78 3 Stack(s)	
574	EMULSION/PI- @ 300 #574 Wladysław Wolter BEAM: Neutrino Ares - Miscellaneous A STUDY OF THE MECHANISM FOR MULTIPLE PRODUCTION OF PARTICLES AT OR ABOVE 300 GEV PION INTERACTIONS IN NUCLEAR EMULSION.	INP, KRAKOW (POLAND)
	Request 1 Dec, 77 3 Stack(s) exposed in a 300 GeV negative pion beam to an integrated 5 x 10 to the 4th particles per cm sq Approval 1 Dec, 77 3 Stack(s) Completed 10 to the 4th particles per cm sq	intensity of
575	Completed 18 Jan, 78 4 Stack(s) EMULSION/PROTONS @ 400 #575 Jere J. Lord BEAM: Neutrino Ares - Miscellaneous	UNIVERSITY OF WASHINGTON
	PROPOSAL TO STUDY 400 GEV PROTON INTERACTIONS IN NUCLEAR EMULSION. Request 13 Dec, 77 2 Stack(s) to be exposed in a 400 GeV proton beam focused to a diamathematic than 5-10 mm. One stack to receive a total dose of 100k	
	the other 200K p/cm sq. Approval 13 Dec, 77 2 Stack(s) Completed 15 Jan, 78 2 Stack(s)	

BEAM: Neutrin	/PROTONS @ 500 #576 Jacques D. Hebert • Area - Miscellaneous • Interactions in Nuclear Emulsion	UNIVERSITY OF BELGRADE(YUGOSLAVL CRN, STRASBOURG (FRANCE) FERMILAB UNIVERSITY OF LUND (SWEDEN) UNIVERSITY OF LYON (FRANCE) UNIVERSITY OF NANCY (FRANCE)
		UNIVERSITI OF MANCI (FRANCE) UNIVERSITI OF OTTAWA (CANADA) UNIV. OF PARIS VI, LPG (FRANCE) UNIVERSITY OF SANTANDER (SPAIN) UNIVERSITY OF VALENCIA (SPAIN)
Request	21 Dec, 77 Emulsion Exposure exposed in a 500 GeV proton beam to a tota 3×10 to the 4th particles per cm sq	al integrated flux of
Approval Completed	20 Feb, 78 Emulsion Exposure 11 Jul, 85 1 Emulsion Stack(s)	
BEAM: Meson A	CATTERING #577 Roy Rubinstein rea - M6 Beam Easure PI P Elastic Scattering at large angles.	UNIVERSITY OF ARIZONA UNIV. OF CALIFORNIA, SAN DIEGO CORNELL UNIVERSITY FERMILAB
Request	30 Jan, 78 1,000 Hours to be run in a 200 GeV incident beam with a beam 5×10 to the 7th and 5 x 10 to the 8th pions pe	
Approval Completed	29 Jun, 78 1,000 Hours 16 Mar, 81 1,550 Hours	
BO PARTICLE S	SEARCH #580 Daniel R. Green	UNIVERSITY OF ARIZONA
	VARROW AND BROAD RESONANCES DECAYING INTO LAMBDA-LAMBDA BAR, BAR-PI, K SHORT AND K SHORT-K SHORT-PI FROM PI- P INTERACTIONS AT 300	FERMILAB FLORIDA STATE UNIVERSITY NOTRE DAME UNIVERSITY TUFTS UNIVERSITY VANDERBILT UNIVERSITY VIRGINIA POLYTECHNIC INSTITUTE
Request	31 Jan, 78 800 Hours to be run in a pion beam with an incident flux o pions per pulse at 300 GeV	
Approval Completed	29 Jun, 78 800 Hours 1 Jun, 81 800 Hours	
BI POLARIZED BEAM: Meson Ar CONSTRUCTION O USING SUCH A F	D SCATTERING #581 res - Polerized Proton Beem DF A POLARIZED BEAM FACILITY IN THE MESON LABORATORY AND EXPERIMENTS	ARGONNE NATIONAL LABORATORY CEN-SACLAY (FRANCE) FERMILAB HIROSHIMA UNIVERSITY (JAPAN) UNIVERSITY OF IOWA
		KYOTO UNIVERSITY (JAPAN) KYOTO UNIV. OF EDUCATION (JAPAN) LAPP, D'ANNECY-LE-VIEUX (FRANCE) LOS ALAMOS NATIONAL LABORATORY NORTHWESTERN UNIVERSITY UN. OF OCCUP. & ENV. HEALTH(JAPAN) IHEF, PROTVINO (SERPUKHOV)(RUSSIA) RICE UNIVERSITY UNIVERSITY OF UDINE (ITALY) UNIVERSITY OF UDINE (ITALY)
Request	31 Jan, 78 1,200 Hours to include- 600 hours for total cross section d	ifference measurements
	600 hours for asymmetry measurement production 30 Jan, 79 1,670 Hours to include- 200 hours for beam measurements 1,000 hours for high p-transverse phy 220 hours for cross section measure	sics
Approval	250 hours for hadron production at 27 Nov, 79 Unspecified approval for the construction of a polarized bea	m only
Approved/Inact	There is no approval yet for any experiment to u ive 10 Feb, 84 Unspecified	se the beam.
		UNIVERSITY OF CHICAGO STANFORD UNIVERSITY UNIVERSITY OF WISCONSIN-MADISON
Request Approval Completed	31 Jan, 78 300 Hours to be run in the M3 beam as modified for experim 29 Jun, 78 300 Hours with low priority 22 Jan, 80 400 Hours	ent #533
	RGE EXCHANGE #585 William R. Francis	UNIV. OF CALIFORNIA, DAVIS
	ea - MA Beam STUDY EXCLUSIVE KN CHARGE EXCHANGE AT FERMILAB. ter from experiment #383 would be used.)	UNIV. OF CALIFORNIA, SAN DIEGO CARELTON UNIVERSITY (CANADA) MICHIGAN STATE UNIVERSITY
Request	31 Jan, 78 600 Hours to be run immediately following the conclusion o 13 Nov, 78 2,700 Hours for 7 weeks of data to finish K- running and 9 w experiment with a K+ beem and a deuterium target	f exp #383 eeks to repeat the
Approval	16 Mar, 78 600 Hours with conditions before the Meson Laboratory paus 21 Dec, 78 1.800 Hours with the approval of an additional 7 weeks of ru K- date; no commitment is made to K+ running	
Completed	16 Mar, 81 3,150 Hours	
BROAD SEARCH F	EARCH #591 Laszlo J. Gutay Target Ares (C-O) OR NEN HADRONIC STATES VIA HIGH RESOLUTION CHARGE AND MASS OF NUCLEAR FRAGMENTS.	FERMILAB PURDUE UNIVERSITY
Request Approvel	31 Jan, 78 800 Hours to include 200 hours for setup and 600 hours for 21 Apr, 78 800 Hours 8 Feb, 81 1,950 Hours	data
Completed	CALING #592 Sherman Frankel	ITEP, MOSCOW (RUSSIA) UNIVERSITY OF PENNSYLVANIA
2 NUCLEAR S	rea - West [°] XPERIMENTAL STUDY OF THE RELATIONSHIP BETWEEN HADRONIC AND NUCLEAR Y HIGH ENERGIES.	COLLEGE OF WILLIAM AND MARY
2 NUCLEAR S	XPERIMENTAL STUDY OF THE RELATIONSHIP BETWEEN HADRONIC AND NUCLEAR	m location in P-West

_			
594	NEUTRINO #594 BEAM: Neutrino Area - Dichromatic proposal for a New Neutrino Detec		FERMILAB ILLINOIS INSTITUTE OF TECHNOLOGY MASSACHUSETTS INST. OF TECHNOLOGY MICHIGAN STATE UNIVERSITY NORTHERN ILLINOIS UNIVERSITY
		00 Hours for data to include: Experiment A (a study of semi-leptonic current reactions) to rec 10 to the 18th protons ut the narrow band beam at 2 Experiment B (neutrino electron elastic ing) to require 6 x 10 to protons utilizing the two	uire 6 x tilizing 250 GeV 5 scatter- 5 the 18th
	Approval16 Mar, 78 UnsjCompleted14 Jun, 82 4,40		
595	PARTICLE SEARCH #595 BEAM: Neutrino Ares - 15 ft. Hadro A STUDY OF CHARM AND OTHER NEW FL. (Continuation of work begun in exp	AVORS PRODUCED IN PION-NUCLEON COLLISIONS.	CALIFORNIA INSTITUTE OF TECHNOLOGY UNIVERSITY OF CHICAGO FERMILAB UNIVERSITY OF ROCHESTER STANFORD UNIVERSITY
		00 Hours to include 400 hours at 300 GeV with an incident intensity o the 5th pi- per pulse and 400 hours at 250-300 GeV with inci intensity of 10 to the 6th pi- per pulse 50 Hours for the low-pt part of the experiment 50 Hours	
596	PARTICLE SEARCH #596 BEAM: Neutrino Ares - Muon/Hadron ON SEARCHING FOR HEAVY STABLE PAR (A continuation of work begun with	Leon M. Lederman Beam TICLES	COLUMBIA UNIVERSITY FERMILAB SUNY AT STONY BROOK
	Approval 1 May, 78 1	50 Hours to be run with the beam tuned to 75 GeV and assuming 10 to t primary protons incident per pulse 50 Hours 00 Hours	the 13th
597	BEAM: Neutrino Ares - 30 in. Hadro PROPOSAL FOR A HIGH STATISTICS STI PBAR, P. PI+ AND K+ INTERACTIONS UTILIZING THE FERMILAB 30-INCH HYI	UDY OF PEAR-P ANNIHILATIONS AND A COMPARISON OF S ON HYDROGEN, MAGNESIUM, AND GOLD AT 100 GEV/C DROGEN BUBBLE CHANBER.	UNIVERSITY OF CAMBRIDGE (ENGLAND) DUKE UNIVERSITY FERMILAB UNIVERSITY OF KANSAS MICHIGAN STATE UNIVERSITY NOTRE DAME UNIVERSITY
	Approvel 16 Mar, 78 1,00	50 K Pix to be taken as follows- 1,000K pix in negative beam @ 100 G 400K pix in positive beam @ 100 G 50K pix in negative beam @ 360 G 00 Hours for a run of 10 weeks duration 58 K Pix	3eV
605	HIGH MASS PAIRS #605 BEAM: Meson Ares - East A STUDY OF LEPTONS AND HADRONS NE/ (Using an apparatus with higher lu experiment #288.)		CEN-SACLAY (FRANCE) CERN (SWITZERLAND) COLUMBIA UNIVERSITY FERMILAB KEK (JAPAN) KYOTO UNIVERSITY (JAPAN) SUNY AT STONY BROOK UNIVERSITY OF WASHINGTON
	28 Nov, 78 4,00	00 Hours to be run with an incident intensity greater than 10 to the protons/pulse at an energy of at least 400 GeV 00 Hours in the Phase I configuration. an incident beam of 400 GeV pr would be needed with an intensity of 3 x 10 to the 12th per 00 Hours with the Phase I detector	13th rotons
	Completed 29 Aug, 85 3,97		
608	PARTICLE SEARCH #608 BEAM: Proton Area - Center A search for The Eta Sub c in Hadd (Using the spectrometer from exp s		COLUMBIA UNIVERSITY FERMILAB SUNY AT STONY BROOK
	Approval 25 Jan, 79 Para	00 Hours in the P-center proton beam at an incident intensity of 3 x 9th protons per pulse asitic Running 00 Hours	10 to the
609	HADRON JETS #609 BEAM: Meson Ares - M6 Beam A STUDY OF THE STRUCTURE OF HIGH F (This proposal supersedes P-246.)	P TRANSVERSE HADRONIC INTERACTIONS.	ARGONNE NATIONAL LABORATORY FERMILAB LEHIGH UNIVERSITY UNIVERSITY OF PENNSYLVANIA RICE UNIVERSITY UNIVERSITY OF WISCONSIN-MADISON
		00 Hours for Phase 1 to be run in a beam with 400 GeV capability with 10 to the 8th protons per sec incident Phase 2 would include addition of a large aperture magnet. C imaging device and PWC's; Phase 3 would include a request fo energy beam	Cerenkov
	30 Jan, 80 1,50	pecified with conditions 00 Hours 20 Hours	
610	PARTICLE SEARCH #610 BEAM: Neutring Area - Mugn/Hedron Pion Production of Heavy Quark Mes	Thomas B. W. Kirk	FERMILAB HOWARD UNIVERSITY UNIVERSITY OF ILLINOIS, CHAMPAIGN UNIVERSITY OF PENNSYLVANIA PURDUE UNIVERSITY TUFTS UNIVERSITY
	Approval 21 Dec, 78 1,00	00 Hours to be run with an incident intensity of 10 to the 13th proto pulse on the production target 00 Hours with a schedule yet to be formally determined 50 Hours see proposal #673	ons pêr

B	PHOTON DISSOCIATION #612 BEAM: Proton Area - East A proposal to measure the diffractive photo	Konstantin Goulianos DN DISSOCIATION ON HYDROGEN.	ROCKEFELLER UNIVERSITY
-	lequest 2 Oct, 78 1,150 Hours	to be run in the tagged photon beam with 10 to the shotons per pulse	e 6th incident
	Approval 15 Nov, 78 1,150 Hours Completed 12 Apr, 82 1,850 Hours		
B	BEAM DUMP #613 BEAM: Meson Ares - M2 Beam Roposal for a prompt neutring experiment A	Byron P. Roe	UNIVERSITY OF FIRENZE (ITALY) UNIVERSITY OF MICHIGAN OHIO STATE UNIVERSITY UNIVERSITY OF WISCONSIN-MADISON
		to obtain an exposure of $1 - 2 \times 10$ to the 17th pr incident intensity of 1×10 to the 12th protons/p with an expected reassessment of physics prioritie	otons with an oulse
	f Completed 13 May, 82 1,800 Hours	Implications for this experiment in the fall of 19	979
615 F	FORWARD SEARCH #615 BEAM: Proton Ares - West	Kirk T. McDonald	UNIVERSITY OF CHICAGO FERMILAB
A Pi	STUDY OF THE FORWARD PRODUCTION OF MASSIV RODUCTION OF MUON PAIRS MOULD BE STUDIED. Using a forward spectrometer with mass sel		IOWA STATE UNIVERSITY PRINCETON UNIVERSITY
R	1 7 May, 79 1,000 Hours 4 7	to be run in a 50-GeV pion beam at an incident int 10 to the 10th pions per pulse to include 600 hours of running with 250 GeV pions 75 GeV pions. A primary proton intensity of 10 to on the P-West production target and 300 pulses per	s and 200 hours with b the 13th per pulse
	ompleted 1 Jul, 79 1,000 Hours		
B	NEUTRINO #616 EAM: Neutrino Ares - Dichromatic	Frank Sciulli	CALIFORNIA INSTITUTE OF TECHNOLOGY COLUMBIA UNIVERSITY
(ROPOSAL TO MEASURE NEUTRINO STRUCTURE FUNC Use of the Lab E neutrino detector to cont exp #356.)		FERMILAB UNIVERSITY OF ROCHESTER ROCKEFELLER UNIVERSITY
	t	to include specifically 600 hours for checkout, ca mackground studies, and 2 x 10 to the 19th protons approximately or 2 x 10 to the 19th protons to be	at 400 GeV for data
		unning for exp #356	
	CP VIOLATION #617 EAM: Meson Ares - M3 Beam	Bruce D. Winstein	CEN-SACLAY (FRANCE) University of Chicago
A	STUDY OF DIRECT CP VIOLATION IN THE DECAY EASUREMENT OF THE RATIO OF ETA 00 TO ETA 4		
A	equest 30 Jan, 79 1,000 Hours f pproval 19 Mar, 79 1,000 Hours completed 14 Jun, 82 2,300 Hours	or data	
Bi	TRANSITION MAGNETIC MOMENT # EAM: Proton Ares - Center Measurement of the sigma-zero to lambda t		UNIVERSITY OF MICHIGAN UNIVERSITY OF MINNESOTA RUTGERS UNIVERSITY UNIVERSITY OF WISCONSIN-MADISON
	1	to be run in the diffracted proton beam (normally intensity between 10 to the 8th and 10 to the 9th with a 1-sec spill	
	pproval 1 Jul, 79 250 Hours ompleted 14 Jun, 82 675 Hours		
B	CHARGED HYPERON MAG MOMENT EAM: Meson Ares - M2 Beam ROPOSAL TO MEASURE THE MAGNETIC MOMENTS OF		UNIVERSITY OF MICHIGAN UNIVERSITY OF MINNESOTA RUTGERS UNIVERSITY
H	YPERONS USING THE FERMILAB NEUTRAL HYPERON		UNIVERSITY OF WISCONSIN-MADISON
Ar		ntensity of 10 to the 9th protons per pulse and m	
621 C BE	CP VIOLATION #621 EAM: Proton Ares - Center	Gordon B. Thomson	UNIVERSITY OF MICHIGAN UNIVERSITY OF MINNESOTA
<u>(</u>	MEASUREMENT OF THE CP VIOLATION PARAMETER Use of the neutral hyperon spectrometer is equest 7 May, 79 1.200 Hours t	assumed.)	RUTGERS UNIVERSITY
	2	to be run in 2 phases consisting of 100 hours for Phase 1 with some modifications to t 000 hours for Phase 2 at a later date after resul een analyzed	he present apparatus ts from Phase 1 have
Co	ompleted 29 Aug, 85 2,470 Hours	H. Richard Gustafson	UNIVERSITY OF MICHIGAN
PR	EAM: Meson Area - M2 Beam Roposal to search for fractional charge pa	RTICLES FROM A MAGNETIZED BEAM DUMP.	
Ap	f	o be run partially in conjunction with exp #361 u rom that experiment ning in a mode that is not to interfere with the	
523 P.	ARTICLE SEARCH #623	Daniel R. Green	UNIVERSITY OF ARIZONA
PR CE	EAM: Meson Area - M6 Béam RoPosal TO STUDY HIGH MASS STATES DECAYING ENTRALLY IN 300 GEV/C PI MINUS PROTON INTE Use of the Fermilab multiparticle spectrom	RACTIONS.	FERMILAB FLORIDA STATE UNIVERSITY NOTRE DAME UNIVERSITY TUFTS UNIVERSITY VANDERBILT UNIVERSITY VIRGINIA POLYTECHNIC INSTITUTE
	f	o be run in a 300 GeV/c beam of negative pions at aw times 10 to the 6th pions per pulse o be run before 1983	
	ompleted 14 Jun, 82 425 Hours		

629	DIRECT PHOTON PRODUCTION #629 Charles A. Nelson, Jr. BEAM: Meson Ares - M1 Beam Direct Photon Production in Hadron Nucleus Collisions.	FERMILAB MICHIGAN STATE UNIVERSITY UNIVERSITY OF MINNESOTA NORTHEASTERN UNIVERSITY UNIVERSITY OF ROCHESTER TEXAS A&M UNIVERSITY
	Request 25 Feb, 80 600 Hours to include 200 hrs for set up, 400 hrs Approval 7 Jul, 80 Unspecified approved as a test in the M-1 beam lin Completed 9 Mar, 81 600 Hours	
530	CHARM PARTICLE #630 Jack Sandweiss BEAM: Proton Ares - Center STUDY OF B PARTICLE AND CHARMED PARTICLE PRODUCTION AND DECAY USING A HIGH RESOL STREAMER CHAMBER.	FERMILAB LAWRENCE BERKELEY LABORATORY VALE UNIVERSITY
	Request 26 Feb, 80 600 Hours Approval 15 Mar, 80 600 Hours Completed 15 Mar, 82 1,150 Hours	
531	NUC CALIBRATION CROSS SECT #631 Samuel I. Baker BEAM: Neutrino Ares - Miscelleneous A MEASUREMENT OF NUCLEAR CALIBRATION CROSS SECTIONS FOR PROTONS BETWEEN 100 AND GEV.	BROOKHAVEN NATIONAL LABORATORY CERN (SWITZERLAND) FERMILAB
	Request26 Feb. 8025 Exposure(s)Approvel15 Dec. 80Unspecified in neutrino areaCompleted1 Jun. 8141 Exposure(s)	
532	15-FT NEUTRINO/H2 & NE #632 Douglas R. O. Morrison an BEAM: Nautrino Ares - Center AN EXPOSURE OF THE 15-FOOT BUBBLE CHAMBER WITH A NEON-HYDROGEN MIXTURE TO A WIDE NEUTRINO BEAM FROM THE TEVATRON.	UNIV. OF CALIFORNIA, BERKELEY
	Request 25 Åpr. 80 250 K Pix Approval 18 Jun, 82 1 E18th Protons Stage I approval. 15 Dec. 83 1 E18th Protons Stage II approval. Completed 1 Feb. 88 446 K Pix	
535	NEUTRINO #635 BEAM: Neutrino Ares - Prompt Beam PROPOSAL TO MEASURE MUON NEUTRINO ELECTRON AND MUON ANTI-NEUTRINO ELECTRON ELAST SCATTERING, NEUTRINO OSCILLATIONS, AND DECAYS OF LONG-LIVED NEUTRAL PARTICLES AT TEVATRON OF FERMILAB.	
	Request 25 Apr, 80 3 x 10 to the 18th protons 16 Mar. 83 Unspecified Approval 12 Nov. 83 Unspecified Stage I approval. Approved/Inactive 1 Feb, 88 Unspecified	
636	BEAM DUMP #636 BEAM: Neutrino Area - Prompt Beam NEUTRINO INTERACTION STUDIES WITH A HEAVY LIQUID BUBBLE CHAMBER AT TEVATRON ENER USING A BEAM DUMP TECHNIQUE TO PRODUCE THE NEUTRINO BEAM.	BROWN UNIVERSITY
	Request 25 Apr, 80 2.5 E18th Protons Approval 14 Nov, 80 Unspecified Approved/Inactive 1 Feb, 88 Unspecified	
546	15-FT BEAM DUMP #646 Michael W. Peters BEAM: Neutring Area - Prompt Beam SEARCH FOR THE TAU NEUTRING AND STUDY OF ELECTRON NEUTRING AND ELECTRON ANTI-NEU INTERACTIONS.	UNIV. OF CALIFORNIA, BERKELEY FERMILAB UNIVERSITY OF HAWAII AT MANOA ILLINOIS INSTITUTE OF TECHNOLOGY RUTGERS UNIVERSITY STEVENS INSTITUTE OF TECHNOLOGY TUFTS UNIVERSITY
	Request 25 Apr, 80 2 E18th Protons Approval 1 Jul, 81 Unspecified Approved/Inactive 1 Feb, 88 Unspecified	
650	PARTICLE SEARCH #650 Robert C. Webb BEAM: Proton Ares - West REQUEST FOR A CONTINUATION OF E-567.	BROOKHAVEN NATIONAL LABORATORY CEN-SACLAY (FRANCE) PRINCETON UNIVERSITY TEXAS A&M UNIVERSITY UNIVERSITY OF TORINO (ITALY)
	Request 29 Apr, 80 500 Hours Approval 7 Jul. 80 500 Hours expected to run in the spring 1981 run Completed 29 Dec. 80 550 Hours	ning period.

BEAM: Neutrino Are	3 PARTICLE SEARCH #653 Neville W. Reay BEAM: Neutring Area - East A proposal to measure charm and B decays via hadronic production in a hybrid emulsion spectrometer.		AICHI UNIV. OF EDUCATION (JAPAN) UNIV. OF CALIFORNIA, DAVIS CARNEGIE-MELLON UNIVERSITY CHONNAM NATIONAL UNIVERSITY(KOREA FERMILAB GIFU UNIVERSITY (JAPAN) GYEONGSANG NATIONAL UNIV. (KOREA) KINKI UNIVERSITY (JAPAN) KOBE UNIVERSITY (JAPAN)	
			KOBE ONVERSITY (JAPAN) NAGOYA INST. OF TECHNOLOGY (JAPAN) NAGOYA UNIVERSITY (JAPAN) OHIO STATE UNIVERSITY (JAPAN) UNIVERSITY OF OKLAHOMA OSAKA CITY UNIVERSITY (JAPAN) OSAKA SCIENCE EDUC. INST. (JAPAN) TOHO UNIVERSITY (JAPAN) UTSUNOMIYA UNIVERSITY (JAPAN) WON KWANG UNIVERSITY, IRI (KOREA)	
Request Approval Completed	l May, 80 l,500 Hours l Jul, 81 Unspecified 5 Feb, 88 l,800 Hours			
660 CHANNELING # BEAM: Meson Ares - Proposal to study of Bending.			CERN (SWITZERLAND) CHALK RIVER NUCLEAR LAB. (CANADA) FERMILAB JINR, DUBNA (RUSSIA) UNIVERSITY OF NEW MEXICO SUNY AT ALBANY UNIVERSITY OF STRASBOURG (FRANCE)	
Approval	0 Jun, 80 300 Hours 4 Nov, 80 400 Hours 3 Jun, 82 425 Hours			
663 LAMBDA POLA BEAM: Meson Ares -	RIZATION #663 Hans G. E.	Kobrak	UNIV. OF CALIFORNIA, DAVIS	
COMPARISON OF POLA PROTONS, ANTIPROTO	IZATION OF INCLUSIVELY PRODUCED LAMBDAS AND AN IS, KAONS AND PIONS ON HYDROGEN.	ITILAMBDAS BY	UNIV. OF CALIFORNIA, SAN DIEGO CARELTON UNIVERSITY (CANADA) FERMILAB MICHIGAN STATE UNIVERSITY	
	9 Sep, 80 1,000 Hours 4 Nov, 80 800 Hours must be completed by Ju 1 Jun, 81 500 Hours	ıly 1, 1981		
665 TEVATRON MU BEAM: Neutring Are Muon Scattering WI		hellman	ARGONNE NATIONAL LABORATORY UNIV. OF CALIFORNIA, SAN DIEGO FERMILAB FREIBURG UNIVERSITY (GERMANY) HARVARD UNIVERSITY UNIV. OF ILLINOIS, CHICAGO CIRCLE INP, KRAKOW (POLAND) LAWRENCE LIVERMORE LABORATORY UNIVERSITY OF MARYLAND MASSACHUSETTS INST. OF TECHNOLOGY MAX-PLANCK INSTITUTE (GERMANY) NORTHWESTERN UNIVERSITY OHIO UNIVERSITY UNIVERSITY OF PENNSYLVANIA UNIVERSITY OF WASHINGTON UNIVERSITY OF WUPPERTAL (GERMANY) YALE UNIVERSITY	
Request Approval Completed	3 Oct, 80 3,000 Hours 1 Jul, 81 1,000 Hours 0 Jan, 89 Tracking system upgrade. 8 Jan, 92 Unspecified			
Request	Center O SIGMA MINUS BEAM AT FERMILAB. 2 Dec, 80 1 K P1x	Wilkes	INP, KRAKOW (POLAND) UNIVERSITY OF WASHINGTON	
Approval Completed	2 Dec, 80 Unspecified 9 Mar, 81 6 Stack(s)			
667 EMULSION/PI- BEAM: Proton Area STUDY OF PION-NUCLI ENERGY ABOVE 500 G	East " US INTERACTIONS IN PURE EMULSION STACKS AND EM V.		INP, KRAKOW (POLAND) LEBEDEV PHYSICAL INST. (RUSSIA) LOUISIANA STATE UNIVERSITY TASHKENT, PHY.TEC.INS (UZBEKISTAN)	
	2 Dec, 80 Emulsion Exposure 8 Mar, 90 Unspecified 7 Aug, 90 Unspecified			
568 EMULSION/PI- BEAM: Unspecified Study of Pion Nucli Energy Above 800 G	eam " US INTERACTIONS IN PURE EMULSION STACKS AND EM		INP, KRAKOW (POLAND)	
Request Completed	2 Dec, 80 Emulsion Exposure 6 Apr, 85 Emulsion Exposure			
572A HADRON JETS BEAM: Meson Area - A STUDY OF HADRONIC HIGH-MASS DINUONS.			FERMILAB UNIV. OF ILLINOIS, CHICAGO CIRCLE INDIANA UNIVERSITY UNIVERSITY OF LOUISVILLE UNIVERSITY OF MICHIGAN IHEP, PROTVINO (SERPUKHOV)(RUSSIA)	
Request Approvel Completed	1 Feb. 81 2,000 Hours for data taking plus 50 1 Jul, 81 Unspecified 8 Jan, 92 Unspecified	0 hours for setup and testing		

673	CHI MESON #673 John W. Cooper BEAM: Neutrino Ares - Muon/Hadron Beam CHI MESON PRODUCTION BY HADRONS. (E-610 extension.)	FERMILAB UNIVERSITY OF ILLINOIS, CHAMPAIGN UNIVERSITY OF PENNSYLVANIA PURDUE UNIVERSITY TUFTS UNIVERSITY	
	Request 1 Feb, 81 1,500 Hours to be run with Dichromatic train during the fall 1981 period Approval 1 Jul, 81 Unspecified Completed 14 Apr, 82 1,100 Hours		
683	PHOTOPRODUCTION OF JETS #683 Marjorie D. Corcoran BEAM: Proton Area - Broad Band PHOTOPRODUCTION OF HIGH PT JETS.	BALL STATE UNIVERSITY FERMILAB UNIVERSITY OF IOWA LEHIGH UNIVERSITY UNIVERSITY OF MARYLAND UNIVERSITY OF MICHIGAN RICE UNIVERSITY UNIVERSITY OF TEXAS AT AUSTIN VANDERBILT UNIVERSITY UNIVERSITY OF WISCONSIN-MADISON	
	Request 1 Feb, 81 1,200 Hours including 500 hours for tune-up, calibration and sor running Approval 15 Dec, 83 Unspecified Stage I approval. 4 Apr, 87 Unspecified Stage II approval. Completed 8 Jan, 92 Unspecified	ne hadron beam	
687	PHOTOPRODUCTION OF CHARM AND B #687 Joel N. Butler and John P. Cumalat BEAM: Proton Ares - Broad Band HIGH ENERGY PHOTOPRODUCTION OF STATES CONTAINING HEAVY QUARKS AND OTHER RARE PHENOMENA.	UNIV. OF CALIFORNIA, DAVIS UNIVERSITY OF COLORADO AT BOULDER FERMILAB INFN, FRASCATI (ITALY) UNIVERSITY OF ILLINOIS, CHAMPAIGN INFN, MILANO (ITALY) UNIVERSITY OF MILANO (ITALY) UNIVERSITY OF NORTH CAROLINA NORTHWESTERN UNIVERSITY NOTRE DAME UNIVERSITY UNIVERSITY OF PAVIA (ITALY) UNIVERSITY OF PUERTO RICO	
	Request 1 Feb, 81 2,000 Hours including a 500 hour run with a thick target and a tanother 1500 hour run with an open geometry Approval 1 Jul, 81 Unspecified Stage I approval. 15 Dec, 83 Unspecified Stage II approval. Completed B Jan, 92 Unspecified Stage II approval.	beam dump and	
690	PARTICLE SEARCH #690 Bruce Knapp BEAM: Neutring Ares - Esst STUDY OF HADRONIC PRODUCTION AND SPECTROSCOPY OF STRANGE, CHARM AND BOTTOM PARTICLES AT THE TEVATRON.	COLUMBIA UNIVERSITY FERMILAB UNIVERSITY OF GUANAJUATO (MEXICO) UNIVERSITY OF MASSACHUSETTS TEXAS A&M UNIVERSITY	
	Request 1 Feb, 81 1,400 Hours including 400 hours of target fragmentation measurem installation and 1000 hours with full detector	ments during	
	Approval 1 Jul, 81 Unspecified 12 Nov, 83 Unspecified Stage I approval. 4 Apr, 87 Unspecified Stage II approval. 8 Jan, 92 Unspecified Completed 8 Jan, 92 Unspecified		
691	TAGGED PHOTON #691 Michael S. Witherell BEAM: Proton Ares - East PROPOSAL TO DO PHOTON PHYSICS WITH THE TEVATRON AT THE TAGGED PHOTON SPECTROMETER.	UNIV. OF CALIFORNIA, SANTA BARBARA CARELTON UNIVERSITY (CANADA) CBPF (BRAZIL) UNIVERSITY OF COLORADO AT BOULDER FERMILAB NATIONAL RESEARCH COUNCIL (CANADA) UNIVERSITY OF OKLAHOMA UNIVERSITY OF SAO PAULO (BRAZIL) UNIVERSITY OF TORONTO (CANADA)	
	Request1 Feb. 811,000 HoursApproval12 Nov, 83Unspecified Stage I approval.Completed29 Aug, 851,400 Hours		
700	NEUTRINO OSCILLATION #700 David J. Miller BEAM: Neutrino Area - Prompt Beam STUDY OF NEUTRINO OSCILLATIONS AND SEARCH FOR THE TAU NEUTRINO.	UNIVERSITY OF BARI (ITALY) ECOLE POLYTECH, PALAISEAU (FRANCE) ILLINOIS INSTITUTE OF TECHNOLOGY LONDON UNIVERSITY COLLEGE(ENGLANE TUFTS UNIVERSITY	
	Request 10 Feb, 81 2.5 El8th Protons Inactive 1 Apr, 84		
701	NEUTRINO OSCILLATION #701 Michael H. Shaevitz BEAM: Neutrino Area - Dichromatic A SEARCH FOR NEUTRINO OSCILLATIONS WITH DELTA-M-SQUARE GREATER THAN 10 EV-SQUARE. Request 12 Feb, 81 5.2 E18th Protons	UNIVERSITY OF CHICAGO COLUMBIA UNIVERSITY FERMILAB UNIVERSITY OF ROCHESTER	
	Request 12 Feb. 81 5.2 E18th Protons Approval 1 Jul. 81 Unspecified Completed 14 Jun, 82 2,250 Hours		
702	PARTICLE SEARCH #702 George Glass BEAM: Internal Target Area (C-0) SEARCH FOR PARTICLES WITH ANOMALOUS VALUES OF M/Q AND EXTREMELY SHORT INTERACTION LENGTHS (A REVISION OF P-607). (To use recoil spectrometer with rotating be wire filament target.)	IHEP, BEIJING (PRC) FERMILAB Northeastern University Texas A&M University	
702	BEAM: Internal Target Area (C-O) SEARCH FOR PARTICLES WITH ANOMALOUS VALUES OF M/Q AND EXTREMELY SHORT INTERACTION LENGTHS (A REVISION OF P-607).	FERMILAB NORTHEASTERN UNIVERSITY TEXAS A&M UNIVERSITY	

703	ELECTRON TARGET FACILITY #703 William R. Frisken BEAM: Collision Ares (D-0) ELECTRON-PROTON COLLISIONS AT FERMILAB	CIPP (CANADA) CARELTON UNIVERSITY (CANADA) CEN-SACLAY (FRANCE) CHALK DIVER MUCE FAD LAB. (CANADA)
	(Electron-proton collisions using the canadian high energy electron ring cheer.)	CHALK RIVER NUCLEAR LAB. (CANADA) CORNELL UNIVERSITY ENRICO FERMI INSTITUTE FERMILAB UNIVERSITY OF MARYLAND MCGILL UNIVERSITY (CANADA) NATIONAL RESEARCH COUNCIL (CANADA) UNIVERSITY OF SASKATCHEWAN(CANADA UNIVERSITY OF TORONTO (CANADA) TRIUMF (CANADA) YORK UNIVERSITY (CANADA)
	Request 6 Jul, 81 1,000 Hours initial run to obtain 1 x 10 to the 4th inverse ma plus several later runs totalling 10 to the 6th in	noberns.
-	Inactive 23 Jun, 82	
704	POLARIZED BEAM #704 Akihiko Yokosawa BEAM: Meson Ares - Polarized Proton Beam INTEGRATED PROPOSAL ON FIRST ROUND EXPERIMENTS WITH THE POLARIZED BEAM FACILITY.	ARGONNE NATIONAL LABORATORY CEN-SACLAY (FRANCE) FERMILAB HIROSHIMA UNIVERSITY (JAPAN) UNIVERSITY OF IOWA KYOTO SANGYO UNIVERSITY (JAPAN) KYOTO UNIVERSITY (JAPAN) KYOTO UNIV. OF EDUCATION (JAPAN) LAPP, D'ANNECY-LE-VIEUX (FRANCE) LOS ALAMOS NATIONAL LABORATORY NORTHWESTERN UNIVERSITY UN, OF OCCUP, & ENV. HEALTH(JAPAN) IHEP, PROTVINO (SERPUKHOV)(RUSSIA) RICE UNIVERSITY UNIVERSITY DI TRIESTE (ITALY) UNIVERSITY OF UDINE (ITALY)
	described 10 Start 10 S	
705	CHI MESON #705 Bradley B. Cox BEAM: Proton Area - West A STUDY OF CHARMONIUM AND DIRECT PHOTON PRODUCTION BY 300 GEV/C ANTIPROTON, PROTON, PI+ AND PI- BEAMS.	UNIVERSITY OF SOUTH ALABAMA UNIVERSITY OF ARIZONA UNIVERSITY OF ATHENS (GREECE) DUKE UNIVERSITY FERMILAB UNIVERSITY OF FIRENZE (ITALY) MCGILL UNIVERSITY (CANADA) NANJING UNIVERSITY (PRC) NORTHWESTERN UNIVERSITY PRAIRIE VIEW A&M UNIVERSITY SHANDONG UNIVERSITY (PRC) SSC LABORATORY UNIVERSITY OF VIRGINIA
	Request 1 Oct, 81 1,500 Hours Approval 14 Dec, 81 1,500 Hours Completed 15 Feb, 88 3,600 Hours	
706	DIRECT PHOTON PRODUCTION #706 Paul F. Slattery BEAM: Meson Area - West A Comprehensive Study of Direct Photon Production in Hadron Induced Collisions	UNIV. OF CALIFORNIA, DAVIS DELHI UNIVERSITY (INDIA) FERMILAB MICHIGAN STATE UNIVERSITY NORTHEASTERN UNIVERSITY UNIVERSITY OF OKLAHOMA PENNSYLVANIA STATE UNIVERSITY UNIVERSITY OF PITTSBURGH UNIVERSITY OF ROCHESTER
	Request26 Oct, 812,400 HoursApproval14 Dec, 811,000 HoursCompleted8 Jan, 92Unspecified	
707	SIGMA MINUS BETA DECAY #707 Peter S. Cooper BEAM: Proton Area - Center MEASUREMENT OF THE ELECTRON ASYMMETRY PARAMETER IN SIGMA MINUS BETA DECAY.	UNIVERSITY OF CHICAGO FERMILAB IOWA STATE UNIVERSITY UNIVERSITY OF IOWA NPL ST. PETERSBURG (RUSSIA) YALE UNIVERSITY
	Request 24 Nov, 81 300 Hours Rejected 15 Dec, 81	
708	ELECTRON TARGET FACILITY #708 Wonyong Lee BEAM: Collision Ares (D-0) ELECTRON-PROTON INTERACTION EXPERIMENT (Supercedes proposel #659.)	ARGONNE NATIONAL LABORATORY BROOKHAVEN NATIONAL LABORATORY UNIVERSITY OF CHICAGO UNIVERSITY OF COLORADO AT BOULDER COLUMBIA UNIVERSITY FERMILAB HARVARD UNIVERSITY UNIVERSITY OF ILLINOIS, CHAMPAIGN UNIVERSITY OF MICHIGAN NIKHEF-H (NETHERLANDS) UNIVERSITY OF PENNSYLVANIA PRINCETON UNIVERSITY ROCKEFELLER UNIVERSITY
	Request 25 Nov, 81 Unspecified Inactive 23 Jun, 82	
709	FORWARD DETECTOR #709 Michael J. Longo BEAM: Collision Ares (D-0)	UNIV. OF ILLINOIS, CHICAGO CIRCLE UNIVERSITY OF MICHIGAN
	PROPOSAL FOR A FORWARD DETECTOR FOR THE DO AREA	

TOTAL CROSS-SECTION #710 Jay Orear and Roy Rubinstein BEAN: Collision Ares (E-0) MEASUREMENTS OF ELASTIC SCATTERING AND TOTAL CROSS SECTIONS AT THE FERMILAB PBAR-P COLLIDER.	UNIVERSITY OF BOLOGNA (ITALY) CORNELL UNIVERSITY FFEMILAB GEORGE MASON UNIVERSITY UNIVERSITY OF MARYLAND NORTHWESTERN UNIVERSITY
Request1 Feb, 82UnspecifiedApproval23 Jun, 82UnspecifiedCompleted31 May, 89Unspecified	
CONSTITUENT SCATTERING #711 David A. Levinthal BEAM: Neutrino Ares - East A PROPOSAL TO MEASURE THE ENERGY, ANGULAR, AND CHARGE DEPENDENCE OF MASSIVE DI-HADRON PRODUCTION OVER A LARGE SOLID ANGLE IN INTENSE PROTON AND PION BEAMS.	ARGONNE NATIONAL LABORATORY FERMILAB FLORIDA STATE UNIVERSITY UNIVERSITY OF MICHIGAN
Request28 Aug, 82 UnspecifiedApproval1 Jul, 83 UnspecifiedCompleted15 Feb, 88 1,400 Hours	
MUON PRODUCTON #712 Patrick D. Rapp BEAM: Collision Area (D-0) STUDY OF MUONS FROM PBAR-P COLLISIONS UP TO SQUARE ROOT OF S EQUAL TO 2 TEV.	FERMILAB GEORGE MASON UNIVERSITY
Request 1 Feb, 82 Unspecified Rejected 23 Jun, 82	
HIGHLY IONIZING PARTICLES #713 P. Buford Price BEAM: Collision Area (D-0) PROPOSAL FOR A SEARCH FOR HIGHLY IONIZING PARTICLES FOR THE DO AREA AT FERMILAB. Request 29 Jan. 82 Unspecified Approvel 23 Jun. 82 Unspecified Completed 31 May 89 Unspecified	UNIV. OF CALIFORNIA, BERKELEY HARVARD UNIVERSITY
LARGE ANGLE PARTICLE #714 Paul D. Grannis BEAM: Collision Area (D-O) LARGE ANGLE PARTICLE DO GROUP	BROOKHAVEN NATIONAL LABORATORY BROWN UNIVERSITY COLUMBIA UNIVERSITY FERMILAB MICHIGAN STATE UNIVERSITY SUNY AT STONY BROOK
Request 5 Feb, 82 Unspecified Rejected 1 Jul, 83	
SIGMA BETA DECAY #715 Peter S. Cooper BEAM: Proton Area - Center PRECISION MEASUREMENT OF THE DECAY SIGMA MINUS TO NEUTRON AND ELECTRON AND NEUTRINO.	UNIVERSITY OF CHICAGO ELMHURST COLLEGE FERMILAB IOWA STATE UNIVERSITY UNIVERSITY OF IOWA NPI, ST. PETERSBURG (RUSSIA) YALE UNIVERSITY
Request 19 Feb, 82 Unspecified Approval 23 Jun, 82 Unspecified for 3 months Completed 14 Feb, 84 820 Hours	
BEAM, DUMP #716 Byron P. Roe BEAM: Meson Area - M2 Beam PROPOSAL FOR FURTHER BEAM DUMP NEUTRINO RUNNING	FERMILAB UNIVERSITY OF FIRENZE (ITALY) UNIVERSITY OF MICHIGAN UNIVERSITY OF WISCONSIN-MADISON
Request 9 Feb, 82 Unspecified Rejected 23 Jun, 82	
FORWARD DETECTOR #717 Joseph Lach BEAM: Collision Ares (D-0) A FORMARD LOOKING DETECTOR FOR THE DO AREA.	FERMILAB
Request 19 Mar, 82 Unspecified Rejected 23 Jun, 82	
CALORIMETERS AT D-0 #718 Albert R. Erwin BEAN: Collision Ares (D-0) STUDY OF PBAR-P INTERACTIONS USING CALORIMETERS AT D-0.	ARGONNE NATIONAL LABORATORY UNIVERSITY OF ARIZONA FERMILAB UNIVERSITY OF PENNSYLVANIA UNIVERSITY OF WISCONSIN-MADISON
Request 1 Apr, 82 Unspecified Rejected 23 Jun, 82	
ELECTRON TARGET FACILITY #719 Wonyong Lee BEAM: Collision Area (D-0) ELECTRON-PROTON INTERACTION EXPERIMENT. (This proposal supercedes proposals #703 and #708.)	ARGONNE NATIONAL LABORATORY CARELITON UNIVERSITY (CANADA) CEN-SACLAY (FRANCE) CHALK RIVER NUCLEAR LAB. (CANADA) UNIVERSITY OF COLORADO AT BOULDER COLUMBLA UNIVERSITY FERMILAB HARVARD UNIVERSITY UNIVERSITY OF ILLINOIS, CHAMPAIGN JOHNS HOPKINS UNIVERSITY UNIVERSITY OF MARYLAND MCGILL UNIVERSITY (CANADA) MICHIGAN STATE UNIVERSITY UNIVERSITY OF MARYLAND NIKHEF-H (NETHERLANDS) UNIVERSITY OF PENNSYLVANIA PRINCETON UNIVERSITY ROCKEFELLER UNIVERSITY UNIVERSITY OF SASKATCHEWAN(CANAD, UNIVERSITY OF SASKATCHEWAN(CANAD, UNIVERSITY OF TORONTO (CANADA)
	BEAM. Collision Area (C-0) MEASUREMENTS OF ELASTIC SCATTERING AND TOTAL CROSS SECTIONS AT THE FEMILLAB PBAR-P COLIDER. Netwest 1 Feb. 82 Unspecified CODENTS CATTERING #711 David A. Levinthal EAN INVERSION Area - Eas Dumaps of the description APDOVAL 25 Juny 82 Unspecified CONSTITUENT SCATTERING #711 David A. Levinthal EAN INVERSION AREA DESCRIPTION AND FION BEAMS. Patrick D. Responsion AROUACTION OVER A LARGE SOLID ANDLE IN INTENSE PROTON AND PION BEAMS. Resumation Resumation 28 Juny 82 Unspecified Resumation AROUND PRODUCTON #712 Patrick D. Rapp BEAM: Collision Area (C-0) 20 Unspecified Resumation Resumation Area (C-0) #20 Unspecified Resumation Area (C-0) Resumation Area (C-0) PATICLES #713 P. Buford Price BEAM: Collision Area (C-0) PADIDACTON #712 PABIDACTION #712 PROVENT HOW FOR MUDAN PARTICLES #713 P. Buford Price BEAM: Collision Area (C-0) PADIDACTING PARTICLES #713 P. Buford Price BEAM: Collision Area (C-0) Request 3 Jun: 82 Unspecified Request 1 Fab: 82 Unspecified Request <t< td=""></t<>

720	FREE QUARK SEARCH #720 BEAM: Miscellaneous Area PROPOSAL TO SEARCH FOR +1/SE STABLE PARTICLES	John P. Schiffer	ARGONNE NATIONAL LABORATORY FERMILAB
	Request29 Jan, 82UnspecifiedApproval15 Mar, 82Unspecified for 2 Jun, 82Unspecified		
721	Completed 8 Oct, 82 Unspecified CP VIOLATION #721 BEAM: Proton Area - West AN EXPERIMENT TO STUDY CP VIOLATION IN THE DEC	Jerome L. Rosen Ay of K-Long produced by Anti-protons.	UNIVERSITY OF ARIZONA UNIVERSITY OF ATHENS (GREECE) DUKE UNIVERSITY FERMILAB FLORIDA A&M UNIVERSITY MCGILL UNIVERSITY (CANADA) NORTHWESTERN UNIVERSITY SHANDONG UNIVERSITY (PRC)
	Request11 Jun, 82UnspecifiedApprovel12 Mar. 84Test RunningApproved/Inactive 30 Jun, 87Unspecified		
722	D-0 STREAMER CHAMBER #722 BEAM: Collision Ares (D-0) STREAMER CHAMBER EXPERIMENT AT THE TEVATRON CC Request 11 Oct, 82 Unspecified	V. Paul Kenney	UNIVERSITY OF CAMBRIDGE (ENGLAND) NOTRE DAME UNIVERSITY
723	Inscitve 18 Feb. 83 GRAVITATIONAL DETECTOR #723 BEAM: Collision Ares (C-0) TEST OF A GRAVITATIONAL DETECTOR AT THE TEVATR	Adrian Melissinos	FERMILAB UNIVERSITY OF ROCHESTER
	Request21 Oct, 82UnspecifiedApproval12 Mar, 84Test RunningCompleted29 Aug, 85Test Running		
724	CALORIMETRIC DETECTOR #724 BEAM: Collision Arem (D-0) COMPLETE CALORIMETRIC DETECTOR FOR THE D-0 ARE	Michael J. Longo	CALIFORNIA INSTITUTE OF TECHNOLOG UNIV. OF ILLINOIS, CHICAGO CIRCLE MCGILL UNIVERSITY (CANADA) UNIVERSITY OF MICHIGAN NOTRE DAME UNIVERSITY
	Request26 Oct, 82UnspecifiedRejected1 Jul, 83		
725	DIFFRACTION DISSOCIATION #725 BEAM: Collision Ares (D-0) A PROPOSAL TO MEASURE SINGLE AND DOUBLE DIFFRA PBAR-P COLLIDER.	Konstantin Goulianos	ROCKEFELLER UNIVERSITY
	Request 1 Nov, 82 Unspecified Rejected 1 Jul, 83		
726	CALORIMETRIC DETECTOR #726 BEAM: Collision Ares (D-0) PROPOSED CALORIMETRIC DETECTOR FOR THE D-0 ARE	Maris A. Abolins	UNIVERSITY OF ARIZONA FERMILAB MICHIGAN STATE UNIVERSITY UNIVERSITY OF PENNSYLVANIA
	Request 1 Nov, 82 Unspecified Rejected 1 Jul, 83		
727	FORWARD CALORIMETER #727 BEAM: Collision Ares (D-0) Split-field Magnet Spectrometer and Electromac	Jerome L. Rosen Inetic shower detector for D-0.	NORTHWESTERN UNIVERSITY
	Request 2 Nov, 82 Unspecified Withdrawn 16 May, 83		
728	MUON PRODUCTION #728 BEAM: Collision Ares (D-0) STUDY OF MUONS FROM PBAR-P COLLISIONS UP TO SG (This proposal supercedes proposal #712.)	Daniel R. Green NUARE ROOT OF S EQUAL TO 2 TEV.	UNIVERSITY OF ARIZONA FERMILAB FLORIDA STATE UNIVERSITY UNIVERSITY OF MARYLAND VIRGINIA POLYTECHNIC INSTITUTE
	Request 1 Nov, 82 Unspecified Refected 1 Jul, 83		
729	EMULSION/PROTONS @ 1 TEV #729 BEAM: Meson Ares - Test Beam PROPOSAL TO STUDY CHARM AND MULTIPARTICLE PROE COLLISIONS	Atul Gurtu	TATA INSTITUTE (INDIA)
	Request24 Nov, 82UnspecifiedApproval5 Dec, 83Emulsion ExposurCompleted26 Apr, 852 Emulsion S		
730	EMULSION/SIGMA-MINUS @ 250 #730 BEAM: Proton Area - Center EMULSION EXPOSURE TO 250 GEV SIGMA-MINUS.	Richard J. Wilkes	INP, KRAKOW (POLAND) INST.FOR NUCL. RESEARCH (BULGARIA) UNIVERSITY OF WASHINGTON
	Request5 Jan, 83UnspecifiedApproval10 Feb, 84UnspecifiedCompleted10 Feb, 844 Hours		
731	CP VIOLATION #731 BEAM: Meson Ares - Center A MEASUREMENT OF THE MAGNITUDE OF (E'/E) IN TH .001.	Bruce D. Winstein E NEUTRAL KAON SYSTEM TO A PRECISION OF	CEN-SACLAY (FRANCE) UNIVERSITY OF CHICAGO ELMHURST COLLEGE FERMILAB PRINCETON UNIVERSITY
	Request1 Feb, 83UnspecifiedApproval1 Jul, 83UnspecifiedCompleted15 Feb, 883,100Hours		
732	XI-ZERO DECAY #732 BEAM: Proton Ares - Center A SEARCH FOR THE DECAY NEUTRAL CASCADE TO PROT	Marleigh C. Sheaff ON AND NEGATIVE PION.	UNIVERSITY OF MICHIGAN UNIVERSITY OF MINNESOTA RUTGERS UNIVERSITY UNIVERSITY OF WISCONSIN-MADISON
	Request 1 Feb, 83 Unspecified Rejected 25 Jun, 85		UNIVERSITI OF WISCONSIN-MADISON

(continued)

NEUTRINO INTERACTIONS #733 BEAM: Neutrino Ares - Center PROPOSAL TO STUDY HIGH ENERGY NEUTRING INTERACTION: TRIPLET BEAM.	Raymond L. Brock S with the tevatron quadrupole	FERMILAB UNIVERSITY OF FLORIDA MASSACHUSETTS INST. OF TECHNOLOGY
Request 1 Feb. 83 Unspecified 16 Sep. 83 Unspecified Approval 12 Nov, 83 Unspecified Stage I at	approval.	MICHIGAN STATE UNIVERSITY
	Michael V. Hynes	UNIV. OF CALIFORNIA, LOS ANGELES LOS ALAMOS NATIONAL LABORATORY
Request 1 Apr, 83 Unspecified Inactive 21 May, 86		
PARTICLE SEARCH #735	Laszlo J. Gutay	DUKE UNIVERSITY
SEARCH FOR A DECONFINED QUARK GLUON PHASE OF STRONG INTERACTIONS AT SQUARE ROOT OF S EQUAL TO 2 TEV.	SLY INTERACTING MATTER IN PBAR-P	FERMILAB IOWA STATE UNIVERSITY NOTRE DAME UNIVERSITY PURDUE UNIVERSITY UNIVERSITY OF WISCONSIN-MADISON
Ió Sep, 83UnspecifiedApproval15 Dec, 83Unspecified Stage I a	ipprovel.	
BEAM: Collision Area (D-0)	Robert K. Adair	BROOKHAVEN NATIONAL LABORATORY YALE UNIVERSITY
		J
	Peter Kotzer	KAZAKH STATE UNIV., (KAZAKHSTAN)
STUDY OF HIGH ENERGY NEUTRINOS WITH A DEEP UNDERWAT	ER DETECTOR OF A MASS GREATER THAN	MOSCOW STATE UNIVERSITY (RUSSIA) UNIVERSITY OF WASHINGTON WESTERN WASHINGTON UNIVERSITY
BEAM: Neutrino Area - Center	Charles Baltay	COLUMBIA UNIVERSITY
Request 3 Jun, 83 Unspecified		l
ELECTRON-POSITRON #739 BEAM: Proton Ares - East	Nelson Cue and Chih-Ree Sun PAIR CREATION.	UNIV. OF CLAUDE BERNARD (FRANCE) FERMILAB LAPP, D'ANNECY-LE-VIEUX (FRANCE)
		SUNY AT ALBANY
BEAM: Collision Ares (D-0)	• • •	UNIVERSIDAD DE LOS ANDES(COLOMBIA) UNIVERSITY OF ARIZONA BROOKHAVEN NATIONAL LABORATORY BROWN UNIVERSITY UNIV. OF CALIFORNIA, IRVINE UNIV. OF CALIFORNIA, IRVINE UNIV. OF CALIFORNIA, RIVERSIDE CBPF (BRAZIL) CEN-SACLAY (FRANCE) CINVESTAV-IPN (MEXICO) COLUMBIA UNIVERSITY DELHI UNIVERSITY (INDIA) FERMILAB FLORIDA STATE UNIVERSITY UNIVERSITY OF HAWAII AT MANOA UNIV. OF ILLINOIS, CHICAGO CIRCLE INDIANA UNIVERSITY IOWA STATE UNIVERSITY KOREA UNIVERSITY, SEOUL (KOREA) INF, KRAKOW (POLAND) KYUNGSUNG UNIVERSITY, DUSAN(KOREA) LAWRENCE BERKELEY LABORATORY UNIVERSITY OF MARYLAND MICHIGAN STATE UNIVERSITY UNIVERSITY OF MERKIAN MOSCOW STATE UNIVERSITY UNIVERSITY OF MERKIAN MOSCOW STATE UNIVERSITY NORTHEASTERN UNIVERSITY NORTHEASTERN UNIVERSITY NORTHEASTERN UNIVERSITY NORTHEASTERN UNIVERSITY NORTHEASTERN UNIVERSITY NORTHERN ILLINOIS UNIVERSITY NORTHERN UNIVERSITY
	Approvel 12 Nov. 83 Unspecified Stage I Completed 1 Feb. 88 4.100 Hours HYPERON PRODUCTION #734 BEAM: Proton Area - Center PRIMAKOFF PRODUCTION OF HYPERON EXCITED STATES. Request 1 Apr. 83 Unspecified Inactive 21 Mey. 86 PARTICLE SEARCH #735 BEAM: Collision Area (C-0) SEARCH FOR A DECONFINED QUARK GLUON PHASE OF STRONG INTERACTIONS AT SQUARE ROOT OF S EQUAL TO 2 TEV. Request 11 Apr. 83 Unspecified 16 Sep. 83 Unspecified Approval 15 Dec. 93 Unspecified Completed 31 May. 89 Unspecified D-0 QUARK SEARCH #736 BEAM: Collision Area (D-0) A PROPOSAL TO CONDUCT A QUARK SEARCH AT THE FERMILA Request 11 Apr. 83 Unspecified Readerst 11 Apr. 83 Unspecified Readerst 12 Apr. 83 Unspecified Readerst 25 Apr. 83 Unspecified	Approval 12 Nov, 83 Unspecified Stage I spproval. Completed 1 Feb. 88 (a 100 Hours HYPERON PRODUCTION #734 Michael V. Hynes BEAM, Proton Ares - Center PRIMAKOFF PRODUCTION #734 Michael V. Hynes BEAM, Proton Ares - Center 1 Apr. 83 Unspecified Insetive Insetive Request 1 Apr. 83 Unspecified Insetive Insetive Insetive PARTICLE SEARCH #735 Laszlo J. Gutay BEAM, Collision Ares (C-0) Insecified SEARCH FOR A DECONFINED QUARK GLUON PHASE OF STRONGLY INTERACTING MATTER IN PBAR-P INTERACTIONS AT SQUARE ROOT OF S EQUAL TO 2 TEV. Request 11 Apr. 83 Unspecified Approval 16 Sep. 83 Unspecified Approval 15 Sec. 83 Unspecified Seperoval. Emperoval. Completed 31 May. 89 Unspecified Reduct Inspecified Stage I spproval. Completed 11 Apr. 83 Unspecified Reduct Inspecified Stage I spproval. BATISS EXPERIMENT #736 Robert K. Adair BEAM: Inspecified Beam Suspecified Inspecified Study OF HidH ENERGY NEUTRINOS WITH A DEEP UNDERMATER DETECTOR of A MASS GREATER THAN In The NAROM BAND AND BEAM AT TEVATRON II. Request 12 No

- 38 -

741	COLLIDER DETECTOR #741 Melvyn Jay Shochet and Alvin V. BEAM: Collision Ares (B-0) STUDY OF PROTON ANTI-PROTON COLLISIONS USING A LARGE DETECTOR AT B-0.	Tollestrup ARGONNE NATIONAL LABORATORY BRANDEIS UNIVERSITY UNIVERSITY OF CHICAGO FERMILAB INFN, FRASCATI (ITALY) HARVARD UNIVERSITY UNIVERSITY OF ILLINOIS, CHAMPAIGN KEK (JAPAN) LAWRENCE BERKELEY LABORATORY UNIVERSITY OF PENNSYLVANIA INFN, PISA (ITALY) PURDUE UNIVERSITY ROCKEFELLER UNIVERSITY RUTGERS UNIVERSITY TEXAS A&M UNIVERSITY UNIVERSITY OF WISCONSIN-MADISON
	Request 1 Apr, 82 Unspecified Approval 1 Apr, 82 Unspecified Completed 31 May, 89 Unspecified	
742	STRANGE QUARK #742 Joseph Lach BEAM: Proton Area - Center LETTER OF INTENT TO MEASURE OMEGA MINUS POLARIZATION AND MAGNETIC MOMENT.	UNIVERSITY OF CHICAGO ELMHURST COLLEGE FERMILAB IOWA STATE UNIVERSITY UNIVERSITY OF IOWA NPL, ST. PETERSBURG (RUSSIA) YALE UNIVERSITY
	Request 13 Jun, 83 Unspecified Inactive 15 Jun, 85	
743	CHARM PRODUCTION #743 Stephen Reucroft BEAM: Meson Ares - Test Beam PROPOSAL TO MEASURE OPEN CHARM PRODUCTION IN PROTON-PROTON COLLISIONS AT 1 TEV WITH LEBC-FMPS.	ITP, AACHEN (GERMANY) CERN (SWITZERLAND) CRN, STRASBOURG (FRANCE) DUKE UNIVERSITY FERMILAB FLORIDA STATE UNIVERSITY IHEP, BERLIN-ZEUTHEN (GERMANY) UNIVERSITY OF L'ATAT (BELGIUM) UNIVERSITY OF LIBRE (BELGIUM) LPNHE, UN. OF P & M CURIE (FRANCE) MICHIGAN STATE UNIVERSITY UNIVERSITY OF MICHIGAN NORTHEASTERN UNIVERSITY NOTRE DAME UNIVERSITY TATA INSTITUTE (INDIA) VANDERBILT UNIVERSITY VIENNA INSTITUTE FUR HEP (AUSTRIA)
	Request 16 Sep. 83 Unspecified Approval 16 Dec, 83 Unspecified Stage I approval. Completed 29 Aug, 85 1.256 K Pix	
744	BEAM: Neutrino Area - Center HIGH STATISTICS STUDIES OF CHARGED CURRENT INTERACTIONS USING THE TEVATRON QUAD TRIPLET BEAM. Request 16 Sep, 83 Unspecified Approvel 17 Nov, 83 Unspecified Stage I approvel.	UNIVERSITY OF CHICAGO COLUMBIA UNIVERSITY FERMILAB UNIVERSITY OF ROCHESTER
745	Completed 29 Aug, 85 1,900 Hours MUON NEUTRINO #745 Toshio Kitagaki BEAM: Neutrino Ares - Center The tohoku high resolution one meter bubble chamber. MUON NEUTRINO EXPERIMENT USING THE TOHOKU HIGH RESOLUTION ONE METER BUBBLE CHAMBER.	IHEP, BEIJING (PRC) BROWN UNIVERSITY FERMILAB INDIANA UNIVERSITY MASSACHUSETTS INST. OF TECHNOLOGY NAGOYA UNIVERSITY (JAPAN) OAK RIDGE NATIONAL LABORATORY UNIVERSITY OF TENNESSEE, KNOXVILLE TOHOKU GAKUIN UNIVERSITY (JAPAN) TOHOKU UNIVERSITY (JAPAN)
	Request 10 Sep, 83 Unspecified Approval 16 Dec, 83 Parasitic Running Completed 1 Feb, 88 553 K Pix	
746	PROMPT BEAM FACILITY #746 James K. Walker BEAM: Neutrino Ares - Prompt Beam LETTER OF INTENT TO SEARCH FOR NEW PARTICLES FROM THE PROMPT BEAM FACILITY. Request 1 Sep. 83 Unspecified Withdrawn 2 Jun, 86	FERMILAB MASSACHUSETTS INST. OF TECHNOLOGY MICHIGAN STATE UNIVERSITY
747	CHARGED PARTICLES #747 Alan A. Hahn BEAM: Proton Ares - Broad Band A SEARCH FOR FRACTIONALLY CHARGED PARTICLES AT THE TEVATRON.	CALIFORNIA INSTITUTE OF TECHNOLOGY UNIV. OF CALIFORNIA, IRVINE FERMILAB LAWRENCE BERKELEY LABORATORY LAWRENCE LIVERMORE LABORATORY US ALAMOS NATIONAL LABORATORY UNIVERSITY OF ROCHESTER SAN FRANCISCO STATE UNIVERSITY UNIVERSITY OF TORONTO (CANADA)
	Request 27 Feb. 84 Unspecified Approvel 1 Apr. 85 Unspecified Completed 2 Aug. 85 Unspecified	
748	BEAUTY & CHARM PRODUCTION #748 Jack Sandweiss BEAM: Unspecified Beam LETTER OF INTENT TO STUDY BEAUTY AND CHARM AT THE TEVATRON USING HIGH RESOLUTION STEAMER CHAMBER AND A DOWNSTREAM SPECTROMETER. Request 7 May, 84 Unspecified Withdrawn 2 Oct. 84	FERMILAB NEW YORK UNIVERSITY UNIVERSITY OF VRIJE (BELGIUM) YALE UNIVERSITY

749	CHANNELING #749 James S. Forster BEAM: Meson Ares - Bottom Letter of Intent to Study material and Fabrication aspects of crystals used for	CHALK RIVER NUCLEAR LAB. (CANADA) FERMILAB UNIVERSITY OF NEW MEXICO
	CHANNELING. Request 19 Jul, 84 400 Hours Withdrawn 1 Oct, 84	SUNY AT ALBANY
750	MULTIPARTICLE PRODUCTION #750 BEAM: Neutring Ares - Miscellaneous A proposal to study multiparticle production in interactions of 1 tev protons with Emulsion nuclei.	DELHI UNIVERSITY (INDIA)
	Request 27 Jun, 84 Emulsion Exposure beam at or near 1 TeV protons of flux approximately protons/sq cm over an area of (8 x 3)sq cm Approval 23 Jul, 84 Emulsion Exposure Completed 11 Jul, 85 1 Emulsion Stack(s)	7 5 x 10 to the 4th
751	EMULSION EXPOSURE @ 1 TEV #751 Piyare L. Jain BEAM: Meson Ares - Test Beam PROPOSAL TO STUDY 1 TEV PROTON INTERACTIONS IN EMULSION.	SUNY AT BUFFALO
	Request 27 Jun, 84 Emulsion Exposure Approvel 2 Jul, 84 Emulsion Exposure Completed 26 Apr, 85 1 Emulsion Stack(s)	
752	PARTICLE COLLISIONS #752 James W. Cronin BEAM: Unspecified Beem PROPOSAL TO SEARCH FOR ANOMALOUSLY LARGE HADRON CROSS SECTIONS AT SHORT DISTANCES.	UNIVERSITY OF CHICAGO TECHNION-ISRAEL INST (ISRAEL)
	Request 23 Oct, 84 200 Hours Withdrewn 8 Dec, 86	
753	CHANNELING STUDIES #753 James S. Forster BEAM: Meson Ares - Bottom PROPOSAL TO IMPROVE THE DEFLECTION OF HIGH ENERGY PARTICLE BEAMS BY CHANNELING IN BENT CRYSTALS OF SI AND GE.	BELL NORTHERN RESEARCH LAB(CANADA CHALK RIVER NUCLEAR LAB. (CANADA) FERMILAB UNIVERSITY OF NEW MEXICO SUNY AT ALBANY
	Request 28 Sep. 84 400 Hours Approval 20 Nov, 84 Unspecified Completed 5 Jul, 85 150 Hours	
754	CHANNELING TESTS #754 EAM: Meson Ares - Bottom CRYSTAL CHANNELING TESTS IN M-BOTTOM INCLUDING FOCUSING WITH DEFORMED CRYSTALS AND STUDIES OF HIGH Z CRYSTALS.	FERMILAB GENERAL ELECTRIC R&D CENTER SUNY AT ALBANY SANDIA LABORATORIES SSC LABORATORY
	Request 1 Oct, 84 300 Hours Approval 20 Nov, 84 Unspecified Approved/Inactive 24 Dec, 91	
755	BEAUTY & CHARM STUDY #T755 Richard D. Majka and Anna Jean Slaughter BEAM: Meson Area - Test Beam A HIGH SENSITIVITY STUDY OF BEAUTY AND CHARM IN HADROPRODUCTION AT THE TEVATRON.	FERMILAB YALE UNIVERSITY
	Request 2 Oct. 84 Unspecified Approval 25 Nov. 86 Unspecified Completed 15 Feb. 88 Unspecified	
756	MAGNETIC MOMENT #756 Kam-Biu Luk BEAM: Proton Area - Center MEASUREMENT OF THE MAGNETIC MOMENT OF THE OMEGA MINUS HYPERON.	UNIVERSITY OF ARIZONA UNIV. OF CALIFORNIA, BERKELEY FERMILAB INDIANA UNIVERSITY LAWRENCE BERKELEY LABORATORY UNIVERSITY OF MICHIGAN UNIVERSITY OF MINNESOTA RUTGERS UNIVERSITY
	Request 8 Oct, 84 1,000 Hours Approval 25 Jun, 85 1,000 Hours Stage I approval. Completed 15 Feb, 88 1,700 Hours	
757	MUON DEFLECTION #757 Jorge G. Morfin BEAM: Neutrino Ares - Muon Beam LETTER OF INTENT FOR A PROPOSAL TO STUDY MOMENTUM RESOLUTION FOR MUONS ABOVE 300 GEV IN MAGNETIZED IRON.	FERMILAB UNIVERSITY OF ILLINOIS, CHAMPAIGN UNIVERSITY OF WASHINGTON UNIVERSITY OF WISCONSIN-MADISON
	Request 12 Dec, 84 Test Running Rejected 14 Dec, 85	
758	EMULSION EXPOSURE #758 BEAM: Meson Ares - Test Beam Study of the mechanism of multiparticle production in Emulsion nuclei > 800 Gev Protons.	NAGOYA UNIVERSITY (JAPAN) Toho University (Japan)
	Request 11 Mar, 85 Unspecified Approval 11 Mar, 85 Unspecified Completed 26 Apr, 85 2 Emulsion Stack(s)	
759	EMULSION EXPOSURE #759 Yoshihiro Tsuzuki BEAM: Meson Area - Test Beam A study of Nuclear Interactions of 800 gev protons in Emulsion.	KOBE UNIVERSITY (JAPAN) Osaka City University (Japan) Osaka Science Educ. Inst. (Japan)
	Request 11 Mar, 85 Unspecified Approval 11 Mar, 85 Unspecified Completed 26 Apr, 85 2 Emulsion Stack(s)	
760	CHARMONIUM STATES #760 Rosanna Cester BEAM: Accumulator Ring A proposal to investigate the formation of charmonium states using the pbar Accumulator Ring.	UNIV. OF CALIFORNIA, IRVINE FERMILAB UNIVERSITY OF FERRARA (ITALY) INFN, GENOVA (ITALY) NORTHWESTERN UNIVERSITY PENNSYLVANIA STATE UNIVERSITY UNIVERSITY OF TORINO (ITALY)
	Request 29 Mar, 85 Unspecified Approval 25 Jun, 85 Unspecified Completed 10 Jan, 92 Unspecified	

761	HYPERON RADIATIVE DECAY BEAM; Proton Ares - Center Proposal to study hyperon radiative		byov	IHEP, BELJING (PRC) UNIVERSITY OF BRISTOL (ENGLAND) CBPF (BRAZIL) FERMILAB UNIVERSITY OF IOWA ITEP, MOSCOW (RUSSIA) UNIV. FEDERAL DO RIO DE JANEIRO UNIVERSITY OF SAO PAULO (BRAZIL) NPI, ST. PETERSBURG (RUSSIA) YALE UNIVERSITY
		ecified ecified Stage I approval. ecified		
762	EMULSION/PROTONS @ 800 (BEAM: Meson Ares - Test Beem CASCADE SHOWERS ORIGINATING IN PROT			AOYAMA GAKUIN UNIVERSITY (JAPAN) ICRR, UNIVERSITY OF TOKYO (JAPAN) KOBE UNIVERSITY (JAPAN) OKAYAMA UNIVERSITY (JAPAN) OSAKA SCIENCE EDUC. INST. (JAPAN)
	Approval 21 Jun, 85 Unspe	ecified ecified 3 Emulsion Stack(s)		
763	EMULSION/PROTONS @ 800 (BEAM: Meson Ares - Test Beam PROTON-NUCLEUS INTERACTIONS AT TEVA			ICRR, UNIVERSITY OF TOKYO (JAPAN) KOBE UNIVERSITY (JAPAN) OKAYAMA UNIVERSITY (JAPAN) OSAKA SCIENCE EDUC. INST. (JAPAN)
	Approval 21 Jun, 85 Unspe	ecified ecified 2 Emulsion Stack(s)		
764	EMULSION EXPOSURE #764 BEAM: Meson Ares - Test Beam Exclusive investigation of Multiple	Hirotada Nanj	0	HIROSAKI UNIVERSITY (JAPAN)
	Request 11 Jun, 85 Unspe Approval 21 Jun, 85 Unspe			
765	EMULSION/PROTONS @ 800 (BEAM: Meson Area - Test Beam TRANSVERSE MOMENTUM MEASUREMENT OF AT 800 GEV.	GEV #765 K. Imaeda	MULSION COLLISIONS	OKAYAMA UNIVERSITY (JAPAN)
	Request 20 Jun, 85 Unspe Approval 21 Jun, 85 Unspe			
766	MR TUNNEL NEUTRONS #176 BEAM: Collision Area (Miscellaneous MEASUREMENTS OF THE NEUTRON SPECTRU SSC.	s)		FERMILAB LAWRENCE BERKELEY LABORATORY
	Request11 Jul, 85UnspeApproval17 Jul, 85UnspeCompleted13 Oct, 85Unspe	ecified		
767	MUON CALORIMETRY #767 BEAM: Neutrino Area - Muon Beam MEASUREMENT OF DIRECT ELECTRON PAIR BEAM.			CHUO UNIVERSITY (JAPAN) ICRR, UNIVERSITY OF TOKYO (JAPAN) KEK (JAPAN) NAGOYA UNIVERSITY (JAPAN)
	Request 29 Aug, 85 Unspe Rejected 1 Jul, 86	cified		
768	POLARIZED SCATTERING #76 BEAM: Proton Ares - West PROTON - PROTON ELASTIC SCATTERING			BROOKHAVEN NATIONAL LABORATORY CERN (SWITZERLAND) FERMILAB LHE, ETH HONGGERBERG (SWITZERLAND) UNIVERSITY OF MARYLAND MASSACHUSETTS INST. OF TECHNOLOGY UNIVERSITY OF MICHIGAN NOTRE DAME UNIVERSITY TEXAS A&M UNIVERSITY
	Request12 Nov, 85 UnspeRejected30 Jun, 87	cified		
769	PION & KAON CHARM PROD. BEAM: Proton Ares - East PION AND KAON PRODUCTION OF CHARM A		el	CBPF (BRAZIL) FERMILAB UNIVERSITY OF MISSISSIPPI NORTHEASTERN UNIVERSITY UNIVERSITY OF TORONTO (CANADA) TUFTS UNIVERSITY UNIVERSITY OF WISCONSIN-MADISON YALE UNIVERSITY
	Request14 Dec, 85 UnspeApproval14 Dec, 85 UnspeCompleted15 Feb, 88 1,900	cified		
770	QUAD TRIPLET NEUTRINO #7 BEAM: Neutrino Area - Center HIGH STATISTICS STUDIES OF CHARGED TRIPLET BEAM.	70 Wesley H. Smit		UNIVERSITY OF CHICAGO COLUMBIA UNIVERSITY FERMILAB UNIVERSITY OF ROCHESTER UNIVERSITY OF WISCONSIN-MADISON
	Request27Dec, 85UnspeApproval27Dec, 85UnspeCompleted1Feb, 881,600	cified Stage I approval.		

771	BEAUTY PRODUCTION BY PROTONS #771 Bradley B. Cox BEAM: Proton Ares - West PROPOSAL TO STUDY BEAUTY PRODUCTION AND OTHER HEAVY QUARK PHYSICS ASSOCIATED WITH DIMUON PRODUCTION IN 800 (925) GEV/C PP INTERACTIONS.	UNIVERSITY OF SOUTH ALABAMA UNIVERSITY OF ATHENS (GREECE) BROWN UNIVERSITY UNIV. OF CALIFORNIA, BERKELEY UNIV. OF CALIFORNIA, LOS ANGELES DUKE UNIVERSITY FERMILAB UNIVERSITY OF HOUSTON JINR, DUBNA (RUSSIA) UNIVERSITY OF LECCE (ITALY) MASSACHUSETTS INST. OF TECHNOLOGY MCGILL UNIVERSITY (CANADA) NANJING UNIVERSITY (CANADA) NANJING UNIVERSITY (PRC) NORTHWESTERN UNIVERSITY UNIVERSITY OF PAVIA (ITALY) UNIVERSITY OF PENNSYLVANIA PRAIRIE VIEW AAM UNIVERSITY SHANDONG UNIVERSITY (PRC) VANIER COLLEGE (CANADA)
	Request 10 Dec, 86 Unspecified Approval 4 Apr. 87 Unspecified	UNIVERSITY OF VIRGINIA UNIVERSITY OF WISCONSIN-MADISON
772	Completed 8 Jan, 92 Unspecified DIMUONS #772 Joel M. Moss BEAM: Meson Area - East STUDY OF THE NUCLEAR ANTIQUARK SEA VIA P+N -> DIMUONS.	CASE WESTERN RESERVE UNIVERSITY FERMILAB UNIV. OF ILLINOIS, CHICAGO CIRCLE LOS ALAMOS NATIONAL LABORATORY SUNY AT STONY BROOK NORTHERN ILLINOIS UNIVERSITY RUTGERS UNIVERSITY UNIVERSITY OF SOUTH CAROLINA UNIVERSITY OF TEXAS AT AUSTIN UNIVERSITY OF WASHINGTON
	Request 11 Mar, 86 Unspecified Approval 1 Jul, 86 Unspecified Completed 15 Feb, 88 1,700 Hours	
773	ETA00 & ETA +- PHASE DIFFERENCE #773 George D. Gollin BEAMI Meson Ares - Center MEASUREMENT OF PHASE DIFFERENCE BETHEEN ETA 00 AND ETA +- TO A PRECISION OF 1/2 DEGREE.	UNIVERSITY OF CHICAGO ELMHURST COLLEGE FERMILAB UNIVERSITY OF ILLINOIS, CHAMPAIGN RUTCERS UNIVERSITY
	Request 11 Mar, 86 Unspecified Approval 1 Jul, 86 Unspecified 29 Jun, 89 Unspecified Stage II approval. Completed 30 Sep, 91 Unspecified	
774	ELECTRON BEAM DUMP #774 Michael B. Crisler BEAM: Proton Area - Broad Band ELECTRON BEAM DUMP PARTICLE SEARCH IN THE WIDE BAND HALL.	FERMILAB UNIVERSITY OF ILLINOIS, CHAMPAIGN INP, KRAKOW (POLAND) NORTHEASTERN UNIVERSITY
	Request4 Apr, 86UnspecifiedApproval10 Dec, 86UnspecifiedCompleted27 Aug, 90Unspecified	
775	CDF UPGRADE #775 William C. Carithers, Jr. and Giorgio Bellettini BEAM: Collision Ares (B-0) CDF UPGRADE (Level-3 Trisger; Silicon Vertex (#775A); and Muon System (#775B))	ARGONNE NATIONAL LABORATORY UNIVERSITY OF BOLOGNA (ITALY) BRANDEIS UNIVERSITY UNIV. OF CALIFORNIA, LOS ANGELES CIPP (CANADA) UNIVERSITY OF CHICAGO DUKE UNIVERSITY FERMILAB INFN, FRASCATI (ITALY) HARVARD UNIVERSITY UNIVERSITY OF ILLINOIS, CHAMPAIGN JOHNS HOPKINS UNIVERSITY KEK (JAPAN) LAWRENCE BERKELEY LABORATORY MASSACHUSETIS INST. OF TECHNOLOGY MICHIGAN STATE UNIVERSITY UNIVERSITY OF NEW MEXICO OSAKA CITY UNIVERSITY (JAPAN) UNIVERSITY OF PADOVA (ITALY) UNIVERSITY OF PADOVA (ITALY) UNIVERSITY OF PADOVA (ITALY) UNIVERSITY OF PADOVA (ITALY) UNIVERSITY OF POLOYANIA INFN, PISA (ITALY) UNIVERSITY OF POLOYANIA INFN, PISA (ITALY) UNIVERSITY OF POLOYANIA INFN, PISA (ITALY) UNIVERSITY OF ROCHESTER ROCKEFELLER UNIVERSITY RUTGERS UNIVERSITY RUTGERS UNIVERSITY TEXAS A&M UNIVERSITY UNIVERSITY OF SUKUBA (JAPAN) TUFYS UNIVERSITY UNIVERSITY OF WISCONSIN-MADISON YALE UNIVERSITY
	Request 20 MBy, 86 Unspecified Approvel 1 Jul, 86 Unspecified Phase I approvel. In Progress 31 Oct, 92 Unspecified	
776	NUCLEAR CAL. CROSS SECTIONS#776 Samuel I. Baker BEAM: Miscellaneous Area MEASUREMENT OF NUCLEAR CALIBRATION CROSS SECTIONS FOR PROTONS GREATER THAN 400 GEV. Request 6 Aug. 86 Unspecified	BROOKHAVEN NATIONAL LABORATORY CERN (SWITZERLAND) FERMILAB
	Approval 7 Jan, 87 Unspecified Completed 15 Feb, 88 Unspecified	

777	MR TUNNEL NEUTRONS #777 BEAM: Collision Area (Miscellaneous) NEUTRON FLUX MEASUREMENTS IN THE TEVATRON TUNNEL.	Joseph B. McCaslin	FERMILAB LAWRENCE BERKELEY LABORATORY SSC CENTRAL DESIGN GROUP
	Request 29 Oct, 86 Unspecified Approval 7 Jan, 87 Unspecified Completed 11 May, 87 Unspecified		
78	MAGNET APERTURE STUDIES #778 BEAM: Collision Ares (Miscellaneous) STUDY OF THE SSC MAGNET APERTURE CRITERION.	Rodney E. Gerig and Richard Talman	CERN (SWITZERLAND) CORNELL UNIVERSITY FERMILAB UNIVERSITY OF HOUSTON SSC CENTRAL DESIGN GROUP SLAC
	Request18 Oct, 86UnspecifiedApproval10 Dec, 86UnspecifiedCompleted21 Jan, 91Unspecified		
79	HIGH RATE CALORIMETER STUDY#779 BEAM: Meson Ares - Nest PROPOSAL TO BUILD A VERY HIGH RATE CALORIMETER. Request 29 Oct, 86 Unspecified	David Anderson	FERMILAB
80	Rejected 10 Dec. 86 CHARM PRODUCTION BY PROTONS#780 BEAM: Neutrino Area - East STUDY OF CHARM PRODUCED BY 850 GEV PROTONS. Request 1 Mer. 87 Unspecified	Ronald J. Lipton and Douglas Potter	UNIV. OF CALIFORNIA, DAVIS CARNEGIE-MELLON UNIVERSITY UNIVERSITY OF OKLAHOMA
'81	Rejected 14 Dec, 87 LARGE-X BARYON SPECTROMETER#781 BEAM: Proton Ares - Center SEGMENTED LARGE-X BARYON SPECTROMETER (SELEX).	James S. Russ	IHEP, BELJING (PRC) UNVERSITY OF BRISTOL (ENGLAND) CARNEGIE-MELLON UNIVERSITY CBPF (BRAZIL) FERMILAB UNIVERSITY OF IOWA MAX-PLANCK INSTITUTE (GERMANY) MOSCOW STATE UNIVERSITY (RUSSIA) ITEP, MOSCOW (RUSSIA) UNIV, FEDERAL DO PARAIBA (BRAZIL) IHEP, PROTVINO (SERPUKHOV)(RUSSIA) UNIVERSITY OF ROCHESTER UN.AUTO.DE SAN LUIS POTOSI(MEXICO) UNIVERSITY OF SAO PAULO (BRAZIL) NPI, ST. PETERSBURG (RUSSIA) UNIVERSITY OF FL-AVIV (ISRAEL)
	Request4 Mar. 87UnspecifiedApproval24 Oct. 88UnspecifiedSetup Within Year1 Oct. 94		
	MUONS IN 1M BUBBLE CHAMBER #782 BEAM: Neutring Ares - NK Beam A MUON EXPOSURE IN THE TOHOKU HIGH RESOLUTION BUBB	Toshio Kitagaki Le chamber.	IHEP, BELIING (PRC) BROWN UNIVERSITY FERMILAB MASSACHUSETTS INST. OF TECHNOLOG OAK RIDGE NATIONAL LABORATORY SENSYU UNIVERSITY (JAPAN) SUGIYAMA JOGAKUEN UNIV. (JAPAN) UNIVERSITY OF TENNESSEE, KNOXVILLI TOHOKU GAKUIN UNIVERSITY (JAPAN) TOHOKU UNIVERSITY (JAPAN)
	Request4 Feb. 87UnspecifiedApproval16 Jul, 87UnspecifiedCompleted21 Jul, 90330 K Pix		, <u></u> _, <u></u> _, <u></u> _, <u></u> _,,
	TEVATRON BEAUTY FACTORY #783 BEAM: Collision Ares (C-0) Letter of intent for a tevatron collider beauty fac	Neville W. Reay	UNIV. OF CALIFORNIA, DAVIS CARNEGIE-MELLON UNIVERSITY FERMILAB OHIO STATE UNIVERSITY UNIVERSITY OF OKLAHOMA
	Request 4 Mar, 87 Unspecified Inactive 23 Dec, 92		
	BOTTOM AT THE COLLIDER #784 BEAM: Unspecified Beam PROPOSAL FOR RESEARCH & DEVELOPMENT: VERTEXING, TR/ BOTTOM COLLIDER DETECTOR.	Nigel S. Lockyer Acking and data acquisition for the	UNIVERSIDAD DE LOS ANDES(COLOMBL UNIV. OF CALIFORNIA, DAVIS FERMILAB UNIVERSITY OF FLORIDA UNIVERSITY OF HOUSTON ILLINOIS INSTITUTE OF TECHNOLOGY UNIVERSITY OF IOWA NORTHEASTERN UNIVERSITY NORTHEASTERN UNIVERSITY OHIO STATE UNIVERSITY UNIVERSITY OF OKLAHOMA UNIVERSITY OF PENNSYLVANIA PRAIRIE VIEW A&M UNIVERSITY PRINCETON UNIVERSITY UNIVERSITY OF PUERTO RICO UNIVERSITY OF PUERTO RICO UNIVERSITY
	Phase III	of Phase I (bench tests) and Phase II (beam ((CO run at the Tevatron Collider) deferred of simulation studies.	
	LOW ENERGY ANTIMATTER #785 BEAM: Miscelleneous Area Antimatter Physics at Low Energy (Ample)	Billy Bonner and Lawrence Pinsky	UNIVERSITY OF HOUSTON RICE UNIVERSITY
	Request 12 Mar, 87 Unspecified Withdrawn 24 Oct, 88		

786	TEVATRON MUON #786 BEAM: Neutring Ares - Muon Beam WEAK INTERACTIONS AND HEAVY QUARK PHYSICS WITH THE TEVATRON MUON BEAM.		ARGONNE NATIONAL LABORATORY UNIV. OF CALIFORNIA, SAN DIEGO FERMILAB FREIBURG UNIVERSITY (GERMANY) HARVARD UNIVERSITY UNIV. OF ILLINOIS, CHICAGO CIRCLE INP, KRAKOW (POLAND) UNIVERSITY OF MARYLAND MASSACHUSETTS INST. OF TECHNOLOG MAX-PLANCK INSTITUTE (GERMANY) UNIVERSITY OF WASHINGTON UNIVERSITY OF WASHINGTON UNIVERSITY OF WUPPERTAL (GERMANY) YALE UNIVERSITY
	Request 10 May, 87 Unspecified Rejected 29 Jun, 88		
787	PARTICLE SEARCH #787 BEAM: Colligion Ares (C-O) PARTICLE SEARCH (PHASE II OF E-735).	Alfred T. Goshaw	DEPAUW UNIVERSITY DUKE UNIVERSITY FERMILAB IOWA STATE UNIVERSITY NOTRE DAME UNIVERSITY PURDUE UNIVERSITY UNIVERSITY OF WISCONSIN-MADISON
	Request 30 Jun, 87 Unspecified Rejected 1 May, 89		
788	NEUTRINO OSCILLATIONS #788 BEAM: Neutring Ares - Center Neutring Oscillations and Cross-Sections in a tagge	Robert H. Bernstein	FERMILAB UNIV. OF PARIS VI, LPG (FRANCE)
	Request 11 Aug, 87 Unspecified Inactive 23 Dec, 92		
789	B-QUARK MESONS & BARYONS #789 BEAM: Meson Ares - Eest MEASUREMENT OF THE PRODUCTION AND DECAY INTO TWO-BO BARYONS.	Daniel M. Kaplan and Jen-Chieh Peng Dy modes of B-quark mesons and	ABILENE CHRISTIAN UNIVERSITY IHEP, ACADEMIA SINICA (TAIWAN) UNIVERSITY OF CHICAGO FERMILAB LAWRENCE BERKELEY LABORATORY LOS ALAMOS NATIONAL LABORATORY NORTHERN ILLINOIS UNIVERSITY UNIVERSITY OF SOUTH CAROLINA
	Request9 Nov, 87UnspecifiedApproval24 Oct, 88UnspecifiedCompleted8 Jan, 92Unspecified		
790	CALORIMETER FOR ZEUS #790 BEAM: Neutring Ares - Test Beam CALORIMETER MODULE CALIBRATION FOR ZEUS DETECTOR.	Frank Sciulli	ARGONNE NATIONAL LABORATORY COLUMBIA UNIVERSITY UNIVERSITY OF IOWA LOUISIANA STATE UNIVERSITY OHIO STATE UNIVERSITY PENNSYLVANIA STATE UNIVERSITY VIRGINIA POLYTECHNIC INSTITUTE UNIVERSITY OF WISCONSIN-MADISON
	Request5 Jun, 87UnspecifiedApproval17 Dec, 87UnspecifiedCompleted27 Aug, 90Unspecified		
791	HADROPRODUCTION HEAVY FLAVORS #791 BEAM: Proton Ares - Eest Hadroproduction of Heavy flavors at Tpl.	I Jeffrey A. Appel and Milind Vasant Purohit	UNIV. OF CALIFORNIA, SANTA CRUZ CBPF (BRAZIL) UNIVERSITY OF CINCINNATI FERMILAB ILLINOIS INSTITUTE OF TECHNOLOGY UNIVERSITY OF MISSISSIPPI OHIO STATE UNIVERSITY PRINCETON UNIVERSITY UNIV. FEDERAL DO RIO DE JANEIRO UNIVERSITY OF TEL-AVIV (ISRAEL) TUFTS UNIVERSITY UNIVERSITY OF WISCONSIN-MADISON YALE UNIVERSITY
	Request10 Nov, 87UnspecifiedApproval29 Jun, 88UnspecifiedCompleted8 Jan, 92Unspecified		
792	NUCLEAR FRAGMENTS #792 BEAM: Meson Ares - East Study of Fragmentation products from the reaction 8	Kjell Aleklett and Lembit Sihver 00 GEV P + 197 AU.	LAL, ORSAY (FRANCE) UPPSALA UNIVERSITY (SWEDEN)
	Request 15 Jan. 88 Unspecified Approval 15 Jan. 88 Unspecified Completed 15 Feb. 88 Unspecified		
793	EMULSION EXPOSURE 1000 GeV #793 BEAM: Proton Area - Miscellaneous Emulsion Exposure to 1000 GeV, or highest energy pr	Jere J. Lord otons.	KAZAKH STATE UNIV., (KAZAKHSTAN) WASHINGTON NATURAL PHILOSOPHY INS UNIVERSITY OF WASHINGTON
	Request 19 Feb. 88 Unspecified Approval 21 Sep. 88 Unspecified Approved/Inactive 13 Jan. 94		
794	AXION HELIOSCOPE #794 BEAM: Unspecified Beam construction and operation of an axion Helioscope.	Karl Van Bibber	UNIV. OF CALIFORNIA, BERKELEY CERN (SWITZERLAND) LAWRENCE BERKELEY LABORATORY LAWRENCE LIVERMORE LABORATORY OHIO STATE UNIVERSITY TEXAS A&M UNIVERSITY TEXAS ACCELERATOR CENTER
	Request 5 Mar, 88 Unspecified Inactive 23 Dec, 92		

795	WARM LIQUID CALORIMETRY TEST #795 BEAM: Meson Ares - Test Beam Test of Electron/Hadron compensation for Warm Liqui	Morris Pripstein d calorimetry.	UNIVERSITY OF ALABAMA UNIV. OF CALIFORNIA, BERKELEY CEN-SACLAY (FRANCE) CERN (SWITZERLAND) FERMILAB COLLEGE DE FRANCE (FRANCE) HARVARD UNIVERSITY KYOTO UNIVERSITY (JAPAN) LAPP, D'ANNECY-LE-VIEUX (FRANCE) LAWRENCE BERKELEY LABORATORY
	Request1 Mar. 88UnspecifiedApproval24 Oct. 88UnspecifiedCompleted23 Dec. 91Unspecified		
796	CP VIOLATION #796 BEAM: Proton Ares - Center A MEASUREMENT OF THE CP VIOLATION PARAMETER N+-0 TH	Gordon B. Thomson E SON OF E621.	UNIVERSITY OF MINNESOTA RUTGERS UNIVERSITY
	Request 1 Jun, 88 Unspecified Withdrawn 4 Jan, 94		
797	FINE-GRAINED ELECTROMAG. CAL. #T797 BEAM: Proton Ares - Esst FINE-GRAINED ELECTROMAGNETIC CALORIMETRY.	H. Richard Gustafson and Rudolf P. Thun	UNIVERSITY OF MICHIGAN
	Request31 Aug, 88UnspecifiedApproval1 Apr, 90UnspecifiedCompleted20 May, 90Unspecified		
798	SSC DETECTOR TEST #T798 BEAM: Proton Area - East PROPOSAL TO BUILD A SYNCHROTRON-RADIATION DETECTOR	Priscilla Cushman and Roger W. Rusack	ROCKEFELLER UNIVERSITY YALE UNIVERSITY
	Request 20 Jul, 88 Unspecified Approval 30 Jan, 89 Unspecified Stage I a Completed 2 May, 90 Unspecified	pproval.	
799	CP VIOLATION #799 BEAM: Neutrino Area - Muon Beam proposal to search for rare kaon decay.	Yau Wai Wah and Taku Yamanaka	UNIV. OF CALIFORNIA, LOS ANGELES UNIV. OF CALIFORNIA, SAN DIEGO UNIVERSITY OF CHICAGO UNIVERSITY OF COLORADO AT BOULDER ELMHURST COLLEGE FERMILAB OSAKA UNIVERSITY (JAPAN) RICE UNIVERSITY (JAPAN) RICE UNIVERSITY UNIVERSITY OF VIRGINIA UNIVERSITY OF WISCONSIN-MADISON
	Request 2 Jan, 89 Unspecified Approval 29 Jun, 89 Unspecified Stage I a 10 Jul, 91 Unspecified Stage II In Progress 8 Jan, 92 Unspecified	pproval for phases 1 and 2. approval deferred.	
800	MAGNETIC MOMENT #800 BEAM: Proton Ares - Center Measurement of the magnetic moment of the omega min	Kenneth A. Johns and Regina A. Rameika us Hyperon.	UNIVERSITY OF ARIZONA DEPAUW UNIVERSITY FERMILAB UNIVERSITY OF MICHIGAN UNIVERSITY OF MINNESOTA
	Request1 Mar. 88UnspecifiedApprovel5 Oct, 88UnspecifiedCompleted8 Jen, 92Unspecified		
801	PHOTON TOTAL XSECTION-URANIUM #801 BEAM: Proton Area - Broad Band Measurement of the total cross section of real and " URANIUM NUCLEI AT ENERGIES OF HUNDREDS OF GEV.	•	YEREVAN PHYSICS INST. (ARMENIA)
	Request 10 Oct, 88 Unspecified Rejected 26 Dec, 89		
802	MUONS IN EMULSION #802 BEAM: Neutring Ares - Muon Beam DEEP INELASTIC MUON INTERACTION WITH NUCLEAR TARGET TECHNIQUE.	Lali Chatterjee and Dipak Ghosh s using emulsion telescope	FERMILAB JADAVPUR UNIVERSITY (INDIA)
		stage approval - exposure of stacks of G5 nuclea the main muon beam.	r emulsion plates

803	NEUTRINO OSCILLATIONS #803 BEAM: Main Injector Area Muon Neutrino to Tau Neutrino Oscillations	AICHI UNIV. OF EDUCATION (JAPAN) UNIVERSITY OF ATHENS (GREECE) UNIV. OF CALIFORNIA, DAVIS UNIV. OF CALIFORNIA, DAVIS UNIV. OF CALIFORNIA, LOS ANGELES CHONNAM NATIONAL UNIVERSITY(KOREA) COLUMBIA UNIVERSITY FERMILAB GIFU UNIVERSITY (JAPAN) GYEONGSANG NATIONAL UNIV. (KOREA) HIROSAKI UNIVERSITY (JAPAN) ILLINOIS INSTITUTE OF TECHNOLOGY INDIANA UNIVERSITY KANSAS STATE UNIVERSITY KINKI UNIVERSITY KINKI UNIVERSITY (JAPAN) KOBE UNIVERSITY (JAPAN) KOBE UNIVERSITY (JAPAN) KOREA ADV. INST OF SCIENCE (KOREA) KOREA UNIVERSITY, SOLUL (KOREA) UNIVERSITY OF MICHIGAN UNIVERSITY OF MICHIGAN UNIVERSITY OF MICHIGAN ONAGOYA UNIVERSITY (JAPAN) OSAKA CITY UNIVERSITY (JAPAN) OSAKA SCIENCE EDUC. INST. (JAPAN) OSAKA SCIENCE EDUC. INST. (JAPAN) OSAKA UNIVERSITY (JAPAN) OSAKA SCIENCE EDUC. INST. (JAPAN) OSAKA UNIVERSITY (JAPAN) OSAKA UNIVERSITY (JAPAN) OSAKA UNIVERSITY (JAPAN) OSAKA UNIVERSITY (JAPAN) OSAKA UNIVERSITY (JAPAN) OSAKA UNIVERSITY (JAPAN) UNIVERSITY OF SOUTH CAROLINA TECHNION-ISRAEL INST (ISRAEL) TOHO UNIVERSITY (JAPAN)
	Request 6 Apr, 89 Unspecified	YOKOHAMA NATIONAL UNIV. (JAPAN)
804	Unscheduled 24 Nov, 93 KAON PHYSICS AT MAIN INJECTOR #804 Bruce D. Winstein BEAM: Main Injector Area HIGH PRECISION, HIGH SENSITIVITY KAON PHYSICS AT THE MAIN INJECTOR	UNIV. OF CALIFORNIA, IRVINE CEN-SACLAY (FRANCE) UNIVERSITY OF CHICAGO FERMILAB UNIVERSITY OF ILLINOIS, CHAMPAIGN RUTGERS UNIVERSITY YALE UNIVERSITY
	Request 14 Jun, 88 Unspecified Unconsidered 14 Jun, 88	
805	IMB NEUTRINO OSCILLATIONS #805 Wojciech Gajewski BEAM: Main Injector Area Long Baseline Oscillation Experiment using a High Intensity Neutrino Beam from the Fermilab Main Injector to the IMB Water Cerenkov Detector	BOSTON UNIVERSITY BROOKHAVEN NATIONAL LABORATORY UNIV. OF CALIFORNIA, IRVINE CLEVELAND STATE UNIVERSITY UNIVERSITY OF HAWAII AT MANOA LONDON UNIVERSITY COLLEGE(ENGLAND) LOUISIANA STATE UNIVERSITY UNIVERSITY OF MARYLAND NOTRE DAME UNIVERSITY WARSAW UNIVERSITY, INP, (POLAND)
	Request 24 Aug, 89 Unspecified Inactive 23 Dec, 92	
806	MP BEAMLINE UPGRADE #806 Akihiko Yokosawa BEAM: Meson Ares - Polerized Proton Beem ENERGY UPGRADE OF THE MP BEAMLINE AND PROPOSED EXPERIMENTS	ARGONNE NATIONAL LABORATORY CEN-SACLAY (FRANCE) FERMILAB HIROSHIMA UNIVERSITY (JAPAN) UNIVERSITY OF IOWA KEK (JAPAN) KYOTO SANGYO UNIVERSITY (JAPAN) KYOTO UNIVERSITY (JAPAN) KYOTO UNIVERSITY (JAPAN) LAPP, D'ANNECY-LE-VIEUX (FRANCE) LOS ALAMOS NATIONAL LABORATORY NORTHEASTERN UNIVERSITY NORTHEASTERN UNIVERSITY UN OF OCCUP. & ENV. HEALTHJAPAN) IHEP, PROTVINO (SERPUKHOV)(RUSSIA) RICE UNIVERSITY UNIVERSITY OF UDINE (ITALY) UNIVERSITY OF UDINE (ITALY)
	Request 28 Sep, 89 Unspecified Withdrawn 7 Mar, 90	
807	WARM HEAVY LIQUID CALORIMETRY #T807 Scott Trige BEAM: Proton Ares - East HARM HEAVY LIQUID CALORIMETRY: A PROPOSAL TO MEASURE PERFORMANCE OF CANDIDATE MATERIALS Request 26 Dec. 89 Unspecified	RUTGERS UNIVERSITY
	Request 26 Dec. 89 Unspecified Approval 9 Febs 90 Unspecified Completed 1 May, 90 Unspecified	
808	B-PHYSICS #T808 Howard S. Goldberg BEAM: Meson Ares - West B-MESON HADROPRODUCTION, INCLUDING MEASUREMENTS OF CROSS-SECTIONS, LIFETIMES, AND MIXING.	UNIV. OF ILLINOIS, CHICAGO CIRCLE UNIVERSITY OF LOUISVILLE UNIVERSITY OF MICHIGAN UNIVERSITY OF PITTSBURGH IHEP, PROTVINO (SERPUKHOV)(RUSSIA)
	Request 1 Mar, 90 Unspecified Inactive 23 Dec. 92	

(innucu)	
809	DIRECT PHOTON SPIN DEPENDENCE #809 Akira Masaike and Sandibek B. Nurushev BEAM: Meson Ares - Polerized Proton Beam Study of the spin dependence of direct-gamma production at High P	ARGONNE NATIONAL LABORATORY CEN-SACLAY (FRANCE) FERMILAB UNIVERSITY OF IOWA KEK (JAPAN) KYOTO UNIVERSITY (JAPAN) KYOTO UNIVERSITY (JAPAN) KYOTO UNIVERSITY (JAPAN) LAPP, D'ANNECY-LE-VIEUX (FRANCE) LOS ALAMOS NATIONAL LABORATORY INFN, MESSINA (ITALY) NEW MEXICO STATE UNIVERSITY NORTHWESTERN UNIVERSITY OKAYAMA UNIVERSITY (JAPAN) OSAKA CITY UNIVERSITY (JAPAN) HEP, PROTVINO (SERPUKHOV)(RUSSIA) RICE UNIVERSITY I TRIESTE (ITALY) UNIVERSITY OF UDINE (ITALY)
	Request 7 Mar, 90 Unspecified Inactive 23 Dec, 92	
810	STRUCTURE FUNCTIONS #810 Richard Wilson BEAM: Neutring Area - Muon Beam Measurement of Nucleon Structure functions with high statistical accuracy and low systematic errors, using muon beams from the tevatron.	UNIV. OF CALIFORNIA, SAN DIEGO FERMILAB HARVARD UNIVERSITY UNIV. OF ILLINOIS, CHICAGO CIRCLE UNIVERSITY OF WUPPERTAL (GERMANY)
	Request 5 Mar, 90 Unspecified Inactive 23 Dec, 92	
811	PBAR P ELASTIC SCATTERING #811 Jay Orear BEAM: Collision Area (E-0) PBAR P ELASTIC SCATTERING. Request 14 Mar. 90 Unspecified 4pproval 9 July 92 Unspecified	CERN (SWITZERLAND) CORNELL UNIVERSITY FERMILAB
	Setup Within Year 9 Jul, 92	
812	CPT AND GRAVITY TESTS #812 Gerald A. Smith BEAM: Accumulator Ring PRECISION TESTS OF CPT AND GRAVITY USING LOW ENERGY ANTIMATTER AT FERMILAB.	UNIV. OF CALIFORNIA, IRVINE GSI, DARMSTADT (GERMANY) FERMILAB INTEGRATED ACCELERATOR TECHNOLOGY UNIVERSITY OF IOWA LOS ALAMOS NATIONAL LABORATORY MANNE SIEGBAHN INSTITUTE (SWEDEN) MAX-PLANCK INSTITUTE (GERMANY) UNIVERSITY OF MEW MEXICO PENNSYLVANIA STATE UNIVERSITY RUTGERS UNIVERSITY UNIVERSITY DI TRIESTE (ITALY)
	Request 19 Feb, 90 Unspecified Inactive 30 Jun, 94	
813	SIMALL PHYSICS #813 Lawrence W. Jones BEAM: Unspecified Beam I. A QUANTITATIVE TEST OF THE LANDAU-MIGDAL-POMMERANCHUK EFFECT; II. HADRON INCLUSIVE DISTRIBUTIONS AT HIGH X; III. NEUTRON POLARIZATION Request 2 Mar. 90 Unspecified Rejected 5 May. 93	UNIVERSITY OF HAWAII AT MANOA LODZ UNIVERSITY UNIVERSITY OF MICHIGAN UNIVERSITY OF WASHINGTON
814	PRIMAKOFF PRODUCTION #814 Vladimir Chaloupka BEAM: Proton Ares - Center SEARCH FOR PRIMAKOFF PRODUCTION OF HYBRID MESONS. Request 28 Feb. 90 Unspecified	UNIVERSITY OF ROCHESTER UNIVERSITY OF WASHINGTON
	Inactive 23 Dec, 92	······
815	NEUTRINO #815 BEAM: Neutrino Area - Center Precision Measurements of Neutrino Neutral Current Interactions Using a Sign-Selected Beam	ADELPHI UNIVERSITY UNIVERSITY OF CINCINNATI COLUMBIA UNIVERSITY FERMILAB KANSAS STATE UNIVERSITY UNIVERSITY OF OREGON UNIVERSITY OF ROCHESTER XAVIER UNIVERSITY
	Request 7 Mar. 90 Unspecified 9 Oct. 90 Unspecified Approval 10 Jul. 91 Unspecified Stage I approval for Phase I granted. 9 Jul. 92 Unspecified Stage I approval for 10 El8th Protons on target 24 Jun. 94 Unspecified IEl8 protons on target at an intensity between 1 and 3 E Pulse	13 protons /
816	Setup Within Year 1 Oct, 94 SDC DETECTOR MUON BEAM TESTS #T816 Henry J. Lubatti BEAM: Neutrino Area - Muon Beam SSC Detector Muon Sub-System Beam Tests	UNIVERSITY OF COLORADO AT BOULDER FERMILAB UNIVERSITY OF ILLINOIS, CHAMPAIGN UNIVERSITY OF MARYLAND OSAKA CITY UNIVERSITY JAPAN) UNIVERSITY OF ROCHESTER TEMPLE UNIVERSITY TUFTS UNIVERSITY UNIVERSITY OF WASHINGTON UNIVERSITY OF WISCONSIN-MADISON
	Request 1 May, 90 Unspecified Approval 30 Oct. 90 Unspecified	
817	Completed 8 Jan. 92 Unspecified SILICON STRIP DETECTOR TEST #817 James P. Alexander BEAM: Neutrino Area - Muon Beam James P. Alexander Double-sided silicon strip detector prototype evaluation. Silicon strip detector	UNIV. OF CALIFORNIA, SANTA BARBARA CORNELL UNIVERSITY
	Request 1 May, 90 Unspecified Approval 9 Jul, 90 Unspecified Completed 15 Aug, 90 Unspecified	

(continued)

Unscheduled

8	LEAD GLASS DETECTOR TEST #818 Scott BEAM: Unspecified Beam Proposal to use the NWA Electron Test Beam at Fermilab for Calorimeter Prototype Request 26 Jun, 90 Unspecified	t Teige - Tests of a Lead Glass	INDIANA UNIVERSITY UNIVERSITY OF LOUISVILLE MOSCOW STATE UNIVERSITY (RUSSIA) IHEP, PROTVINO (SERPUKHOV)(RUSSIA)
_	Withdrawn 30 Apr, 91		
9	EMPACT DETECTOR TEST FOR SSC #819 Louis BEAM: Neutrino Ares - Muon Beem EMPACT Muon Telescope Evaluation at Fermileb	s S. Osborne	UNIVERSITY OF HOUSTON INDIANA UNIVERSITY JINR, DUBNA (RUSSIA) MASSACHUSETTS INST. OF TECHNOLOGY
	Request28 Jun, 90UnspecifiedApproval15 Aug, 91UnspecifiedCompleted15 Oct, 91Unspecified		
20	MUON NEUTRINO MAGNETIC MOMENT #820 Niko BEAM: Miscelleneous Area Search for the muon neutrino magnetic moment at the 10 to using the Booster at Fermilab		FERMILAB UNIVERSITY OF MARYLAND NORTHEASTERN UNIVERSITY NORTHERN ILLINOIS UNIVERSITY UNIVERSITY OF ROCHESTER ROCKEFELLER UNIVERSITY
	Request 13 Jul, 90 Unspecified Inactive 30 Jun, 94		
1	NEUTRON MEASUREMENTS AT NWA #T821 Kenn BEAM: Neutrino Ares - West Neutron Measurements at NWA	eth A. Johns	UNIVERSITY OF ARIZONA BALL STATE UNIVERSITY FERMILAB UNIVERSITY OF MICHIGAN UNIVERSITY OF MINNESOTA NORTHERN ILLINOIS UNIVERSITY RICE UNIVERSITY
	Request 14 Aug, 90 Unspecified Approval 14 Aug, 90 Unspecified Completed 8 Jan, 92 Unspecified		
2		ry C. Goodman	ARGONNE NATIONAL LABORATORY
	BEAM: Main Injector Area " A Long-Baseline Neutrino Oscillation Experiment from Fermi	•	FERMILAB LEBEDEV PHYSICAL INST. (RUSSIA) UNIVERSITY OF MINNESOTA ITEP, MOSCOW (RUSSIA) UNIVERSITY OF OXFORD (ENGLAND) RUTHERFORD-APPLETON LABS.(ENGLANI SSC LABORATORY TEXAS A&M UNIVERSITY TUFTS UNIVERSITY WESTERN WASHINGTON UNIVERSITY
	Request 24 Aug, 90 Unspecified Unconsidered 19 Mar, 91		
.3	Paul BEAM: Collision Ares (D-0) D0 Detector Upgrede Paul Request 6 Oct. 90 Unspecified	D. Grannis and Hugh Elliott Montgomery	UNIVERSIDAD DE LOS ANDES(COLOMBIA) UNIVERSITY OF ARIZONA BROOKHAVEN NATIONAL LABORATORY BROWN UNIVERSITY UNIV. OF CALIFORNIA, RAVIS UNIV. OF CALIFORNIA, RIVERSIDE CBPF (BRAZIL) CEN-SACLAY (FRANCE) CINVESTAV-IPN (MEXICO) COLUMBIA UNIVERSITY DELHI UNIVERSITY DELHI UNIVERSITY INTERSITY OF HAWAII AT MANOA UNIV. OF ILLINOIS, CHICAGO CIRCLE INDIANA UNIVERSITY IOWA STATE UNIVERSITY IOWA STATE UNIVERSITY KOREA UNIVERSITY, FUSAN(KOREA) INP, KRAKOW (POLAND) KYUNGSUNG UNIVERSITY, PUSAN(KOREA) LAWRENCE BERKELEY LABORATORY UNIVERSITY OF MARYLAND MICHIGAN STATE UNIVERSITY (RUSSIA) UNIVERSITY OF MICHIGAN MOSCOW STATE UNIVERSITY NORTHERN ILLINOIS UNIVERSITY NORTHERN UNIVERSITY UNIVERSITY OF OKLAHOMA PANJAB UNIVERSITY UNIVERSITY OF NECHTAR SEOUL NATIONAL UNIVERSITY UNIVERSITY OF NECHTAR SEOUL NATIONAL UNIVERSITY UNIVERSITY OF TEXAS AT ARLINGTON

11	Jul,	91		-		-				

(continued)

Neutrino Been	njector Arem	BOSTON UNIVERSITY UNIVERSITY OF HAWAII AT MANOA ICRR, UNIVERSITY OF TOKYO (JAPAN) UNIVERSITY OF KIEL (GERMANY) KINKI UNIVERSITY (JAPAN) SCRIPPS INST. OF OCEANOGRAPHY/UCS TOHOKU UNIVERSITY (JAPAN) VANDERBILT UNIVERSITY UNIVERSITY OF WASHINGTON UNIVERSITY OF WASHINGTON
Request	4 Oct, 90 Unspecified 28 Dec. 92	
Inactive 5 SDC PROT BEAM: Unspect	23 Dec, 92 OTYPE DETECTORS #825 J. Bensinger	ARGONNE NATIONAL LABORATORY UNIVERSITY OF ADIZONA BRANDEIS UNIVERSITY BRATSLAVA STATE UNIVERSITY (CZECT UNIVERSITY OF BRISTOL (ENGLAND) BROWN UNIVERSITY UNIV. OF CALIFORNIA, LOS ANGELES UNIV. OF CALIFORNIA, SAN DIEGO UNIV. OF CALIFORNIA, SAN DIEGO UNIV. OF CALIFORNIA, SAN DIEGO UNIV. OF CALIFORNIA, SAN DIEGO UNIV. OF CALIFORNIA, SAN DIEGO UNIVERSITY OF CHICAGO UNIVERSITY OF ILAVENSITY UNIVERSITY OF MARYLAND UNIVERSITY (JAPAN) NAGOYA UNIVERSITY (JAPAN) NAGAKA CITY UNIVERSITY (JAPAN) NAGAKA UNIVERSITY (JAPAN) SATA UNIVERSITY OF PITSUGAGI PURDUE UNIVERSITY (JAPAN) SATAMA COLLEGE OF HEALTH (JAPAN) NOTRE UNIVERSITY OF SECONCE (CZECH SOFIA STATE U

Request 1 Oct, 90 Unspecified Inactive 23 Dec, 92

020	HYPERON MEASUREMENTS #826 BEAM: Proton Area - Center An Expression of Interest to Continue Hyperon M.	Kenneth A. Johns and Regina A. Rameika essurements at Fermilab	UNIVERSITY OF ARIZONA FERMILAB UNIVERSITY OF MICHIGAN UNIVERSITY OF MINNESOTA
	Request 8 Oct, 90 Unspecified Inactive 23 Dec, 92		
827	MICRO-BCD #827 BEAM: Collision Area (C-0) B Physics at the TEV I; Micro-BCD	Nigel S. Lockyer	UNIVERSIDAD DE LOS ANDES(COLOMBIA UNIV. OF CALIFORNIA, DAVIS FERMILAB UNIVERSITY OF FLORIDA UNIV. OF ILLINOIS, CHICAGO CIRCLE ILLINOIS INSTITUTE OF TECHNOLOGY UNIVERSITY OF IOWA UNIVERSITY OF MONTREAL (CANADA) SUNY AT ALBANY OAK RIDGE NATIONAL LABORATORY UNIVERSITY OF PENNSYLVANIA PRAIRIE VIEW A&M UNIVERSITY PRINCETON UNIVERSITY PRINCETON UNIVERSITY UNIVERSITY OF PUENTO RICO UN.SAN FRANCISCO DE QUITO(ECUADOR) SPACE SCIENCE LAB., U.C., BERKELEY UNIVERSITY OF WISCONSIN-MADISON YALE UNIVERSITY
	Request 8 Oct, 90 Unspecified Rejected 10 Jul, 91		
828	B-MESON CP VIOLATION #828 BEAM: Collision Area (Miscellaneous) Letter of Intent to Measure CP Violation in B Me	Sheldon L. Stone eson Decay at the Fermilab Collider	FERMILAB UNIVERSITY OF FLORIDA UNIVERSITY OF MICHIGAN SYRACUSE UNIVERSITY
	Request 26 Sep, 90 Unspecified Withdrawn 22 Jun, 91		
829	HEAVY FLAVORS AT TPL #829 BEAM: Proton Ares - East Study of Heavy Flavors at TPL, Continuation of E	David C. Christian and Michael D. Sokoloff E-791	UNIVERSITY OF CINCINNATI CINVESTAV-IPN (MEXICO) FERMILAB ILLINOIS INSTITUTE OF TECHNOLOGY UNIVERSITY OF MASSACHUSETTS PRINCETON UNIVERSITY UN.AUTONOMA DE PUEBLA (MEXICO) UNIVERSITY OF TEL-AVIV (ISRAEL) TUFTS UNIVERSITY UNIVERSITY OF WISCONSIN-MADISON YALE UNIVERSITY
	Request 8 Oct, 90 Unspecified Rejected 28 Feb, 94		
330	CDF UPGRADE #830 BEAM: Collision Area (B-O) Proposal for an Upgraded CDF Detector	William C. Carithers, Jr. and Giorgio Bellettini	ARGONNE NATIONAL LABORATORY UNIVERSITY OF BOLOGNA (ITALY) BRANDEIS UNIVERSITY UNIV. OF CALIFORNIA, LOS ANGELES CIPP (CANADA) UNIVERSITY OF CHICAGO DUKE UNIVERSITY FERMILAB INFN, FRASCATI (ITALY) HARVARD UNIVERSITY UNIVERSITY OF ILLINOIS, CHAMPAIGN JOHNS HOPKINS UNIVERSITY KEK (JAPAN) LAWRENCE BERKELEY LABORATORY MASSACHUSETTS INST. OF TECHNOLOGY MICHIGAN STATE UNIVERSITY UNIVERSITY OF MICHIGAN UNIVERSITY OF MICHIGAN UNIVERSITY OF NEW MEXICO OSAKA CITY UNIVERSITY UNIVERSITY OF PADOVA (ITALY) UNIVERSITY OF PENNSYLVANIA INFN, FISA (ITALY) UNIVERSITY OF POCHESTER ROCKEFELLER UNIVERSITY RUTGERS UNIVERSITY TEXAS A&M UNIVERSITY UNIVERSITY OF TSUKUBA (JAPAN) TURTS UNIVERSITY UNIVERSITY OF TSUKUBA (JAPAN) TURTS UNIVERSITY UNIVERSITY OF TSUKUBA (JAPAN)

<u>`</u>		
831	HEAVY QUARK PHOTOPRODUCTION #831 John P. Cumalat BEAM: Proton Area - Broad Band A High Statistics Study of States Containing Heavy Quarks Using the Wideband Photon Beam and the E607 Multiparticle Spectrometer Request 17 Oct, 90 Unspecified	UNIV. OF CALIFORNIA, DAVIS UNIVERSITY OF COLORADO AT BOULDER FERMILAB INFN, FRASCATI (ITALY) UNIVERSITY OF ILLINOIS, CHAMPAIGN KOREA UNIVERSITY, SEOUL (KOREA) LEBEDEV PHYSICAL INST. (RUSSIA) INFN, MILANO (ITALY) UNIVERSITY OF MILANO (ITALY) UNIVERSITY OF MORTH CAROLINA NOTRE DAME UNIVERSITY UNIVERSITY OF PAVIA (ITALY) UNIVERSITY OF PAVIA (ITALY) UNAUTONOMA DE PUEBLA (MEXICO) UNIV. OF PUERTO RICO - MAYAGUEZ UNIVERSITY OF SOUTH CAROLINA UNIVERSITY OF SOUTH CAROLINA UNIVERSITY OF SOUTH CAROLINA UNIVERSITY OF SOUTH CAROLINA UNIVERSITY OF WISCONSIN-MADISON
	Approval 7 Dec, 92 5,000 Hours 1000 hours for setup and 4000 hours for data taking Approval 7 Dec, 92 Unspecified Setup Within Year 1 Oct, 94	
832	CP VIOLATION #832 BEAM: Neutrino Area - Muon Beam Proposal for a New Tevatron Search for Direct CP Violation in the 2pi decays of the Neutral Kaon	UNIV. OF CALIFORNIA, LOS ANGELES UNIV. OF CALIFORNIA, SAN DIEGO UNIVERSITY OF CHICAGO UNIVERSITY OF COLORADO AT BOULDER ELMHURST COLLEGE FERMILAB OSAKA UNIVERSITY (JAPAN) RICE UNIVERSITY RUTCERS UNIVERSITY UNIVERSITY OF VIRGINIA UNIVERSITY OF VIRGINIA
	Request 18 Oct, 90 Unspecified Setup Within Year 1 Oct, 94	
833	K-SHORT DECAYS #833 Gordon B. Thomson BEAM: Meson Area - Center Letter of Intent to Measure the Branching Ratio for the K-short Decay	UNIV. OF CALIFORNIA, LOS ANGELES UNIVERSITY OF CHICAGO ELMHURST COLLEGE FERMILAB UNIVERSITY OF ILLINOIS, CHAMPAIGN RUIGERS UNIVERSITY
	Request 19 Oct, 90 Unspecified Unconsidered 19 Oct, 90	
834	DIRECT PHOTON #834 Paul F. Slattery BEAM: Meson Area - West Direct Photon Production #834	DELHI UNIVERSITY (INDIA) FERMILAB MICHIGAN STATE UNIVERSITY UNIVERSITY OF MINNESOTA NORTHEASTERN UNIVERSITY PENNSYLVANIA STATE UNIVERSITY UNIVERSITY OF PITTSBURGH RAJASTHAN UNIVERSITY (INDIA) UNIVERSITY OF ROCHESITER
	Request 19 Oct, 90 Unspecified Inactive 23 Dec, 92	I
835	CHARMONIUM STATES #835 Rosanna Cester BEAN: Accumulator Ring Study of Charmonium States formed in Antiproton-proton Annihilations MOU Executed.	UNIV. OF CALIFORNIA, IRVINE FERMILAB UNIVERSITY OF FERRARA (ITALY) INFN, GENOVA (ITALY) NORTHWESTERN UNIVERSITY PENNSYLVANIA STATE UNIVERSITY UNIVERSITY OF TORINO (ITALY)
	Request 16 Oct, 90 Unspecified Approval 7 Dec, 92 Unspecified Setup Within Year 1 Oct, 94	
836	SUPERCONDUCTING DETECTOR TEST #836 Robert G. Wagner BEAM: Unspecified Beam Proposal for a Beam Test of a Superconducting Thin Film Strip Particle Detector Request 3 Oct, 90 24 Hours in three 8 hour shifts Withdrawn 8 Jan, 92	ARGONNE NATIONAL LABORATORY
837	EMPACT/TEXAS TEST #837 Michael D. Marx BEAM: Unspecified Beam EMPACT/TEXAS Beam Test(s)	SUNY AT STONY BROOK
	Request 12 Oct, 90 Unspecified Inactive 23 Dec, 92	

	POLARIZED BEAM #838 BEAM: Meson Ares - Polarized Proton Beam Continuation of E-704 and Simultaneous Measurement of	Akihiko Yokosawa of Ch1-2 Production	ARGONNE NATIONAL LABORATORY CEN-SACLAY (FRANCE) FERMILAB UNIVERSITY OF IOWA KYOTO SANGYO UNIVERSITY (JAPAN) KYOTO UNIVERSITY (JAPAN) IAPP, D'ANNECY-LE-VIEUX (FRANCE) LOS ALAMOS NATIONAL LABORATORY INFN, MESSINA (ITALY) NEW MEXICO STATE UNIVERSITY NORTHWESTERN UNIVERSITY UN. OF OCCUP. & ENV. HEALTH(JAPAN) OLD DOMINION UNIVERSITY OSAKA CITY UNIVERSITY (JAPAN) OLD DOMINION UNIVERSITY OSAKA UNIV. OF COMMERCE (JAPAN) OSAKA UNIV. OF COMMERCE (JAPAN) HEP, PROTVINO (SERPUKHOV)(RUSSIA) RICE UNIVERSITY UNIVERSITY DI TRIESTE (ITALY) UNIVERSITY OF UDINE (ITALY)
	Request 1 Oct, 90 Unspecified Rejected 19 Feb, 91		
839	FIBER TRACKING TEST #839 BEAM: Neutring Ares - Muon Beam Scintillating Fiber Tracker - Beam Test	Seymour Margulies	UNIV. OF CALIFORNIA, LOS ANGELES FERMILAB UNIV. OF ILLINOIS, CHICAGO CIRCLE NOTRE DAME UNIVERSITY OSAKA CITY UNIVERSITY (JAPAN) PENNSYLVANIA STATE UNIVERSITY PURDUE UNIVERSITY RICE UNIVERSITY UNIVERSITY OF TEXAS AT DALLAS UNIVERSITY OF TSUKUBA (JAPAN)
	Request 25 Sep, 90 Unspecified Approval 15 Apr, 91 Unspecified Completed 8 Jan, 92 Unspecified		
840	SPAGHETTI CALORIMETRY TEST #840 BEAM: Meson Ares - Polsrized Proton Beam Spashetti calorimetry in '91 test beam cycle	Adam Para	FERMILAB
	4. Liquid 5. Two-ses Completed 8 Jan, 91 Unspecified	natic cmlorimeter (80 hrs.) scintilløtor prototype (56 hrs.) mment fiber prototype (240 hrs.)	
841	CALORIMETER BEAM TEST #T841 BEAM: Meson Ares - Test Beam Proposal for Beam Test of Scintillator Calorimeter F 1991	Lawrence E. Price Prototypes at Fermilab during FY	ARGONNE NATIONAL LABORATORY CEN-SACLAY (FRANCE) FERMILAB IOWA STATE UNIVERSITY LAWRENCE BERKELEY LABORATORY NORTHEASTERN UNIVERSITY PURDUE UNIVERSITY UNIVERSITY OF ROCHESTER ROCKEFELER UNIVERSITY UNIVERSITY OF SOUTH CAROLINA VIRGINIA POLYTECHNIC INSTITUTE WESTINGHOUSE ELECTRIC CORPORATION UNIVERSITY OF WISCONSIN-MADISON
			YALE UNIVERSITY
	Request8 Oct, 90UnspecifiedApproval28 Mar, 91UnspecifiedCompleted8 Jan, 92Unspecified		
842	Approval 28 Mar, 91 Unspecified Completed 8 Jan, 92 Unspecified RADIATION EXPOSURE #842 BEAM: Proton Area - Broad Band Proposed Radiation Measurement in the Wideband Neutrement	David G. Underwood	ARGONNE NATIONAL LABORATORY
842	Approval 28 Mar, 91 Unspecified Completed 8 Jan, 92 Unspecified RADIATION EXPOSURE #842 BEAM: Proton Area - Broad Band		
	Approval 28 Mar, 91 Unspecified Completed 8 Jan, 92 Unspecified RADIATION EXPOSURE #842 BEAM: Proton Area - Broad Band Proposed Radiation Measurement in the Wideband Neutr Request 6 Nov, 90 Unspecified Completed 8 Jan, 92 Unspecified Completed 8 Jan, 92 Unspecified EMULSION EXPOSURE 600 GeV #843 BEAM: Neutrino Area - Muon Beam Interactions of 600 Gev Huons with Emulsion Nuclei Request 24 Oct. 90 Unspecified Approval 1 Jul. 91 Unspecified		ARGONNE NATIONAL LABORATORY
843	Approval 28 Mar, 91 Unspecified Completed 8 Jan, 92 Unspecified RADIATION EXPOSURE #842 BEAN: Proton Area - Broad Band Proposed Radiation Measurement in the Wideband Neutric Request 6 Nov, 90 Approval 15 Aug, 91 Unspecified Bompleted 8 Jan, 92 Unspecified Bompleted 8 Jan, 92 Unspecified BEAN: Neutrino Area - Muon Beam Interactions of 600 Gev Muons with Emulsion Nuclei Request 24 Oct, 90 Unspecified	C. O. Kim Simon P. Swordy	ARGONNE NATIONAL LABORATORY CHONNAM NATIONAL UNIVERSITY(KOREA)
843	Approval 28 Mar, 91 Unspecified Completed 8 Jan, 92 Unspecified RADIATION EXPOSURE #842 BEAN: Proton Area - Broad Band Proposed Radiation Measurement in the Wideband Neutrement Request 6 Nov, 90 Approval 15 Aug, 91 Unspecified Completed 8 Jan, 92 Unspecified Completed 8 Jan, 92 Unspecified BEAN: Neutrino Area - Muon Beam Interactions of 600 Gev Muons with Emulsion Nuclei Request 24 Oct, 90 Unspecified Approval 1 Jul, 91 Unspecified Completed 13 Jul, 91 Unspecified TRD/SHOWER COUNTER TEST #844 BEAM: Mediation Detector/EM Shower Counter Cal: Request 28 Nov, 90 40 Hours Approval 11 Oct, 91 Unspecified	C. O. Kim Simon P. Swordy	ARGONNE NATIONAL LABORATORY CHONNAM NATIONAL UNIVERSITY(KOREA KOREA UNIVERSITY, SEOUL (KOREA)
843	Approval 28 Mar, 91 Unspecified Completed 8 Jan, 92 Unspecified RADIATION EXPOSURE #842 BEAM: Proton Area - Broad Band Proposed Radiation Measurement in the Wideband Neutr Request 6 Nov, 90 Unspecified Approval 15 Aug, 91 Unspecified Completed 8 Jan, 92 Unspecified EMULSION EXPOSURE 600 GeV #843 BEAM: Neutrino Area - Muon Beam Interactions of 600 Gev Huons with Emulsion Nuclei Request 24 Oct. 90 Unspecified Approval 1 Jul. 91 Unspecified Completed 13 Jul. 91 Unspecified TRD/SHOWER COUNTER TEST #844 BEAM: Meson Area - Polarized Proton Beam Transition Radiation Detector/EM Shower Counter Cal: Request 28 Nov. 90 40 Hours	C. O. Kim Simon P. Swordy	ARGONNE NATIONAL LABORATORY CHONNAM NATIONAL UNIVERSITY(KOREA) KOREA UNIVERSITY, SEOUL (KOREA)

846	FRACTIONAL CHARGE IMPURITIES #846 Unil Perera BEAM: Meson Area - West Search for Fractional Charge Impurities	UNIVERSITY OF PITTSBURGH
	Request 1 Feb, 91 Unspecified Inactive 23 Dec, 92	
347	CALORIMETER TEST #847 Lawrence R. Sulak BEAM: Unspecified Beam Beam Test for scintilisting fiber / lead alloy calorimeter prototype	BOSTON UNIVERSITY
	Request 13 Feb, 91 Unspecified Completed 8 Jan, 92	
848	GAS CALORIMETRY FOR SDC #848 Nikos Giokaris BEAM: Neutrino Area - Test Beam High Pressure Sampling Gas Calorimetry for the SDC Calorimeter	ABILITY ENGINEERING TECHNOLOGY FERMILAB JINR, DUBNA (RUSSIA) UNIVERSITY OF ROCHESTER ROCKEFELLER UNIVERSITY UNIVERSITY OF WISCONSIN-MADISON YEREVAN PHYSICS INST. (ARMENIA)
	Request 29 Mar, 91 Unspecified Approvel 29 Oct, 91 Unspecified Completed 23 Dec, 91 Unspecified	
849	BARIUM FLUORIDE CALORIMETER #849 Hans G. E. Kobrak BEAM: Neutrino Area - Test Beam Request for Test Beam Time for Barium Fluoride Calorimeter Development	BROOKHAVEN NATIONAL LABORATORY CALIFORNIA INSTITUTE OF TECHNOLOG UNIV. OF CALIFORNIA, SAN DIEGO CARNEGIE-MELLON UNIVERSITY OAK RIDGE NATIONAL LABORATORY PRINCETON UNIVERSITY TATA INSTITUTE (INDIA)
	Request11 Apr, 91Unspecified Two (2) "beam on" periods of about 1 month each, sepa analysis period of about 1 month.Approval18 Sep, 91Unspecified Completed8 Jan, 92Unspecified8 Jan, 92Unspecified	rated by a data
850	DIAMOND RADIATION DETECTOR TEST #850 Melissa Franklin BEAM: Meson Area - Test Beam Fermilab Test Beam Time of Diamond Radiation Detectors	UNIV. OF CALIFORNIA, SANTA BARBARA HARVARD UNIVERSITY KEK (JAPAN) LAWRENCE LIVERMORE LABORATORY OHIO STATE UNIVERSITY PRINCETON UNIVERSITY UNIVERSITY OF ROCHESTER RUTGERS UNIVERSITY SSC LABORATORY STANFORD UNIVERSITY
	Request 1 May, 91 Unspecified Approval 8 Jan, 92 Unspecified Withdrawn 8 Jan, 92 Unspecified	
851	FIBER IRRADIATION STUDIES #851 BEAM: Collision Area (C-O) Fiber Irradiation Studies in the CO Region	UNIV. OF CALIFORNIA, LOS ANGELES FERMILAB UNIV. OF ILLINOIS, CHICAGO CIRCLE NOTRE DAME UNIVERSITY OAK RIDGE NATIONAL LABORATORY OSAKA CITY UNIVERSITY (JAPAN) PENNSYLVANIA STATE UNIVERSITY PURDUE UNIVERSITY RICE UNIVERSITY UNIVERSITY OF TEXAS AT DALLAS UNIVERSITY OF TSUKUBA (JAPAN)
	Request 1 May, 91 Unspecified Approval 14 Aug, 91 Unspecified Completed 8 Jan, 92 Unspecified	
352	PIXEL DETECTOR TEST #T852 Eric Arens BEAM: Neutrino Ares - Muon Beam Pixel Detector Test at NM Request 8 May, 91 Unspecified	FERMILAB LAWRENCE BERKELEY LABORATORY
	Approval 9 Sep, 91 Unspecified Completed 23 Dec, 91 Unspecified	
	TEVATRON CRYSTAL EXTRACTION #853 C. Thornton Murphy BEAM: Collision Arem (C-O) A Test of Low Intensity Extraction from the Tevatron Using Channeling in a Bent Crystal	ARGONNE NATIONAL LABORATORY BOSTON COLLEGE UNIV. OF CALIFORNIA, LOS ANGELES CEBAF FERMILAB JINR, DUBNA (RUSSIA) MOSCOW PHYSICAL ENG, INST (RUSSIA) UNIVERSITY OF NEW MEXICO SUNY AT ALBANY IHEP, PROTVINO (SERPUKHOV)(RUSSIA) SSC LABORATORY NPI, ST. PETERSBURG (RUSSIA) UNIVERSITY OF TEXAS AT AUSTIN VANDERBILT UNIVERSITY UNIVERSITY OF WISCONSIN-MADISON
	Request 22 May, 91 100 Hours of dedicated Tevetron time, during which only protons circulating. Approvel 10 May, 93 72 Hours In Progress 31 Oct, 94 Unspecified	need to be
54	MUON FLUXES IN THE DEBUNCHER #854 Alan D. Bross BEAM: Debuncher Ring	COLUMBIA UNIVERSITY FERMILAB
	Proposal to Measure the Flux of Ciculating Muons in the Debuncher. Request 11 Jul, 91 Unspecified Approvel 8 Jan. 92 Unspecified Completed 8 Jan. 92 Unspecified	

055	dE/dx MUONS #855 BEAM: Neutrino Area - Muon Beam Test Beam Request to Directly Measure dE/dx of GeV/c in Muon Leboratory	George R. Kalbfleisch High Energy Muons from 150 to 650	UNIVERSITY OF OKLAHOMA SSC LABORATORY
	Request3 Aug, 91UnspecifiedApprovel18 Nov, 91UnspecifiedCompleted8 Jan, 92Unspecified		
856	INTEGRATED PIXEL DETECTOR TEST#85 BEAM: Neutrino Ares - Muon Beam An Integrated Pixel Detector - Test Beam Reques		UNIVERSITY OF HAWAII AT MANOA LAWRENCE BERKELEY LABORATORY STANFORD UNIVERSITY
	Request4 Oct, 91UnspecifiedApproval11 Oct, 91UnspecifiedCompleted8 Jan, 92Unspecified		
857	SPIN-TENSOR #857 BEAM: Unspecified Beam Proposal to measure all components of the depol	L, I. Sarycheva arization tensor.	MOSCOW STATE UNIVERSITY (RUSSIA)
	Request 10 Dec, 91 Unspecified Inactive 23 Dec, 92		
858	ELASTIC SCATTERING SPIN EFFECTS #8 BEAM: Unspecified Beam Spin Effects in High Proton-Proton Elestic Scat		FERMILAB INDIANA UNIVERSITY JINR, DUBNA (RUSSIA) KEK (JAPAN) UNIVERSITY OF MICHIGAN MOSCOW STATE UNIVERSITY (RUSSIA) UNIVERSITY OF NORTH CAROLINA IHEP, PROTVINO (SERPUKHOV)(RUSSIA)
	Request 6 Jan, 92 Unspecified Rejected 30 Jul, 92		
859	CP VIOLATION IN HYPERON DECAY #85 BEAM: Unspecified Beam CP Violations in Hyperon Decay	9 Shao Yuan Hsueh	FERMILAB
	Request 2 Jan, 92 Unspecified Withdrawn 13 Jan, 94		
860	SEARCH FOR NEUTRINO OSCILLATIONS BEAM: Debuncher Ring A Search for Neutrino Oscillations using the Fer		BROOKHAVEN NATIONAL LABORATORY COLUMBIA UNIVERSITY FERMILAB KANGNUNG NATIONAL UNIV. (KOREA) KOREA UNIVERSITY, SEOUL (KOREA) SEOUL NATIONAL UNIVERSITY (KOREA)
	Request 14 Jan, 92 Unspecified Deferred 16 Jul, 92		
861	ANTIPROTON DECAY #T861 BEAM: Accumulator Ring Test of Backgrounds for an Antiproton Decay Sear Accumulator	Steve Geer	UNIV. OF CALIFORNIA, LOS ANGELES Fermilab Pennsylvania state university
	Request 10 Feb, 92 24 Hours Completed 29 Oct, 92		
862	ANTI-HYDROGEN DETECTION #862 BEAM: Accumulator Ring Detection of Relativistic Anti-Hydrogen Atoms pu Positron Capture	David C. Christian	UNIV. OF CALIFORNIA, IRVINE FERMILAB PENNSYLVANIA STATE UNIVERSITY SLAC
	Request 27 Aug, 92 Unspecified Setup Within Year 1 Oct, 94		
863	NUCLEON SPIN #863 BEAM: Meson Arem - Polarized Proton Beam Nucleon Spin Structure Studies with Polarized Pr	Aldo Penzo roton and Antiproton Beams	ARGONNE NATIONAL LABORATORY CEN-SACLAY (FRANCE) CNRS, MARSEILLE (FRANCE) UNIVERSITY OF IOWA KYOTO SANGYO UNIVERSITY (JAPAN) KYOTO UNIVERSITY (JAPAN) LAPP, D'ANNECY-LE-VIEUX (FRANCE) INFN, MESSINA (ITALY) NEW MEXICO STATE UNIVERSITY UN, OF OCCUP, & ENV. HEALTH(JAPAN) OKAYAMA UNIVERSITY (JAPAN) OSAKA CITY UNIVERSITY (JAPAN) IHEP, PROTVINO (SERPUKHOV)(RUSSIA RICE UNIVERSITY UNIVERSITY DI TRIESTE (ITALY)
	Request 31 Aug, 92 7 Months Rejected 7 Dec, 92		
864	MAXIMUM ACCEPTANCE DETECTOR #T BEAM: Collision Ares (C-O) Meximum Acceptance Detector for the Fermilab Col		CASE WESTERN RESERVE UNIVERSITY DUKE UNIVERSITY FERMILAB LOS ALAMOS NATIONAL LABORATORY UNIVERSITY OF MICHIGAN SLAC VIRGINIA POLYTECHNIC INSTITUTE
	Request 1 Sep. 92 Unspecified		

865	CHARM AND BEAUTY DECAYS #865 Daniel M. Kaplan BEAM: Meson Area - East High-Sensitivity Study of Charm and Beauty Decays.	ABILENE CHRISTIAN UNIVERSITY UNIV. OF CALIFORNIA, LOS ANGELES CEN-SACLAY (FRANCE) CERN (SWITZERLAND) CINVESTAV-IPN (MEXICO) FERMILAB ILLINOIS INSTITUTE OF TECHNOLOGY IOWA STATE UNIVERSITY UNIVERSITE DE LAUSANNE NORTHERN ILLINOIS UNIVERSITY UNIVERSITY OF SOUTH CAROLINA UNIVERSITY OF TEXAS AT DALLAS
	Request 1 Sep, 92 Unspecified Withdrawn 4 Feb, 94	
866	ANTI(U-QUARK)/ANTI(D-QUARK) DIST#866 Patrick L. McGaughey BEAM: Meson Ares - East Messurement of x distribution of the ratio of anti(u-quark) to anti(d-quark) in the proton	ABILENE CHRISTIAN UNIVERSITY IHEP, ACADEMIA SINICA (TAIWAN) ARGONNE NATIONAL LABORATORY CALIFORNIA INSTITUTE OF TECHNOLOGY FERMILAB GEORGIA STATE UNIVERSITY LOS ALAMOS NATIONAL LABORATORY LOUISIANA STATE UNIVERSITY NEW MEXICO STATE UNIVERSITY NORTHERN ILLINOIS UNIVERSITY OAK RIDGE NATIONAL LABORATORY TEXAS A&M UNIVERSITY VALPARAISO UNIVERSITY
	Request2 Sep, 92UnspecifiedApproval7 Dec, 92UnspecifiedSetup Within Year1 Oct, 94	
867	HIDDEN CHARM AND BEAUTY #867 Bradley B. Cox BEAM: Proton Ares - West A Proposel to Continue the Study of Hidden Charm and Beauty States by Triggering on High Transverse Momentum Single Muons and High Mass Dimuons in 800 GeV/c pN Interactions	UNIVERSITY OF SOUTH ALABAMA UNIV. OF CALIFORNIA, BERKELEY UNIV. OF CALIFORNIA, LOS ANGELES FERMILAB UNIVERSITY OF HOUSTON JINR, DUBNA (RUSSIA) UNIVERSITY OF LECCE (ITALY) MCGILL UNIVERSITY (CANADA) ACADEMY OF SCI. OF BSSR (BYELARUS) NANJING UNIVERSITY (PRC) NORTHWESTERN UNIVERSITY UNIVERSITY OF PENNSYLVANIA PRAIRIE VIEW A&M UNIVERSITY SHANDONG UNIVERSITY (PRC) IHEP, TBILISI STATE UNIV (GEORGIA) VANIER COLLEGE (CANADA) UNIVERSITY OF VIRGINIA UNIVERSITY OF VIRGINIA UNIVERSITY OF VIRGINIA UNIVERSITY OF VIRGINIA UNIVERSITY OF VIRGINIA
	Request 3 Sep, 92 Unspecified Rejected 28 Feb, 94	
868	ANTIPROTON DECAY #868 Steve Geer BEAM: Accumulator Ring Proposal to Search for Antiproton Decay at the Fermilab Antiproton Accumulator	UNIV. OF CALIFORNIA, LOS ANGELES FERMILAB UNIVERSITY OF MICHIGAN UNIVERSITY OF NEBRASKA PENNSYLVANIA STATE UNIVERSITY
	Request 24 Sep, 92 Unspecified Setup Within Year 4 Mar, 93	
869	GEM DETECTOR AT THE SSC #869 Barry C. Barish and Bill Willis BEAM: Meson Ares - West Testing of Components for the GEM Detector at the Superconducting Super Collider Laboratory: A Proposal to the Fermi National Accelerator Laboratory Request 11 Nov, 92 Unspecified	FERMILAB SSC LABORATORY
870	Withdrawn 4 Jan, 94 PROTOTYPE DETECTORS FOR THE SDC #870 George H. Trilling BEAM: Meson Ares - Polarized Proton Beam PROTOTYPE DETECTORS FOR THE SDC #870	FERMILAB LAWRENCE BERKELEY LABORATORY SSC LABORATORY
	Request 1 Jan, 93 Unspecified Withdrawn 4 Jan, 94	
871	CP VIOLATION #871 BEAM: Meson Ares - Center A Search for CP Violation in the Decays of Cascade minus / Anti-Cascade plus and Neutral Lambda / Neutral Anti-Lambda Hyperons	IHEP, ACADEMIA SINICA (TAIWAN) UNIVERSITY OF SOUTH ALABAMA UNIV. OF CALIFORNIA, BERKELEY FERMILAB ILLINOIS INSTITUTE OF TECHNOLOGY LAWRENCE BERKELEY LABORATORY UNIVERSITY OF VIRGINIA
	Request 21 Mar, 93 Unspecified Approval 29 Jun, 94 Unspecified Stage I approval. Setup Within Year 1 Oct, 94	

872	TAU NEUTRINO #872 BEAM: Proton Ares - West BEAM DUMP #872 Request 26 Mer. 93 Unspecified	Byron Lundberg and Vittorio Paolone	AICHI UNIV. OF EDUCATION (JAPAN) UNIVERSITY OF ATHENS (GREECE) UNIV. OF CALIFORNIA, DAVIS FERMILAB GIFU UNIVERSITY (JAPAN) HIROSAKI UNIVERSITY (JAPAN) KINKI UNIVERSITY (JAPAN) KOBE UNIVERSITY (JAPAN) UNIVERSITY OF MINNESOTA NAGOYA UNIVERSITY (JAPAN) NORTHEASTERN UNIVERSITY OKAYAMA UNIVERSITY (JAPAN) OSAKA CITY UNIVERSITY (JAPAN) OSAKA CITY UNIVERSITY (JAPAN) OSAKA CITY UNIVERSITY (JAPAN) OSAKA UNIVERSITY (JAPAN) OSAKA UNIVERSITY (JAPAN) OSAKA UNIVERSITY (JAPAN) OSAKA UNIVERSITY (JAPAN) UNIVERSITY (JAPAN) UNIVERSITY (JAPAN) TUFTS UNIVERSITY UTSUNOMIYA UNIVERSITY (JAPAN)
	Approval 29 Jun, 94 Unspecified Stage Setup Within Year 1 Oct, 94	I approval granted. 10 to the 18th protons-on-ta	
873	BOOSTER NEUTRINOS #873 BEAM: Booster Accelerator	F. Federspiel and H. White	LOS ALAMOS NATIONAL LABORATORY
	Letter of Intent to Perform a Neutrino Experime Request 21 Oct, 94 Unspecified	nt using the Fermilab 8 GEV Booster	
874	Unconsidered 21 Oct, 94 CHARGED PION LIFETIME #874 BEAM: Meson Ares - West	Steve Geer and Carlos F. Hojvat	FERMILAB
	Precision Measurement of the Lifetime of Charge Request 9 Nov, 94 Unspecified Unconsidered 9 Nov, 94	d Pions	
875	NEUTRINO OSCILLATIONS #875 BEAM: Mein Injector Ares A Long-baseline Neutrino Oscillation Experiment	Stanley G. Wojcicki at Fermilab	ARGONNE NATIONAL LABORATORY BOSTON COLLEGE CALIFORNIA INSTITUTE OF TECHNOLOGY COLUMBIA UNIVERSITY FERMILAB UNIVERSITY OF HOUSTON INDIANA UNIVERSITY LAWRENCE LIVERMORE LABORATORY LEBEDEV PHYSICAL INST. (RUSSIA) UNIVERSITY OF MINNESOTA ITEP, MOSCOW (RUSSIA) OAK RIDGE NATIONAL LABORATORY UNIVERSITY OF OXFORD (ENGLAND) RUTHERFORD-APPLETON LABS.(ENGLAND) STANFORD UNIVERSITY SUSSEX UNIVERSITY UNIVERSITY (ENGLAND) TEXAS A&M UNIVERSITY TUFTS UNIVERSITY WESTERN WASHINGTON UNIVERSITY
_	Request 9 Feb, 95 Unspecified Unconsidered 9 Feb, 95		
876	CDF HARD DIFFRACTION STUDIES #876 BEAM: Collision Area (B-O) Proposal for Hard Diffraction Studies in CDF	Mike G. Albrow	UNIVERSITY OF BOLOGNA (ITALY) FERMILAB MICHIGAN STATE UNIVERSITY INFN, PISA (ITALY) ROCKEFELLER UNIVERSITY UNIVERSITY OF TSUKUBA (JAPAN) WASEDA UNIVERSITY (JAPAN)
	Request 17 Jan, 95 Unspecified Unconsidered 17 Jan, 95		