

Fermilab Research Program 2003

Workbook

March 2003

Roy Rubinstein



Fermi National Accelerator Laboratory
Batavia, Illinois

Operated by Universities Research Association, Inc.
Under Contract with the United States Department of Energy

Price \$5.00

INTRODUCTION

Here is the 2003 edition of the venerable Fermilab Research Program Workbook, containing the annual update on the Laboratory's program and statistics on users. Thanks go to Jud Parker for the database care and feeding, and to Jackie Coleman who puts all the pieces together to make a Workbook.

Sadly, this past January saw the retirement of Taiji Yamanouchi, the longtime Head of the Program Planning Office. For more than two decades, he provided advice and encouragement during the preparation of the Workbooks, and he will be very much missed. We welcome his successor, Jeff Appel, and look forward to his help in the future.

TABLE OF CONTENTS

	<u>Page</u>
I. Statistics on Fermilab Proposals	1
II. Accelerator Performance	5
III. Fermilab Beam Properties and Experiment Location	13
IV. Fermilab Computing Facilities	21
V. Major Research Activities During 2002 and 2003	25
VI. Fermilab Research Program	29
VII. Summaries of Approved Experiments	33
VIII. Master List of Proposals	169

SECTION I. STATISTICS ON FERMILAB PROPOSALS

The status of Fermilab proposals is summarized in this Section of the Workbook. All proposals are classified into one of the following categories:

	<u>Categories</u>	<u>Definitions</u>
Approved Proposals	Completed	Approved proposals that have completed data-taking.
	Remaining	Approved proposals either running or waiting for data-taking.
	Inactive	Approved proposals which are now unlikely to ever be completed.
Pending Proposals	Unconsidered	Relatively new proposals awaiting consideration
	Deferred	Proposals for which consideration has been postponed for a specific reason
	"Not Approved"	Proposals for which a conventional decision cannot be made.
Obsolete Proposals	Rejected	Proposals rejected from further consideration
	Withdrawn/Inactive	Proposals that were not considered at the request of the spokesperson or that are no longer being considered for other reasons.

At the present time, 934 proposals have been received. Table 1 and Figure 1 show the number of proposals in each category each year since 1970.




Figure 1. Growth of the Fermilab research program. The total number of approved experiments is obtained by adding the numbers shown as completed and those remaining and approved/inactive. Pending proposals are those which are unconsidered, deferred or "not approved;" obsolete proposals are rejected or withdrawn/inactive. Note that in this figure "Approved Proposals Completed" includes experiments still analyzing data.

SECTION II. ACCELERATOR PERFORMANCE

This Section gives summaries of Tevatron operation for the $\bar{p}p$ Collider runs ($900 \text{ GeV} \times 900 \text{ GeV}$) of 1992-1993 and 1994-1996, and for the current Collider run which started in 2001. The current run is at $980 \times 980 \text{ GeV}$, and is the first Collider run to use the Main Injector.




Figure 2. Tevatron Collider operation during the 1992-1993 and 1994-96 running periods - luminosity per week and integrated luminosity.

Pbar Stacking




Figure 3. Tevatron Collider operation during the 1992-1993 and 1994-96 running periods - antiproton stacking per week and integrated stacking.

Comparison of Peak Luminosities




Figure 4. Tevatron Collider operation during the 1992-1993 and 1994-96 running periods - daily peak luminosity.

Collider Run IIA Integrated Luminosity




Figure 5. Tevatron Collider operation during the current running period, which started in 2001 - luminosity per week and integrated luminosity.

Collider Run IIA Pbar Stacking




Figure 6. Tevatron Collider operation during the current running period, which started in 2001 - antiproton stacking per week and integrated stacking.

Collider Run IIA Peak Luminosity




Figure 7. Tevatron Collider operation during the current running period, which started in 2001 - daily peak luminosity.

SECTION III. FERMILAB BEAM PROPERTIES AND EXPERIMENT LOCATION

The locations of all Fermilab fixed-target area beamlines are shown in Figure 8; Figure 9 gives the locations of Collider experiments.

The currently approved fixed-target experiments use beams from the Booster (for the neutrino experiment E-898, MiniBooNE) and the Main Injector (for the future neutrino experiment E-875, MINOS). The locations of these experiments are shown on the overall Fermilab accelerator layout in Figure 10, and their expected beam fluxes are shown in Figures 11 and 12. Other approved future experiments (E-906, E-907, and E-921) will be located in the (Meson) fixed-target area.

Table 2 gives the number of 120 GeV Main Injector protons/hour that can be expected under various operating scenarios, and Figure 13 shows some expected secondary beam fluxes using the Main Injector.




Figure 8. Layout of Fermilab Fixed Target area beams.




Figure 9. Locations in the Tevatron of the approved $\bar{p}p$ Collider experiments.




Figure 10. Schematic layout of Fermilab accelerators with present and future experimental areas.




Figure 11. Predicted neutrino flux at the MiniBooNE detector, for 4.7×10^9 protons on a beryllium target, through a 2.5 m-radius circle at 541 m from the target. The data are for a single magnetic-focusing horn. MiniBooNE expects to run with both a 25 m and a 50 m decay pipe.




Figure 12. Neutrino event rate at Soudan, Minnesota, for the MINOS experiment. Three beam tunes are shown; the most desirable tune depends on what the neutrino masses actually turn out to be. NuMI plans to begin operations with the LE tune. Rates are based on 3.7×10^{20} protons per year from the Main Injector; the MINOS detector mass will be 5.4 kilotons.

TABLE 2. PROTONS PER HOUR UNDER VARIOUS MODES OF OPERATION

<u>Mode</u>	<u>Cycle Time</u>	<u>Protons/Hour</u>		
		<u>AP Target</u>	<u>Fast Spill</u>	<u>Slow Spill</u>
Antiproton Production	1.466 sec	1.2×10^{16}	--	--
Fast Spill	1.866	--	5.8×10^{16}	--
Slow Spill	2.866	--	--	3.8×10^{16}
Mixed: AP+Fast Spill	2.000	0.9×10^{16}	4.5×10^{16}	--
Mixed: AP+Slow Spill	3.000	0.6×10^{16}	--	3.0×10^{16}

[Assumptions: 6×10^{10} protons per bunch; additional time is required for bunch manipulations and turning off magnetic switch at F17 in mixed modes.]




Figure 13. Main Injector: Fluxes scaled from the 800 GeV MW beamline.

SECTION IV. FERMILAB COMPUTING FACILITIES

The Computing Division provides services to advance the scientific mission of the Laboratory through innovative developments and operations in the areas of computational physics and simulation; data analysis, storage, access, and acquisition; general scientific, engineering, technical, and administrative computing; computer security, and networking.

The Computing Division provides significant development and operational support for Run II computing. Developments are continuing to support the petabytes of data and significant increase in data analyses over the next few years. Developments are focussed on providing centralized data storage and processing at Fermilab as well as distributed data distribution and management infrastructures to enable remote sites of the collaborations to fully contribute to the data analysis. Additionally, the Computing Division has responsibilities in the development and operation of MiniBooNE and MINOS offline computing. Support and development are provided for accelerator, linear collider and other beam studies, as well as BTeV simulation and engineering and computing research. Support for SDSS and Auger, as well as analysis computing for completed experiments – e.g. KTeV, E-871 continues.

The Computing Division also provides the home for the LHC CMS experiment Tier 1 regional center and is supporting the construction and development of the necessary hardware and software computational infrastructures. This includes support for the US CMS physics community test beam activities, simulated data production, algorithm development and testing. The CMS plans for a completely distributed computing model, incorporating the CERN Tier 0, the Fermilab and other regional center Tier 1s and many university Tier 2 centers in the US and elsewhere, requires significant research, development and ongoing prototyping of the use of Grid technologies for distributed data processing and access. Collaboration with Computer Science groups in the US has continued as well as with the new LHC Computing Grid project at CERN and other peer institutions and projects in Europe.

The Division continues to provide the coordination and tools for computer security. The Kerberos-based authentication system has been extended to the Windows domain throughout the laboratory. Continued attention to good computer security and timely and appropriate response to reported and detected

incidents remains a high priority, through a coordinated program across the Laboratory.

Systems currently supported centrally by the Computing Division include the Linux PC farms, central general purpose interactive and batch clusters, SMP and Linux cluster analysis servers, as well as other specific application and file services. The Computing Division also provides central services for all Fermilab users for a Linux distribution repository, cvs code repositories, mass storage systems, email, Web servers, operations, repair and licensing support. The Computing Division provides building and central support for dedicated experiment systems, which are housed in the Feynmann Computing Center. Dedicated special purpose systems are developed and supported, such as the high-performance integrated Linux cluster for Lattice QCD calculations housed in the New Muon Lab. In addition, the Computing Division provides central infrastructure for technical and office computing.

The multiprocessor farm systems composed of PCs running Linux dominate the production computing capacity at the Laboratory and allow fast cost-effective event reconstruction and Monte Carlo calculations. The current capacity of the farms is approximately 90,000 SpecInt95. Well over 50,000 SpecInt95 has been added to the farms during 2002 (over 300 nodes). The STK tape robots have been placed in production for use by all experiments and as a main data repository for the Division's other clients. The STK silos in place can store over 1 Petabyte each (1 Petabyte = 1 million gigabytes) with upgraded tape drives. A distributed disk cache system has been deployed to provide a rate-adapting buffer in front of the mass storage system and to allow management and optimization of the delivery of data to the experiment data processing and analysis farms. D0 has increased its reliance on the Fermilab-developed Sequential Access using Meta-Data (SAM) distributed processing and meta-data system, and CDF is extending its existing data handling system to use SAM for meta-data, data and resource management.

ESNET has provided upgraded offsite network capability through the installation of an OC-12 connection. The next year should see dark fiber WAN connectivity in collaboration with the Illinois I-Wire initiative. The Fermilab campus network continues to be upgraded in response to experiment data distribution and access needs. A conceptual diagram of the Laboratory's network infrastructure is shown in Figure 14.

The Computing Division continues its support for the development of experiment data acquisition and online systems. Electronics development and support continue for trigger and data acquisition projects for Run II and new experiments such as CKM. The Division is participating in an advanced R&D program for the BTeV data acquisition and trigger systems in collaboration with the experiment's university colleagues.

The Division provides support for experiment databases that are used to record and reference the comprehensive set of data-taking parameters, configuration, calibration and data processing information. It supports application interfaces to these databases for experiments including CDF, D0, and MINOS. The Division develops and supports common packages for experiment code frameworks, detector simulation tools and physics generators, analysis and data persistency tools. Development and support for collaborative tools is provided through the development and support of the Control Room Logbook, and extensions of Video conferencing support.

Participation continues in several externally funded, collaborative projects. The DOE Scientific Discovery through Advanced Computing (SciDAC) accelerator simulation, theory QCD calculations, distributed mass storage interfaces, and Particle Physics Data Grid projects are all providing added value to the Laboratory program. These initiatives contribute to and benefit from collaboration and cooperation with outside scientific and computer science groups. The Division continues to participate in NSF ITR projects for application Grids (iVDGL) and Trigger Farm R&D (BTeV RTES).

The Division also engages in advanced research and development of technologies needed by its experiment and other clients, especially in areas of storage management, data handling and access, efficient use of commodity computing, and ensuring the production and operability qualities of all its deployed and supported services.

FNAL Network: A Conceptual View




Figure 14. Conceptual diagram of Fermilab's networking infrastructure.

SECTION V. MAJOR RESEARCH ACTIVITIES DURING 2002 AND 2003

Information on the Fermilab research program during 2002 and early 2003 is given in the following pages. Figure 15 shows when beam was delivered to the experiments; Table 3 describes the major research activities in a little more detail.




Figure 15. Major experiments running at Fermilab in 2002 and 2003 (through February).

**TABLE 3. DESCRIPTION OF MAJOR RESEARCH ACTIVITIES
DURING 2002 AND 2003 (through February)**

EXP. #

AREA

BOOSTER

898

MiniBooNE – startup and data-taking

COLLIDER

830 / 909 / 916

CDF – data-taking

823 / 900 / 908

D0 – data-taking

SECTION VI. FERMILAB RESEARCH PROGRAM

This Section contains information on the Fermilab research program for the next few years. The Situation Report, given on the following two pages, is a summary of the current status of the experimental program. Figure 16, based on the Situation Report, illustrates by beam line the major approved experiments that have not yet completed data-taking.

Fermi National Accelerator Laboratory
Experiment Program Situation Report as of January 31, 2003

The Experimental Program situation at Fermilab is summarized below. The experiments are listed by experimental area and beamline under categories that best describe their status as of January 31, 2003. The experimental area names are abbreviated as follows: Meson Area (MA); Neutrino Area (NA); Proton Area (PA); Collision Area (COL); Accumulator Ring (ACCUM RING); Debuncher Ring (DBNCHR RING); Booster Accelerator (BOOSTR); Unspecified (UNSPEC BEAM); Beam from the Main Injector (MAIN INJECTOR) and A0 Facility (A0 Facility).

Total number of approved experiments - 454

Beam Area & Line	Experiment	Spokesperson(s)	Completion Date
EXPERIMENTS THAT ARE COMPLETED (405)			
<i>(Note: Only experiments which were completed since January 1, 2000 are listed.)</i>			
MA ME	ANTI(U-QUARK)/ANTI(D-QUARK) DIST#866	(LEITCH)	DEC 06, 2001
MC	HYPERCP PARTICLE MEASUREMENT #917	(GUSTAFSON)	MAR 01, 2001
MT	B PHYSICS TEST BEAM PROGRAM #T880	(BUTLER, STONE)	MAR 01, 2001
	DIAMOND DETECTOR TEST #911	(STONE)	JAN 21, 2000
	TRD TEST #913	(SWORDY)	JAN 21, 2000
MW	COSMIC RAY CALORIMETER CALIBRATION #T883	(ADAMS)	MAR 01, 2001
COL C-0	TEVATRON CRYSTAL EXTRACTION #853	(MURPHY)	MAR 01, 2001
C-0	BTEV R&D #897	(BUTLER, STONE)	JAN 01, 2002
E-0	PBAR P ELASTIC SCATTERING #811	(OREAR)	MAR 01, 2001
ACCUM RING	ANTIPROTON DECAY #868	(GEER)	MAR 01, 2001
MAIN INJECTOR	KAMIR&D #804	(RAY, WAH)	JUN 28, 2001
	CKM R&D #905	(COOPER)	JUN 28, 2001
EXPERIMENTS THAT ARE ANALYZING DATA (13)			
MA MC	CP VIOLATION #871	(DUKES, LUK)	JAN 21, 2000
NA NC	NEUTRINO #815	(BERNSTEIN, SHAEVITZ)	SEP 05, 1997
NM	CP VIOLATION #799	(BARKER)	JAN 17, 2000
	CP VIOLATION #832	(BLUCHER)	JAN 17, 2000
PA PB	HEAVY QUARK PHOTOPRODUCTION #831	(CUMALAT, MORONI)	AUG 25, 1997
PC	LARGE-X BARYON SPECTROMETER#781	(RUSS)	SEP 03, 1997
PW	TAU NEUTRINO #872	(LUNDBERG, PAOLONE)	SEP 03, 1997
COL B-0	CDF UPGRADE #775	(BELLETTINI, CARITHERS)	FEB 20, 1996
	CDF HARD DIFFRACTION STUDIES #876	(ALBROW)	FEB 20, 1996
D-0	D-0 DETECTOR #740	(GRANNIS, MONTGOMERY)	FEB 20, 1996
ACCUM RING	CHARMONIUM STATES #835	(CESTER, PORDES)	NOV 08, 2000
OTHER	SEARCH FOR LOW MASS MONOPOLES #882	(KALBFLEISCH)	MAR 01, 2001
A0 FACILITY	PLASMA WAKE-FIELD ACCELERATOR TEST #890	(ROSENZWEIG)	JUL 01, 2002
EXPERIMENTS THAT ARE IN PROGRESS (12)			
COL B-0	CDF UPGRADE #830	(GOSHAW, LOCKYER)	
	CDF INNER SILICON AND TOF #909	(GOSHAW, LOCKYER)	
	CDF MINIPLUGS #916	(GOSHAW, LOCKYER)	
D-0	D-0 DETECTOR UPGRADE #823	(BLAZEY, WOMERSLEY)	
	D-0 FORWARD PROTON DETECTOR #900	(BLAZEY, WOMERSLEY)	
	D-0 SILICON TRACK TRIGGER #908	(BLAZEY, WOMERSLEY)	
BOOSTR	MINIBOONE #898	(CONRAD, LOUIS)	
OTHER	AUGER PROJECT R&D #881	(MANTSCH)	
	SLOAN DIGITAL SKY SURVEY #885	(KENT)	
	DARK MATTER SEARCH #891	(CRISLER)	
	RECYCLER ELECTRON COOLING #901	(NAGAITSEV)	
A0 FACILITY	LASER DRIVEN ACCELERATOR #886	(MELISSINOS)	
EXPERIMENTS THAT ARE BEING INSTALLED (3)			
MAIN INJECTOR	NEUTRINO OSCILLATIONS #875	(MICHAEL, WOJCICKI)	
	PARTICLE PRODUCTION #907	(RAJA)	
	MINOS VETO SHIELD PROTOTYPE #T928	(MICHAEL, WOJCICKI)	

31
Fermi National Accelerator Laboratory
Experiment Program Situation Report as of January 31, 2003

(Continued)

OTHER APPROVED EXPERIMENTS (10)

MA	MT	RICE TEST #T926	(BEAN)
		BTEV PIXEL DETECTOR TEST #T927	(BUTLER, STONE)
COL	B-0	CDF RUN IIB UPGRADE #924	(GOSHAW, LOCKYER)
	C-0	B PHYSICS AT THE TEVATRON #918	(BUTLER, STONE)
	D-0	D0 RUN IIB UPGRADE #925	(BLAZEY, WOMERSLEY)
MAIN INJECTOR		ANTI(D-QUARK)/ANTI(U-QUARK) DIST #906	(GEESAMAN, REIMER)
		CKM #921	(COOPER)
OTHER		CMS AT FERMILAB #892	(GREEN)
		LHC ACCELERATOR #893	(STRAIT)
		US CMS SILICON TRACKER #919	(GREEN)

PENDING PROPOSALS (8)

MA	MT	BTEV STRAW TESTS #T930	(BUTLER, STONE)
		BTEV MUON DETECTOR TEST #T931	(JOHNS)
		DIAMOND DETECTOR TEST #T932	(WORM)
		BTEV CALORIMETER TEST #T933	(SEMENOV)
COL	B-0	CDF FORWARD DETECTORS #920	(ALBROW)
UNSPEC BEAM		MUON COOLING R&D #904	(GEER)
MAIN INJECTOR		NUMI OFF-AXIS DETECTOR #929	(PARA)
		MINOS VETO SHIELD #934	(MICHAEL, WOJICKI)

Collider

B0 —	830/909/916/924 Goshaw / Lockyer	ANL, Bologna, Brandeis, UC/Davis, UCLA, UCSB, Cantabria, Carnegie Mellon, Chicago, Duke, Fermilab, Florida, Frascati, Geneva, Glasgow, Harvard, Helsinki, Hiroshima, Illinois, IITEP, JINR, Johns Hopkins, Karlsruhe, KEK, Korea Center for HEP, LBNL, Liverpool, Michigan State, MIT, New Mexico, Northwestern, Ohio State, Okayama, Osaka City, Oxford, Padova, Pennsylvania, Pisa, Pittsburgh, Purdue, Rochester, Rockefeller, Rome, Rutgers, Taiwan, Texas A&M, Texas Tech, Toronto, Trieste/Udine, Tsukuba, Tufts, Univ. Coll. London, Waseda, Wayne State, Wisconsin, Yale	CDF Detector
------	--	--	--------------

C0 —	918 Butler / Stone	Belarusian, UC/Davis, Colorado, Fermilab, Florida, Frascati, Houston, IHEP/Protvino, IIT, Illinois, Insubria, Iowa, Milano, Minnesota, Nanjing, New Mexico State, Northwestern, Ohio State, Pavia, Pennsylvania, Puerto Rico/Mayaguez, Shandong, Southern Methodist, SUNY/Albany, Syracuse, Tennessee, UST/China, Vanderbilt, Virginia, Wayne State, Wisconsin, York	BTeV Detector
------	-----------------------	--	---------------

D0 —	823/900/908/925 Blazey / Womersley	Aachen, Amsterdam/NIKHEF, los Andes, Arizona, BNL, Bonn, Boston, Brown, Buenos Aires, UC/Riverside, CBPF, Charles, CINVESTAV, Columbia, CSU/Fresno, Czech Acad. Sci., Czech Tech, Delhi, Estadual Paulista, Fermilab, Florida State, Grenoble, Ho Chi Minh City, IHEP/Beijing, IHEP/Protvino, Illinois/Chicago, Imperial Coll., Indiana, Iowa State, ITEP, JINR, Kansas, Kansas State, Korea, Lancaster, Langston, LBNL & UC/Berkeley, Louisiana Tech, Ludwig-Maximilians, Lyon, Mainz, Manchester, Marseille, Maryland, Michigan, Michigan State, Moscow State, Nebraska, Nijmegen, Northeastern, Northern Illinois, Northwestern, Notre Dame, Oklahoma, Orsay, Panjab, Paris VI & VII, PNPI, Princeton, Quito, Rice, Rio de Janeiro, Rochester, Saclay, Strasbourg, SUNY/Stony Brook, Swedish Consortium, Tata, Texas/Arlington, Univ. Coll. Dublin, Virginia, Washington, Wuppertal	D0 Detector
------	--	--	-------------

Booster

—	898 Conrad / Louis	Alabama, Bucknell, UC/Riverside, Cincinnati, Colorado, Columbia, Embry Riddle, Fermilab, Indiana, LANL, Louisiana State, Michigan, Princeton	MiniBoONE
---	--------------------------	--	-----------

Main Injector

—	875 Wojcicki	ANL, Athens, BNL, Caltech, Cambridge, Campinas, College de France, Fermilab, Harvard, IHEP/Protvino, IIT, Indiana, ITEP, Lebedev, LLNL, Macalester, Minnesota, Minnesota/Duluth, Northwestern, Oxford, Pittsburgh, Rutherford, São Paulo, South Carolina, Stanford, Sussex, Texas A&M, Texas/Austin, Tufts, Univ. Coll. London, Western Washington, Wisconsin	MINOS
---	-----------------	---	-------

—	906 Geesaman / Feimer	Abilene Christian, ANL, Colorado, Fermilab, Illinois, LANL, Rutgers, Texas A&M, Valparaiso	$\bar{\nu}(x) / \nu(x)$ Distribution
---	-----------------------------	--	--------------------------------------

—	907 Raja	BNL, Chicago, Colorado, Elmhurst, Fermilab, Harvard, Houston, IIT, Indiana, LLNL, Michigan, Purdue, South Carolina, Virginia	MIPP
---	-------------	--	------

—	921 Cooper	BNL, Colorado, Fermilab, IHEP/Protvino, INR/Troitsk, Michigan, San Luis Potosi, South Alabama, Texas/Austin, Virginia	CKM
---	---------------	---	-----

Figure 16. Fermilab experimental program, showing all major approved experiments that have not yet completed data-taking.

SECTION VII. SUMMARIES OF APPROVED EXPERIMENTS

Summaries are given in this Section of major approved experiments which have not yet completed data-taking, and also those major experiments still carrying out a significant analysis effort. Most were prepared recently by the experiment spokesperson(s).

This section also includes summaries of significant experimental physics activities in which Fermilab physicists are involved, but which are not particle physics experiments at Fermilab accelerators. (Note that in the user/institution statistics, only the Fermilab physicists on these activities are included.)

The statistics on Fermilab users are given in Table 4, together with information on how they are derived.



TABLE 4. DATA ON FERMILAB USERS

The data given below are based on the following:


1. Data on Fermilab users are updated annually, generally about January of each year.
2. Fermilab experiments included in the list are those approved by the Laboratory, and in any of the stages from approval to data analysis, as given in the Experimental Program Situation Report on pages 30-31. The experiment personnel is supplied by the experiment spokespersons, and is divided into physicists or graduate students. Also included are Fermilab physicists who are involved in significant experimental physics activities which are not particle physics experiments at Fermilab accelerators and are listed in the Situation Report; this includes such activities as collaboration on astrophysics experiments and on the CMS experiment at the CERN LHC.
3. Although a user or an institution may be involved in more than one experiment, he/she/it is only counted once in any totals.
4. When experiments pass into the data analysis stage, students may graduate and move to other experiments and/or institutions, as also may more senior researchers. For experiments in the data analysis stage, we list users and institutions as at the end of the data-taking phase.

	<u>Physicists</u>	<u>Students</u>	<u>Subtotal</u>	<u>Institutions</u>
<u>US</u>				
University	761	445	1206	93
Industry	0	0	0	0
National Lab.	402	20	422	6
Subtotal	1163	465	1628	99
<u>Non-US</u>				
University	459	195	654	91
Industry	0	0	0	0
National Lab.	294	39	333	23
Subtotal	753	234	987	114
Total	1916	699	2615	213

Selex (E781) Proton Center Layout



Vertex Region



E-781 (Russ) Study of Charm Baryon Physics

Bogazici (Turkey), Bristol (United Kingdom), Carnegie Mellon, CBPF (Brazil), Fermilab, Hawaii, IHEP/Beijing (China), IHEP/Protvino (Russia), Iowa, ITEP (Russia), Moscow State (Russia), MPI/Heidelberg (Germany), Paraiba (Brazil), PNPI (Russia), Rochester, INFN/Rome (Italy), Rome (Italy), San Luis Potosi (Mexico), São Paulo (Brazil), Tel Aviv (Israel), INFN/Trieste (Italy), Trieste (Italy)

Status: <i>Data Analysis</i>

The Fermilab fixed-target program has long been concerned with understanding the physics of charm hadron production and decays. The aim of E-781 was to complement previous or contemporaneous work in hadroproduction and photoproduction by emphasizing physics at large Feynman- x , where the charm hadron carries off a large fraction of the incident beam momentum. Most charm hadroproduction experiments have used only pion beams and worked near $x_F = 0$, where production of all types of secondary particles is maximal. Charm mesons are by far the dominant charm species in these experiments. Empirical observations of the strange hyperons indicate that the baryon/meson ratio increases at large x_F . E-781 is unique in its ability to see whether this feature of hadroproduction also holds true for heavy quark systems like charm. There are also important features of charm hadroproduction that may depend on the incident beam particle. E-781, using different beam hadrons from the Fermilab hyperon beam, is the only experiment that can address these issues.

E-781 employed a novel impact-parameter software trigger to select charm candidates for writing to tape. Charm particles have a short but finite decay length. A high-resolution vertex detector close to the production point can select charm candidates based on the miss-distance of the decay tracks evaluated at the primary production vertex. E-781 built a 50,000 strip silicon vertex detector system to reconstruct on-line all high-momentum (>15 GeV/c) tracks from each interaction with 6 micron resolution. Events were recorded on tape only when the reconstruction indicated that these tracks did NOT come from a single primary vertex. The goal was to take a large data set with a loose hardware trigger but to avoid huge software overheads in extracting physics. The full spectrometer, shown in the accompanying figure, includes a two-stage magnetic spectrometer and excellent particle identification information from the downstream Ring-Imaging Cerenkov Counter. This is especially important for identifying charm baryon decays in the large x_F region.

Physics questions for charm studies have to do both with production and decay mechanisms. In charm baryon decays, the charm quark may decay or interact through exchange mechanisms with the light quarks. Unlike meson decays, there is no helicity suppression for exchanges, and a rich spectrum of quasi-two-body decay modes may occur. Do they? There is little experimental information on the question. Such a study requires good charged-particle identification and good photon detection. Comparison of non-leptonic and semi-

leptonic decays is also important. E-781 has good photon coverage, electron tagging and fast charged-particle identification. We expect to make new studies of the higher-order corrections to the charm decay mechanisms explored by combining Heavy Quark Effective Theory and perturbative QCD.

Strong interaction physics can be studied in the production of charm hadrons. Strange hyperons show intriguing polarization effects in strong production. What happens for charm baryons? E-781 expects to measure polarizations. There are open questions about possible direct charm content of non-charmed mesons and nucleons, as well as color-drag effects in production at large x_F . Such studies demand comparisons between different beam hadrons and also good acceptance at large x_F . E-781 is designed to make these studies and has presented preliminary reports of systematic behavior of this type.

The physics potential of the experiment touches many little-known areas of heavy quark physics. The focus on charm baryons is especially appropriate for a hadron machine. The experiment recorded events from 15 billion inelastic collisions during the 1996-97 fixed-target period. We developed a run-time Data Summary Tape (DST) strategy for the first-level processing pass, akin to the skimming pass of the Tevatron Collider experiments. We identified interesting events during initial track reconstruction and wrote out condensed records having only physics information and identifiers for those events. Sample charm mass plots from this condensed output file can be seen in the figure. This has worked well. Initial physics results have been presented at conferences and have been submitted to journals. Topics range from total cross section measurements to precision charm hadron lifetimes to new features of charm hadroproduction.

SELEX analysis continues. In 2002 we reported the first observation of Double-Charm baryons. This exciting result was part of the original experimental proposal. We extracted the small, clean sample of events using the standard SELEX analysis tools that were developed for single-charm studies. Subsequently two independent SELEX analyses have confirmed the effect in our data. We will continue to study other possible decay modes and properties of these states in 2003, along with further studies of single charm physics.

Publications

Observation of the Cabibbo Suppressed Decay $\Xi_c^+ \rightarrow pK^-\pi^+$, S. Y. Jun et al., Phys. Rev. Lett. 84, 1857 (2000).

Total Cross-Section Measurements with π^- , Σ^- and Protons on Nuclei and Nucleons Around 600 GeV/c, U. Dersch et al., Nucl. Phys. B579, 277 (2000).

Radiative Decay Width of the A(2)(1320)-Meson, V. V. Molchanov et al., Phys. Lett. B521, 171 (2001).

Measurement of the Σ^- Charge Radius by Σ^- Electron Elastic Scattering, I. Eschrich et al., Phys. Lett. B522, 233 (2001).

Measurement of the D_s Lifetime, M. Iori et al., Phys. Lett. B523, 22 (2001).

Precision Measurements of the Λ_c^+ and D^0 Lifetimes, A. Kushnirenko et al., Phys. Rev. Lett. 86, 5243 (2001).

First Observation of the Doubly Charmed Baryon χ_{cc}^+ , M. Mattson et al., Phys. Rev. Lett. 89, 112002 (2002).

Hadronic Production of Λ_c from 600 GeV/c π^- , Σ^- and p Beams, F. G. Garcia et al., Phys. Lett. B528, 49 (2002).

First Measurement of $\pi^-e \rightarrow \pi^-e\gamma$ Pion Virtual Compton Scattering, A. Ocherashvili et al., Phys. Rev. C66, 034613 (2002).

Theses

U. Dersch, Max Planck Institute für Kernphysik, Germany

I. Eschrich, Max Planck Institute für Kernphysik, Germany

F. Garcia, Univ. of São Paulo, Brazil

M. Kaya, Univ. of Iowa

H. Kruger, Max Planck Institute für Kernphysik, Germany

A. Kushnirenko, Carnegie Mellon Univ.

P. Mathew, Carnegie Mellon Univ.

K. Nelson, Univ. of Iowa

A. Ocherashvili, Tel Aviv Univ., Israel

P. Pogodin, Univ. of Iowa

J. Simon, Max Planck Institute für Kernphysik, Germany

K. Vorwalter, Max Planck Institute für Kernphysik, Germany


M. Srivastava, Univ. of São Paulo

M. Mattson, Carnegie Mellon University

KTeV Spectrometer

(PLAN VIEW)

ANALYSIS MAGNET



E-799 (Barker) / E-832 (Blucher) Rare Decays of K_L^0 and a Search for Direct CP Violation in $K_L^0 \rightarrow 2\pi$

Arizona, UCLA, UC/San Diego, Campinas (Brazil), Chicago, Colorado, Elmhurst, Fermilab, Osaka (Japan), Rice, Rutgers, Sao Paulo (Brazil), Virginia, Wisconsin

Status: *Data Analysis*

KTeV (Kaons at the Tevatron) consists of two experiments: E-799II and E-832. E-799 is an experiment to search for rare K_L decays, such as $K_L \rightarrow \pi^0 l^+ l^-$ ($l = e, \mu, \nu$), and many other multibody rare decays, to a sensitivity of 10^{-10} , an order of magnitude improvement over previous searches. The goal of E-832 is a measurement of the direct CP violation parameter $\text{Re}(\epsilon'/\epsilon)$ with a precision of 1×10^{-4} , a factor of six improvement over previous experiments at FNAL (E-731) and CERN (NA31).

To achieve the required level of statistical and systematic uncertainty in ϵ'/ϵ , KTeV (E-832) used the same double-beam technique as E-731 with a new detector and beamline. Following the primary target, collimators and sweeping magnets are used to form two almost parallel neutral beams. A fully active regenerator is placed in one of the beams 122m from the production target, at the upstream end of the decay region, to provide a source of K_S for the experiment. The regenerator is moved from one beam to the other each minute to eliminate many possible systematic errors in normalization and detector response. All four $K \rightarrow \pi\pi$ decays are detected simultaneously. The detector consists of a large vacuum decay region instrumented with photon veto counters, a drift chamber spectrometer, a pure CsI electromagnetic calorimeter, and a large hodoscope behind 4m of steel for muon detection. Compared to E-731, KTeV also has an improved trigger and data acquisition system. The final stage of the trigger includes full event reconstruction and filtering before data are written to tape. For E-799 data collection, the regenerator is not used, and an extensive TRD system is moved into the beam upstream of the CsI calorimeter.

The experiment first took about 10 months of data divided between E-799 and E-832 during the 1996-97 fixed-target run. After some detector modifications to improve systematic data quality and data-taking efficiency, KTeV collected data again in the 1999 fixed-target run. The 1999 run doubled the E-832 data sample from 1996-97 and almost tripled the E-799 data sample. The full data sample (1996+1997+1999) will allow E-832 to reduce the statistical error on ϵ'/ϵ to 1×10^{-4} . The combined (1997+1999) E-799 rare decay data set corresponds to a flux of about 6×10^{11} K_L decays and a large number of cascade (hyperon) decays. This rich data set together with high precision electromagnetic calorimetry and excellent particle ID (TRD system) provides access to rare kaon decay sensitivities in the 10^{-10} range.

KTeV has already published or submitted more than 25 papers based on the 50-terabyte data sample collected during the 1996-97 run, and has submitted its first paper using data from the 1999 run. These papers are listed below.

In 1999, the first ϵ'/ϵ result based on 1/4 of the 1996-1997 E-832 data sample (1/8 of the full KTeV data sample) was announced, definitively establishing the existence of direct CP violation. In June 2001, KTeV presented an improved measurement of ϵ'/ϵ based on the 1996-1997 data sample: $\text{Re}(\epsilon'/\epsilon) = (20.7 \pm 2.8) \times 10^{-4}$. This analysis also included precise measurements of the K_S lifetime, the K_S - K_L mass difference, and the relative phases of the CP-violating and CP-conserving amplitudes; most of these measurements represent significant improvements over the best previous experiments. A long article describing this work was recently published in Physical Review D. Another notable result based on the 1996-1997 E-832 data sample is a precise measurement of the semileptonic charge asymmetry (δ_l) using about 300 million $K_L \rightarrow \pi e \nu$ events. Analysis of the full E-832 data sample (1996+1997+1999) is progressing well. As mentioned above, the full data sample will allow E-832 to reduce the statistical error on ϵ'/ϵ to 1×10^{-4} ; significant work will be required to reduce the systematic error to a similar level.

The KTeV experiment E-799 Phase II is a continuation of the rare kaon decay search experiment E-799. The first phase of E-799 ran using an upgraded E-731 detector between October 1991 and January 1992, in the Meson Center beamline. Published results from the first phase of E-799 are listed below:

<u>Decay Mode</u>	<u>E-799I BR results</u>	<u>Paper</u>
$\pi^0 \rightarrow ee$	$(7.6^{+3.9}_{-2.8} \pm 0.5) \times 10^{-8}$	PRL <u>71</u> , 34 (1993)
$K_L \rightarrow \pi^0 ee$	$< 4.3) \times 10^{-9}$	PRL <u>71</u> , 3918 (1993)
$K_L \rightarrow \pi^0 \mu\mu$	$< 5.1) \times 10^{-9}$	PRL <u>71</u> , 3914 (1993)
$\pi^0 \rightarrow \mu e$	$< 8.6) \times 10^{-9}$	PL <u>B320</u> , 407 (1994)
$K_L \rightarrow eeee$	$(3.96 \pm 0.78 \pm 0.32) \times 10^{-8}$	PRL <u>72</u> , 3000 (1994)
$K_L \rightarrow \pi^0 \nu \bar{\nu}$	$< 5.8) \times 10^{-5}$	PRL <u>72</u> , 3758 (1994)
$K_L \rightarrow \pi^0 \pi^0 \gamma$	$< 2.3) \times 10^{-4}$	PR <u>D50</u> , 1874 (1994)
$K_L \rightarrow ee \gamma \gamma$	$(6.5 \pm 1.2 \pm 0.6) \times 10^{-7}$	PRL <u>73</u> , 2169 (1994)
$\Lambda, \bar{\Lambda}$ polarization		PL <u>B338</u> , 403 (1994)
$K_L \rightarrow \mu\mu\gamma$	$(3.23 \pm 0.23 \pm 0.19) \times 10^{-7}$	PRL <u>74</u> , 3323 (1995)
$K_L \rightarrow ee\mu\mu$	$(2.9^{+6.7}_{-2.4}) \times 10^{-9}$	PRL <u>76</u> , 4312 (1996)
$K_L \rightarrow \pi^0 \mu e$	$< 3.2) \times 10^{-9}$	PL <u>B432</u> , 30 (1998).

Using the KTeV detector, E-799 Phase II has dramatically improved on these Phase I results, and a number of new phenomena have been observed. The main goal of E-799II was to improve the sensitivity of the searches for the $K_L \rightarrow \pi^0 l^+ l^-$ decay modes, which have partial widths closely related in the Standard Model to ϵ'/ϵ . Results have now been published for these modes based

on the first 40% of the E-799II data, from the 1997 run, and analyses are in progress to include the data collected in 1999-2000. Another exciting result from E-799II has been the observation of a very large CP-violating angular asymmetry in the decay $K_L \rightarrow \pi^+\pi^-e^+e^-$. This asymmetry, in the angle between the hadronic and leptonic planes, was predicted in 1992, and E-799II has measured it to be approximately 14% after correcting for acceptance (which actually makes the raw observed asymmetry larger, at about 23%). The asymmetry is caused by interference between CP-violating and CP-conserving amplitudes which happen to be of comparable size for this mode. The asymmetry is also odd under time reversal, but is not necessarily T-violating, because of the existence of both absorptive and dispersive amplitudes for this process.

The table below summarizes results published from the first 40% of the E-799II data, which was collected during the 1997 KTeV run. Analysis of the remaining 60% of the data is underway, with one paper (on $K_L \rightarrow ee\mu\mu$) already accepted for publication, and a number of preliminary results having been shown at conferences.

<u>Decay Mode</u>	<u>E-799II BR results</u>	<u>Paper</u>
$\pi^0 \rightarrow ee$	$(6.09 \pm 0.40 \pm 0.24) \times 10^{-8}$	PRL <u>83</u> , 922 (1999)
$K_L \rightarrow \pi^0 ee$	$< 5.1) \times 10^{-10}$	PRL <u>86</u> , 397 (2001)
$K_L \rightarrow \pi^0 \mu\mu$	$< 3.8) \times 10^{-10}$	PRL <u>84</u> , 5279 (2000)
$K_L \rightarrow \pi^0 ee$	$< 5.1) \times 10^{-10}$	PRL <u>86</u> , 397 (2001)
$K_L \rightarrow \pi\nu\bar{\nu}$	$< 5.9) \times 10^{-7}$	PR <u>D61</u> , 072006 (2000)
$K_L \rightarrow \pi^+\pi^- ee$	$(3.2 \pm 0.6 \pm 0.4) \times 10^{-7}$	PRL <u>80</u> , 4123 (1998)
$K_L \rightarrow \pi^+\pi^- ee$ Asymm	$(13.6 \pm 2.5 \pm 1.2)\%$	PRL <u>84</u> , 408 (2000)
$K_L \rightarrow \pi^0\pi^0 ee$	$< 6.6) \times 10^{-9}$	PRL <u>89</u> , 211801 (2002)
$K_L \rightarrow \pi^0 ee\gamma$	$(2.34 \pm 0.35 \pm 0.13) \times 10^{-8}$	PRL <u>87</u> , 021801 (2001)
$K_L \rightarrow ee\gamma\gamma$	$(5.84 \pm 0.15 \pm 0.32) \times 10^{-7}$	PR <u>D64</u> , 012003 (2001)
$K_L \rightarrow \mu\mu\gamma\gamma$	$(1.4+1.0-0.8) \times 10^{-9}$	PR <u>D62</u> , 112001 (2000)
$K_L \rightarrow \mu\mu\gamma$	$(3.62 \pm 0.04 \pm 0.08) \times 10^{-7}$	PRL <u>87</u> , 071801 (2001)
$K_L \rightarrow ee\mu\mu$	$(2.9^{+6.7}_{-2.4}) \times 10^{-9}$	PRL <u>87</u> , 111802 (2001)
Ξ^0 polarization		PRL <u>87</u> , 132001 (2001)
$\Xi^0 \rightarrow \Sigma^+e^-\bar{\nu}$	$(2.71 \pm 0.22 \pm 0.31) \times 10^{-4}$	PRL <u>82</u> , 3751 (1999)
$\Xi^0 \rightarrow \Sigma^0\gamma$	$(3.34 \pm 0.05 \pm 0.09) \times 10^{-3}$	PRL <u>86</u> , 3239 (2001)
H dibaryon search		PRL <u>84</u> , 2593 (2000)

As the Table shows, E-799II has published results on hyperon and π^0 decays, as well as kaon decays. Analysis of data from the second KTeV run is expected to continue until approximately 2005. By that time, many of the above results will

have improved still further, and we expect to have results on a number of additional decays, including $\pi^0 \rightarrow eeee$ and $K_L \rightarrow eey$.

Publications

Design and Test Results of a Transition Radiation Detector for a Fermilab Fixed Target Rare Kaon Decay Experiment, G. E. Graham et al., Nucl. Instr. and Meth. A367, 224 (1995).

Development of a Parallel Plate Proportional Counter TRD with Suppressed Sensitivity to Ionization, N. Solomey et al., Nucl. Instr. and Meth. A367, 252 (1995).

Beam Test of Prototype CsI Calorimeter, R. S. Kessler et al., Nucl. Instr. and Meth. A368, 653 (1996).

Search for Light Gluinos Via the Spontaneous Appearance of $\pi^+\pi^-$ Pairs with an 800 GeV/c Proton Beam at Fermilab, J. Adams et al., Phys. Rev. Lett. 79, 4083 (1997).

Measurement of the Branching Fraction of the Decay $K_L \rightarrow \pi^+\pi^-e^+e^-$, J. Adams et al., Phys. Rev. Lett. 80, 4123 (1998)

Search for the Decay $K_L \rightarrow \pi^0\nu\bar{\nu}$, J. Adams et al., Phys. Lett. B447, 240 (1999).

Observation of $\Xi^0 \rightarrow \Sigma^+e^-\bar{\nu}$, A. Affolder et al., Phys. Rev. Lett. 82, 3751 (1999).

Observation of Direct CP Violation in $K_S, K_L \rightarrow \pi\pi$ Decays, A. Alavi-Harati et al., Phys. Rev. Lett. 83, 22 (1999).

Measurement of the Decay $K_L \rightarrow \pi^0\gamma\gamma$, A. Alavi-Harati et al., Phys. Rev. Lett. 83, 917 (1999).

Measurement of the Branching Ratio of $\pi^0 \rightarrow e^+e^-$ Using $K_L \rightarrow 3\pi^0$ Decays in Flight, A. Alavi-Harati et al., Phys. Rev. Lett. 83, 922 (1999).

Light Gluino Search for Decays Containing $\pi^+\pi^-$ or $\pi^0\pi^0$ from a Neutral Hadron Beam at Fermilab, A. Alavi-Harati et al., Phys. Rev. Lett. 83, 2128 (1999).

Observation of CP Violation in $K_L \rightarrow \pi^+\pi^-e^+e^-$ Decays, A. Alavi-Harati et al., Phys. Rev. Lett. 84, 408 (2000).




Search for the Decay $K_L \rightarrow \pi^0\nu\bar{\nu}$ Using $\pi^0 \rightarrow e^+e^-\gamma$, A. Alavi-Harati et al., Phys. Rev. D61, 72006 (2000).

Search for the Weak Decay of a Lightly Bound H^0 Dibaryon, A. Alavi-Harati et al., Phys. Rev. Lett. 84, 2593 (2000).

Observation of the Decay $K_L \rightarrow \mu^+\mu^-\gamma\gamma$, A. Alavi-Harati et al., Phys. Rev. D62, 112001 (2000).

- Search for the Decay $K_L \rightarrow \pi^0 \mu^+ \mu^-$, A. Alavi-Harati et al., Phys. Rev. Lett. 84, 5279 (2000).
- Study of the Decay $K_L \rightarrow \pi^+ \pi^- \gamma$, A. Alavi-Harati et al., Phys. Rev. Lett. 86, 761 (2001).
- Search for the Decay $K_L \rightarrow \pi^0 e^+ e^-$, A. Alavi-Harati et al., Phys. Rev. Lett. 86, 397 (2001).
- A Measurement of the Branching Ratio of $K_L \rightarrow e^+ e^- \gamma \gamma$, A. Alavi-Harati et al., Phys. Rev. D64, 012003 (2001).
- First Observation of the Decay $K_L \rightarrow \pi^0 e^+ e^- \gamma$, A. Alavi-Harati et al., Phys. Rev. Lett. 87, 021801 (2001).
- A Measurement of the Branching Ratio and Asymmetry of the Decay $\Xi^0 \rightarrow \Sigma^0 \gamma$, A. Alavi-Harati et al., Phys. Rev. Lett. 86, 3239 (2001).
- Measurements of the Rare Decay $K_L \rightarrow e^+ e^- e^+ e^-$, A. Alavi-Harati et al., Phys. Rev. Lett. 86, 5425 (2001).
- First Measurement of Form-Factors of the Decay $\Xi^0 \rightarrow \Sigma^+ e^- \bar{\nu}_e$, A. Alavi-Harati et al. Phys. Rev. Lett. 87, 132001 (2001).
- A New Measurement of the Radiative $Ke3$ Branching Ratio and Photon Spectrum, A. Alavi-Harati et al., Phys. Rev. D64, 112004 (2001).
- Branching Ratio Measurement of the Decay $K_L \rightarrow e^+ e^- \mu^+ \mu^-$, A. Alavi-Harati et al., Phys. Rev. Lett. 87, 111802 (2001).
- Measurement of the Branching Ratio and Form Factor of $K_L \rightarrow \mu^+ \mu^- \gamma$, A. Alavi-Harati et al., Phys. Rev. Lett. 87, 071801 (2001).
- Radiative Decay Width Measurements of Neutral Kaon Excitations Using the Primakoff Effect, A. Alavi-Harati et al., Phys. Rev. Lett. 89, 072001 (2002).
- A Measurement of the K_L Charge Asymmetry, A. Alavi-Harati et al., Phys. Rev. Lett. 88, 181601 (2002).
- Search for the $K_L \rightarrow \pi^0 \pi^0 e^+ e^-$ Decay in the KTeV Experiment, A. Alavi-Harati et al., Phys. Rev. Lett. 89, 211801 (2002).
- Measurements of Direct CP Violation, CPT Symmetry, and Other Parameters in the Neutral Kaon System, A. Alavi-Harati et al., Phys. Rev. D67, 012005, (2003).

E-815



E-815 (Bernstein / Shaevitz) Precision Neutrino / Antineutrino Deep Inelastic Scattering Experiment

*Cincinnati, Columbia, Fermilab, Kansas State,
Northwestern, Oregon, Rochester, Xavier*

Status: *Data Analysis*

The NuTeV experiment is in the exciting position of being the only high-statistics neutrino experiment with separate extremely pure neutrino and antineutrino beams. During the 1996-97 fixed-target run we accumulated samples of $5 \times 10^6 \nu_\mu N$ and $1 \times 10^6 \bar{\nu}_\mu N$.

Electroweak measurements/ $\sin^2\theta_w$

Neutrino experiments have played a pivotal role in our improved understanding of the electroweak interaction. Early measurements of the neutral-to-charged current neutrino cross section ratio provided key input on the W and Z boson masses before their direct observation. Soon afterwards, the increasing precision of electroweak measurements allowed constraints on the mass of the top quark to be set before its direct measurement. Likewise today, precision measurements of electroweak parameters strictly limit the mass of the yet unobserved Higgs boson.

In particular, precision electroweak measurements from neutrino-quark scattering (e.g. the weak mixing angle) provide an indispensable complement to high-energy collider experiments because of their sensitivity to light quark couplings as well as physics beyond the standard model (including extra Z' bosons, neutrino oscillations, and quark compositeness).

Prior to NuTeV, the uncertainty on the world average of the weak mixing angle, $\sin^2\theta_w$, as measured from neutrino scattering data was dominated by a large correlated systematic uncertainty in charm production (namely, the charm quark mass). However, given the innovation of separate neutrino and antineutrino beams, NuTeV can separately measure the ratios of neutral- to charged-current neutrino and antineutrino cross sections. This allows optimization of the $\sin^2\theta_w$ measurement with respect to the dominating charm production uncertainty. As a result, NuTeV has reduced the uncertainty from charm production by almost a factor of six, while accumulating enough statistics to surpass its predecessor, CCFR. After extensive systematic studies, the analysis has been finalized in 2001. The result, $\sin^2\theta_w^{(\text{on-shell})} = 0.2277 \pm 0.0013$ (stat.) ± 0.0009 (syst.), deviates by approximately 3σ from the Standard Model expectation. Performing an additional two-parameter fit to $\sin^2\theta_w$ and ρ_0 (the ratio of neutral- to charged-current weak couplings which is naturally one in the Standard Model), indicates that the NuTeV measurement is compatible with the Standard Model expectation values for either $\sin^2\theta_w$ or ρ_0 , but both agreeing is

unlikely. Given the significant inconsistency, a model-independent analysis was also performed. The result suggests a smaller left-handed neutral-current light quark coupling than expected. The NuTeV results have been published in Phys. Rev. Lett. **88**, 091802 (2002). Including the NuTeV result in the global electroweak fit increases the χ^2 to 28.2/15 d.o.f. (without NuTeV 19.6/14 d.o.f.). NuTeV's surprising result has generated much interest with possible interpretations including new tree level physics in the neutrino couplings and isospin symmetry violation in nucleon light quark parton distribution functions.

Having pure neutrino and antineutrino beams has enabled NuTeV to measure effectively the difference between neutrino and antineutrino neutral-current cross sections; we also can take advantage of these beams to study interactions in which there are two muons of opposite charge in the final state. One muon comes from the lepton vertex, where the charged-current interaction changes a neutrino into a muon; the other, from the decay of a charm particle, produced when the neutrino (antineutrino) interacts with a strange (antistrange) quark in the nucleon. This means that these events can be used to study both charm production and the strange content of the nucleon. To give phenomenologists the most model-independent access to these data, the results of the analysis have been published as dimuon production cross sections (Phys. Rev. **D64**, 112006, 2001.) A next-to-leading-order (NLO) analysis of the charm production process is currently underway and will soon be completed. The method uses an improved model which takes into account NLO QCD diagrams which contribute to the process as well as the angular dependence in production of the final state charm quark. The results will be used to extract NLO strange and anti-strange sea distributions and a re-extraction of the differential cross section, which is expected to be model-independent, will be performed as a cross check.

In addition to producing charm through the charged-current interaction, it should be possible to produce charm via the neutral-current interaction. Exploiting the purity of the SSQT, one can select single muon events where the muon is of the opposite lepton number expected from the neutrino beam. This sample has been used to set limits on Flavor-Changing Neutral-Current (FCNC) production of charm and bottom, and to measure the cross section for $\nu N \rightarrow c\bar{c} + X$. No one has ever used neutrino scattering to limit FCNC and the use of neutrinos may be uniquely sensitive to certain types of Z's. This is the first measurement of the cross section for gluon-Z boson fusion production of a c-pair. The results on the FCNC limits and the pair production cross sections have been published in Phys. Rev. **D63**, 012001 (2001) and Phys. Rev. **D64**, 012002 (2001).

Structure functions and α_s

Deep inelastic charged-current neutrino scattering offers unique opportunities to reveal the structure of the nucleon. In particular, it is the only channel capable of unraveling the valence and sea parton distribution functions. This is not only interesting by itself, but extremely important for the interpretation of present and future hadron collider results.

NuTeV has completed a precision calibration of the muon energy scale using data from the continuous calibration beam. Precise knowledge of the muon energy is especially important in the extraction of the neutrino flux and for the differential cross section determination. Careful studies of experimental and model systematics in flux and cross section extraction are presently underway.

The other main focus of the analysis is the extension of the kinematic coverage. The sign-selected beam assigns a sign to the muon in charged-current events allowing the inclusion of events with a low energy muon in the sample. These high-inelasticity (y) events were previously inaccessible because a sign-determination in the spectrometer was required to separate events originating from neutrinos from those originating from anti-neutrinos. The expanded range in y will reduce the correlations in the structure function determinations, and is especially useful in constraining the longitudinal structure function $F_L(x, Q^2)$. Preliminary results on NuTeV structure function measurements have been presented at Moriond 2001 and EPS-HEP 2001. The final result will include a full co-variance matrix of uncertainties to be used in QCD fits of the data. This analysis should be finalized in 2003.

Another promising field closely related to the structure function measurements is the determination of the strong coupling constant α_s via the Gross-Llewellyn-Smith sum rule. Also here NuTeV expects an improvement on the precision of the results compared to former analyses due to the extremely thorough test beam calibration program.

Search for exotic physics

The instrumentation of the upstream region of the experimental hall has allowed NuTeV to search competitively for weakly-interacting neutral particles produced in either pion or kaon decays. Interactions (i.e. decays) occurring in the 34 m upstream of the neutrino target can now be identified in a series of drift chambers, and the background was kept to a minimum by filling the remainder of the decay region with helium bags. Because the neutrino target itself provides particle identification, searches can be made for a variety of exotic particles which may be expected to decay into very different final states.


For example, we have completed a search for neutral heavy leptons which decay to at least one muon in the final state, published in PRL in 1999. We have also published a search for a 33.9 MeV particle which decays into an e^+e^- final state. This particle has been proposed to account for the timing anomaly found in the KARMEN data. NuTeV ruled out a large region of phase space that is implied by the KARMEN data. A very interesting result arose from the search for high-mass, rarely-interacting neutral particles decaying into a final state with one muon and one other charged particle. Three muon + muon events were found, which is far above the expectation from background Standard Model processes. The result was published in Phys. Rev. Lett. 87, 071803, 2001 and a more detailed PRD article is in preparation.

Another exotic process searched for was the lepton number-violating reaction $\bar{\nu}_\mu + e \rightarrow \mu + \bar{\nu}_e$. The resulting restrictive limits on V-A and scalar couplings for this process have been published in Phys. Rev. Lett. 87, 071803 (2001).

Neutrino oscillations are currently at the forefront of neutrino physics. While NuTeV cannot access the region of phase space that is expected to produce oscillations, our high precision results with a statistical identification technique are a proof of principle for future efforts involving similar steel-scintillator detectors (e.g. MINOS). A sample of charged-current electron neutrino events can be isolated from neutral-current interactions (mostly from muon neutrinos) using the pattern of longitudinal energy deposition in the steel-scintillator-calorimeter. The NuTeV result using this method has obtained the most stringent limits to date for large mass difference $\nu_\mu \rightarrow \nu_e$ (and $\bar{\nu}_\mu \rightarrow \bar{\nu}_e$) oscillations. The results are published in Phys. Rev. Lett. 89, 011804 (2002).

The rich physics potential of NuTeV's unique high-purity high-statistics samples of muon neutrinos and antineutrinos is apparent from this summary of results and current analyses. The success of our data-taking run is evident in both the depth and breadth of physics issues that are being addressed.

E-823



Side view of the DØ detector for Run II

E-823 / 900 / 908 / 925 / 740 (Blazey / Womersley) Study of Events in $\bar{p}p$ Collisions at 2 TeV in the D0 Detector

*Aachen (Germany), Acad. Sci. (Czech Rep.), Amsterdam / NIKHEF (Netherlands),
 los Andes (Colombia), Arizona, BNL, Bonn (Germany), Boston, Brown,
 Buenos Aires (Argentina), UC / Riverside, CBPF (Brazil), Charles (Czech Rep.), CINVESTAV
 (Mexico), Columbia, CSU / Fresno, Czech Tech (Czech Rep.), Delhi (India), University College
 Dublin (Ireland), Estadual Paulista (Brazil), Fermilab, Florida State, Grenoble (France), Ho Chi
 Minh City (Vietnam), IHEP / Beijing (China), IHEP / Protvino (Russia), Illinois / Chicago, Imperial
 College (United Kingdom), Indiana, Iowa State, ITEP (Russia), JINR (Russia), Kansas, Kansas
 State, Korea (Korea), Lancaster (United Kingdom), Langston, LBNL and UC / Berkeley, LMU
 Munich (Germany), Louisiana Tech, Lyon (France), Mainz (Germany), Manchester (United
 Kingdom), Marseille (France), Maryland, Michigan, Michigan State, Moscow State (Russia),
 Nebraska, Nijmegen (Netherlands), Northeastern, Northern Illinois, Northwestern, Notre Dame,
 Oklahoma, Orsay (France), Panjab (India), Paris VI and VII (France), PNPI (Russia), Princeton,
 Rice, Rio de Janeiro (Brazil), Rochester, Saclay (France), San Francisco de Quito (Ecuador),
 Strasbourg (France), SUNY / Stony Brook, Swedish Consortium (Sweden), Tata (India),
 Texas / Arlington, Virginia, Washington, Wuppertal (Germany)*

Status: E-740 - Data Analysis E-823 - Data-Taking E-900 - Data-Taking E-908 - Data-Taking E-925 - No Data Yet
--

The D0 detector is a large, hermetic, 4π detector for the study of proton-antiproton collisions with a center-of-mass energy of 2.0 TeV at the Fermilab Tevatron Collider. The detector stresses identification of leptons, photons, jets and missing transverse energy for high- p_T physics. D0 is an international collaboration representing the efforts of over 650 physicists and Ph.D. students from 76 institutions whose goal is to study a diverse range of particle physics topics. The Run I D0 experiment (E-740) successfully completed data-taking in 1996, amassing $\sim 120 \text{ pb}^{-1}$ of data at $\sqrt{s} = 1.80 \text{ TeV}$, including a small fraction at 0.63 TeV. The Run II D0 experiment (E-823) has recorded about 75 pb^{-1} of data at 1.96 TeV.

The D0 Run II detector (E-823) has been completed and represents a major upgrade of the Run I detector. The detector must operate at instantaneous luminosities near $2 \times 10^{32} \text{ cm}^{-2} \text{ s}^{-1}$ with bunch spacings as short as 132 ns. To meet the challenges of such a high-rate environment, the entire central tracking system has been replaced with a silicon microvertex detector, a scintillating-fiber tracker, a solenoid magnet, and central and forward preshower detectors. The new tracking detectors provide enhanced pattern recognition and triggering opportunities for lepton, photon and jet final states. The entire Run II physics menu has been significantly enhanced by the new detectors.

The silicon micro-vertex detector (SMT) consists of 792,000 channels and subtends an active area of 4.7 m^2 . It provides precise tracking in the region

$|\eta| < 3$. The silicon tracker consists of silicon disks and barrels formed into six disk/barrel modules. Each barrel module consists of four (radial) layers of detector ladder assemblies which provide coverage for large angle tracks. Three-dimensional reconstruction of tracks at forward rapidities is performed using the disks. The SMT was constructed at the Fermilab Silicon Detector Facility and installed in D0 in late 2000.

The central scintillating-fiber tracker (CFT), an innovative design based on visible light photon counters (VLPC), is also currently in operation. The fiber tracker consists of 72,000 835-micron fibers arranged into eight radial layers. It provides an off-line momentum measurement for charged particles with $|\eta| < 2$ and fast trigger information for tracks with $|\eta| < 1.6$. The single-channel noise rate, quantum efficiency and photo-electron yield all meet design specifications. Combining fiber and silicon tracker information provides a charged-particle momentum measurement with a resolution of $\Delta p/p = 2\%$ at $p_T = 1$ GeV/c degrading to 10-18% for central 100 GeV/c tracks. The superconducting solenoid magnet has been successfully installed, tested and mapped at its design field of 2.0 Tesla.

Sandwiched between the solenoid and central calorimeter is the central preshower detector (CPS) which was installed simultaneously with the solenoid. The central preshower consists of 7280 channels of 6.6 mm scintillating triangular fibers and will enable efficient triggering on electrons and photons in a high-rate environment. Similarly, separate forward preshower (FPS) detectors enhance electron and photon triggering in the region $1.5 \leq |\eta| \leq 2.5$. The FPS detectors consist of 14,968 channels of finely segmented triangular scintillator strips with embedded wavelength shifting fibers. Both the CPS and FPS are instrumented with VLPCs and are in operation.

The tracking detectors are surrounded by a hermetic liquid argon sampling calorimeter with uranium and copper/steel absorber. The calorimeter is contained in three cryostats (a central barrel and two endcaps). The calorimeter is compensating ($e/\pi \sim 1.05$) and finely segmented to identify electrons, photons, muons, and jets. The electromagnetic (EM) calorimeter covers $|\eta| < 3$ and hadronic calorimetry extends to $|\eta| < 4.4$; the large acceptance provides excellent measurement of the missing transverse energy. The segmentation in $\Delta\eta \times \Delta\phi = 0.1 \times 0.1$ (0.05×0.05 at EM shower maximum); for Run I, the energy resolution was $\sim 15\%/\sqrt{E}$ for electrons and photons (with a small constant term) and $\sim 85\%/\sqrt{E}$ for jets. The calorimeter readout electronics has been upgraded to a switched capacitor array design and the shaping times have been re-optimized to cope with shorter beam crossing. The calorimeter is now in operation.

Outside the calorimeter cryostats is the upgraded muon tracking system. An independent measurement of the muon momentum is performed in the magnetized iron toroids using planes of mini-drift tubes in the forward region and proportional drift tubes in the central region. Fast muon triggering is achieved using layers of scintillator trigger counters which can be combined with

fiber tracker information to enable triggering on low p_T (≥ 1.5 GeV/c) muons. The muon tracker and trigger are now in operation and within specifications.

The Forward Proton Detector (FPD, E-900) consists of momentum spectrometers which make use of the accelerator magnets along with points measured on the track of the scattered proton (or antiproton) to calculate track momentum and scattering angle. Tracks are measured using scintillator fiber detectors (read out by multi-channel phototubes) located in Roman pots, which are stainless steel containers that allow the detectors to function outside of the machine vacuum but close to the beam. Particles traverse thin steel windows at the entrance and exit of each pot. The pots are remotely controlled and can be moved close to the beam (within a few mm) during stable beam conditions and retracted otherwise.

The FPD includes 18 Roman pots. The dipole spectrometer consists of two Roman pot detectors located after bending dipoles about 57 meters downstream of the interaction point on the outgoing antiproton arm and measures antiprotons of all angles that have lost a few percent of the beam momentum. The Roman pots comprising the quadrupole spectrometers are located adjacent to the electrostatic separators on both the proton and antiproton sides and use the low-beta quadrupoles as the primary analyzing magnet. They have acceptance for a large range of proton momenta and angle. The FPD is now fully installed and approximately 50% instrumented. Elastic scattering of protons and antiprotons has been observed. Integration of the system into the data acquisition and trigger system will be complete in 2003.

The upgraded D0 detector contains approximately one million channels. The data readout is initiated by a multi-level trigger with each level having increased complexity and decision time. The Level 1 trigger is designed for an accept rate of 5-10 kHz depending on the L1 deadtime. Calorimeter-based triggers utilize analog hardware to compute fast energy sums to identify localized electromagnetic and hadronic activity and the presence of missing E_T . Track finding in the CFT is performed by a massively parallel application of field programmable gate arrays; electron candidates can be selected using azimuthal matching between the CFT and CPS. Quadrant level matching between the preshowers and calorimeter is also performed at Level 1.

The Level 2 trigger with a 1 kHz accept rate enables more sophisticated reconstruction and fully exploits correlations between the tracking detectors, calorimeter and muon systems; for example $\eta - \phi$ matching between the preshower and calorimeter. The Level 2 trigger capability will be supplemented by a Silicon Track Trigger (E-908). This device will discriminate on tracks measured using the silicon microvertex detector which do not emanate from the primary vertex. Such tracks are efficient indicators of heavy flavor, i.e. b and c quark production. This will greatly enhance the triggering capabilities for Higgs bosons and top and bottom (s)quarks. It will also enable triggering on $Z \rightarrow b\bar{b}$, which is a key calibration channel for top and Higgs physics. The STT proposal was approved in early 1999. Component production is complete and installation and integration of the trigger underway.

The Level 3 trigger uses a commodity-based PC farm running under Linux. The availability of fully digitized information permits sophisticated software reconstruction algorithms to be applied. The Level 3 accept rate is 5-10 Hz depending on dead time.

The current detector is limited in the instantaneous and integrated luminosities at which it can operate. The present silicon tracker is insufficiently radiation-hard to withstand more than about 4 fb^{-1} . It will therefore need to be replaced during Run II. The Run IIb Upgrade Project (E-925) will construct a new, more radiation-hard silicon tracker, which makes use of standardized components and will contain six layers in a barrel geometry. The upgrade will also substantially improve the calorimeter and track triggers to handle increased occupancy from higher instantaneous luminosities.

The physics goals of D0 involve direct searches for particles and forces not yet known, including both those that are predicted or expected (like the Higgs boson and supersymmetry) and those that would come as a surprise. At the same time we confront the Standard Model through precise measurements of the strong interaction, through measurements of the quark mixing matrix, and through precise measurements of the electroweak force and the properties of the W, the Z and the top quark. The experiment already has first results in all of these areas.

As the world's highest energy collider, the Tevatron is the most likely place to directly discover a new particle or force. We know the standard model is incomplete; theoretically the most popular extension is to make it a part of a larger picture called supersymmetry (which is a basic prediction of superstring models). Here each known particle has a so-far unobserved and more-massive partner, to which it is related through a change of spin. If it exists, the lightest supersymmetric particle would be stable, and vast numbers of them would pervade the universe, perhaps explaining the astronomers' observations of dark matter. The Tevatron is the only place to directly search for supersymmetry. In Run II, the opportunities for discovery include squarks and gluinos, in final states with missing energy ($E_{\text{T}}^{\text{miss}}$) and jets (and lepton(s)); charginos and neutralinos through multilepton final states; gauge mediated SUSY in $E_{\text{T}}^{\text{miss}} + \text{photon(s)}$ channels; stop and sbottom; and R-parity violating models. Searches for other new phenomena include leptoquarks, dijet resonances, new heavy W' and Z' bosons, massive stable particles, and monopoles.

The Tevatron allows us to experimentally test the new and exciting idea that gravity may propagate in more than four dimensions of spacetime. If there are extra dimensions that are open to gravity, but not to the other particles and forces of the standard model, then we could not perceive them in our everyday lives. But particle physics experiments at the TeV scale could see signatures such as a quark or gluon jet recoiling against a graviton, or indirect indications like an increase in high energy electron-pair production. These studies use the Tevatron to literally measure the shape and structure of space-time. D0 has developed a quasi-model-independent (signature-based) new phenomena search, which looks for significant deviations from the Standard Model. In the Run I

dataset, no significant evidence for new physics was found, but this technique will prove very powerful in Run II.

The experiment has already embarked on a number of searches using Run II data. Work has started on understanding the E_T^{miss} distribution in multijet events as a prelude to squark and gluino searches; trilepton candidates are also being accumulated. A gauge-mediated SUSY search has set a limit on the cross section for $\bar{p}p \rightarrow E_T^{\text{miss}} + \gamma\gamma$. Virtual effects of extra dimensions are being sought in e^+e^- , $\mu^+\mu^-$ and $\gamma\gamma$ final states, and limits on the scale of new dimensions at the 0.9 TeV level can already be set. A search for leptoquarks decaying to electron+jet has been carried out. None of the cross sections or mass limits is better, yet, than published Run I results, but serves as a demonstration that the pieces are all in place.

In the standard model, the weak force is weak because the W and Z bosons interact with a field (called the Higgs field) that permeates the universe. This same field gives masses to all the fundamental fermions. It should be possible to excite this field and observe its quanta — the long sought Higgs boson. It is the last piece of the standard model, and also the key to understanding any beyond-the-standard-model physics like supersymmetry. Finding it is a very high priority. Right now, we are developing the foundations needed for Higgs physics in Run II: good jet resolution, high b-tagging and trigger efficiencies, and a good understanding of all the backgrounds. One area that can be attacked with relatively modest luminosities is to search for one or more of the extended suite of Higgs bosons that are predicted in supersymmetric models. Associated production of a SUSY Higgs together with a $b\bar{b}$ pair is enhanced at high $\tan\beta$, and tighter limits than those from LEP can already be set with a few hundred inverse picobarns.

In Run II, we will complement our direct searches for new phenomena with indirect probes. New particles and forces can be seen indirectly through their effects on electroweak observables. The tightest constraints will come from improved determination of the masses of the W and the top quark. We now have preliminary results from Run II samples of W and Z candidates. We have measured the cross sections at the Tevatron's new center-of-mass energy of 1.96 TeV and used the ratio of the W to the Z to indirectly extract the W width. It will take a Run II dataset of order 1 fb^{-1} before we can significantly improve the world knowledge of m_w given the precision achieved at LEP. With 2 fb^{-1} we will be able to drive the uncertainty down to the 25 MeV level per experiment, with an ultimate capability of 15 MeV per experiment.

The Tevatron Collider is the world's only source of top quarks. The top quark was discovered by CDF and D0 in 1995 on the basis of a few tens of events — we are now gearing up to study top quarks in the thousands. The top is the heaviest known quark and alone among them, couples strongly to the Higgs. We need to test its properties and decays with sufficient precision that the standard model can be confirmed or not — is the top really top? Here we can look forward to significant improvements in the short term because the Run I dataset was statistically limited. D0 is on the road to “rediscovering” top for the spring 2003

conferences, and has candidate events. Per inverse femtobarn, we will collect roughly 500 b-tagged top-pair events in the lepton + jets final state. As well as improving the cross section and mass measurements, we will look for top-antitop spin correlations which can tell us if the top is really the spin- $\frac{1}{2}$ object it should be, and observe single top production (which allows a model-independent measurement of the CKM matrix element $|V_{tb}|$). New techniques are also being developed: D0 has reported a new, preliminary determination of the top mass from Run I data that uses more information per event, obtains a better discrimination between signal and background than the published 1998 analysis, and improves the statistical error equivalently to a factor 2.4 increase in the number of events. Run II will also test beyond-the-standard-model theories that predict unusual top properties, states decaying into top, and anomalously enhanced single top production.


The mixing between the three generations of quarks results in subtle violations of the so-called CP symmetry relating particles and antiparticles. Understanding this symmetry will help explain why the universe is filled with matter, not antimatter. In the decays of B-mesons, these symmetry violations can be large, and so B-hadrons have become an important laboratory to explore the “unitarity triangle,” which relates the elements of the Cabibbo-Kobayashi-Maskawa (CKM) quark mixing matrix. In Run II we want to confront the CKM matrix in ways that are complementary to the electron-positron B-factories. CP violation is now established in the B system through the decay $B_d \rightarrow J/\psi K_s$. The measured mixing angle is consistent with the standard model but, by itself, cannot exclude new physics. The BaBar and BELLE experiments can and will do much more with their data, but the Tevatron can uniquely access the B_s meson, which is not produced at the B-factories. By measuring the mixing rate between B_s and \bar{B}_s , we can determine the length of one of the sides of the unitarity-triangle and complement the B-factories’ measurements of its angles. It will also be interesting to see if there is sizeable CP violation in $B_s \rightarrow J/\psi \phi$ (it is expected to be small); while the decay $B_s \rightarrow KK$ at the Tevatron complements $B_d \rightarrow \pi\pi$ that is measured at the B-factories. Together they can pin down the triangle angle γ . There are many other opportunities, such as Λ_b properties and searches for rare decays. In D0 the tools are being put in place for a B-physics program. The inclusive B lifetime has been measured and B mesons are being reconstructed. D0 does not exploit purely hadronic triggers but benefits from its large muon acceptance, forward tracking coverage, and ability to exploit $J/\psi \rightarrow e^+e^-$.

D0 has now measured jet energy distributions from Run II. Jet calibrations are not yet final, but already we see events with transverse energies beyond 300 GeV. With the full Run II dataset this will reach as far as 600 GeV, allowing us to pin down the high-energy behavior of the cross section and thus the gluon content of the proton (which remains poorly determined at high momentum and a source of uncertainty). Another issue provoking much discussion is the choice of the algorithm used to define jets. D0’s Run I data have shown that the two most popular jet definitions (the geometrically-based “cone” and the momentum-based recombination “ k_{\perp} ” algorithms) yield different cross sections for collider data; while qualitatively as expected, quantitatively it


is not yet clear whether the differences are understood. We will try to address this question with early Run II data.

Run I left many unanswered questions about heavy flavor (charm and bottom) production. Resolving these is important because many new particles result in heavy flavor signatures. The inclusive B-meson production cross section lies significantly above the QCD prediction, though it can be made to fit better using resummation and retuned fragmentation functions (from LEP data). For charmonium, the measured cross section requires a large color-octet component but that is not consistent with the observed J/ψ polarization. D0 now has preliminary Run II J/ψ and muon+jet cross sections which are the first steps in measuring the charmonium polarization (and thus production process) and the b-jet cross section.

Another QCD-related puzzle is hard diffraction. In these events, a high-momentum-transfer collision occurs but one of the incoming beam particles appears to leave the collision intact, instead of being destroyed in the process. In fact, events with a leading proton comprise about 40% of the total cross section and are typically described by the exchange of a color-singlet or pomeron, about which little is known. This observation is rather surprising and needs to be pinned down better, and related quantitatively with similar phenomena observed at HERA. The addition of the FPD to the detector facilitates studies of the pomeron structure and its dependence on diffractive mass and momentum transfer, searches for diffractive production of heavy objects such as W bosons, and studies of hard double pomeron exchange. The FPD will also allow us to explore ideas of Higgs production through similar mechanisms at the LHC.



The Run II configuration of the tracking system. Shown are the central silicon vertex tracker, the central scintillating fiber tracker, and the central and forward preshower detectors.



Components of the Forward Proton Detector

Publications

Hadron and Electron Response in a Uranium Liquid Argon Calorimeter from 10-150 GeV, Nucl. Instr. and Meth. A269, 492 (1988).

Hadron and Electron Response of Uranium/Liquid Argon Calorimeter Modules for the D0 Detector, Nucl. Instr. and Meth., A280, 36 (1989).

Beam Tests of the D0 Uranium Liquid Argon End Calorimeters, Nucl. Instr. and Meth. A324, 53 (1993).

The D0 Detector, Nucl. Instr. and Meth. A338, 185 (1994).

First Generation Leptoquark Search in $\bar{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 72, 965 (1994).

Search for the Top Quark in $\bar{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 72, 2138 (1994).

Rapidity Gaps Between Jets in $\bar{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 72, 2332 (1994).

Search for High Mass Top Quark Production in $\bar{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 74, 2422 (1995).

Observation of the Top Quark, Phys. Rev. Lett. 74, 2632 (1995).

Inclusive μ and b-Quark Production Cross Sections in $\bar{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 74, 3548 (1995).

Search for Squarks and Gluinos in $\bar{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 75, 618 (1995).

Search for W Boson Pair Production in $\bar{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 75, 1023 (1995).

Limits on the Anomalous $ZZ\gamma$ and $Z\gamma\gamma$ Couplings in $\bar{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 75, 1028 (1995).

Measurement of the $WW\gamma$ Gauge Boson Coupling in $\bar{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 75, 1034 (1995).

W and Z Boson Production in $\bar{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 75, 1456 (1995).

A Study of the Strong Coupling Constant Using W + Jets Processes, Phys. Rev. Lett. 75, 3226 (1995).

Top Quark Search with the D0 1992-93 Data Sample, Phys. Rev. D52, 4877 (1995).

Transverse Energy Distributions within Jets in $\bar{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Lett. B357, 500 (1995).

Search for Heavy W Bosons in 1.8 TeV $\bar{p}p$ Collisions, Phys. Lett. B358, 405 (1995).

Second Generation Leptoquark Search in $\bar{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 75, 3618 (1995).

A Detailed Study of Plastic Scintillating Strips with Axial Wavelength Shifting Fiber and VLPC Readout, Nucl. Instr. and Meth. A366, 263 (1995).

Studies of Topological Distributions of Inclusive Three- and Four-Jet Events in $\bar{p}p$ Collisions at $\sqrt{s} = 1800$ GeV with the D0 Detector, Phys. Rev. D53, 6000 (1996).

Jet Production via Strongly-Interacting Color-Singlet Exchange in $\bar{p}p$ Collisions, Phys. Rev. Lett. 76, 734 (1996).

Search for Light Top Squarks in $\bar{p}p$ Collisions at 1.8 TeV, Phys. Rev. Lett. 76, 2222 (1996).

Search for $\tilde{W}_1 \tilde{Z}_2$ Production Via Trilepton Final States in $\bar{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 76, 2228 (1996).

Search for Right-Handed W Bosons and Heavy W' in $\bar{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 76, 3271 (1996).

The Azimuthal Decorrelation of Jets Widely Separated in Rapidity, Phys. Rev. Lett. 77, 595 (1996).

Search for Anomalous WW and WZ Production in $\bar{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 77, 3303 (1996).

J/Psi Production in $\bar{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Lett. B370, 239 (1996).

Measurement of the W Boson Mass, Phys. Rev. Lett. 77, 3309 (1996).

Search for Additional Neutral Gauge Bosons, Phys. Lett. B385, 471 (1996).

The Isolated Photon Cross Section in the Central and Forward Rapidity Region in $\bar{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 77, 5011 (1996).

A New Detector Technique Using Triangular Scintillating Strips to Achieve Precise Position Measurements for Minimum Ionizing Particles, Nucl. Instr. and Meth. A378, 131 (1996).

Limits on Anomalous $WW\gamma$ Couplings from $\bar{p} \rightarrow W\gamma+X$ Events at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 78, 3634 (1997).

Search for a Fourth Generation Charge $-1/3$ Quark Via Flavor Changing Neutral Current Decay, Phys. Rev. Lett. 78, 3818 (1997).

Search for Diphoton Events with Large Missing Transverse Energy in $\bar{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 78, 2070 (1997).

Study of the $ZZ\gamma$ and $Z\gamma\gamma$ Couplings in $Z(\rightarrow \nu\nu)\gamma$ Production, Phys. Rev. Lett. 78, 3640 (1997).

Direct Measurement of the Top Quark Mass, Phys. Rev. Lett. 79, 1197 (1997).

Studies of Gauge Boson Pair Production and Trilinear Couplings, Phys. Rev. D56, 6742 (1997).

Measurement of the Top Quark Pair Production Cross Section in $\bar{p}p$ Collisions, Phys. Rev. Lett. 79, 1203 (1997).

Limits on WWZ and WW γ Couplings from $\bar{p}p \rightarrow evjjX$ Events at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 79, 1441 (1997).

Search for Scalar Leptoquark Pairs Decaying to Electrons and Jets in $\bar{p}p$ Collisions, Phys. Rev. Lett. 79, 4321 (1997).

Color Coherent Radiation in Multijet Events from $\bar{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Lett. B414, 419 (1997).

Scintillation Counters for the D0 Muon Upgrade, Nucl. Instr. and Meth. A401, 45 (1997).

Experimental Search for Chargino and Neutralino Production in Supersymmetry Models with a Light Gravitino, Phys. Rev. Lett. 80, 442 (1998).

Measurement of Dijet Angular Distributions and Search for Quark Compositeness, Phys. Rev. Lett. 80, 666 (1998).

Search for the Trilepton Signature from the Associated Production of SUSY $\tilde{\chi}_1^\pm \tilde{\chi}_2^0$ Gauginos, Phys. Rev. Lett. 80, 1591 (1998).

Search for First Generation Scalar Leptoquark Pairs in $\bar{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 80, 2051 (1998).

Measurement of the Top Quark Mass Using Dilepton Events, Phys. Rev. Lett. 80, 2063 (1998).

Search for Top Squark Pair Production in the Dielectron Channel, Phys. Rev. D57, 589 (1998).

Z γ Production in $\bar{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV and Limits on Anomalous ZZ γ and Z $\gamma\gamma$ Couplings, Phys. Rev. D57, 3817 (1998).

Direct Measurement of Top Quark Mass by the D0 Collaboration, Phys. Rev. D58, 052001 (1998).

A Measurement of the W Boson Mass, Phys. Rev. D58, 092003 (1998).

Determination of the Mass of the W Boson Using the D0 Detector at the Tevatron, Phys. Rev. D58, 12002 (1998).

A Measurement of the W Boson Mass at the Fermilab $\bar{p}p$ Collider, Phys. Rev. Lett. 80, 3008 (1998).

Search for the Decay $b \rightarrow s\mu\mu$, Phys. Lett. B423, 419 (1998).

Measurement of the Shape of the Transverse Momentum Distribution of W Bosons Produced in $\bar{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 80, 5498 (1998).

Limits on WW γ and WWZ Couplings from W Boson Pair Production, Phys. Rev. D58, Rapid Communications, 051101 (1998).

Search for Charge 1/3 Third Generation Leptoquarks in $\bar{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 81, 38 (1998).

Limits on Anomalous $WW\gamma$ and WWZ Couplings, Phys. Rev. D58, Rapid Communications, 31102 (1998).

Search for Heavy Pointlike Dirac Monopoles, Phys. Rev. Lett. 81, 524 (1998).

The D0 Detector at TeV33, FERMILAB PUB-98/124-E, hep-ex/9804011.

Combined Limits on First Generation Leptoquarks from the CDF and D0 Experiments, FERMILAB PUB-98/312-E, hep-ex/9810015.

Determination of the Absolute Jet Energy Scale in the D0 Calorimeters, Nucl. Instr. and Meth. A424, 352 (1999).

Small Angle J/Ψ Production in $\bar{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 83, 35 (1999).

Search for Squarks and Gluinos in Single-Photon Events with Jets and Large Missing Transverse Energy in $\bar{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 82, 29 (1999).

Probing Hard Color-Singlet Exchange in $\bar{p}p$ Collisions at $\sqrt{s} = 630$ GeV and 1800 GeV, Phys. Lett. B440, 189 (1998).

Search for Nonstandard Higgs Bosons Using High Mass Photon Pairs in $\bar{p}p \rightarrow \gamma\gamma + 2$ Jets at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 82, 2244 (1999).

The Inclusive Jet Cross Section in $\bar{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 82, 2451, (1999).

The Dijet Mass Spectrum and a Search for Quark Compositeness in $\bar{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 82, 2457 (1999).

Measurement of the Top Quark Pair Production Cross Section in $\bar{p}p$ Collisions using Multijet Final States, Phys. Rev. D60, 012001 (1999).

Search for Bottom Squarks in $\bar{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D60, Rapid Communications, 031101 (1999).

Measurement of the Top Quark Mass in the Dilepton Channel, Phys. Rev. D60, 052001 (1999).

Measurement of the High-Mass Drell-Yan Cross Section and Limits on Quark-Electron Compositeness Scales, Phys. Rev. Lett. 82, 4769 (1999).

Search for Charged Higgs Bosons in Decays of Top Quark Pairs, Phys. Rev. Lett. 82, 4975 (1999).

Measurement of the Top Quark Pair Production Cross Section in the All-Jets Decay Channel, Phys. Rev. Lett. 83, 1908 (1999).

Measurement of W and Z Boson Production Cross Sections, Phys. Rev. D60, 052003 (1999).

Studies of WW and WZ Production and Limits on Anomalous $WW\gamma$ and WWZ Couplings, Phys. Rev. D60, 072002 (1999).

Evidence of Color Coherence Effects in $W + \text{Jets}$ Events from $\bar{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Lett. B464, 145 (1999).

Search for Squarks and Gluinos in Events Containing Jets and a Large Imbalance in Transverse Momentum, Phys. Rev. Lett. 83, 4937 (1999).

Search for Second Generation Leptoquark Pairs Decaying into $\mu\nu + \text{Jets}$ in $\bar{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 83, 2896 (1999).

Search for R-parity Violation Supersymmetry in the Dielectron Channel, Phys. Rev. 83, 4476 (1999).

Combining the Top Quark Mass Results for Run I from CDF and D0, FERMILAB-TM-2084 (1999).

The $b\bar{b}$ Production Cross Section and Angular Correlations in $\bar{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Lett. B487, 264 (2000).

Measurement of the Inclusive Differential Cross Section for Z Bosons as a Function of Transverse Momentum Produced in $\bar{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D61, 032004 (2000).

Extraction of the Width of the W Boson from Measurements of $\sigma(p\bar{p} \rightarrow W + X) \times \text{Br}(W \rightarrow e\nu)$ and $\sigma(p\bar{p} \rightarrow Z + X) \times \text{Br}(Z \rightarrow ee)$ and Their Ratio, Phys. Rev. D61, 072001 (2000).

A Measurement of the W Boson Mass Using Electrons at Large Rapidities, Phys. Rev. Lett. 84, 222 (2000).

Search for Second Generation Leptoquarks in $\bar{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 84, 2088 (2000).

The Isolated Photon Cross-Section in $\bar{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 84, 2786 (2000).

Differential Production Cross Section of Z Bosons as a Function of Transverse Momentum at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 84, 2792 (2000).

Small Angle Muon and Bottom Quark Production in $\bar{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 84, 5478 (2000).

Limits on Anomalous $WW\gamma$ and WWZ Couplings from $WW/WZ \rightarrow e\nu jj$ Production, Phys. Rev. D62, 052005 (2000).

Search for New Physics in $e \mu X$ Data at D0 Using Sleuth: A Quasi-Model-Independent Search Strategy for New Physics, Phys. Rev. D62, 92004 (2000).

A Measurement of the W Boson Mass Using Large Rapidity Electrons, Phys. Rev. D62, 092006 (2000).

Limits on Quark Compositeness from High Energy Jets in $\bar{p}p$ Collisions at 1.8 TeV, Phys. Rev. D62, Rapid Communications, 031101 (2000).

A Measurement of the $W \rightarrow \tau \nu$ Production Cross Section in $\bar{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 84, 5710 (2000).

Probing BFKL Dynamics in Dijet Cross Section at Large Rapidity Intervals in $\bar{p}p$ Collisions at $\sqrt{s} = 1800$ and 630 GeV, Phys. Rev. Lett. 84, 5722 (2000).

Spin Correlation in $t\bar{t}$ Production from $\bar{p}p$ Collisions at $\sqrt{s} = 1800$ GeV, Phys. Rev. Lett. 85, 256 (2000).

Search for R-Parity Violation in Multilepton Final States in $\bar{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D62, Rapid Communications, 071701 (2000).

Cross Section for b Jet Production in $\bar{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 85, 5068 (2000).

A Search for Dilepton Signature from Minimal Low-energy Supergravity $\bar{p}p$ Collisions at 1800 GeV, Phys. Rev. D Rapid Comm. 63, 091102 (2001).

Search for Electroweak Production of Single Top Quarks in $\bar{p}p$ Collisions, Phys. Rev. D Rapid Comm. 63, 031101 (2001).

Search for Large Extra Dimensions in Dielectron and Diphoton Production, Phys. Rev. Lett. 86, 1156 (2001).

The Ratio of Jet Cross Sections at $\sqrt{s} = 630$ GeV and 1800 GeV, Phys. Rev. Lett. 86, 2523 (2001).

Ratios of Multijet Cross Sections in $\bar{p}p$ Collisions at $\sqrt{s} = 1800$ GeV, Phys. Rev. Lett. 86, 1955 (2001).

Measurement of the Angular Distribution of Electrons from $W \rightarrow e\nu$ Decays Observed in $\bar{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D63, 072001 (2001).

Differential Cross Section for W Boson Production as a Function of Transverse Momentum in $\bar{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Lett. B513, 292 (2001).

Inclusive Jet Production in $\bar{p}p$ Collisions, Phys. Rev. Lett. 86, 1707 (2001).

A Quasi-Model-Independent Search for New High p_T Physics at D0, Phys. Rev. Lett. 86, 3712 (2001).

A Quasi-Model-Independent Search for New Physics at Large Transverse Momentum, Phys. Rev. D64, 012004 (2001).

High- p_T Jets in $\bar{p}p$ Collisions at $\sqrt{s} = 630$ and 1800 GeV, Phys. Rev. D64, 032003 (2001).

Search for Heavy Particles Decaying into Electron-Positron Pairs in $\bar{p}p$ Collisions, Phys. Rev. Lett. 87, 061802 (2001).

Search for First-Generation Scalar and Vector Leptoquarks, Phys. Rev. D64, 092004 (2001).

Search for New Physics Using QUAERO: A General Interface to D0 Data, Phys. Rev. Lett. 87, 012004 (2001).

Search for Single Top Production at D0 Using Neural Networks, Phys. Lett. B517, 282 (2001).

Measurement of the Ratio of Differential Cross Sections for W and Z Boson Production as a Function of Transverse Momentum, Phys. Lett. B517, 299 (2001).

The Ratio of Isolated Photon Cross Sections in $\bar{p}p$ Collisions at $\sqrt{s} = 630$ and 1800 GeV, Phys. Rev. Lett. 87, 251805 (2001).

Direct Search for Charged Higgs Bosons in Decays of Top Quarks, Phys. Rev. Lett. 88, 151803 (2001).

A Search for the Scalar Top Quark in $\bar{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 88, 171802 (2002).

The Inclusive Jet Cross Section in $\bar{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV Using the k_T Algorithm, Phys. Lett. B525, 211 (2002).

Hard Single Diffraction in $\bar{p}p$ Collisions at $\sqrt{s} = 630$ and 1800 GeV, Phys. Lett. B531, 52 (2002).

Search for Leptoquark Pairs Decaying to $\nu\nu$ +Jets in $\bar{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 88, 191801 (2002).

Search for R-Parity Violating Supersymmetry in Dimuon and Four-Jets Channel, Phys. Rev. Lett. 89, 171801 (2002).

Subject Multiplicity of Gluon and Quark Jets Reconstructed Using the k_T Algorithm in $\bar{p}p$ Collisions, Phys. Rev. D65, 052008 (2002).

A Direct Measurement of the W Boson Width, Phys. Rev. D66, 032008 (2002).

Improved W Boson Mass Measurement with the D0 Detector, Phys. Rev. D66, 012001 (2002).

Search for mSUGRA in Single Electron Events with Jets and Large Missing Transverse Energy in $\bar{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Fermilab-Pub-02/074-E, hep-ex/0205002, accepted by Phys. Rev. D.

$t\bar{t}$ Production Cross Section in $\bar{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, hep-ex/0205019, accepted by Phys. Rev. D.

Multiple Jet Production at Low Transverse Energies in $\bar{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Fermilab-Pub-02/153-E, hep-ex/0207046, submitted to Phys. Rev. D.

Ph.D. Theses

F. Feinstein	Univ. Paris Sud	December 1987
T. Behnke	SUNY/Stony Brook	August 1989
D. Pizzuto	SUNY/Stony Brook	December 1991
R. Astur	Michigan State University	June 1992
S. Rajagopalan	Northwestern University	June 1992
J. Bantley	Northwestern University	June 1992
J. Kotcher	New York University	October 1992

B. Pi	Michigan State University	November 1992
T. Heuring	SUNY/Stony Brook	May 1993
T. Geld	University of Michigan	May 1993
S. Durston	University of Rochester	June 1993
A. Milder	University of Arizona	August 1993
J. Yu	SUNY/Stony Brook	August 1993
D. Norman	University of Maryland	September 1993
J. Cochran	SUNY/Stony Brook	December 1993
A. Pluquet	Saclay/Univ. Paris	January 1994
R. Hirosky	University of Rochester	January 1994
J. Thompson	SUNY/Stony Brook	April 1994
J. Borders	University of Rochester	April 1994
Q. Zhu	New York University	April 1994
R. Hall	University of California/Riverside	May 1994
M. Paterno	SUNY/Stony Brook	May 1994
B. May	University of Arizona	August 1994
D. Chakraborty	SUNY/Stony Brook	September 1994
M. Pang	Iowa State University	November 1994
V. Balamurali	University of Notre Dame	November 1994
G. Landsberg	SUNY/Stony Brook	November 1994
B. Abbott	Purdue University	December 1994
R. Demina	Northeastern University	December 1994
C. Murphy	Indiana University	April 1995
H. Johari	Northeastern University	April 1995
S. Snyder	SUNY/Stony Brook	May 1995
D. Elvira	Buenos Aires	May 1995
C. Gerber	Buenos Aires	May 1995
G. Lima	LAFEX/CBPF	May 1995
G. Eppley	Rice University	May 1995
M. Goforth	Florida State University	June 1995
J. Jiang	SUNY/Stony Brook	June 1995
A. Smith	University of Arizona	August 1995
S. Fahey	Michigan State University	August 1995
R. Madden	Florida State University	August 1995
V. Oguri	LAFEX/CBPF	August 1995
P. Rubinov	SUNY/Stony Brook	August 1995
T. Huehn	University of California/Riverside	September 1995
H. Xu	Brown University	September 1995
J. Balderston	University of Hawaii	October 1995
E. James	University of Arizona	November 1995
C. Kim	Korea University	December 1995
C. Cretsinger	University of Rochester	December 1995
Y. Liu	Northwestern University	December 1995
A. Goldschmidt	University of California/Berkeley	January 1996
D. Fein	University of Arizona	February 1996
E. Amidi	Northwestern University	February 1996
C. Yoshikawa	University of Hawaii	March 1996
M. Sosebee	University of Texas/Arlington	March 1996
M. Kelly	University of Notre Dame	April 1996
F. Nang	Brown University	April 1996


J.-F. Lebrat	University of Paris XI	May 1996
H. Li	SUNY/Stony Brook	May 1996
G. Alvarez	University of Indiana	June 1996
S. Chang	Northeastern University	August 1996
T. Hu	SUNY/Stony Brook	August 1996
E. Flattum	Michigan State University	August 1996
S. Glenn	University of California/Davis	August 1996
J. McKinley	Michigan State University	August 1996
E. Won	University of Rochester	October 1996
D. Vititoe	University of Arizona	October 1996
J. Jaques	University of Notre Dame	October 1996
M. Martin	University of Barcelona	October 1996
A. Belyaev	Moscow State Univ.	November 1996
T. Fahland	Brown University	December 1996
K. Fatyga	University of Rochester	December 1996
R. Kehoe	University of Notre Dame	January 1997
I. Adam	Columbia University	February 1997
A. Sanchez-Hernandez	CINVESTAV	February 1997
P. Grudberg	University of California/Berkeley	February 1997
D. Cullen-Vidal	Brown University	March 1997
C. Shaffer	Florida State University	March 1997
E. Varnes	University of California/Berkeley	April 1997
S. Jun	Northwestern University	May 1997
T. Joffe-Minor	Northwestern University	May 1997
J. Tarazi	University of California/Irvine	June 1997
A. Lyon	University of Maryland	June 1997
A. Narayanan	University of Arizona	July 1997
T. Taylor Thomas	Northwestern University	September 1997
P. Tamburello	University of Maryland	September 1997
H. Shankar	Tata Institute	September 1997
M. Bhattacharjee	Delhi University	October 1997
J. Gonzalez-Solis	CINVESTAV	October 1997
A. Hernandez-Montoya	CINVESTAV	October 1997
S. Jerger	Michigan State University	October 1997
B. Lauer	Iowa State University	October 1997
L. Magana-Mendoza	CINVESTAV	October 1997
T. McKibben	University of Illinois/Chicago	November 1997
G. Wang	Florida State University	November 1997
D. Wirjawan	Texas A&M University	December 1997
S. Chopra	University of Michigan	December 1997
W. Chen	SUNY/Stony Brook	December 1997
V. Bhatnagar	Panjab University	December 1997
D. Casey	University of Rochester	December 1997
F. Hsieh	University of Michigan	January 1998
A. Snajder	LAFEX/CBPF	February 1998
Y. Yu	Seoul National University	February 1998
P. Bloom	University of California/Davis	February 1998
T. McKibben	University of Illinois/Chicago	February 1998
W. Carvalho	LAFEX/CBPF	March 1998
J. Perkins	University of Texas/Arlington	April 1998

T. Hu	University of Indiana	April 1998
K. S. Hahn	University of Rochester	April 1998
M. Mason	University of California/Riverside	June 1998
P. Gartung	University of California/Riverside	September 1998
J. Krane	University of Nebraska	November 1998
G. Di Loreto	Michigan State University	November 1998
R. Genik	Michigan State University	November 1998
N. Parua	University of Mumbai	November 1998
D. Karmgard	Florida State University	March 1999
A. Gupta	Tata Institute	April 1999
K. Mauritz	Iowa State University	May 1999
J. McDonald	Florida State University	May 1999
K. Frame	Michigan State University	May 1999
E. Smith	University of Oklahoma	May 1999
S. Choi	University of California/Riverside	August 1999
G. Gomez	University of Maryland	August 1999
H. Singh	University of California/Riverside	September 1999
G. Steinbrueck	University of Oklahoma	September 1999
L. Babukhadia	University of Arizona	October 1999
K. Davis	University of Arizona	October 1999
R. Snihur	Northwestern University	December 1999
E. Popkov	University of Notre Dame	April 2000
L. Coney	University of Notre Dame	April 2000
D. Shpakov	SUNY/Stony Brook	July 2000
Z. Casilum	SUNY/Buffalo	October 2000
S. Negroni	Univ. de la Mediterranee	October 2000
B. Knuteson	University of California/Berkeley	December 2000
A. Green	Iowa State University	April 2001
J. Estrada	University of Rochester	July 2001
Y. Kulik	SUNY/Stony Brook	August 2001
L. Dudko	Moscow State University	September 2001
T. Goss	Texas A&M University	September 2001
A. Patwa	SUNY/Stony Brook	September 2001
Q. Xu	University of Michigan	September 2001
A. Abdessalam	LAL, Orsay	October 2001
R. Oliver	LPNHE-Paris	October 2001
C. Hays	Columbia University	December 2001
Y. Huang	University of Michigan	December 2001
C. Lundstedt	University of Nebraska	December 2001
J. Zhou	Iowa State University	December 2001
H. Zheng	University of Notre Dame	April 2002

M.S. Thesis

P. Singh	Northern Illinois University	July 1996
J. Yetter	Northern Illinois University	October 1996
M. Mason	Univ. of California/Riverside	June 1998
B. Bhattacharjee	Northern Illinois University	May 1999

E-830



E-830 / 909 / 916 / 924 / 775 (Goshaw / Lockyer) Collider Detector at Fermilab

Academia Sinica (Taiwan), ANL, Bologna (Italy), Brandeis, UC/Davis, UCLA, UC/Santa Barbara, Cantabria (Spain), Carnegie Mellon, Chicago, Duke, Fermilab, Florida, Frascati (Italy), Geneva (Switzerland), Glasgow (United Kingdom), Harvard, Helsinki (Finland), Hiroshima (Japan), Illinois, ITEP (Russia), JINR (Russia), Johns Hopkins, Karlsruhe (Germany), KEK (Japan), Korea Ctr. for HEP (Korea), LBNL, Liverpool (United Kingdom), Michigan, Michigan State, MIT, New Mexico, Northwestern, Ohio State, Okayama (Japan), Osaka City (Japan), Oxford (United Kingdom), Padova (Italy), Pennsylvania, Pisa (Italy), Pittsburgh, Purdue, Rochester, Rockefeller, Rome (Italy), Rutgers, Texas A&M, Texas Tech, Toronto (Canada), Trieste/Udine (Italy), Tsukuba (Japan), Tufts, Univ. Coll. London (United Kingdom), Waseda (Japan), Wayne State, Wisconsin, Yale

Status: *E-775 - Data Analysis*
E-830 - Data-Taking
E-909 - Data-Taking
E-916 - Data-Taking
E-924 - No Data Yet

The Collider Detector at Fermilab (CDF) is a general purpose detector system designed to explore the physics of 2 TeV proton-antiproton collisions at the Fermilab Tevatron Collider.

I. General Background

The heart of the CDF central detector is a 5.0-meter-long, 1.5-meter-radius, 1.4 Tesla superconducting solenoid. Tracking systems in the magnetic field provide momentum analysis of charged particles. The solenoid is surrounded by scintillator-based calorimeters in the central region covering the angular range 30° to 150° with respect to the Tevatron beams. In the detector which operated until February 1996, two "plug" gas calorimeters in the ends of the solenoid extended the calorimeter coverage down to 10° . In all regions the calorimeters are divided into electromagnetic and hadronic sections and have a projective tower geometry to measure energy flow in fine bins of pseudorapidity and azimuth. Muon chambers are located behind the calorimeters. The original CDF detector has undergone several upgrades. E-775 is the experiment using the CDFI detector, acquiring data during a Tevatron data-taking period from March 1992 until February 1996 (Run I). Section II below describes the detector upgrades for E-775, and some of the major physics results obtained from the data analysis. From 1996 to 2001 there was a second major upgrade of the CDF detector (CDFII). This started commissioning in the summer of 2000, and first data-taking in March 2001 as experiment E-830. The upgrade and status of Run II data-taking are described in Section III below.

II. The CDFI Detector and Tevatron Run I (E-775)

E-775 is the upgraded version of CDF for Collider Runs Ia and Ib. For Run Ia the highlights of the upgrade included:

1. The addition of a 4-layer, 46,000 channel silicon microstrip vertex detector, the SVX. This device was installed around a new 1.5 inch diameter beam pipe and enabled the reconstruction of secondary vertices, opening up a new field of precise b physics measurements and b-tags for top quark identification.
2. A new set of time-projection chambers with 4 cm drift spaces replacing the old 15 cm drift devices in order to cope with higher luminosity.
3. The muon coverage was considerably improved by:
 - a) new chambers and scintillators (CMX) to extend the coverage from pseudorapidity of 0.6 to 1.0; and
 - b) additional steel and new chambers to drastically improve the punchthrough background in the central region.
4. New front-end electronics were added to the gas calorimeters and tracking chambers to cope with higher luminosity. These allowed lower gas gain operation and improved noise performance. The outer regions of the CTC were also equipped with dE/dx readout.
5. The throughput of the data acquisition was considerably improved by adding new event builders and more computing power in Level 3. As a result the output to tape increased from 1.2 to 8 Hz.
6. The offline environment was improved by adding 1000 Mips to the farms and acquiring a 1.2 Tbyte robotic storage device.

For Run Ib, the upgrades included:

1. A new radiation-hard Silicon Vertex Detector.
2. The DAQ bandwidth was increased by adding VME-based scanners and an Ultranet hub to connect the readout scanners to the Level 3 processors.
3. New Level 2 processors were installed to increase the speed, flexibility, and power of the trigger.
4. A diffractive spectrometer featuring Roman pots was added.

In Collider Run Ia, CDF rolled into the B0 Collision Hall at the end of March 1992, and the first collisions were seen in May 1992. During Run Ia, the E-775 detector functioned well, taking data at luminosities up to $9 \times 10^{30} \text{cm}^{-2} \text{sec}^{-1}$

with 90 percent livetime and an overall data-taking efficiency of 71 percent. A total data sample of 21.4 pb^{-1} was collected by the end of the run in June 1993.

During Collider Run Ib, the detector has continued to function well, taking data at luminosities up to $\sim 20 \times 10^{30} \text{ cm}^{-2} \text{ sec}^{-1}$ with 90 percent livetime and an overall data-taking efficiency of about 80 percent. Data-taking began on January 19, 1994, and by February 20, 1996, a total integrated luminosity of $\approx 90 \text{ pb}^{-1}$ had been recorded.

A total of 254 papers on CDF results have been published or submitted, and 250 students have written theses on CDF analyses. Some highlights of the Run I physics program include:

1. First evidence of top quark production followed by its discovery (simultaneously with D0). After the discovery, measurements of the top quark mass, production and decay properties rapidly followed.
2. World-class measurements of the spectroscopy and lifetimes of b quark states, including B^0 mixing, CP violation measurements in the $B^0\bar{B}^0$ sector and the discovery of the B_c meson.
3. Measurement of W mass and width, triboson couplings, and Drell-Yan cross section.
4. Observation of excess over QCD calculations of very high E_T jet production, and other QCD measurements in jet physics, photon physics, and diffractive phenomena.
5. New limits on SUSY particles, Higgs boson, leptoquarks, new gauge bosons, and other exotic states.

III. The CDFII Detector and Tevatron Run II (E-830)

E-830 (also known as CDFII) is the upgraded version of CDF for Collider Run II where the bunch spacing will be 396 ns and the luminosity in excess of $2 \times 10^{32} \text{ cm}^{-2} \text{ sec}^{-1}$. The full scope of the upgrade is described in the Technical Design Report (TDR), available as a Fermilab publication. The highlights of the upgrades for Run IIa include:

1. Replacing the gas calorimeters with scintillating tile-based plug calorimeter extending to $|\eta|$ of 3.
2. Replacing the SVX with a five-layer, double-sided SVXII that covers the entire luminous region.
3. Adding two additional layers of silicon detectors (ISL) at larger radii. The combination of the SVXII and ISL will allow precise 3D tracking out to $|\eta|$ of 2.

4. Replacing the CTC with a smaller drift cell version, the COT, which will reduce the drift time to less than the 396 ns bunch spacing.
5. Replacing all the front-end electronics to cope with the shorter bunch spacing. The principal elements include:
 - a) pipelined front ends and buffering for L2 decisions resulting in virtually deadtimeless operation; and
 - b) new ASICs for ADCs and TDCs.
6. New trigger system comprising:
 - a) all digital trigger;
 - b) new track processor allowing high resolution tracking decisions in L1; and
 - c) Level 2 trigger based on SVXII to allow secondary vertex triggers at L2.
7. Extended muon coverage out to $|\eta|$ of 1.5 including:
 - a) new counters and chambers on the muon toroids now moved closer to the interaction region;
 - b) new counters covering the region just outside the CMX; and
 - c) covering missing azimuthal regions in the CMX and central muon coverage.
8. New DAQ components with higher throughput at all levels.
9. Extended offline environment that includes:
 - a) code migration toward object-oriented models;
 - b) data handling to cope with petabyte-scale datasets; and
 - c) enhanced computing power in farms.

With the 2 fb^{-1} expected for Run IIa, the anticipated physics program is truly exciting and features:

1. Top quark mass, production, and decay measurements at the few percent level.
2. Observation of CP violation in the b quark sector.
3. Precision mass, lifetime, and spectroscopy measurements of b quark states including B_s mixing and B_c properties.

4. W mass measurement to better than 40 MeV.
5. Jet and photon measurements out to very high E_T .
6. Searches for SUSY particles, Higgs bosons, and other exotic states.

Run IIa began on March 1, 2001.

CDF as E-909

E-909 is a proposal to upgrade the baseline E-830 experiment with the following detectors:

1. An additional single-sided silicon microstrip detector layer positioned very close ($R \sim 1.5\text{cm}$) to the beamline.
2. A time-of-flight (TOF) detector consisting of 216 scintillator bars located between the COT and the solenoid.

With the inclusion of these new detectors, CDF significantly increased its physics reach in the area of CP violation in the B sector and B_s mixing. These proposals received Stage II approval by the Fermilab Director in 1999 and are now installed and operating in the CDFII detector.

CDF as E-916

E-916 is a proposal for a diffractive physics program at CDF. The upgrades for this physics include beam shower counters, a Roman pot detector, and mini-plug calorimeters. This proposal was presented to the Fermilab Director and Physics Advisory Committee (PAC) in November 1999 and received Stage I approval by the Fermilab Director in July 2000. The miniplug calorimeters and Roman Pots are now installed and are taking data.

The CDFII detector is now fully operational and collecting physics data for all of our five broad analysis areas: heavy flavor physics (beauty and charm); top quark physics; QCD with jets and photons, diffractive phenomena; electroweak physics with W and Z bosons and di-bosons; searches for new phenomena (SUSY particles, Higgs bosons, etc.). A three-level trigger system used to select the basic physics objects is working well. We make selection cuts on jets, electrons, muons, photons, neutrinos (via missing energy), and beauty and charm hadrons from semileptonic decays and displaced secondary vertices. The latter is accomplished with a level-two silicon vertex trigger (SVT) which has opened a whole new area of heavy flavor physics at CDF. Data-taking efficiency has now reached about 90 percent (recorded integrated luminosity over that delivered.)

The physics goals of the CDFII experiment are broad and fundamental:

- Make tests of the Standard Model via precision studies of top quarks and W bosons.

- Explore the smallest distance scales with high E_T jets and photons.
- Search for supersymmetric particles.
- Search for Higgs Bosons as the source of electroweak symmetry breaking.
- Search for sources of CP violation beyond the Standard Model.
- Search for phenomena predicted by extra dimensions.

First Run II physics measurements were presented at the International Conference on High Energy Physics in Amsterdam in June 2002. At the time of this report, significant new physics results are being prepared for the Winter 2003 conferences. By the Lepton-Photon Conference (August 2003) the CDFII experiment is expected to present Run II measurements based upon approximately twice the integrated luminosity recorded in Run I.

Publications

The CDF Detector: An Overview, Nucl. Instr. and Meth. A271, 387 (1988).

Transverse Momentum Distributions of Charged Particles Produced in $\bar{p}p$ Interactions at $\sqrt{s} = 630$ and 1800 GeV, Phys. Rev. Lett. 61, 1819 (1988).

Measurement of the Inclusive Jet Cross Section in $\bar{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 62, 613 (1989).

Measurement of W-Boson Production in 1.8-TeV $\bar{p}p$ Collisions, Phys. Rev. Lett. 62, 1005 (1989).

Limits on the Masses of Supersymmetric Particles from 1.8 TeV $\bar{p}p$ Collisions, Phys. Rev. Lett. 62, 1825 (1989).

Dijet Angular Distributions from $\bar{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 62, 3020 (1989).

Measurement of the Mass and Width of the Z^0 Boson at the Fermilab Tevatron, Phys. Rev. Lett. 63, 720 (1989).

Search for Heavy Stable Particles in 1.8 TeV $\bar{p}p$ Collisions at the Fermilab Collider, Phys. Rev. Lett. 63, 1447 (1989).

K_S^0 Production in $\bar{p}p$ Interactions at $\sqrt{s} = 630$ and 1800 GeV, Phys. Rev. D, Rapid Communication, 40, 3791 (1989).

A Search for the Top Quark in the Reaction $\bar{p}p \rightarrow e + \text{Jets}$ at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 64, 142 (1990).

A Search for New Heavy Quarks in Electron-Muon Events at the Fermilab Tevatron Collider, Phys. Rev. Lett. 64, 147 (1990).

Measurement of the Ratio $\sigma(W \rightarrow e \nu) / \sigma(Z \rightarrow ee)$ in $\bar{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 64, 152 (1990).

Two Jet Differential Cross Section in $\bar{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 64, 157 (1990).

A Measurement of D^* Production in Jets from $\bar{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 64, 348 (1990).

Jet Fragmentation Properties in $\bar{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 65, 968 (1990).

A Measurement of the W Boson Mass, Phys. Rev. Lett. 65, 2243 (1990).

Search for a Light Higgs Boson at the Tevatron Proton-Antiproton Collider, Phys. Rev. D, Rapid Communication, 41, 1717 (1990).

The Two Jet Invariant Mass Distribution at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D, Rapid Communication, 41, 1722 (1990).

Pseudorapidity Distributions of Charged Particles Produced in $\bar{p}p$ Interactions at $\sqrt{s} = 630$ and 1800 GeV, Phys. Rev. D41, 2330 (1990).

Measurement of the W Boson p_T Distribution in $\bar{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 66, 2951 (1991).

Measurement of the Z p_T Distribution in $\bar{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 67, 2937 (1991).

A Determination of $\sin^2\theta_W$ from the Forward-Backward Asymmetry in $p\bar{p} \rightarrow Z^0 X \rightarrow e^+ e^- X$ Interactions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 67, 1502 (1991).

Measurement of the e^+e^- Invariant Mass Distribution in $\bar{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 67, 2418 (1991).

Search for $W' \rightarrow e\nu$ and $W' \rightarrow \mu\nu$ in $\bar{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 67, 2609 (1991).

Measurement of $B^0\bar{B}^0$ Mixing at the Fermilab Tevatron Collider, Phys. Rev. Lett. 67, 3351 (1991).

A Measurement of the W Boson Mass in 1.8 TeV $\bar{p}p$ Collisions, Phys. Rev. D43, 2070 (1991).

Top Quark Search in the Electron + Jets Channel in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D43, 664 (1991).

A Measurement of $\sigma(W \rightarrow e\nu)$ and $\sigma(Z^0 \rightarrow e^+e^-)$ in $\bar{p}p$ Collisions at $\sqrt{s} = 1800$ GeV, Phys. Rev. D44, 29 (1991).

Measurement of QCD Jet Broadening in $\bar{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D44, 601 (1991).

A Lower Limit on the Top Quark Mass from Events with Two Leptons in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 68, 447 (1992).

Inclusive Jet Cross Section in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 68, 1104 (1992).

Lepton Asymmetry in W Decays from $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 68, 1458 (1992).

A Search for New Gauge Bosons in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 68, 1463 (1992).

Measurement of the Isolated Prompt Photon Cross Section in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 68, 2734 (1992).

Measurement of the Ratio $\sigma_B(W \rightarrow \tau\nu) / \sigma_B(W \rightarrow e\nu)$ in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, as a Test of Lepton Universality, Phys. Rev. Lett. 68, 3398 (1992).

A Measurement of the B Meson and b Quark Cross Section at $\sqrt{s} = 1.8$ TeV Using the Exclusive Decay $B^{+-} \rightarrow J/\psi K^{+-}$, Phys. Rev. Lett. 68, 3403 (1992).

A Measurement of the Production and Muonic Decay Rate of W and Z Bosons in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 69, 28 (1992).

Limit on the Rare Decay $W^{+-} \rightarrow \gamma + p^{+-}$ in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 69, 2160 (1992).

The Dijet Angular Distribution at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 69, 2897 (1992).

Search for Squarks and Gluinos from $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 69, 3439 (1992).

Inclusive J/ψ , ψ' and b-Quark Production in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 69, 3704 (1992).

Topology of Three Jet Events in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D45, 1448 (1992).

Properties of Events with Large Total Transverse Energy Produced in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D45, 2249 (1992).

A Limit on the Top Quark Mass from Proton-Antiproton Collisions at $\sqrt{s} = 1800$ GeV, Phys. Rev. D45, 3921 (1992).

Limits on the Production of Massive Stable Charged Particles, Phys. Rev. D46, R1889 (1992).

A Measurement of Jet Shapes in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 70, 713 (1993).

Search for $\Lambda_b \rightarrow J/\psi \Lambda^0$ in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D47, R2639 (1993).

Comparison of Jet Production in $p\bar{p}$ Collisions at $\sqrt{s} = 546$ and 1800 GeV, Phys. Rev. Lett. 70, 1376 (1993).

Measurement of the Cross Section for Production of Two Isolated Prompt Photons in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 70, 2232 (1993).

A Measurement of Jet Multiplicity in W Events Produced in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 70, 4042 (1993).

A Study of Four-Jet Events and Evidence for Double Parton Interactions in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D47, 4857 (1993).

A Measurement of the Bottom Quark Production Cross Section Using Semileptonic Decay Electrons in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 71, 500 (1993).

Measurement of the Dijet Mass Distribution in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D48, 998 (1993).

A Prompt Photon Cross Section Measurement in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D48, 2998 (1993).

The Center-of-Mass Angular Distribution from Prompt Photons Produced in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 71, 679 (1993).

Observation of the Decay $B_s^0 \rightarrow J/\psi\phi$ in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 71, 1685 (1993).

A Measurement of the Bottom Quark Production Cross Section in 1.8 TeV $p\bar{p}$ Collisions Using Muons from b-Quark Decays, Phys. Rev. Lett. 71, 2396 (1993).

Search for Quark Compositeness, Axiguons and Heavy Particles Using the Dijet Invariant Mass Spectrum Observed in $p\bar{p}$ Collisions, Phys. Rev. Lett. 71, 2542 (1993).

Inclusive χ_c and b-Quark Production in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 71, 2537 (1993).

A Search for First-Generation Leptoquarks in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV at CDF, Phys. Rev. D48, R3939 (1993).

Measurement of the Average Lifetime of B-hadrons Produced in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 71, 3421 (1993).

Measurement of Drell-Yan Electron and Muon Pair Differential Cross-Sections in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D49, R1 (1994).

Evidence for Top Quark Production in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D50, 2966 (1994).

A Measurement of the B Meson and b Quark Cross Sections at $\sqrt{s} = 1.8$ TeV Using the Exclusive Decay $B^0 \rightarrow J/\psi K^*(892)^0$, Phys. Rev. D50, 4252 (1994).

Measurement of Small Angle Antiproton-Proton Elastic Scattering at $\sqrt{s} = 546$ and 1800 GeV, Phys. Rev. D50, 5518 (1994).

Measurement of the $p\bar{p}$ Single Diffraction Dissociation at $\sqrt{s} = 546$ and 1800 GeV, Phys. Rev. D50, 5535 (1994).

Measurement of the Antiproton-Proton Total Cross Section at $\sqrt{s} = 546$ and 1800 GeV, Phys. Rev. D50, 5550 (1994).

- A Search for the Top Quark Decaying to a Charged Higgs in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 72, 1977 (1994).
- Search for Excited Quarks in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 72, 3004 (1994).
- Measurement of the B^+ and B^0 Meson Lifetimes, Phys. Rev. Lett. 72, 3456 (1994).
- Measurement of the Ratio $\sigma_B(W \rightarrow e\nu) / \sigma_B(Z \rightarrow e^+e^-)$ in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 73, 220 (1994).
- Evidence for Top Quark Production in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 73, 225 (1994).
- Evidence for Color Coherence in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D50, 5562 (1994).
- W Boson + Jet Angular Distribution in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 73, 2296 (1994).
- A Precision Measurement of the Prompt Photon Cross Section in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 73, 2662 (1994).
- Search for the Top Quark Decaying to a Charged Higgs Boson in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 73, 2667 (1994).
- A Direct Measurement of the W Boson Width, Phys. Rev. Lett. 74, 341 (1995).
- The Charge Asymmetry in W-Boson Decays Produced in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 74, 850 (1995).
- Observation of Rapidity Gaps in $p\bar{p}$ Collisions at 1.8 TeV, Phys. Rev. Lett. 74, 855 (1995).
- Measurement of W-Photon Couplings with CDF in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 74, 1936 (1995).
- Limits on Z-Photon Couplings from $p\bar{p}$ Interactions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 74, 1941 (1995).
- Search for New Gauge Bosons Decaying into Dielectrons in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D51, 949 (1995).
- Observation of Top Quark Production in $p\bar{p}$ Collisions with CDF Detector at Fermilab, Phys. Rev. Lett. 74, 2626 (1995).
- Search for Charged Bosons Heavier than the W in $p\bar{p}$ Collisions at $\sqrt{s} = 1800$ GeV, Phys. Rev. Lett. 74, 2900 (1995).
- Kinematical Evidence for Top Pair Production in W + Multijet Events in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D51, 4623 (1995).
- Search for New Particles Decaying to Dijets in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 74, 3538 (1995).
- Measurement of the B_s Meson Lifetime, Phys. Rev. Lett. 74, 4988 (1995).

A Measurement of the Ratio $\sigma \cdot B(pp \rightarrow W \rightarrow e\nu) / \sigma \cdot B(pp \rightarrow Z^0 \rightarrow ee)$ in $p\bar{p}$ Collisions at $\sqrt{s} = 1800$ GeV, Phys. Rev. D52, 2624 (1995).

Measurement of the W Boson Mass, Phys. Rev. Lett. 75, 11 (1995).

Properties of High-Mass Multijet Events at the Fermilab Proton-Antiproton Collider, Phys. Rev. Lett. 75, 608 (1995).

Search for Squarks and Gluinos Via Radiative Decays of Neutralinos in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 75, 613 (1995).

Identification of Top Quarks Using Kinematical Variables, Phys. Rev. D52, R2605 (1995).

Measurement of the W Boson Mass, Phys. Rev. D52, 4784 (1995).

A Search for Second Generation Leptoquarks in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 75, 1012 (1995).

Limits on WWZ and WW γ Couplings from WW and WZ Production in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 75, 1017 (1995).

Measurement of the B Meson Differential Cross-Section, $d\sigma/dp_T$, in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 75, 1451 (1995).

Measurement of the Polarization in the Decays $B_d \rightarrow J/\psi K^{*0}$ and $B_s \rightarrow J/\psi\phi$, Phys. Rev. Lett. 75, 3068 (1995).

Study of $t\bar{t}$ Production in $p\bar{p}$ Collisions Using Total Transverse Energy, Phys. Rev. Lett. 75, 3997 (1995).

Υ Production in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 75, 4358 (1995).

Measurement of Correlated $\mu\bar{b}$ Jet Cross Sections in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D53, 1051 (1996).

Search for Gluino and Squark Cascade Decays at the Fermilab Tevatron Collider, Phys. Rev. Lett. 76, 2006 (1996).

Reconstruction of $B^0 \rightarrow J/\psi K_S^0$ and Measurement of Ratios of Branching Ratios Involving $B \rightarrow J/\psi K^{(*)}$, Phys. Rev. Lett. 76, 2015 (1996).

Search for the Rare Decay $W^\pm \rightarrow \pi^\pm + \gamma$, Phys. Rev. Lett. 76, 2852 (1996).

Measurement of $\sigma B(W \rightarrow e\nu)$ and $\sigma B(Z^0 \rightarrow e^+e^-)$ in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 76, 3070 (1996).

Measurement of the Mass of the B_S^0 Meson, Phys. Rev. D53, 3496 (1996).

Search for Chargino-Neutralino Production in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 76, 4307 (1996).

Search for Charged Higgs Decays of the Top Quark Using Hadronic Tau Decays, Phys. Rev. D54, 735 (1996).

Measurement of the B^- and \bar{B}^0 Meson Lifetimes Using Semileptonic Decays, Phys. Rev. Lett. 76, 4462 (1996).

Search for Flavor-Changing Neutral Current B Meson Decays in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 76, 4675 (1996).

Inclusive Jet Cross Section in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 77, 438 (1996).

Properties of Jets in Z Boson Events from 1.8 TeV $p\bar{p}$ Collisions, Phys. Rev. Lett. 77, 448 (1996).

Measurement of Λ_b^0 Lifetime Using $\Lambda_b^0 \rightarrow \Lambda_c^+ l^- \bar{\nu}$, Phys. Rev. Lett. 77, 1439 (1996).

Forward-Backward Charge Asymmetry of Electron Pairs Above the Z^0 Pole, Phys. Rev. Lett. 77, 2616 (1996).

Measurement of the Lifetime of the B_s^0 Meson Using the Exclusive Decay Mode $B_s^0 \rightarrow J/\psi\phi$, Phys. Rev. Lett. 77, 1945 (1996).

Further Properties of High-Mass Multijet Events at the Fermilab Proton-Antiproton Collider, Phys. Rev. D54, 4221 (1996).

Ratios of Bottom Meson Branching Fractions Involving J/ψ Mesons and Determination of b Quark Fragmentation Fractions, Phys. Rev. D54, 6596 (1996).

Measurement of the $\gamma + D^{*\pm}$ Cross Section in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 77, 5005 (1996).

Measurement of Dijet Angular Distributions at CDF, Phys. Rev. Lett. 77, 5336 (1996).

Measurement of the Branching Fraction $B(B_u^+ \rightarrow J/\psi\pi^+)$ and Search for $B_c^+ \rightarrow J/\psi\pi^+$, Phys. Rev. Lett. 77, 5176 (1996).

Observation of $\Lambda_b^0 \rightarrow J/\psi\Lambda$ at the Fermilab Proton-Antiproton Collider, Phys. Rev. D55, 1142 (1997).

Measurement of $b\bar{b}$ Production Correlations, $B^0\bar{B}^0$ Mixing, and a Limit on ϵ_B in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D55, 2546 (1997).

Observation of Diffractive W-Boson Production at the Tevatron, Phys. Rev. Lett. 78, 2698 (1997).

Search for Third Generation Leptoquarks in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 78, 2906 (1997).

Evidence for W^+W^- Production in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 78, 4536 (1997).

Search for Charged Higgs Decays of the Top Quark Using Hadronic Decays of the Tau Lepton, Phys. Rev. Lett. 79, 357 (1997).

Search for New Particles Decaying to Dijets at CDF, Phys. Rev. D55, Rapid Communications, R5263 (1997).

J/ψ and $\psi(2S)$ Production in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 79, 572 (1997).

Production of J/ψ Mesons from χ_c Meson Decays in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 79, 578 (1997).

Measurement of Double Parton Scattering in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 79, 584 (1997).

Search for Gluinos and Squarks at the Fermilab Tevatron Collider, Phys. Rev. D56, Rapid Communications, R1357 (1997).

First Observation of the All Hadronic Decay of $t\bar{t}$ Pairs, Phys. Rev. Lett. 79, 1992 (1997).

Search for New Gauge Bosons Decaying into Dileptons in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 79, 2192 (1997).

Limits on Quark-Lepton Compositeness Scales from Dileptons Produced in 1.8 TeV $p\bar{p}$ Collisions, Phys. Rev. Lett. 79, 2198 (1997).

Measurement of Diffractive Dijet Production at the Tevatron, Phys. Rev. Lett. 79, 2636 (1997).

Properties of Six-Jet Events with Large Six-Jet Mass at the Fermilab Proton-Antiproton Collider, Phys. Rev. D56, 2532 (1997).

Double Parton Scattering in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D56, 3811 (1997).

The $\mu\tau$ and $e\tau$ Decays of Top Quark Pairs Produced in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 79, 3585 (1997).

Search for New Particles Decaying into $b\bar{b}$ and Produced in Association with W Bosons Decaying into $e\nu$ or $\mu\nu$ at the Tevatron, Phys. Rev. Lett. 79, 3819 (1997).

Search for First Generation Leptoquark Pair Production in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV Phys. Rev. Lett. 79, 4327 (1997).

Properties of Jets in W Boson Events from 1.8 TeV $p\bar{p}$ Collisions, Phys. Rev. Lett. 79, 4760 (1997).

Properties of Photon Plus Two-Jet Events in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D57, 67 (1998).

Dijet Production by Color-Singlet Exchange at the Fermilab Tevatron, Phys. Rev. Lett. 80, 1156 (1998).

The Jet Pseudorapidity Distribution in Direct Photon Events in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D57, 1359 (1998).

Measurement of the $B^0\bar{B}^0$ Oscillation Frequency in $p\bar{p}$ Collisions using π -B Meson Charge-Flavor Correlations at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 80, 2057 (1998).

Search for Flavor-Changing Neutral Current Decays of the Top Quark in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 80, 2525 (1998).

Measurement of the Top Quark Mass, Phys. Rev. Lett. 80, 2767 (1998).

Measurement of the $t\bar{t}$ Production Cross Section in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 80, 2773 (1998).

Measurement of the Top Quark Mass and $t\bar{t}$ Production Cross Section from Dilepton Events at the Collider Detector at Fermilab, Phys. Rev. Lett. 80, 2779 (1998).

Measurement of the Differential Cross Section for Events with Large Total Transverse Energy in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 80, 3461 (1998).

Measurement of B Hadron Lifetimes Using J/ψ Final States at CDF, Phys. Rev. D57, 5382 (1998).

Observation of Hadronic W Decays in $t\bar{t}$ Events with the Collider Detector at Fermilab, Phys. Rev. Lett. 80, 5720 (1998).

Search for the Decays $B_d^0 \rightarrow \mu^+\mu^-$ and $B_s^0 \rightarrow \mu^+\mu^-$ in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D57, R3811 (1998).

Searches for New Physics in Diphoton Events in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 81, 1791 (1998).

Search for Chargino-Neutralino Associated Production at the Fermilab Tevatron Collider, Phys. Rev. Lett. 80, 5275 (1998).

Search for the Rare Decay $W^\pm \rightarrow \pi^\pm + \gamma$ in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D58, Rapid Communications, 031101 (1998).

Observation of $B^+ \rightarrow \psi(2S)K^+$ and $B^0 \rightarrow \psi(2S)K^*(892)^0$ Decays and Measurements of B-Meson Branching Fractions into J/ψ and $\psi(2S)$ Final States, Phys. Rev. D58, 072001 (1998).

Search for the Rare Decay $W^\pm \rightarrow D_s^\pm \gamma$ in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D58, 091101 (1998).

Observation of B_c Mesons in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D58, 112004 (1998).

Measurement of the $\sigma(W + \geq 1 \text{ Jet})/\sigma(W)$ Cross Section Ratio from $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett 81, 1367 (1998).

Search for Long-Lived Parents of Z^0 Bosons in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D58, Rapid Communications, 051102 (1998).

Observation of the B_c Meson in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 81, 2432 (1998).

Measurement of the B^- and \bar{B}^0 Meson Lifetimes Using Semileptonic Decays, Phys. Rev. D58, 092002 (1998).

Measurement of the CP-Violation Parameter $\sin(2\beta)$ in $B_d^0/\bar{B}_d^0 \rightarrow J/\psi K_s^0$ Decays, Phys. Rev. Lett. 81, 4806 (1998).

Search for Second Generation Leptoquarks in the Dimuon Plus Dijet Channel of $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 81, 4806 (1998).

Search for Higgs Bosons Produced in Association with a Vector Boson in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 81, 5748 (1998).

Events with a Rapidity Gap Between Jets in $p\bar{p}$ Collisions at $\sqrt{s} = 630$ GeV, Phys. Rev. Lett. 81, 5278 (1998).

Search for the Decays $B_s^0, B_d^0 \rightarrow e^\pm \mu^\mp$ and Pati-Salam Leptoquarks, Phys. Rev. Lett. 81, 5742 (1998).

Measurement of the Top Quark Mass with the Collider Detector at Fermilab, Phys. Rev. Lett. 82, 281 (1999).

Search for New Particles Decaying to $b\bar{b}$ in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 82, 2038 (1999).

Measurement of the $B_d^0-\bar{B}_d^0$ Flavor Oscillation Frequency and Study of Same Side Tagging of B Mesons in $p\bar{p}$ Collisions, Phys. Rev. D59, 032001 (1999).

Measurement of the B_s^0 Meson Lifetime Using Semileptonic Decays, Phys. Rev. D59, 034021 (1999).

Measurement of Z^0 and Drell-Yan Production Cross Section Using Dimuons in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D59, 052002 (1999).

Kinematics of $t\bar{t}$ Events at CDF, Phys. Rev. D59, 092001 (1999).

Searches for New Physics in Diphoton Events in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D59, 092002 (1999).

Search for Third-Generation Leptoquarks from Technicolor Models in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 82, 3206 (1999).

A Search for $B_s^0-\bar{B}_s^0$ Oscillations Using the Semileptonic Decay $B_s^0 \rightarrow \phi l^+ X \nu$, Phys. Rev. Lett. 82, 3576 (1999).

Measurement of the $B_d^0-\bar{B}_d^0$ Oscillation Frequency Using Dimuon Data in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D60, 051101 (1999).

Search for R-parity Violating Supersymmetry Using Like-Sign Dielectrons in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 83, 2133 (1999).

Measurement of $B^0-\bar{B}^0$ Flavor Oscillation Frequency Using Jet-Charge and Lepton Flavor Tagging in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D60, 072003 (1999).

Measurement of the Associated $\gamma + \mu^\pm$ Production Cross Section in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D60, 092003 (1999).

A Measurement of b Quark Fragmentation Fractions in the Production of Strange and Light B Mesons in pp Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D60, 092005 (1999).

Search for a Technicolor ω_T Particle in Events with a Photon and a b-quark Jet at CDF, Phys. Rev. Lett. 83, 3124 (1999).

Search for the Flavor-Changing Neutral Current Decays $B^+ \rightarrow \mu^+\mu^-K^+$ and $B^0 \rightarrow \mu^+\mu^-K^{*0}$, Phys. Rev. Lett. 83, 3378 (1999).

Measurement of the $B^0-\bar{B}^0$ Oscillation Frequency using $l-D^{*+}$ Pairs and Lepton Flavor Tags, Phys. Rev. D60, 112004 (1999).

Measurement of the Helicity of W Bosons in Top Quark Decays, Phys. Rev. Lett. 84, 216 (2000).

Observation of Diffractive b-quark Production at the Fermilab Tevatron, Phys. Rev. Lett. 84, 232 (2000).

Measurement of $b\bar{b}$ Rapidity Correlations in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D61, 032001 (2000).

Search for a Fourth-Generation Quark More Massive than the Z^0 Boson in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 84, 835 (2000).

The Transverse Momentum and Total Cross Section of e^+e^- Pairs in the Z-boson Region from $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 84, 845 (2000).

Search for Color Singlet Technicolor Particles in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 84, 1110 (2000).

Measurement of b Quark Fragmentation Fractions in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 84, 1663 (2000).

Production of $\Upsilon(1S)$ Mesons from χ_b Decays in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 84, 2094 (2000).

Search for Scalar Top Quark Production in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 84, 5273 (2000).

Search for Scalar Top and Scalar Bottom Quarks in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 84, 5704 (2000).

Search for a W' Boson Via the Decay Mode $W' \rightarrow \mu\nu_\mu$ in 1.8 TeV $p\bar{p}$ Collisions, Phys. Rev. Lett. 84, 5716 (2000).

A Measurement of $\sin 2\beta$ from $B \rightarrow J/\psi K_S^0$ with the CDF Detector, Phys. Rev. D61, 072005 (2000).

A Measurement of the Differential Dijet Mass Cross Section in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D61, 091101 (2000).

Search for the Charged Higgs boson in the Decays of Top Quark Pairs in the $e\tau$ and $\mu\tau$ Channels at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D62, 12004 (2000).

Limits on Gravitino Production and New Processes with Large Missing Transverse Energy in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 85, 1378 (2000).

Search for Second and Third Generation Leptoquarks Including Production Via Technicolor Interactions in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 85, 2056 (2000).

Search for New Particles Decaying to $t\bar{t}$ in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 85, 2062 (2000).

Measurement of J/ψ and $\psi(2S)$ Polarization in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 85, 2886 (2000).

Direct Measurement of the W Boson Width in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 85, 3347 (2000).

Dijet Production by Double Pomeron Exchange at the Fermilab Tevatron, Phys. Rev. Lett. 85, 4215 (2000).

Measurement of the Decay Amplitudes of $B^0 \rightarrow J/\psi K^{*0}$ and $B_s^0 \rightarrow J/\psi \phi$ Decays, Phys. Rev. Lett. 85, 4668 (2000).

Measurement of $d\sigma/dy$ for High Mass Drell-Yan e^+e^- Pairs from $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D63, Rapid Communications, 011101 (2000).

Measurement of the Top Quark Mass with the Collider Detector at Fermilab, Phys. Rev. D63, 032003 (2001).

Tests of Enhanced Leading Order QCD in W Boson Plus Jets Events from 1.8 TeV $p\bar{p}$ Collisions, Phys. Rev. D63, 072003 (2001).

Search for Supersymmetric Partner of the Top Quark in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D63, 091101 (2001).

Measurement of the Two-Jet Differential Cross Section in $p\bar{p}$ Collisions at $\sqrt{s} = 1800$ GeV, Phys. Rev. D64, 012001 (2001).

First Measurement of the Ratio $(t \rightarrow Wb)/B(t \rightarrow Wq)$ and Associated Limit on the CKM Element $|V_{tb}|$, Phys. Rev. Lett. 86, 3233 (2001).

Production of χ_{c1} and χ_{c2} in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 86, 3963 (2001).

Measurement of the Inclusive Jet Cross Section in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D64, 032001 (2001).

Measurement of the $t\bar{t}$ Production Cross Section in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D64, 032002 (2001).

Measurement of the W Boson Mass with the Collider Detector at Fermilab, Phys. Rev. D64, 052001 (2001).

Observation of Orbitally Excited B Mesons in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D64, 072002 (2001).

Search for Neutral Supersymmetric Higgs Bosons in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 86, 4472 (2001).

Measurement of the Top Quark p_T Distribution, Phys. Rev. Lett. 87, 102001 (2001).

Double Diffraction Dissociation at the Fermilab Tevatron Collider, Phys. Rev. Lett. 87, 141802 (2001).

Cross Section and Heavy Quark Composition of $\gamma + \mu$ Events Produced in $p\bar{p}$ Collisions, Phys. Rev. D65, 012003 (2001).

Measurement of $d\sigma/dM$ and Forward-Backward Charge Asymmetry for High-Mass Drell-Yan e^+e^- Pairs from $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 87, 131802 (2001).

Search for Quark-Lepton Compositeness and a Heavy W' Boson Using the $e\nu$ Channel in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 87, 231803 (2001).

Observation of Diffractive J/ψ Production at the Fermilab Tevatron, Phys. Rev. Lett. 87, 241802 (2001).

Search for Gluinos and Squarks Using Like-Sign Dileptons in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 87, 251803 (2001).

Search for Gluinos and Scalar Quarks in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV Using the Missing Energy Plus Multijets Signature, Phys. Rev. Lett. 88, 041801 (2002).

Measurement of the Strong Coupling Constant from Inclusive Jet Production at the Tevatron $p\bar{p}$ Collider, Phys. Rev. Lett. 88, 042001 (2002).

Search for Narrow Diphoton Resonances and for $\gamma\gamma + W/Z$ Signatures in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D64, 092002 (2001).

Charged Particle Multiplicity in Jets in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 87, 211804 (2001).

Measurement of the B^+ Total Cross Section and B^+ Differential Cross Section $d\sigma/dp_T$ in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D65, 052005 (2002).

Searches for New Physics in Events with a Photon and b-quark Jet at CDF, Phys. Rev. D65, 052006 (2002).

Study of the Heavy Flavor Content of Jets Produced in Association with W Bosons in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D65, 052007 (2002).

Soft and Hard Interactions in $p\bar{p}$ Collisions at $\sqrt{s} = 1800$ and 630 GeV, Phys. Rev. D65, 072005 (2002).

Search for Single-Top-Quark Production in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D65, 091102 (2002).

Charged Jet Evolution and the Underlying Event in Proton-Antiproton Collisions at 1.8 TeV, Phys. Rev. D65, 092002 (2002).

A Study of $B^0 \rightarrow J/\psi K^{*0} \pi^+ \pi^-$ Decays with the Collider Detector at Fermilab, Phys. Rev. Lett. 88, 071801 (2002).

Search for New Heavy Particles in the WZ^0 Final State in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 88, 071806 (2002).

Diffraction Dijet Production at $\sqrt{s} = 630$ and 1800 GeV at the Fermilab Tevatron, Phys. Rev. Lett. 88, 151802 (2002).

Search for the Decay $B_s \rightarrow \mu^+ \mu^- \phi$ in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D65, 111101 (2002).

Comparison of the Isolated Direct Photon Cross Section in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV and $\sqrt{s} = 0.63$ TeV, Phys. Rev. D65, 112003 (2002).

Search for New Physics in Photon-Lepton Events in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D66, 012004 (2002).

Measurement of B Meson Lifetimes Using Fully Reconstructed B Decays Produced in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D65, 092009 (2002).

Υ Production and Polarization in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 88, 161802 (2002).

Measurement of the Ratio of b Quark Production Cross Sections in $p\bar{p}$ Collisions at $\sqrt{s} = 630$ GeV and $\sqrt{s} = 1.800$ GeV, Phys. Rev. D66, 032002 (2002).

Branching Ratio Measurements of Exclusive B^+ Decays to Charmonium with the Collider Detector at Fermilab, Phys. Rev. D66, 052002 (2002).

Cross Section for Forward J/ψ Production in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D66, 092001 (2002).

Search for Radiative b-Hadron Decays in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D66, 112002 (2002).

Search for New Physics in Photon-Lepton Events in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 89, 041802 (2002).

Limits on Extra Dimensions and New Particle Production in the Exclusive Photon and Missing Energy Signature in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 89, 281801 (2002).

Momentum Distribution of Charged Particles in Jets in Dijet Events in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV and Comparisons to Perturbative QCD Predictions, submitted to Phys. Rev. D, Fermilab-Pub-02/096-E (2002).

Search for a W Boson Decaying to a Top and Bottom Quark Pair in 1.8 TeV $p\bar{p}$ Collisions, submitted to Phys. Rev. Lett., Fermilab-Pub-02/247-E (2002).

Search for Long-Lived Charged Massive Particles in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, submitted to Phys. Rev. Lett., Fermilab-Pub-02/318-E.

Search for Associated Production of Upsilon and Vector Boson in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, submitted to Phys. Rev. Lett., Fermilab-Pub-02/351-E.

Theses

G. Chiarelli	University of Pisa	March 1985
M. Sekiguchi	University of Tsukuba	
S. E. Kuhlmann	Purdue University	August 1988
D. A. Smith	University of Illinois	December 1988
T. K. Westhusing	University of Illinois	December 1988
R. D. St. Denis	Harvard University	December 1988
M. Miller	University of Pennsylvania	December 1988
Y. Morita	University of Tsukuba	January 1989
D. N. Brown	Harvard University	June 1989
R. M. Carey	Harvard University	July 1989
M. H. Schub	Purdue University	August 1989
R. M. Harris	Lawrence Berkeley Laboratory	August 1989
B. L. Flaughner	Rutgers University	October 1989
J. E. Skarha	University of Wisconsin	1989
B. Hubbard	Lawrence Berkeley Laboratory	November 1989
A. Byon	Purdue University	December 1989
G. Redlinger	University of Chicago	1989
Y. Tsay	University of Chicago	1989
W. Trischuk	Harvard University	April 1990
F. Snider	University of Chicago	March 1990
M. Contreras	Brandeis University	April 1990
H. Keutelian	University of Illinois	May 1990
S. Leone	University of Pisa	June 1990
P. Hu	Rutgers University	June 1990
S. Kanda	University of Tsukuba	June 1990
P. Schlabach	University of Illinois	August 1990
J. Walsh	University of Pennsylvania	1990
T. Mimashi	University of Tsukuba	September 1990
P. Hurst	University of Illinois	October 1990
P. Derwent	University of Chicago	November 1990
T. Hessing	Texas A&M University	December 1990
B. L. Winer	Lawrence Berkeley Laboratory	February 1991
G. Punzi	Scuola Normale Superiore Pisa	February 1991
J. Ng	Harvard University	May 1991
A. Roodman	University of Chicago	June 1991
L. DeMortier	Brandeis University	September 1991
F. Ukegawa	University of Tsukuba	September 1991
L. Song	University of Pennsylvania	October 1991
D. Connor	University of Pennsylvania	November 1991
K. Byrum	University of Wisconsin	December 1991
V. Scarpine	University of Illinois	December 1991
R. Hughes	University of Pennsylvania	January 1992
L. Markosky	University of Wisconsin	January 1992
M. Ninomiya	University of Tsukuba	January 1992
Y. Seiya	University of Tsukuba	January 1992
S. Ogawa	University of Tsukuba	January 1992
L. Nakae	Brandeis University	April 1992

R. Markeloff	University of Wisconsin	August 1992
D. Gerdes	University of Chicago	September 1992
L. Keeble	Texas A&M University	September 1992
B. T. Huffman	Purdue University	December 1992
S. Vejcek	Johns Hopkins University	August 1992
S. M. Moulding	Brandeis University	February 1993
P. A. Maas	University of Wisconsin	August 1993
M. Incagli	University of Pisa	October 1993
V. Bolognesi	University of Pisa	October 1993
R. Drucker	Univ. of California/Berkeley	November 1993
D. Benjamin	Tufts University	November 1993
J. Lamoureux	University of Wisconsin	December 1993
C. Boswell	Johns Hopkins University	December 1993
R. Schwartz	University of Illinois	December 1993
C. Luchini	University of Illinois	December 1993
C. Jessop	Harvard University	December 1993
M. Roach-Bellino	Tufts University	January 1994
D. Kardelis	University of Illinois	January 1994
S. Dell'Agnello	University of Pisa	February 1994
S. Leone	University of Pisa	February 1994
M. Cobal	University of Pisa	February 1994
B. Farhat	Mass. Institute of Technology	February 1994
R. Mattingly	Brandeis University	March 1994
T. Chikamatsu	University of Tsukuba	April 1994
W. Wester	Univ. of California/Berkeley	April 1994
M. W. Bailey	Purdue University	May 1994
S. Kopp	University of Chicago	May 1994
M. Dickson	University of Rochester	May 1994
M. Takano	University of Tsukuba	June 1994
A. Spies	John Hopkins University	July 1994
J. Tonnison	Purdue University	August 1994
Y. Cen	University of Pennsylvania	August 1994
B. Badgett	University of Michigan	September 1994
D. Saltzberg	University of Chicago	October 1994
N. Turini	University of Bologna	November 1994
T. Song	University of Michigan	December 1994
J. Wang	University of Chicago	December 1994
G. Watts	University of Rochester	December 1994
M. Vondracek	University of Illinois	December 1994
R. Oishi	University of Tsukuba	January 1995
D. Lucchesi	University of Pisa	February 1995
R. Keup	University of Illinois	February 1995
C. Anway-Wiese	Univ. of California/Los Angeles	June 1995
J. Romano	University of Chicago	August 1995
C. Hawk	Rutgers University	October 1995


E. Meschi	Scuola Normale Superiore, Pisa	October 1995
D. Glenzinski	Johns Hopkins University	November 1995
S. Hauger	Duke University	December 1995
D. Neuberger	Univ. of California/Los Angeles	December 1995
S. Rolli	Pavia University	January 1996
H. Mitsushio	University of Tsukuba	January 1996
R. Hans	Yale University	January 1996
G. Tartarelli	University of Milan	January 1996
P. Azzi	University of Padova	February 1996
M. Gallinaro	University of Rome	February 1996
M. Kruse	Purdue University	February 1996
I. Yu	Yale University	February 1996
T. Asakawa	University of Tsukuba	February 1996
F. Azfar	University of Pennsylvania	March 1996
A. Martin	University of Illinois	April 1996
G. Houk	University of Pennsylvania	April 1996
J. Tseng	Johns Hopkins University	May 1996
A. Maghakian	Rockefeller University	May 1996
D. Kestenbaum	Harvard University	May 1996
T. Baumann	Harvard University	May 1996
P. Yeh	National Taiwan University	June 1996
Y. Kato	Osaka University	June 1996
T. Ino	University of Tsukuba	June 1996
G. Sganos	University of Toronto	June 1996
J. Cammerata	John Hopkins University	August 1996
L. Zhang	University of Wisconsin	August 1996
E. Hayashi	University of Tsukuba	September 1996
M. Pillai	University of Rochester	September 1996
F. Keyvan	Univ. of California/Los Angeles	September 1996
S. Metzler	University of Pennsylvania	December 1996
P. Koehn	University of Rochester	December 1996
F. Qun	University of Rochester	December 1996
S. Aota	University of Tsukuba	January 1997
M. Shimojima	University of Tsukuba	January 1997
T. Daniels	Massachusetts Institute of Technology	April 1997
W. Bokhari	Massachusetts Institute of Technology	April 1997
C. C. Miao	University of Michigan	May 1997
M. Peters	University of California/Berkeley	May 1997
C. Couyoumtzelis	University of Geneva	June 1997
A. Titov	Rockefeller University	June 1997
T. Kuwabara	University of Tsukuba	June 1997
H. Sato	University of Tsukuba	June 1997
M. Hohlmann	University of Chicago	August 1997
D. Cronin-Hennessy	Duke University	August 1997

T. Takano	University of Tsukuba	September 1997
K. Tollefson	University of Rochester	October 1997
S. Bagdasarov	Rockefeller University	October 1997
O. Long	University of Pennsylvania	November 1997
P. Maksimovic	Massachusetts Institute of Technology	November 1997
K. Burkett	University of Michigan	December 1997
H. Kambara	University of Geneva	December 1997
B. Tannenbaum	University of New Mexico	December 1997
D. Toback	University of Chicago	December 1997
E. Kuns	Rutgers University	December 1997
A. Warburton	University of Toronto	December 1997
E. Cocca	University of Pisa	January 1998
J. Suzuki	University of Tsukuba	January 1998
M. Okabe	University of Tsukuba	January 1998
S. Vandenbrink	University of Pittsburgh	January 1998
N. Busetti	University of Padova	February 1998
W. Ashmanskas	University of California/Berkeley	May 1998
L. Scodellaro	University of Padova	July 1998
M. Scardellato	University of Padova	July 1998
R. Rossin	University of Padova	July 1998
A. Bocci	University of Pisa	July 1998
K. Hoffman	Purdue University	July 1998
J. Olsen	University of Wisconsin	August 1998
L. Groer	Rutgers University	October 1998
A. Gordon	Harvard University	November 1998
J. Dittmann	Duke University	December 1998
H. Ikeda	University of Tsukuba	January 1999
H. Minato	University of Tsukuba	January 1999
B. Hinrichsen	University of Toronto	January 1999
T. Handa	Hiroshima University	January 1999
H. Kim	University of Toronto	January 1999
W. Taylor	University of Toronto	January 1999
D. Vucinic	Massachusetts Institute of Technology	February 1999
K. Kelley	Massachusetts Institute of Technology	February 1999
N. Eddy	University of Michigan	February 1999
N. Moggi	University of Pavia	April 1999
K. Karr	Tufts University	May 1999
E. Guillian	University of Michigan	May 1999
A. Akopian	Rockefeller University	June 1999
P. Chang	National Tsing Hua University	June 1999
N. Bruner	University of New Mexico	July 1999
A. Hardman	Purdue University	August 1999
J. Wahl	University of Chicago	August 1999
J. Done	Texas A&M University	August 1999

A. Koengeter	University of Karlsruhe	November 1999
T. Kikuchi	University of Tsukuba	December 1999
K. Kordas	McGill University	December 1999
S. Pappas	Yale University	December 1999
K. Terashi	University of Tsukuba	January 2000
J. Guimaraes da Costa	University of Michigan	January 2000
J. Cassada	University of Rochester	January 2000
A. Scott	Univ. of California/Los Angeles	February 2000
T. Keaffaber	Purdue University	May 2000
J. Steele	University of Wisconsin	May 2000
D. Winn	University of Michigan	May 2000
C. Mesropian	Rockefeller University	June 2000
J. Liu	University of Rochester	June 2000
T. Shah	Massachusetts Institute of Technology	July 2000
R. Cropp	University of Toronto	August 2000
M. Spiropulu	Harvard University	August 2000
T. Speer	University of Geneva	September 2000
A. Robinson	University of Toronto	September 2000
J. Berryhill	University of Chicago	December 2000
P. Gatti	University of Padova	December 2000
M. P. Giordani	University of Padova	December 2000
M. Tanaka	University of Tsukuba	January 2001
C.-Y. P. Ngan	University of Rochester	February 2001
G. Latino	University of Cassino	February 2001
H. Nakada	University of Tsukuba	March 2001
A. Safonov	University of Florida	April 2001
S. Bailey	Harvard University	April 2001
M. J. Kim	Kyungpook National University	April 2001
L. Christofek	University of Illinois	May 2001
D. Partos	Brandeis University	May 2001
R. Haas	University of Florida	May 2001
A. Solodsky	Rockefeller University	May 2001
C. Hill	University of California/Davis	September 2001
A. Cerri	Scuola Normale Superiore of Pisa	October 2001
T. Gao	University of Pennsylvania	October 2001
F. Strumia	University of Geneva	December 2001
C. Smith	Johns Hopkins University	January 2002
L. Scodellaro	Padova University	February 2002
A. Taffard	University of Liverpool	March 2002
S. Murgia	Michigan State University	May 2002
J. Carlson	University of Michigan	May 2002
M. Martin	University of Oxford	May 2002
S. Wolinski	University of Michigan	May 2002
C. Hall	Harvard University	May 2002

A. Heiss	Karlsruhe University	June 2002
L. Cerrito	University College London	June 2002
M. Brozovic	Duke University	August 2002
C. Ciobanu	Ohio State University	August 2002
Y. Miyazaki	Osaka City University	September 2002
C. Sanchez	Ohio State University	
A. Affolder	University of California/Berkeley	December 2002
A. Brandl	University of New Mexico	December 2002
O. Lobban	Texas Tech. University	December 2002
A. Pompos	Purdue University	December 2002
T. Pratt	Oxford University	January 2003

E831 Spectrometer Layout



**E-831 (Cumalat / Moroni) A High Statistics Study of States
Containing Heavy Quarks Using the Wideband Photon Beam and
the E-687 Multiparticle Spectrometer**

*UC/Davis, CBPF (Brazil), CINVESTAV (Mexico), Colorado,
Fermilab, INFN/Frascati (Italy), Illinois/Champaign, Korea (Korea),
INFN/Milano (Italy), Milano (Italy), North Carolina, INFN/Pavia (Italy),
Pavia (Italy), Puebla (Mexico), Puerto Rico/Mayaguez, South Carolina,
Tennessee, Vanderbilt, Wisconsin, Yeonsei (Korea)*

Status: *Data Analysis*

E-831 (FOCUS) is a high-intensity photoproduction experiment that is designed to study the production and decay of charmed particles. The experiment enjoyed a successful data-taking period during 1996 and 1997. The spectrometer has excellent particle identification with three Cerenkov counters, two electromagnetic calorimeters, and several scintillator arrays for muon detection. A scintillating fiber calorimeter is used to identify neutrons and to determine the energy of the hadronic event. The vertex region contains segmented BeO targets interleaved with silicon strip detectors. The vertex region is followed by 12 planes of silicon strip detectors.

The physics of the experiment involves high-precision studies of D semileptonic decays with an emphasis on the determination of form factors and CKM matrix elements $|V_{cd}|$ and $|V_{cs}|$, QCD studies of Double D events, a measurement of the absolute branching fraction for the D^0 meson, searches for D^0 mixing using hadronic and semileptonic final states, and searches for CP violation, rare and forbidden decays, fully leptonic decays of the D^+ , and a systematic investigation of charm baryons and their lifetimes.

In 2002 we published twelve papers. They include the best determination of the D^0 , D^+ , Λ_c^+ , and Ξ_c^0 lifetimes, a measurement of the natural widths of the Σ_c^0 and Σ_c^+ baryons, a high precision measurement of the $D^+ \rightarrow \bar{K}^{*0}\mu^+\nu$ form factors, and the first observation of the doubly Cabibbo-suppressed decay $D^+ \rightarrow K^+K^-K^+$. We also observed a diffractive state at 1750 GeV/c² decaying into K^+K^- , made a measurement of relative branching fractions of the Λ_c^+ into states containing a Σ , and determined the semileptonic branching fractions of the D^+ and the D_s^+ . Perhaps the highlight is evidence for new interference phenomena in the decay $D^+ \rightarrow K^-\pi^+\mu^+\nu$ which had been missed by experiments with lower statistics. We also have three additional papers submitted for publication which include the first tests of CPT and Lorentz invariance in the charm sector, a study of five-body decays of charm mesons which points to a significant $a_1(1260)$ component, and a study of the Cabibbo-suppressed decays $D^0 \rightarrow \pi^+\pi^-$ and $D^0 \rightarrow K^+K^-$.

Publications

A Measurement of Lifetime Differences in the Neutral D-meson System, Phys. Lett. B485, 62 (2000).

Measurements of the Σ_c^0 and Σ_c^{++} Mass Splittings, Phys. Lett. B488, 218 (2000).

Search for CP Violation in D^0 and D^+ Decays, Phys. Lett. B491, 232 (2000).

Study of the Decay $D^0 \rightarrow K^+\pi^-$, Phys. Rev. Lett. 86, 2955 (2001).

Measurement of the Relative Branching Ratio $BR(\Xi_c^+ \rightarrow pK^-\pi^+) / BR(\Xi_c^+ \rightarrow \Xi^-\pi^+\pi^+)$, Phys. Lett. B512, 277 (2001).

A Measurement of the Branching Ratios of D^+ and D_s^+ Hadronic Decays to Four-Body Final States Containing a K_s , Phys. Rev. Lett. 87, 162001 (2001).

Evidence for a Narrow Dip Structure at 1.9 GeV/c² in $3\pi^+3\pi^-$ Diffractive Photoproduction, Phys. Lett. B514, 240 (2001).

A New Measurement of the Ξ_c^+ Lifetime, Phys. Lett. B523, 53 (2001).

Reconstruction of Veets, Kinks, Ξ^- 's, and Ω^- 's in the FOCUS Spectrometer, Nucl. Instr. and Meth. A484, 174 (2002).

Search for CP Violation in the Decays $D^+ \rightarrow K_s\pi^+$ and $D^+ \rightarrow K_sK^+$, Phys. Rev. Lett. 88, 041602 (2002).

Measurement of Natural Widths of Ξ_c^0 and Ξ_c^{++} Baryons, Phys. Lett. B525, 205 (2002).

A High Statistics Measurement of the Λ_c^+ Lifetime, Phys. Rev. Lett. 88, 161801 (2002).

Evidence for New Interference Phenomena in the Decay $D^+ \rightarrow K^-\pi^+\mu^+\nu$, Phys. Lett. B535, 43 (2002).

New Measurements of the D^0 and D^+ Lifetimes, Phys. Lett. B537, 192 (2002).

The Target Silicon Detector for the FOCUS Spectrometer, submitted to Nucl. Instr. and Meth., hep-ex/0204023 (2002).

Measurements of Relative Branching Ratios of Λ_c^+ Decays into States Containing Σ , Phys. Lett. B540, 25 (2002).

Measurement of the D^+ and D_s^+ Decays into $K^+K^-K^+$, Phys. Lett. B541, 227 (2002).

New Measurements of the $\Gamma(D^+ \rightarrow \bar{K}^{*0}\mu^+\nu)/\Gamma(D^+ \rightarrow K^-\pi^+\pi^+)$ and $\Gamma(D_s^+ \rightarrow \phi\mu^+\nu)/\Gamma(D_s^+ \rightarrow \phi\pi^+)$ Branching Ratios, Phys. Lett. B541, 243 (2002).

A New Measurement of the Ξ_c^0 Lifetime, Phys. Lett. B541, 211 (2002).

New Measurements of the $D^+ \rightarrow \bar{K}^{*0}\mu^+\nu$ Form-Factor Ratios, Phys. Lett. B544, 89 (2002).

Observation of a 1750-MeV/c² Enhancement in the Diffractive Photoproduction of K⁺K⁻, Phys. Lett. **B545**, 50 (2002).

Charm System Tests of CPT and Lorentz Invariance with FOCUS, hep-ex/0208034 (2002).

Study of Hadronic Five-Body Decays of Charmed Mesons, hep-ex/0211056 (2002).

Study of the Cabibbo-Suppressed Decay Modes D⁰ → π⁻π⁺ and D⁰ → K⁻K⁺, hep-ex/0212058 (2002).

Theses

E. Casimiro, CINVESTAV, 1999.

E. Vaandering, University of Colorado, 2000.

L. Agostino, University of Pavia, 2000.

P. Dini, University of Milano, 2000.

M. Merlo, University of Pavia, 2000.

A. Rahimi, University of Illinois, 2000.

I. Segoni, University of Pavia, 2000.

J. M. Link, University of California/Davis, 2001.

C. Cawfield, University of Illinois/Urbana, 2001.

B. R. Ko, Korea University, 2001.

C. Pontoglio, INFN and University of Milano, 2001.

S. Erba, INFN and University of Milano, 2001.

L. Edera, INFN and University of Milano, 2001.

S. Barberis, INFN and University of Milano, 2001.

C. Chang, Korea University, 2001.

E. Ramirez, University of Colorado, 2002.

D. Engh, Vanderbilt University, 2002.

M. Hosack, Vanderbilt University, 2002.

J. W. Kwak, Korea University, 2002.

A. Kryemadhi, Indiana University, 2002.

A. Cerutti, INFN and University of Milano, 2002.

R. Mitchell, University of Tennessee, 2002.

A. Ettorre, University of Pavia, 2002.

G. Sani, University of Pavia, 2002.

D. Pegna, University of Pavia, 2002.

Table 1. Comparison of relative branching fractions with previous experiments. The FOCUS measurements are about a factor of two better than previous measurements in both the statistical and the systematic uncertainties.

Experiment	$\frac{\Gamma(D^0 \rightarrow K^- K^+)}{\Gamma(D^0 \rightarrow K^- \pi^+)}$	$\frac{\Gamma(D^0 \rightarrow \pi^- \pi^+)}{\Gamma(D^0 \rightarrow K^- \pi^+)}$	$\frac{\Gamma(D^0 \rightarrow K^- K^+)}{\Gamma(D^0 \rightarrow \pi^- \pi^+)}$
E687[10]	$0.109 \pm 0.007 \pm 0.009$	$0.043 \pm 0.007 \pm 0.003$	$2.53 \pm 0.46 \pm 0.19$
E791[11]	$0.109 \pm 0.003 \pm 0.003$	$0.040 \pm 0.002 \pm 0.003$	$2.75 \pm 0.15 \pm 0.16$
CLEO[12]	$0.1040 \pm 0.0033 \pm 0.0027$	$0.0351 \pm 0.0016 \pm 0.0017$	$2.96 \pm 0.16 \pm 0.15$
E831(this result)	$0.0993 \pm 0.0014 \pm 0.0014$	$0.0353 \pm 0.0012 \pm 0.0006$	$2.81 \pm 0.10 \pm 0.06$




Figure 1. Invariant mass distribution for (a) $\pi^+\pi^-$, (b) K^+K^- , (c) $K^-\pi^+$. The fit (solid curve) for the Cabibbo-suppressed decay modes of D^0 is to a Gaussian over a polynomial (for combinatorial background) and a function obtained with Monte Carlo simulations for the reflection peak.




Figure 2. Invariant mass distribution for (a) $K^- \pi^+ \pi^+ \pi^- \pi^-$, (b) $\pi^- \pi^+ \pi^+ \pi^- \pi^-$, (c) $K^- K^+ \pi^+ \pi^- \pi^-$, (d) $K^- K^+ \pi^+ \pi^- \pi^-$ with tighter cuts to bring out the D^+ signal, (e) $\phi \pi^+ \pi^- \pi^+$. The numbers quoted are the yields from the fits.

Table 2. Measured Lifetimes ($\times 10^{-12}$ s)

Experiment	D^0	D^+
E687 [8]	$0.413 \pm 0.004 \pm 0.003$	$1.048 \pm 0.015 \pm 0.011$
CLEO II [12]	$0.4085 \pm 0.0041^{+0.0035}_{-0.0034}$	$1.0336 \pm 0.0221^{+0.0099}_{-0.0127}$
E791 [13]	$0.413 \pm 0.003 \pm 0.004$	
This measurement	$0.4096 \pm 0.0011 \pm 0.0015$	$1.0394 \pm 0.0043 \pm 0.0070$






Figure 3. (a) $K^-\pi^+$ invariant mass distribution, (b) $K^-\pi^+\pi^+\pi^-$ invariant mass distribution, (c) $K^-\pi^+\pi^+$ invariant mass distribution. The vertical dashed lines indicate the signal region and the two sideband regions. The numbers quoted are the yields used for the lifetime analysis.

Table 3. Measurements of the $\Gamma(D^+ \rightarrow \bar{K}^{*0}l^+\nu_l)/\Gamma(D^+ \rightarrow K^-\pi^+\pi^+)$ branching fraction. The FOCUS measurement is the first one to include the effects on the acceptance due to changes in the decay angular distribution brought about by s-wave interference. After correcting the muon numbers by a factor of 1.05 to compare with electrons, we find that all values in the table are consistent with their weighted average (0.62 ± 0.02) with a confidence level of 19%. The FOCUS number is about 1.57 standard deviations below the recent CLEO measurement and about 2.1 standard deviations above the number obtained by E-691.

Group	electron	muon
This work		$0.602 \pm 0.010 \pm 0.021$
CLEO [3]	$0.74 \pm 0.04 \pm 0.05$	$0.72 \pm 0.10 \pm 0.06$
CLEO [9]	$0.67 \pm 0.09 \pm 0.07$	
E687 [10]		$0.56 \pm 0.04 \pm 0.06$
OMEGA [11]	$0.62 \pm 0.15 \pm 0.09$	
ARGUS [12]	$0.55 \pm 0.08 \pm 0.10$	
E653 [13]		$0.46 \pm 0.07 \pm 0.08$
E691 [14]	$0.49 \pm 0.04 \pm 0.05$	

Table 4. Measurements of the $\Gamma(D_s^+ \rightarrow \phi l^+\nu_l)/\Gamma(D_s^+ \rightarrow \phi\pi^+)$ branching fraction. The FOCUS measurement has the smallest statistical uncertainty, but all results are remarkably consistent with an average of 0.54 ± 0.04 .

Group	electron	muon
This work		$0.54 \pm 0.033 \pm 0.048$
CLEO2 [15]	$0.54 \pm 0.05 \pm 0.04$	
E687 [16]		$0.58 \pm 0.17 \pm 0.07$
ARGUS [12]	$0.57 \pm 0.15 \pm 0.15$	
CLEO [17]	$0.49 \pm 0.10 \pm 0.12$	

Mass(K^+K^-) (GeV/c^2)





Figure 4. Evidence for a spin 1 diffractive state at a mass of $1750 \text{ GeV}/c^2$. (a) The K^+K^- invariant mass spectrum with a diffractive requirement of $p_T < 0.15 \text{ GeV}/c$. The mass spectrum is fit with a non-relativistic Breit-Wigner distribution and a quadratic background. The dotted line shows the Monte Carlo efficiency is almost flat versus mass. (b) The solid line is the K^+K^- mass spectrum with the requirement that $p_T < 0.15 \text{ GeV}/c$, the dotted line shows the same spectrum for $p_T > 0.15 \text{ GeV}/c$ scaled to match the low mass sideband. (c) The data and fit after subtracting the quadratic polynomial background shape. (d) The data minus the fit.

E835 EQUIPMENT LAYOUT (Y2K)



E-835 (Cester / Pordes) Study of Charmonium States Formed in Proton-Antiproton Annihilation Using the Fermilab Antiproton Accumulator

UC/Irvine, Fermilab, INFN/Ferrara (Italy), Ferrara (Italy), INFN/Genova (Italy), Genova (Italy), Minnesota, Northwestern, INFN/Torino (Italy), Torino (Italy)

Status: *Data Analysis*

Experiment E-835 was a continuation of E-760, the study of charmonium states formed in $\bar{p}p$ annihilation (see www-e835.fnal.gov). The $\bar{p}p$ annihilations were produced in the Fermilab Antiproton Source where the circulating antiproton beam interacted with a hydrogen gas-jet target. The experiment used a non-magnetic detector with full azimuthal coverage and polar angle coverage from 3 degrees to 65 degrees in the lab frame; the detector was optimized for the identification of electromagnetic final states from charmonium decays. The masses and widths of the decaying states were determined from an excitation curve obtained by varying the \bar{p} beam energy. This technique allows the masses of charmonium states to be measured to an accuracy of 0.1 MeV/c²; resonance widths as small as 0.1 MeV can also be determined.

E-835 took ~ 150 pb⁻¹ of data during the 1996-97 fixed-target run and a further ~ 100 pb⁻¹ in 2000. The year 2000 data-taking concentrated on improving the mass and width measurements of the χ_0 , on further attempts to confirm the 1P_1 signal reported by E-760, and on a study of ψ' decay modes.

Topics of continuing analysis include:

the η_c mass, width, and $\gamma\gamma$ branching ratio;

the χ_0 branching ratios to $\gamma\gamma$ and $\pi^0\pi^0$;

a study of $\phi\phi$ production and a search for $\phi\phi\gamma$ production in $\bar{p}p$ annihilations;

a search for the 1P_1 in several decay modes;

a study of ψ' decay modes;

a measurement of χ_1 and χ_2 total widths;

a study of exclusive two-body reactions.

Publications

Measurements of the Magnetic Form Factor of the Proton in the Timelike Region at Large Momentum Transfer, M. Ambrogiani et al., Phys. Rev. D60, 032002 (1999).

Study of the χ_{c0} State of Charmonium Formed in Antiproton-Proton Annihilations, M. Ambrogiani et al., Phys. Rev. Lett. **83**, 2902 (1999).

Measurement of the Branching Ratios $\psi' \rightarrow e^+e^-$; $\psi' \rightarrow J/\psi\pi^0\pi^0$, and $\psi' \rightarrow J/\psi\eta$, M. Ambrogiani et al., Phys. Rev. **D62**, 032004 (2000).

Study of the $\gamma\gamma$ Decays of the χ_{c2} and χ_{c0} Charmonium Resonances, M. Ambrogiani et al., Phys. Rev. **D62**, 052002 (2000).

Search for the η_c' (2^1S_0) Charmonium Resonance, M. Ambrogiani et al., Phys. Rev. **D64**, 052003 (2000).

Study of the Angular Distributions of the Reactions $\bar{p}p \rightarrow \chi_{c1}, \chi_{c2} \rightarrow J/\psi\gamma \rightarrow e^+e^-\gamma$, M. Ambrogiani et al., Phys. Rev. **D65**, 052002 (2002).


New Measurements of the Resonance Parameters of the χ_{c0} State of Charmonium, S. Bagnasco et al., Phys. Lett. **B533**, 237 (2002).

Ph.D. Theses


G. Stancari, University of Ferrara, Italy
W. Baldini, University of Ferrara, Italy
M. Ambrogiani, University of Ferrara, Italy
R. McTaggart, Pennsylvania State University
T. Pedlar, Northwestern University
M. Stancari, University of California/Irvine
M. Obertino, University of Torino, Italy
M. Graham, University of Minnesota
T. Vidnovic, University of Minnesota
M. Negrini, University of Ferrara

E-871

Elevation View



Plan View



E-871 (Dukes / Luk) HyperCP: Search for CP Violation in the Decays of $\Xi^- / \bar{\Xi}^+$ and $\Lambda / \bar{\Lambda}$ Hyperons

*Academia Sinica (Taiwan), UC/Berkeley, Fermilab, Guanajuato (Mexico), IIT,
Lausanne (Switzerland), LBNL, Michigan, South Alabama, Virginia*

Status: *Data Analysis*

Discovered over 35 years ago by Cronin and Fitch, who were awarded the Nobel Prize for their work, CP violation has remained a mysterious and puzzling aspect of particle physics. Its origin is unknown, and although it is a tiny effect in the laboratory, its implications are profound: CP violation is thought to be responsible for the nearly absolute asymmetry between matter and antimatter in the universe, indeed, why there is any matter at all in the universe. But it is widely believed that the CP violation observed thus far (in only the decays of two particles, the K_L and B_d) is too feeble to produce the asymmetry between matter and antimatter in the universe. Other sources are needed, perhaps from physics beyond that in the Standard Model. To quote Bigi and Sanda from their recent book, *CP Violation*:

"We are willing to stake our reputation on the prediction that dedicated and comprehensive studies of CP violation will reveal the presence of New Physics."

The goal of HyperCP is to search for new sources of CP violation, in particular in the decays of Ξ and Λ hyperons, which are sensitive to sources of CP violation that kaon decays, for example, are not. The signature for the CP asymmetry is a difference between the angular distributions of the Λ and $\bar{\Lambda}$ decay products – α parameters – where the Λ and $\bar{\Lambda}$ have been produced from Ξ^- and $\bar{\Xi}^+$ decays. The expected sensitivity in the difference in the α parameters is about 2×10^{-4} , two orders of magnitude better than the present experimental limit. Theoretical predictions range from several times 10^{-3} to 10^{-5} .

The HyperCP sensitivity goals demand a large number of events, and hence an extremely high-rate spectrometer was built in the short space of two years – one capable of recording up to 100,000 events per second. The spectrometer accumulated the largest data set ever taken – 231 *billion* events – in two runs: 1997 and 1999. After careful work in precisely calibrating the spectrometer and tuning up the code, the primary event reconstruction (of over 30,000 tapes) was done on the Fermilab computer farms and completed in the summer of 2001. This work, which involved reconstructing a data set 25 times larger than the total amount of data on all of the Web sites in the entire world, was reported at the International Conference on Computing in High Energy and Nuclear Physics in Beijing, China in September 2001, the conference summary speaker having highlighted this effort as a "tour de force."

The scope of the physics topics that HyperCP addresses goes beyond CP violation in hyperon decays, the complete physics menu including: 1) the search for CP violation in Ξ and Λ decays; 2) the search for CP violation in $K^\pm \rightarrow \pi^\pm \pi^+ \pi^-$ decays; 3) the search for the lepton-number-violating decay $\Xi^- \rightarrow p \mu^- \mu^-$; 4) the

search for the $|\Delta S| > 1$ decays: $\Omega^- \rightarrow p\pi^-\pi^-$, $\Omega^- \rightarrow pK^-\pi^-$, $\Omega^- \rightarrow \Lambda\pi^-$, and $\Xi^- \rightarrow p\pi^-\pi^-$; 5) the search for the flavor-changing neutral-current (FCNC) decays: $\Omega^- \rightarrow \Xi^-\mu^+\mu^-$ and $K_S \rightarrow \mu^+\mu^-$; 6) the measurement of the branching ratios: $\Omega^- \rightarrow \Xi^-\pi^+\pi^-$ and $\Omega^- \rightarrow \Xi^-\mu^+\mu^-$; 7) the measurement of the branching ratios and form factors in the flavor-changing neutral-current decays: $K^+ \rightarrow \pi^+\mu^+\mu^-$ and $K^- \rightarrow \pi^-\mu^+\mu^-$; 8) the measurement of the Ω^- and $\bar{\Omega}^+$ α -parameters and the corresponding CP asymmetry; 9) the measurement of the Ξ^- β -parameter; 10) the measurement of the Λ - π^- strong phase shift; 11) the measurement of Ξ^- ($\bar{\Xi}^+$) and Ω^- ($\bar{\Omega}^+$) polarizations in inclusive production; 12) the measurement of the Ξ^- ($\bar{\Xi}^+$) and Ω^- ($\bar{\Omega}^+$) production cross sections; and 13) the search for $K^\pm \rightarrow \mu^\pm\nu\mu^\pm\mu^\mp$ decays.

Many of the analyses have reached a mature stage. We have published a new measurement of the branching ratio of the FCNC decay $K^+ \rightarrow \pi^+\mu^+\mu^-$ which resolves an outstanding disagreement between two BNL experiments for this important test of chiral perturbation theory. In addition, we have observed the conjugate decay, $K^- \rightarrow \pi^-\mu^+\mu^-$, for the first time. This is only one example of many rare and forbidden decay searches which we have undertaken in an effort to search for new physics, several of which will be submitted for publication in 2003. With our enormous data set we are orders of magnitude more sensitive than any other previous experiment for most of these searches. Recently, we have also reported on the first evidence for a non-zero decay parameter, α_Ω , in the decay: $\Omega^- \rightarrow \Lambda K^-$. A search for CP violation in Ω^- and $\bar{\Omega}^+$ decays is in progress.

Good progress is being made in the hyperon CP-violation analysis, albeit at a slower pace because of the much larger final data set and the need to carefully control sources of systematic error. Results of preliminary studies, indicating no asymmetry to the 10^{-3} level, have been reported at several major conferences. The goal of the collaboration is to have a result based on 10-20% of the data by the end of the year.

Publications

A High-Throughput Data Acquisition System for the HyperCP Experiment, Y.-C. Chen et al., Nucl. Instr. and Meth. A455, 424 (2000).

Upgraded DAQ System for the HyperCP Experiment, C. White et al., Nucl. Instr. and Meth. A474, 67 (2001).

Tripling the Data Set for the HyperCP Experiment, C. White et al., to be published in IEEE Transactions on Nuclear Science.

Observation of the Decay $K^+ \rightarrow \pi^+\mu^+\mu^-$ and Measurements of the Branching Ratios for $K^\pm \rightarrow \pi^\pm\mu^+\mu^-$, H. K. Park et al., Phys. Rev. Lett. 88, 111801 (2002).


Theses

W.-S. Choong, University of California/Berkeley (2000).

N. Leros, Université de Lausanne (2001).

D. Rajaram, Illinois Institute of Technology (2002).

E-872 Spectrometer Plan View



E-872 (Lundberg / Paolone) Direct Observation of the Tau-Neutrino

*Aichi (Japan), Athens (Greece), UC/Davis, Changwon Nat'l (Korea),
 Coll. de France (France), Fermilab, Gyeongsang (Korea), Kansas State,
 Kobe (Japan), Kon-kuk (Korea), Korean Nat'l (Korea), Minnesota,
 Nagoya (Japan), Osaka Sci. Ed. Inst. (Japan), Pittsburgh, South Carolina,
 Toho (Japan), Tufts, Utsunomiya (Japan)*

Status: <i>Data Analysis</i>

Since the discovery of the tau lepton in 1975, the desire to detect the ν_τ was strong, but the experiments that were proposed were technically very challenging and expensive. The use of emulsion, as active targets, in conjunction with its specially designed beam, has enabled DONUT to overcome most of the technical problems. Although there was strong experimental and theoretical evidence for the existence of a third neutrino, its direct confirmation was an important result. In July 2000, after three years of analysis, four events identified as tau-neutrino interactions were found in a sample of 203 neutrino interactions in an emulsion target/detector. These results were published early in 2001. A new upper limit to the tau-neutrino magnetic moment was also published using this data.

Tau neutrinos, produced in the beam dump using 800 GeV protons, originated mostly in the leptonic decay of the D_s (charm-strange) meson in the decay sequence $D_s \rightarrow \tau + \nu_\tau$ and $\tau \rightarrow \nu_\tau + X$. Both the D_s and the daughter τ decay in the dump, each decay producing one ν_τ . Their charged-current interactions are found directly by observing τ lepton production and its subsequent decay in the emulsion target. The data run was from April to September 1997 and a total of 4.5×10^{17} protons were used in the beam dump to make neutrinos.

Two years were spent in developing emulsion scanning techniques necessary for insuring high efficiency in locating the interactions in the emulsion. Because the emulsion targets were very thick, 6 cm, the older method of following tracks from the spectrometer was less reliable because of secondary interactions, electron showers, and scattering. A new method was employed for most of the events. In this method, automatic emulsion scanning stations were programmed to find all tracks in a *volume* of emulsion surrounding the interaction prediction. This data was then processed by finding all vertices (at least two tracks) in this volume. This powerful method was possible only because of the increased speed of the emulsion scanning stations. The spatial precision achieved for the emulsion data was 0.3 microns in the transverse coordinates, which provided a powerful rejection against background signals.


Presently, the collaboration is completing the analysis on the additional events to provide an independent confirmation of the signal. Results from an additional ~250 interactions will be completed in the spring of 2003. The remaining events will be scanned using ultra-high speed scanning stations developed over the last few years for future experiments.

MINOS (Main Injector Neutrino Oscillation Search)

Far Detector

Fermilab

- 25,800 m² Active Detector Planes
- 4 cm wide solid scintillator strips
- WLS fiber readout



E-875 (Wojcicki / Michael) Main Injector Neutrino Oscillation Search

*ANL, Athens (Greece), BNL, Caltech, Cambridge (United Kingdom),
Campinas (Brazil), College de France (France), Fermilab, Harvard,
IHEP/Protvino (Russia), IIT, Indiana, ITEP (Russia), Lebedev (Russia), LLNL,
Macalester, Minnesota, Minnesota / Duluth, Northwestern, Oxford (United Kingdom),
Pittsburgh, Rutherford (United Kingdom), São Paulo (Brazil), South Carolina,
Stanford, Sussex (United Kingdom), Texas A&M, Texas / Austin, Tufts,
Univ. College London (United Kingdom), Western Washington, Wisconsin*

Status: <i>No Data Yet</i>

The goal of the Main Injector Neutrino Oscillation Search (MINOS) experiment is a comprehensive investigation of neutrino oscillations, down to a level of about 10^{-3} eV^2 in Δm^2 and 10^{-2} in $\sin^2(2\theta)$, using neutrinos produced by the Fermilab Main Injector beam and a large new detector located at the Soudan Mine in Minnesota, some 735 km away. The existing Soudan 2 detector at the same site may also contribute to these studies. A "near detector" located at Fermilab will monitor the beam and enable a comparison to be made between neutrino interactions in detectors at two quite different distances from the neutrino source. The approach of our experimental program is to perform a variety of different measurements, all of which would be sensitive to neutrino oscillations. A self-consistent interpretation of all these measurements will provide measurements of oscillation modes, oscillation parameters (Δm^2 and $\sin^2 2\theta$) and the energy dependence of the oscillation probability.

Neutrino physics presents today one of the most promising avenues to probe for extensions of the Standard Model. A priori, no fundamental reason exists why neutrinos should have zero mass or why there should be no mixing between different neutrino species. Thus, the existence of neutrino oscillations is quite plausible, maybe even likely, on theoretical grounds. The existence of this phenomenon has received first experimental indications from the observations of a deficit of solar neutrinos and from the ν_μ/ν_e anomaly in the interactions of atmospheric neutrinos observed by large underground experiments. Detailed observations by the SuperKamiokande experiment on the angular distributions of atmospheric neutrinos provided strong support for the oscillations interpretation and reduced the range of possible oscillation parameters. First indications from the accelerator K2K experiment in Japan appear to confirm that conclusion. Recently, the SNO experiment in Canada looking at solar neutrino interactions in heavy water and the KamLAND experiment in Japan looking at reactor neutrinos provided not only convincing evidence for solar neutrino oscillations but also quantitative understanding of the oscillation parameters for that phenomenon.

This MINOS experiment makes use of several independent measurements to investigate neutrino oscillations. The comparison of rate and energy spectra at the two detectors for the ν_μ charged-current events can conclusively verify the oscillation hypothesis and will be used to measure the oscillation parameters,

Δm^2 and $\sin^2(2\theta)$. The comparison of NC and CC interaction rates can determine the relative contributions of the modes $\nu_\mu \rightarrow \nu_\tau$ and $\nu_\mu \rightarrow \nu_{\text{sterile}}$. The study of event shapes allows us to search for the $\nu_\mu \rightarrow \nu_e$ mode and to improve on the CHOOZ limit if no events are found.

The MINOS experiment uses two very similar detectors, one at Fermilab and one in Minnesota's Soudan mine, 735 km away. Both detectors consist of assemblies of 1 inch-thick magnetized steel planes, interleaved with planes of 4 cm wide strips of plastic scintillator. The 1 kT near detector at Fermilab has 4.8 m wide steel planes; the 5.4 kT far detector at Soudan has 8 m wide planes arranged in two supermodules. The steel planes in both detectors are magnetized toroidally with an average field of 1.3 T. We estimate that, in the absence of oscillations, the far detector would record about 1,500 charged-current ν_μ interactions annually using the low-energy beam configuration.

The existing underground physics laboratory in the Soudan Mine has been expanded to house the new MINOS far detector, as shown in Figure 1. Excavation of the new laboratory began in May 1999, and installation of the far detector began in July 2001. Approximately 75% of the Far Detector is assembled already and we have started taking data on cosmic rays and atmospheric neutrinos. Site excavation for the construction of the underground NuMI beam facility at Fermilab has been completed in November 2002 and outfitting of the underground enclosures and construction of service buildings has commenced. The installation of beamline components and the MINOS near detector will take place during latter half of 2003 and 2004. Data-taking is scheduled to begin, with both the near detector and the far detector, when the neutrino beam commissioning starts in early 2005.

Status and Accomplishments

November 1998: NuMI/MINOS Project baselined by the Department of Energy.
 February 1999: DOE CD-3a (start limited construction) approved.
 March 1999: MINOS steel purchase subcontract awarded.
 May 1999: DOE CD-3b (continue construction at Fermilab) approved.
 May 1999: Excavation of far detector lab started at Soudan.
 June 1999: Top of Soudan mineshaft located with GPS survey.
 October 1999: Near detector electronics design upgraded for fast extraction.
 November 1999: Detector 4-plane prototype erected at Fermilab.
 November 1999: Site preparation completed for Fermilab civil construction.
 March 2000: Excavation of NuMI beamline tunnels and halls started at Fermilab.
 September 2000: Caltech scintillator module factory commissioned.
 November 2000: Excavation of far detector cavern completed at Soudan.
 December 2000: Far detector cavern outfitting started at Soudan.
 July 2001: Beneficial occupancy of far detector cavern.
 July 2001: Installation of MINOS far detector begins.
 August 2001: First cosmic ray muon tracks recorded by far detector.
 October 2001: First far detector magnet coil operated at Fermilab.
 October 2001: First run of MINOS calibration detector completed in CERN test beam.

- November 2001: Prototype near detector magnet coil operated at Fermilab.
 December 2001: Revised NuMI Project baseline approved by the Department of Energy.
 December 2001: Tunnel boring machine reaches north end of near detector hall.
 January 2002: Tunnel boring machine excavation completed.
 March 2002: First atmospheric neutrino event recorded by far detector.
 April 2002: NuMI beam decay pipe installation begins.
 June 2002: 50% of far detector planes (Supermodule 1) completed.
 July 2002: Supermodule 1 magnet coil installed and commissioned.
 July 2002: Construction of prototype veto shield over far detector started.
 August 2002: Near detector hall excavation completed.
 September 2002: Surface Building and Outfitting (SB&O) contract awarded.
 September 2002: Second calibration detector run completed in CERN test beam.
 October 2002: NuMI target hall excavation completed.
 October 2002: Near detector coil delivered to Fermilab.
 November 2002: Underground excavation completed.
 November 2002: SB&O contractor takes beneficial occupancy of NuMI tunnels.
 November 2002: Near detector scintillator module fabrication completed.
 December 2002: Preassembly of near detector planes completed.





Figure 1. Plan view of MINOS detector in the Soudan Mine.

E-876

Roman Pot Arrangement



E-876 (Albrow) Hard Diffraction Studies in CDF

Academia Sinica (Taiwan), ANL, Bologna (Italy), Brandeis, UCLA, Chicago, Duke, Fermilab, Frascati (Italy), Harvard, Hiroshima (Japan), Illinois, Inst. of Particle Phys. (Canada), Johns Hopkins, KEK (Japan), LBL, MIT, Michigan, Michigan State, New Mexico, Osaka City (Japan), Padova (Italy), Pennsylvania, Pisa (Italy), Pittsburgh, Purdue, Rochester, Rockefeller, Rutgers, Texas A&M, Texas Tech, Tsukuba (Japan), Tufts, Waseda (Japan), Wisconsin, Yale

Status: <i>Data Analysis</i>

In a proton-antiproton collision at the Tevatron, sometimes the proton or antiproton or both can emerge unscathed, even though a hard quark or gluon scattering has occurred giving rise to high transverse momentum jets. These are called diffractive interactions, being related to elastic scattering. The best theory of strong interactions, Quantum ChromoDynamics (QCD), enables us to calculate the hard scattering, but the process by which the beam particle(s) can remain intact is not well understood. It certainly involves soft (low momentum transfer or non-perturbative) processes in which the QCD coupling is large and many gluons can be exchanged, making it very difficult to calculate. This is an important frontier of QCD, especially as it is related to quark and gluon confinement. In any hard interaction involving hadrons there is a transition between a phase in which we consider (colored) quarks and gluons and the final state when they are all confined in (colorless) hadrons. During this transition sometimes colorless clumps of hadrons form, well separated from each other in rapidity (a relativistic transformation of speed). These collisions have rapidity gaps which are large regions of rapidity without any hadrons. The extreme process where the rapidity gap is maximum is elastic scattering, a very common process which still needs to be understood theoretically.

The distribution of quarks and gluons inside a proton is called its structure function. This can be measured from the kinematics of two or three high transverse energy jets resulting from a hard scattering. When the jets are produced in a diffractive event, with a large rapidity gap and a leading intact proton and/or antiproton, from the jet kinematics we can measure the diffractive structure function. We find that the diffractive structure function falls faster with the momentum fraction (Bjorken- x) than the normal structure function. So as the x of the scattering quark or (usually) gluon decreases it becomes more likely that the event will be diffractive. Usually in a hard quark or gluon scattering the proton and antiproton are left in a colored state and break up into many hadrons. About 1% of the time other gluons can be exchanged with the appropriate characteristics (color and momenta) to leave the (anti-)proton colorless and intact. In about 1% of those collisions both beam particles are left intact (a process called double pomeron exchange).

Diffractively scattered antiprotons have very small angles and stay in the beam pipe until we intercept them after 56 m with small ($2\text{cm} \times 2\text{cm}$) tracking

detectors. These have crossed (x and y) scintillating fiber hodoscopes which measure the antiproton track with a precision of 100 microns. From this track, the position of the collision as determined by the central CDF detectors (which measure the jet tracks), and our knowledge of the magnetic fields in the Tevatron, we determine the momentum of the antiproton. From the central jets we determine the momenta of the scattering gluons (or quarks). This enables us to calculate Bjorken-x and hence the diffractive structure function.

Diffractive experiments with rapidity gaps are studied at HERA in Germany, in electron-proton collisions. We find that a simple model in which the proton emits a pomeron (a color singlet composite of gluons and quarks with the same quantum numbers as the vacuum) which then interacts with the other proton (in pp) or with the photon radiated from the electron (in ep) does not work. This is called non-factorization. This means that some of the models of this process have to be re-thought.

Data were taken in December 1995 - February 1996. Three papers have been published (and produced Ph.D. theses) and another one is being worked on.

These studies are continuing in Run II with improved coverage, by counters and new calorimeters, of the forward region.

Publications


Diffractive Dijets with a Leading Antiproton in $\bar{p}p$ Collisions at $\sqrt{s} = 1800$ GeV, T. Affolder et al., Phys. Rev. Lett. 84, 5043 (2000).

Dijet Production by Double Pomeron Exchange at the Fermilab Tevatron, T. Affolder et al., Phys. Rev. Lett. 85, 4215 (2000).

Diffractive Dijet Production at $\sqrt{s} = 630$ and 1800 GeV at the Fermilab Tevatron, D. Acosta et al., Phys. Rev. Lett. 88, 151802 (2001).

Central Pseudorapidity Gaps in Events with a Leading Antiproton at the Fermilab Tevatron $\bar{p}p$ Collider, to be submitted to Phys. Rev. Lett.

E-881



Fermilab 99-886D

Illustration of the detector systems used in the Pierre Auger Project. Self-contained particle detectors are spaced on a 1.5 km grid over the surface. The air showers are also observed on dark nights using air fluorescence telescopes (inset).

E-881 (Mantsch) The Pierre Auger Project - A Study of the Highest-Energy Cosmic Rays

*Fermilab
(and institutions in 19 countries)*


Status: *No Data Yet*

Over the past thirty years cosmic ray air shower detectors have recorded a number of events with energies greater than 10^{20} eV. In 1991, the collaboration operating the Fly's Eye atmospheric fluorescence detector in Utah recorded an event for which the primary energy was calculated to be $3.2 \pm 0.9 \times 10^{20}$ eV (51 joules). Two years later, the AGASA air shower array at Akeno, Japan, observed an event with energy of $(1.7-2.6) \times 10^{20}$ eV. These super-high-energy events are extraordinary for two reasons. First, there are no known acceleration mechanisms that can produce particles of these energies. Second, attenuation lengths for cosmic rays with energy greater than 1.5×10^{19} eV is less than about 30 Mpc. This attenuation (known as the Greisen-Zatsepin-Kuzmin cut off) results from the interaction of cosmic ray particles with the cosmic microwave background. Thus particles can have these energies only if they are produced relatively nearby. The high magnetic rigidity of these particles also means that they suffer little deflection from magnetic fields in the galaxy and in intergalactic space. Yet none of the particles observed points back to a possible astrophysical source within the distance limit imposed by the background radiation.

The Pierre Auger Project is a broadly-based international effort to make a detailed study of cosmic rays at the highest energies. Two air shower detectors are proposed, one to be placed in the Northern Hemisphere and one in the Southern Hemisphere. Each installation will consist of an array of about 1600 particle detectors spread over 3000 km^2 . Each installation will also have four atmospheric fluorescence detectors viewing the volume above the surface array. These two air shower detector techniques working together form a powerful instrument for the proposed research. The objectives of the Pierre Auger Project are to measure the arrival direction, energy, and mass composition of 90 events per year above an energy of 10^{20} eV and 9000 events per year above 10^{19} eV. Construction of the southern site of the Auger Observatory was started in Mendoza, Argentina at the beginning of 2000. The engineering array consisting of 40 surface detectors and two prototype fluorescence telescopes has been operated successfully. After a comprehensive review in October 2001, the review panel returned a very favorable report. The construction of the full array will begin in 2002 and will be complete by about the end of 2004.

Fermilab is playing an important role in the Auger Project. In addition to scientific participation, Fermilab brings to bear its substantial experience with projects of this scope. Fermilab participated in the design of the surface detector station and the central data acquisition system. The overall project management for the Auger Project is based at Fermilab.

E-885



E-885 (Kent) Sloan Digital Sky Survey

Fermilab

(and Chicago, Inst. for Adv. Study, Japan Promotion Group [Japan], Johns Hopkins, LANL, Max Planck / Garching [Germany], Max Planck / Heidelberg [Germany], New Mexico State, Pittsburgh, Princeton, US Naval Observatory, Washington)

Status: *Data-Taking*

The Sloan Digital Sky Survey (SDSS) intends to reveal large-scale structure in the distribution of galaxies with a spatial extent and precision in its determination that greatly exceed current capabilities. This map of the large-scale distribution of galaxies will serve to constrain models for the origin and evolution of that structure, and thereby to address fundamental questions in cosmology and astrophysics, including the amount and distribution of mass with respect to the luminous material in the universe.

To achieve these goals, one million galaxy redshifts are to be measured to a uniform flux limit within a solid angle of π steradians, away from the obscuring disk of the Milky Way. The need for a uniform and well-calibrated flux limit requires a new imaging survey to be conducted, from which the spectroscopic (redshift) target list will be derived. This imaging survey yields a two-dimensional map of the same region, which itself will provide new cosmological information since the detection threshold of the imaging survey is much fainter than that of the spectroscopic survey. A wide-field 2.5-m telescope (see adjacent figure) dedicated to this project is operating at Apache Point Observatory (APO), near Sunspot, New Mexico. The imaging system and the spectroscopic system share the same focal plane via an instrument exchange mechanism (see Figures 1 and 2). The unique data products include the multi-band imaging survey (there are five wave bands covering the visible spectral range, the data from which are collected nearly simultaneously), and the inclusion of quasar candidates along with the galaxies.

The survey entered its second year of formal operations in April 2002. Based upon our experiences in the first year, the survey goals for total sky coverage in imaging and spectroscopy were re-baselined for a five-year survey. The current goals are 8452 square degrees of imaging and 1688 plates (or 1 million total objects) for spectroscopy. In addition, the survey expects to reimage a small portion of the southern equator 18 times total, and obtain 388 spectroscopic plates for other purposes.

Observing was conducted every month in 2002 except for a six-week shutdown during the summer months and for a portion of October when the primary mirror was realuminized. Through the end of 2002, the survey has collected 52% of its baseline imaging data and 36% of its spectroscopic baseline data. The lag in spectroscopic data collection is a reflection of the fact that the spectroscopic survey inherently lags the imaging survey by about a year. A total

of 1057 plates have been designed and drilled from the processed imaging data. Including reprocessing, about 46 terabytes of data have been processed.

The first release of SDSS data to the public was done in June 2001. The release included imaging and spectroscopic data collected during the commissioning phase of the survey plus some data collected to support NASA's upcoming SIRTf mission. The distribution is done via servers that are currently hosted at Fermilab but that are accessed through a web service provided by the Space Telescope Science Institute. The next release is scheduled for early 2003.

The SDSS collaboration has published over 40 papers in refereed journals in the past year. Additionally, over 20 papers have been published by other members of the community based upon public SDSS data. Sample highlights of results obtained include the first SDSS measurements of fundamental parameters of cosmology that characterize the density power spectrum and the fractional density of dark matter, discoveries of yet more structures in the halo of the Milky Way galaxy, the discovery of several new gravitationally lensed quasars, and a determination of the density of quasars at redshifts greater than 4. Figure 3 shows plots of error ellipses for the parameters σ_8 and Γ that characterize the amplitude and shape of the density power spectrum for galaxies in the universe.

Fermilab continues to be responsible for the maintenance of the data acquisition systems and certain hardware systems at APO. Fermilab also operates the data processing systems, oversees improvements and upgrades to the data processing pipelines and hardware systems, and exports data distribution to collaboration members and the public.

Publications

High-Redshift Quasars Found in Sloan Digital Sky Survey Commissioning Data III. A Color-Selected Sample at $i^* < 20$ in the Fall Equatorial Stripe, X. Fan et al., *Astronomical Journal* 121, 31 (2001).

High-Redshift Quasars Found in Sloan Digital Sky Survey Commissioning Data IV. Luminosity Function from the Fall Equatorial Stripe Sample, X. Fan et al., *Astronomical Journal* 121, 54 (2001).

High-Redshift Quasars Found in Sloan Digital Sky Survey Commissioning Data V. Hobby-Eberly Telescope Observations, D. P. Schneider et al., *Astronomical Journal* 121, 1232 (2001).

The First Hour of Extragalactic Data of the Sloan Digital Sky Survey Spectroscopic Commissioning: The Coma Cluster, F. Castander et al., *Astronomical Journal* 121, 2331 (2001).

Colors of 2625 Quasars at $0 < z < 5$ Measured in the Sloan Digital Sky Survey Photometric System, G. Richards et al., *Astronomical Journal* 121, 2308 (2001).

The Luminosity Function of Galaxies in SDSS Commissioning Data, M. Blanton et al., *Astronomical Journal* 121, 2358 (2001).

Detection of Massive Tidal Tails around the Globular Cluster Palomar 5 with Sloan Digital Sky Survey Commissioning Data, M. Odenkirchen et al., *Astrophysical Journal Lett.* 548, 165 (2001).

A New Very Cool White Dwarf Discovered by the Sloan Digital Sky Survey, H. Harris et al., *Astrophysical Journal Lett.* 549, 109 (2001).

Stellar Population Studies with the SDSS I. The Vertical Distribution of Stars in the Milky Way, B. Chen et al., *Astrophysical Journal* 553, 184 (2001).

Weak-Lensing Measurements of 42 SDSS/RASS Galaxy Clusters, E. Sheldon et al., *Astrophysical Journal* 554, 881 (2001).

High-Redshift Quasars Found in Sloan Digital Sky Survey Commissioning Data VI. Sloan Digital Sky Survey Spectrograph Observations, S. Anderson, *Astronomical Journal* 122, 503 (2001).

Composite Quasar Spectra from the Sloan Digital Sky Survey, D. Vanden Berk et al., *Astronomical Journal* 122, 549 (2001).

Statistical Properties of Bright Galaxies in the SDSS Photometric System, K. Shimasaku et al., *Astronomical Journal* 122, 1238 (2001).

Galaxy Number Counts from the Sloan Digital Sky Survey Commissioning Data, N. Yasuda et al., *Astronomical Journal* 122, 1104 (2001).

Photometric Redshifts from Reconstructed Quasar Templates, T. Budavari et al., *Astronomical Journal* 122, 1163, (2001).

Photometric Redshifts of Quasars, G. Richards et al., *Astronomical Journal* 122, 1151 (2001).

Spectroscopic Target Selection in the Sloan Digital Sky Survey: The Main Galaxy Sample, M. Strauss et al., *Astronomical Journal* 124, 1810 (2002).

Spectroscopic Target Selection in the Sloan Digital Sky Survey: The Quasar Sample, G. Richards et al., *Astronomical Journal* 123, 2945 (2002).

The u'g'r'i'z' Standard Star Network, J. Smith et al., *Astronomical Journal* 123, 2121 (2002).

Sloan Digital Sky Survey: Early Data Release, C. Stoughton et al., *Astronomical Journal* 123, 485 (2002).

Spectroscopic Target Selection for the Sloan Digital Sky Survey: The Luminous Red Galaxy Sample, D. Eisenstein et al., *Astronomical Journal* 122, 2267 (2001).

A Photometricity and Extinction Monitor at the Apache Point Observatory, D. Hogg et al., *Astronomical Journal* 122, 2129 (2001).

Color Confirmation of Asteroid Families, Z. Ivezić et al., *Astronomical Journal* 124, 2943 (2002).

The Redshift of the Lensing Galaxy in PMN J0134-0931, P. Hall et al., *Astrophysical Journal Lett.* 575, L51, (2002).

Kinematic Study of the Disrupting Globular Cluster Palomar 5 using VLT Spectra, M. Odenkirchen et al., *Astronomical Journal* 124, 1497 (2002).

Cosmological Information from Quasar-Galaxy Correlations Induced by Weak Lensing, B. Menard et al., *Astronomy & Astrophysics* 386,784 (2002).

Faint High Latitude Carbon Stars Discovered by the Sloan Digital Sky Survey: Methods and Initial Results, B. Margon et al., *Astronomical Journal* 124, 1651 (2002).

Composite Luminosity Functions of the Sloan Digital Sky Survey Cut and Enhance Galaxy Cluster Catalog, T. Goto et al., *Publ. Astronomical Society of the Pacific* 54, 515 (2002).

The Luminosity Density of Red Galaxies, D. Hogg et al., *Astronomical Journal* 124, 646 (2002).

Exploratory Chandra Observations of the Three Highest Redshift Quasars, W. Brandt et al., *Astrophysical Journal* 569, 5 (2002).

Optical and Radio Properties of Extragalactic Sources Observed by the FIRST Survey and the SDSS, Z. Ivezić et al., *Astronomical Journal* 124, 2364 (2002).

Comparison of Positions and Magnitudes of Asteroids Observed in the Sloan Digital Sky Survey with those Predicted for Known Asteroids, M. Juric et al., *Astronomical Journal* 124, 1776 (2002).

Characterization of M, L and T Dwarfs in Sloan Digital Sky Survey, S. Hawley et al., *Astronomical Journal* 123, 3409 (2002).

LOTIS, Super-LOTIS, SDSS and Tautenburg Observations of GRB010921, H. Park et al., *Astrophysical Journal Lett.* 571, 131 (2002).

VLT Optical and Near-IR Observations of the $z=6.28$ Quasar 1030+0524, L. Pentericci et al., *Astronomical Journal* 123, 2151 (2002).

Unusual Broad Absorption Line Quasars from the Sloan Digital Sky Survey, P. Hall et al., *Astrophysical Journal Suppl.* 141, 267 (2002).

Dynamical Confirmation of SDSS Weak Lensing Scaling Laws, T. McKay et al., *Astrophysical Journal Lett.* 571, 85 (2002).

SDSS J124602.54+011318.8: A Highly Luminous Optical Transient at a Redshift of 0.385, D. Vanden Berk et al., *Astrophysical Journal* 576, 673 (2002).

Higher Order Moments of the Angular Distribution of Galaxies, I. Szapudi et al., *Astrophysical Journal* 570, 75 (2002).

An SDSS Survey for Resolved Milky Way Satellite Galaxies I: Detection Limits, B. Willman et al., *Astronomical Journal* 123, 848 (2002).

The Sloan Digital Sky Survey Quasar Catalog I. Early Data Release, D. Schneider et al., *Astronomical Journal* 123, 567 (2002).

The Angular Clustering of Galaxy Pairs, L. Infante et al., *Astrophysical Journal* 567, 155 (2002).

L Dwarfs Found in Sloan Digital Sky Survey Commissioning Data II. Hobby-Eberly Telescope Observations, D. Schneider et al., *Astronomical Journal* 123, 458 (2002).

The Ghost of Sagittarius and Lumps in the Halo of the Milky Way, H. Newberg et al., *Astrophysical Journal* 569, 245 (2002).

The Cut & Enhance Method: Selecting Clusters of Galaxies from the SDSS Commissioning Data, T. Goto et al., *Astronomical Journal* 123, 1807 (2002).

Towards Spectral Classification of L and T Dwarfs: Infrared and Optical Spectroscopy and Analysis, T. Geballe et al., *Astrophysical Journal* 564, 466 (2002).

Infrared Photometry of Late M, L, and T Dwarfs, S. Leggett et al., *Astrophysical Journal* 564, 452 (2002).

New Insights on the Draco Dwarf Spheroidal Galaxy from SDSS: a Larger Radius and No Tidal Tails, M. Odenkirchen et al., *Astronomical Journal* 122, 2538 (2001).

Evidence for Reionization at $z \sim 6$: Detection of a Gunn-Peterson Trough in a $z=6.28$ Quasar, R. Becker et al., *Astronomical Journal* 122, 2850 (2001).

A Survey of $z > 5.8$ Quasars in the Sloan Digital Sky Survey I: Discovery of Three New Quasars and the Spatial Density of Luminous Quasars at $z \sim 6$, X. Fan et al., *Astronomical Journal* 122, 2833 (2001).

The 3D Power Spectrum from Early SDSS Angular Clustering, S. Dodelson et al., *Astrophysical Journal* 572, 140 (2002).

The Angular Power Spectrum of Galaxies from Early SDSS Data, M. Tegmark et al., *Astrophysical Journal* 571, 191 (2002).

The Angular Correlation Function of Galaxies from Early SDSS Data, A. Connolly et al., *Astrophysical Journal* 579, 42 (2002).

Analysis of Systematic Effects and Statistical Uncertainties in Angular Clustering of Galaxies from Early SDSS Data, R. Scranton et al., *Astrophysical Journal* 579, 48 (2002).

Color Separation of Galaxy Types in the Sloan Digital Sky Survey Imaging Data, I. Strateva et al., *Astronomical Journal* 122, 1861 (2001).

Galaxy Clustering in Early SDSS Redshift Data, I. Zehavi et al., *Astrophysical Journal* 571, 172 (2002).

Cataclysmic Variables from SDSS I. The First Results, P. Szkody et al., *Astronomical Journal* 123, 430 (2002).

Detecting Clusters of Galaxies in the Sloan Digital Sky Survey I: Monte Carlo Comparison of Cluster Detection Algorithms, R. Kim et al., *Astronomical Journal* 123, 20 (2002).

Solar System Objects Observed in the SDSS Commissioning Data, Z. Ivezić et al., *Astronomical Journal* 122, 2749 (2001).

Sloan Digital Sky Survey Multicolor Observations of GRB010222, B. Lee et al., *Astrophysical Journal* 561, 183 (2001).

Broad Absorption Line Quasars in the Sloan Digital Sky Survey with VLA-FIRST Radio Detections, K. Menou et al., *Astrophysical Journal* 561, 645 (2001).




Figure 1




Figure 2





Figure 3. Likelihood contours (plotted at 1, 2, and 3σ) for the large-scale structure cosmological parameters σ_8 and Γ for three magnitude bins as indicated in the panels. These plots assume the $\Omega_m = 0.3$, $\Omega_\Lambda = 0.7$.

E-886



E-886 (Melissinos) Experiments at the A0 Photoinjector (FNPL)*Fermilab, Northern Illinois, Rochester*

Status: <i>Data-Taking</i>

The A0 photoinjector is now operated jointly by Northern Illinois University and Fermilab, and is available for experiments by any interested group. Proposals for new experiments are evaluated by the FNPL Advisory Committee chaired by Dr. Kwang-Je Kim of the University of Chicago.

Typically the photoinjector can deliver up to 50 pulses of 8 nC charge at an energy of 15 MeV compressed to 4 ps in length and with an emittance $\varepsilon = \pi$ mm-mrad per nC.

Experiments in progress:

1. Flat beam generation
2. Bunch compression and CSR characterization
3. Global Accelerator Network
4. Plasma wakefield accelerator
5. Laser acceleration in open iris structure
6. CTR interferometry


Publications

Electro-Optic Measurement of the Wake Fields of a Relativistic Electron Beam, M. J. Fitch et al., *Phys. Rev. Lett.* **87**, 034801 (2001).

Etude Experimentale du Photo-injecteur de Fermilab, J. P. Carneiro, Ph.D. Thesis, Universite Paris XI (fnalpubs.fnal.gov/cgi-bin/theses.pl), 2001.

Electro-Optic Sampling of Transient Electric Fields from Charged Particle Beams, M. J. Fitch, Ph.D. Thesis, University of Rochester (fnalpubs.fnal.gov/cgi-bin/theses.pl), 2001.

E-891 Cryogenic Dark Matter Search (CDMS)



E-891 (Crisler) Cryogenic Dark Matter Search (CDMS)*Fermilab**(and Brown, UC/Berkeley, UC/Santa Barbara, Case Western Reserve,
Colorado/Denver, LBNL, Minnesota, NIST/Boulder, Princeton, Santa Clara, Stanford)***Status: Data-Taking**

The CDMS collaboration is building a detector to search for cold dark matter. There are good reasons to believe that most of the matter in the universe is "seen" only gravitationally, and does not emit or absorb substantial amounts of electromagnetic radiation at any known wavelength. The nature of this "dark matter" is unknown. However, there is some evidence that suggests that the dark matter consists of as yet undiscovered weakly interacting massive particles (WIMPs) that were produced in the early universe. If this is true, then we are immersed in a sea of relic WIMPs which occasionally interact with atomic nuclei as they traverse the Earth. The direct observation of the interaction of WIMPs in a terrestrial detector would solve the "dark matter problem," enable the properties of the dark matter to be measured, and advance our understanding of the physics of elementary particles and the evolution of the early universe.

This experiment will be an upgraded version of the Cryogenic Dark Matter Search experiment (CDMS I) currently running at a shallow underground site on the Stanford campus. The CDMS experiment utilizes a new class of elementary particle detectors based on the propagation and detection of phonons in silicon or germanium crystals at temperatures below 0.1K. CDMS is one of the first experiments capable of searching for WIMPs with properties and fluxes consistent with current expectations from particle physics and cosmology. CDMS II will be installed in the low background environment of the Soudan mine in Minnesota.

Status

During 2002 work continued to commission the cryogenic systems in the Soudan Laboratory. Two major problems were discovered and fixed. The first was a superfluid leak in the dilution refrigerator, and the second was a leak into the insulating vacuum from the helium bath. Also during the year, all of the infrastructure for CDMS was completed at Soudan.


Detectors will be installed early in 2003 and the experiment should be taking data by the end of the year.

E-892

US CMS Management Responsibilities

US CMS Strategy:

- Complete Projects
- Vertical Integration



Total Weight : 14,500 t
 Overall diameter: 14.60 m
 Overall length : 21.60 m
 Magnetic field : 4 Tesla


US CMS Construction Responsibilities

Complete and Coherent Projects:

- Forward Muon Detector
- Barrel Hadron Calorimeter
- EMU and HCAL Level 1 Triggers
- DAQ Event Builder
- HF, HV, ECAL Readouts
- Endcap Pixel Detector
- ECAL Crystal Industrialization

Common Projects:

- Endcap Return Yoke
- Solenoid Vacuum Tank



Total Weight : 14,500 t
 Overall diameter: 14.60 m
 Overall length : 21.60 m
 Magnetic field : 4 Tesla

E-892 / 919 (Green) The US CMS Collaboration at Fermilab

Fermilab
(and 35 other US institutions)

Status: No Data Yet

The Compact Muon Solenoid (CMS) is one of two high p_t experiments to be built at the CERN Large Hadron Collider (LHC). The primary physics goal of CMS is to explore electroweak symmetry breaking – the origin of mass. To that end, the basic philosophy of CMS is to enclose the tracking and calorimetry inside a strong Solenoidal magnet. This design allows for a Compact design allowing optimal Muon detection without compromise to the electromagnetic calorimetry because of inert material. In general CMS is optimized for electrons, photons, muons, neutrinos and jets. The Higgs decay modes imply an emphasis on lepton detection. At the high luminosities to be used at the LHC, the charged lepton of choice is the muon due to its relatively clean signature. Neutrinos and jets may also be used in higher-rate but also higher-background signatures, $H \rightarrow ZZ \rightarrow ll\nu\nu$, $H \rightarrow WW \rightarrow jjlv$.

There are about 1800 physicists in the CMS Collaboration who plan to build the detector for a cost of around 475 M Swiss Francs. The detector is to be built from 1997 until data-taking in 2007. The composition of CMS is roughly 50% physicists from member states, 30% from Russia and other non-member states, and 20% US groups. The US CMS Collaboration consists of about 384 physicists and engineers from 36 institutions. The collective goal of this group is to pursue high energy physics at the energy frontier which will be available at CMS. We find the physics opportunities compelling.

Test beam data has been taken each year since 1995 by subgroups of US CMS involved in Hadron Calorimetry (HCAL), Endcap Muon Chambers (EMU), Electro-magnetic Calorimetry (ECAL) and Tracking. The Fermilab group is particularly active in HCAL, EMU and silicon strip tracking. All subsystems have produced full Technical Design Reports, and most subsystems have fabricated preproduction prototypes. The CMS Fermilab group is heavily involved in test beam R&D, in engineering design, and in detector construction.

Fermilab has also accepted to act as the "host laboratory" for the US CMS collaboration. Therefore, Fermilab will provide a focal point for US CMS. The Project Management of US CMS is centralized and located at Fermilab. The intent is to utilize existing infrastructure at Fermilab for muon chamber construction, the production of calorimeter optical readout, the mechanical layout of tracking detectors, the pipelined electronic readout of all the HCAL devices, and the assembly of silicon strip detector arrays. In addition, the fact that Fermilab is the location of the US HEP hadronic collider program, means that the synergy between CDF and D0 and CMS design and construction is

available. For example, high-rate triggering and data acquisition is an area where Fermilab will contribute expertise and experience to CMS.


In turn, working on CMS will enhance the art of detector building in the US, especially in the demanding environment found in high-luminosity hadron colliders. The operational experience obtained at CDF and D0 is crucial in ensuring a realistic detector design for CMS. In addition, the use of Fermilab facilities by university groups, such as the facilities for silicon detectors being developed for the Run II collider program, represents a low-cost way for Fermilab to support university groups within the US CMS Collaboration. A good example is the production of silicon strip detectors for CMS.

Fermilab has considerable experience operating computing farms of workstations as a cost effective method of providing analysis power to CDF and D0. It is thought that this expertise will translate well to support of US CMS. Clearly, the decade-long experience of Fermilab in the running of the US hadron collider experimental program makes it a natural nucleation point. Fermilab will be a "Tier 1" center for the analysis and distribution of CMS data for the US CMS collaboration.

Experience on existing hadron collider experiments at Fermilab and CERN and on the R&D associated with the SSC makes it possible for US physicists to have a major impact on the design of CMS. US physicists have been assigned distinct and coherent managerial and construction responsibilities as seen in the accompanying figures. We are the managers for HCAL, EMU, the trigger, and the software/computing subsystems.

The US groups also take proportional responsibilities for the costs of common projects, such as the solenoid. Specifically, US physicists have positions of responsibility for the solenoid vacuum vessel and the endcap steel return yoke. In addition, Fermilab has completed procurement of the conductor and stabilizing aluminum for the solenoid. The aim is to provide in-kind contributions to CMS bid and bought in the US.

The experiment is presently scheduled to commence in 2007. It will subsequently have at least a decade lifetime, the LHC being at present the sole facility in the world capable of addressing the physics at the TeV mass scale. A Memorandum of Understanding (MOU) for CMS has been signed by US and CERN representatives which defines the US deliverables.



Block diagram of one half of an LHC interaction region (optics version 6.4). Fermilab-provided equipment is shown in bold outlines, that provided by other US national laboratories in light outlines, and by CERN in dotted lines.

E-893 (Strait) Design and Construction of Interaction Regions at the CERN Large Hadron Collider (LHC)

*Fermilab
(BNL, LBNL)*

Status: No Data Yet

The US contribution to the construction of the Large Hadron Collider (LHC) at CERN consists of the design and fabrication of specialized equipment and the providing of technical support by three US national laboratories, Fermilab, Brookhaven National Laboratory (BNL) and Lawrence Berkeley National Laboratory (LBNL), and of providing CERN with agreed-upon products manufactured in the US. The contribution through the national laboratories, called the US LHC Accelerator Project, is the design and construction of the final focus systems for the four interaction regions IRs 1, 2, 5, and 8; superconducting beam separation-recombination dipoles for the RF straight section in IR4; production testing of the superconducting wire and cable for the main LHC magnets and technical support for the development and production of the cable for the main magnets; and accelerator physics calculations to support the design of the US-provided hardware and on other topics where the US has special expertise. Fermilab is working on the interaction regions and accelerator physics. Fermilab is also the lead laboratory for the Project: the Project Management Office is at Fermilab and the Fermilab Director is responsible for oversight of the Project.

The parameters of the Project are defined in the International Cooperation Agreement between CERN and the US DOE and its Accelerator Protocol, which were signed in December 1997, the Implementing Arrangement between the three US national laboratories and the LHC Project at CERN, which was signed in July 1998, and the US LHC Accelerator Project Management Plan, which was signed in October 1998. The Project Baseline was approved following the DOE baseline review in February 1998.

The layout drawing shows one half of an LHC interaction region. It consists of four strong (operating gradient up to 215 T/m), large-aperture (70 mm) superconducting quadrupoles (Q1-Q3), correction magnets (MCBX and MQSX), a cryogenic feed and lead box (DFBX), absorbers (TAS and TAN) to protect the superconducting magnets from particles resulting from the p-p collisions at the high luminosity interaction regions at IR 1 (ATLAS) and IR 5 (CMS), single-aperture (D1) and twin-aperture (D2) beam separation-recombination dipoles, and beam position monitors (BPM). (DQR is a dump resistor for the arc magnets.) The drawing shows the layout at IRs 1 and 5, where D1 is made from 6 conventional magnets. The layout at IRs 2 and 8 is the same except that D1 is a single superconducting magnet, D2 is 32 m closer to the IP, and the absorbers are absent. The components shown in the layout come from several sources. Half the quadrupoles are made by Fermilab and the other

half by KEK; the correction magnets, conventional D1, and the BPMs are provided by CERN; the DFBX, TAS and TAN are built by LBNL; the TASB is Fermilab's responsibility; and the superconducting D1 and D2 are built by BNL. Fermilab will build all of the quadrupole cryostats and will install all of the quadrupoles and associated correction coils into them. Fermilab is responsible for the overall system design and system integration of the inner triplet system, including the D1 when it is superconducting.

The high-gradient quadrupoles are among the most challenging magnets required for the LHC. Figure 1 is a cross-section of the magnet¹ currently in production at Fermilab. These magnets are required to operate at a gradient 50% higher than the low-beta quadrupoles in the Tevatron Collider. Their field quality must be excellent, with field errors less than 1 part in 10^4 within a radius of 17 mm. Tracking studies² carried out at Fermilab and BNL have shown that under collision conditions these quadrupoles are the main determinant of the dynamic aperture of the LHC. In addition, these magnets will be subject to substantial heating due to the interaction of secondary particles from p-p collisions at the interaction point. The development, construction and testing of these very challenging quadrupoles ensures that Fermilab and the US HEP program remain at the cutting edge of superconducting accelerator magnet technology. Thus this project looks forward to machines beyond the LHC as well as to the LHC itself. In addition, these quadrupoles, or ones very much like them, can be used to upgrade the Tevatron Collider.

The R&D program for the high-gradient quadrupoles is complete. Nine model magnets³ and one full-scale prototype⁴ have been built and tested. Series production of the quadrupoles for LHC is under way. The first Q2 assembly⁵, made of two quadrupoles and a correction magnet in a common cryostat is complete, the second is nearing completion, and quadrupoles for two of the remaining seven Q2 assemblies are in production. The quench performance of the prototype and the first production Q2 are shown in Fig. 2. The first CERN-provided correction coils and KEK-provided quadrupoles are at Fermilab. Delivery of the first inner triplet to CERN is expected to take place by the end of 2003, and the final delivery is scheduled for early 2005, comfortably ahead of the LHC installation plan.

References

1. US LHC Accelerator Project Technical Design Handbook, February 1998, http://www-td.fnal.gov/LHC/UsLhc_accel_docs/USLHCPublic/USLHC_TDH.pdf.
2. J. Wei, W. Fischer, V. Ptitsin, R. Ostojic, J. Strait, Interaction Region Local Correction for the Large Hadron Collider, presented at PAC 1999, New York; N. Gelfand, A Calculation of the Dynamic Aperture of the LHC, presented at PAC 1999, New York.

3. N. Andreev et al., Status of the LHC Inner Triplet Quadrupole Program at Fermilab, presented at the 2000 Applied Superconductivity Conference, September 2000, Virginia Beach, VA.
4. R. Bossert et al., Field Measurement of a Fermilab-Built Full Scale Prototype Quadrupole Magnet for the LHC Interaction Regions, presented at MT-17, September 2001, Geneva, Switzerland.
5. R. Bossert et al., Production and Test of the first LQXB Inner Triplet Quadrupole at Fermilab, presented at EPAC 2002, June 2002, Paris, France.




Figure 1. Cross-section of the LHC interaction region quadrupole under development at Fermilab.





Figure 2. Quench performance of full-scale prototype (MQXBP1) and production (LQXB01) quadrupoles.

E-898



Schematic drawing of the BooNE spherical tank

E-898 (Conrad / Louis) Booster Neutrino Experiment

*Alabama, Bucknell, UC/Riverside, Cincinnati, Colorado, Columbia,
Embry Riddle, Fermilab, Indiana, LANL, Louisiana State, Michigan, Princeton*

Status: <i>No Data Yet</i>

The MiniBooNE experiment is motivated by the LSND observation, which has been interpreted as $\bar{\nu}_\mu \rightarrow \bar{\nu}_e$, and by the atmospheric neutrino deficit which may be ascribed to ν_μ oscillations. MiniBooNE is a single detector experiment designed to: obtain ~500 events per year if the LSND signal is due to $\nu_\mu \rightarrow \nu_e$ oscillations, establishing the oscillation signal at the $>5\sigma$ level; extend the search for $\nu_\mu \rightarrow \nu_e$ oscillations significantly beyond what has been studied previously if no signal is observed; search for ν_μ disappearance to address the atmospheric neutrino deficit with a signal that is a suppression of the reconstructed 500,000 $\nu_\mu C \rightarrow \mu N$ events per year; and test CP and CPT violation in the lepton sector if oscillations are observed by running with separate ν_μ and $\bar{\nu}_\mu$ beams.


The detector consists of a spherical tank 20 feet in radius, as shown in the accompanying figure. An inner structure at 5.7 m radius supports 1280 8-inch phototubes (10% coverage) pointed inward and optically isolated from the outer region of the tank. The vessel is filled with 800 t of mineral oil, resulting in a 445 t fiducial volume. The outer volume serves as a veto shield for identifying particles both entering and leaving the detector, with 240 phototubes mounted on the support structure facing outwards. The detector is located 500 m from the Booster neutrino source.

The neutrino beam, constructed using the 8 GeV proton Booster at Fermilab, consists of a Be target within a focusing system, followed by a ~50 m-long pion decay volume. The low-energy, high-intensity and 1 μ s time-structure of a neutrino beam produced from the Booster beam are ideal for this experiment. The Booster is a highly reliable machine, with a downtime of ~1.5%, thus we assume that the Booster can reliably deliver protons for a typical run which is two-thirds of a calendar year. The sensitivities discussed above assume the experiment receives 5 Hz for 2×10^7 s running at 5×10^{12} protons per pulse. This Booster experiment is compatible with the Fermilab Collider and Main Injector programs. The Booster must run at 7.5 Hz to accommodate the MiniBooNE, NuMI and Collider programs simultaneously. The Fermilab Booster is capable of running at 15 Hz.

The detector was filled with oil in May 2002, and then began taking cosmic-ray data. The beamline was completed in late August 2002, and the first neutrino-induced events were observed over Labor Day weekend. As of December 2002, over 20,000 neutrino events have been recorded. The detector, horn, and neutrino beamline are all working well. The Booster proton intensity has been slowly increasing, and at present the Booster is running typically at 4×10^{12} ppp and 2 pulses per second, which is within a factor of about four of our

goal. During the January 2003 shutdown, a new MP02 extraction septum will be installed along with shielding for the three Booster collimators. These improvements should allow the Booster intensity to increase to within a factor of two of our goal.

E-901



E-901 (Nagaitsev) Recycler Medium Energy Electron Cooling Experiment

Fermilab, Indiana, JINR (Russia), Rochester

Status: Data-Taking

The purpose of this experiment is to study the technical issues surrounding the implementation of electron cooling in the Recycler. A 5-MeV kinetic energy Pelletron accelerator will be constructed and operated to perform this research.


The research will be concentrated on the effects of solenoidal magnetic field and high beam currents on beam recirculation stability. A layout of the Pelletron installation is shown in the accompanying figure. It is approximately 24 ft long and 12 ft in diameter. Associated with the Pelletron is an SF₆ gas handling system composed of vacuum pumps, dryers, compressors, and heat exchangers. The high-voltage terminal is charged to 5 MV using a charging chain system.

The plan is to have an accelerator installed and operated in a radiation enclosure. At the Wideband Photon Laboratory (WPL), the floor of the experimental pit is sufficiently shielded and interlocked. An additional safety concern is the oxygen deficiency hazard posed by the heavy and inert SF₆ gas used as a dielectric in the Pelletron. If a leak occurred, approximately 8,300 cu ft of air would be displaced at the floor of the enclosure housing the Pelletron.

The experiment received its final safety approval ("beam permit") in April 2001 and began operations in May 2001. It is currently taking data.

It is expected that this experiment will run until electron cooling has been installed in the Recycler itself. At present, the beginning of calendar year 2004 is the anticipated date for this transition.

E-906



E-906 (Geesaman/Reimer) Drell-Yan Measurement of the Anti-quark Sea

*Abilene Christian, ANL, Colorado, Fermilab,
Illinois, LANL, Rutgers, Texas A&M, Valparaiso*

Status: *No Data Yet*

Experiment E-906 will measure the asymmetry between anti-up and anti-down quarks in the proton. This experiment is motivated by the observation of E-866/NuSea that showed a large difference between the anti-up and anti-down distributions as a function of Bjorken- x , the momentum carried by the struck quark. The new experiment is designed to be able to reach much larger values of x than previous experiments. The distribution of these sea quarks and the asymmetry between anti-up and anti-down quarks provides important clues to the origin of the proton's sea, and in particular, the way in which both perturbative and non-perturbative processes conspire to generate the proton's sea quarks.

The sea quarks in the proton are probed using the Drell-Yan process, in which a quark (or anti-quark) in the beam annihilates with an anti-quark (or quark) in the target, producing a pair of oppositely charged muons, which are detected in the apparatus. The acceptance of the detector is designed to primarily see events involving the target anti-quarks. By changing between hydrogen (proton) and deuterium (proton and neutron) targets, the experiment will be able to compare the proton and neutron's sea quark distributions and with the addition of isospin symmetry, extract the ratio of anti-down to anti-up quarks in the proton.

Additionally, by collecting Drell-Yan data with nuclear targets, the experiment will be able to measure the energy loss of quarks traveling through cold nuclear matter. Previous measurements have shown that this energy loss is much smaller than expected, and were only able to set upper limits on the energy loss. E-906 will be able to measure this energy loss and distinguish between competing models of the energy loss process. The nuclear target data is also important to understand any systematic effects in the deuterium measurements.

E-906 will use a beam of 120 GeV protons extracted from the Main Injector. The Drell-Yan cross section with the lower-energy 120 GeV proton beam is *larger* than the cross section at 800 GeV, giving the experiment greater statistical reach. At the same time, the primary background, muons from J/ψ decays, is reduced at the lower beam energy.


The apparatus is a two-magnet spectrometer. The upstream magnet focuses the muon pair into the detector and sweeps other particles produced in the collision out of the way. Inside this magnet will be a large wall of material, through which the muons are able to pass, and in which other particles will

interact. Downstream of the magnet are tracking chambers, trigger hodoscopes and a second magnet, used to measure the momentum loss of each of the muons. At the downstream end of the experiment is additional material that absorbs hadrons and electrons. A final set of tracking chambers will identify the muons. Overall, the apparatus is approximately 26 m long and the final tracking stations are approximately 3 m². The general layout of the detector resembles a shortened version of the E-866/NuSea spectrometer and much of the detector is being reused from previous experiments; however, the vastly different energy of the proton beams requires that a new magnet be constructed to focus the muons.

E-907

MIPP

Main Injector Particle Production Experiment



E-907 (Raja) MIPP – Main Injector Particle Production Experiment

*BNL, Chicago, Colorado, Elmhurst, Fermilab, Harvard, IIT,
Indiana, LLNL, Michigan, Purdue, South Carolina, Virginia*

Status: No Data Yet

The MIPP experiment proposes to measure particle production off various nuclear targets using Main Injector primary and secondary beams. Momentum-analyzed secondary beams of π^\pm , K^\pm , and p^\pm are tagged using Cerenkov counters and made to interact on various nuclear targets placed upstream of a Time Projection Chamber (TPC). The particles from the interaction are identified using a combination of techniques that involve dE/dx in the TPC, a time-of-flight system, a multi-cell Cerenkov detector and a ring-imaging Cerenkov system. This provides charged-particle identification at the three standard deviation level for most of the final state phase space. The momentum of the particles is measured using two large-aperture magnets, the Jolly Green Giant and Rosie. There is a forward calorimeter that detects forward-going neutrons and photons. The TPC is expected to take data at a rate of ≈ 60 Hz. These capabilities will make MIPP data of unprecedented statistical and systematic accuracy.

The physics topics to be addressed by MIPP are many-fold. The data using hydrogen targets will be used to test scaling relations of inclusive particle spectra, as well as to revive the study of non-perturbative QCD. One can look for exotic resonances such as glueballs in these data. Data on nuclear targets will be used to study the enhancement of strange particles seen in experiment E-910 at Brookhaven. A high-statistics measurement of this effect will help us resolve the question whether the strange particle enhancement seen in nucleus-nucleus collisions at CERN is due to quark-gluon plasma or due to nuclear rescattering effects. MIPP data will thus be of relevance in understanding RHIC data. Medium-energy nuclear physics will also benefit from MIPP data since nuclear scaling rules such as "y-scaling" and "super-scaling" can be tested.

MIPP data using nitrogen as a target will help us understand the behavior of atmospheric cosmic ray showers better and control the systematics involved in atmospheric neutrino measurements at detectors such as Super-K. Particle production from the full MINOS target can be measured, enabling that experiment to predict the neutrino fluxes at both the near and the far detector better and control the systematics in the neutrino oscillation measurement. MIPP production measurements will also benefit the neutrino factory by enabling the calculation of the flux of muons collected to higher accuracy. Measurements of inclusive spectra from MIPP will in addition be used to improve the showering models in Monte Carlo programs such as GEANT and MARS.

Finally, proton-nucleus cross sections from MIPP can be used to pin down the scattering models used in proton radiography. Proton radiography can be


briefly described as being similar to a CAT scan using protons as a probe and is of relevance to the nuclear stockpile stewardship program of the nation.

MIPP makes extensive use of existing hardware. The TPC, the Cerenkov detectors, wire chambers and calorimeter are recycled from previous experiments. This enables the total cost of building the experiment to be \approx \$1.5 million. The data acquisition system for the experiment is being rewritten with the help of expertise provided by the Computing Division. Fermilab has agreed to build the beamline for the experiment and make the requisite amount of running time available. Funding for putting the experiment together comes from other sources, primarily from Lawrence Livermore National Laboratory.

Current Status

The MIPP experiment is currently being installed. MIPP expects to be ready for an engineering run by March 2003. The secondary beamline in Meson MC6 has been designed and is ready to be installed. We have powered up the Jolly Green Giant magnet and will shortly measure the field map of both analysis magnets in the experiment. We hope to take data in 2003 and 2004.

E-918



E-918 (Butler / Stone) A Measurement of Mixing, CP Violation and Rare Decays in Charm and Beauty Particle Decays at the Fermilab Collider - BTeV

Belarussian State (Belarus), UC/Davis, Colorado, Fermilab, Florida, INFN/Frascati (Italy), Houston, IHEP/Protvino (Russia), IIT, Illinois, Insubria (Italy), Iowa, INFN/Milano (Italy), Minnesota, Nanjing (China), New Mexico State, Northwestern, Ohio State, INFN/Pavia (Italy), Pennsylvania, Puerto Rico/Mayaguez, Shandong (China), Southern Methodist, SUNY/Albany, Syracuse, Tennessee, UST (China), Vanderbilt, Virginia, Wayne State, Wisconsin, York (Canada)

Status: No Data Yet

BTeV, originally approved in June 2000, was re-approved in April 2002 with a one-arm rather than two-arm detector. The experiment will study CP violation, mixing and rare decays in the b and c quark systems using 2 TeV proton-antiproton collisions with a forward spectrometer located in the C0 interaction region.

We live in a world composed almost completely of matter. Current theories that address the origin of the Universe, “big bang” theories, all start with vacuum fluctuations that produce equal amounts of matter and antimatter. Violation of CP symmetry is a necessary element of any explanation of how the antimatter disappeared.

CP violation in weak decays was first demonstrated in 1964 in the decays of the neutral K_L meson. While the “Standard Model” of elementary particle physics has within it a mechanism for generating CP violation, it is by no means clear that the Standard Model mechanism accounts for all of the observed effect. Furthermore, the Standard Model has many fundamental parameters with no explanation of the relationships between them, which strongly suggests that it is incomplete and that there is new physics waiting to be discovered. Making a broad range of very precise measurements of CP violation in b decays is a wonderful way of both finding “new physics” and also identifying the kind of “new physics” by its subtle effects not only on CP violation but also on rare interactions. CP violation is expected to be very small in charm decays. Finding CP violation or mixing at larger than expected levels would almost certainly be driven by new physics. If the Standard Model does prove to explain this and other phenomena in weak decays, precise measurements of the parameters could point us to understanding the relations among the fundamental parameters and may still point us to an understanding beyond the model.

The total b cross section at the Tevatron is $\sim 100 \mu\text{b}$. With a machine luminosity of $2 \times 10^{32} \text{cm}^{-2}\text{s}^{-1}$, we expect $\sim 4 \times 10^{11}$ b’s in a “Snowmass” year of running (10^7 s). This is a large sample of b’s that allows precision measurements of B_s mixing, the CP violating angles α , β and γ , rare decay branching ratios, and

CP violation in rare decays. Charm production is ~ 10 times higher than b production and we can search for CP violation and mixing in this sector as well.


BTeV has chosen the “forward” detector geometry shown in the accompanying figure. There are several important advantages in this scheme that must be exploited to overcome the 500 times larger background rate for ordinary collisions than b collisions. In order to extract the b signal we need an efficient trigger that rejects most of the background. To help triggering it is important to get the b 's to move at large momentum to defeat multiple scattering. The forward direction naturally selects fast b 's.

For the first-level trigger, we use the presence of evidence for secondary vertices, which provides high efficiency for a broad range of b -decays while achieving excellent rejection of light quark events. To provide the best possible input to triggering and to achieve excellent proper time resolution required to follow the very rapid oscillations of the B_s meson, we use a vertex detector based on silicon pixels. Another crucially important advantage of the forward direction is that it allows space for charged hadron identification using a Ring Imaging Cherenkov detector (RICH). The RICH allows us to virtually eliminate the background in many important decay modes. For example, we reject the ~ 15 times larger $B_s \rightarrow D_s \pi^-$ background from $B_s \rightarrow D_s K^-$. Finally, instrumenting the forward region inherently costs less than a cylindrical detector for the central region, thus allowing us to be able to afford a state-of-the-art electromagnetic calorimeter based on lead-tungstate crystals which will permit reconstruction of η 's, π^0 's and single photons even in the difficult environment of the Tevatron.

Current activities include completion of detector R&D and final baseline design, continuation of our detailed program of detector and physics simulations. We expect to be taking data in 2007-2008. More information can be found at <http://www-btev.fnal.gov>.

E-921

CKM Apparatus



E-921 (Cooper) Charged Kaons at the Main Injector – CKM

*BNL, Colorado, Fermilab, IHEP/Protvino (Russia), INR/Troitsk (Russia),
Michigan, San Luis Potosi (Mexico), South Alabama, Texas/Austin, Virginia*

Status: <i>No Data Yet</i>

CKM (Charged Kaons at the Main Injector) is an experiment to measure the branching ratio of the ultra-rare charged-kaon decay $K^+ \rightarrow \pi^+ \nu \bar{\nu}$ by observing a large sample of these decays (~ 100) with small background (< 10). The physics goal we obtain from this is a measurement of the magnitude of the Cabibbo, Kobayashi, Maskawa matrix element $|V_{td}|$ with a statistical precision of about 5%.

This measurement will play a critical role in testing the Standard Model hypothesis that the sole source of CP violation in nature resides in the imaginary parts of the V_{td} and V_{ub} Cabibbo, Kobayashi, Maskawa matrix elements. Attacking this question in the kaon sector is both experimentally and theoretically independent of the ongoing programs to measure these same parameters in the B meson sector. Each sector provides an independent test of the Standard Model description of CP violation. Both must measure the same parameters for that description to be correct. Such a parallel approach is critical to confirm, with confidence, both the Standard Model description of CP violation and the veracity of the individual measurements. The $K^+ \rightarrow \pi^+ \nu \bar{\nu}$ decay mode is regarded as the theoretically cleanest system in which to measure the magnitude of V_{td} . The only important uncertainty in the relationship between the branching ratio and $|V_{td}|$ is a small contribution from the charmed quark which depends upon the poorly known charmed quark mass.

Evidence for this decay mode has recently been published by the stopped-kaon decay experiment E787 at Brookhaven National Laboratory (BNL). They reported the observation of two events with an expected background of 0.15 ± 0.05 events based upon the complete data set taken in 1995-98. They quote a branching ratio of $[1.57^{+1.75}_{-0.82}] \times 10^{-10}$ which is consistent with the current Standard Model prediction of $[0.75 \pm 0.29] \times 10^{-10}$.

The challenge of this measurement is clearly experimental. We require the apparatus to control all backgrounds to less than the 10^{-11} level in branching ratio in order to reliably measure this kinematically unconstrained decay. To achieve a two order of magnitude increase in sensitivity per year of data-taking while maintaining excellent control of all backgrounds requires an apparatus with much higher rate capabilities than has been achieved in the BNL experiment. This led us to a decay-in-flight experiment, in contrast to the stopped-kaon technique used at BNL.

In addition to the paramount goal of measuring the $K^+ \rightarrow \pi^+ \nu \bar{\nu}$ branching ratio, we also plan a series of other measurements of rare charged-kaon decay

properties using the CKM apparatus. The high rate capabilities and redundant measurement capabilities of the CKM spectrometer will make it well suited to such a program of measurements.

A critical new feature of this experiment is a separated K^+ beamline based on superconducting RF cavities operating in a transverse deflecting mode at 3.9 GHz. This SCRF system is a major new development based upon the 1.3 GHz accelerating mode SCRF cavities developed at DESY for the TESLA project. A major effort is underway in the Fermilab Beams Division, in collaboration with the CKM experiment, to develop the cavities and associated beamline. The goal is a 70% pure debunched K^+ beam at 22 GeV/c with a flux of 50 MHz over the 1-second Main Injector slow spill.

The experimental apparatus is shown in the figure. We will use detectors that are well established in performance and reliability, very high performance veto systems and with redundant measurements made for charged particles. There are high-rate multi-wire proportional chambers to measure the incident kaon trajectory and vector momentum and low-mass straw tube chambers operating in the decay volume vacuum to measure the downstream charged-pion trajectory and vector momentum. Redundantly, we will measure the vector velocity of the charged kaon and pion using very high-rate velocity spectrometers based on phototube ring-imaging Cerenkov detectors. The remainder of the detectors is a set of veto systems for photons, muons and electrons. All of these vetos will be scintillator sandwiched with lead or steel and read out with phototubes. Timing measurements with 1 nsec precision will be made for all detector signals coming from the experiment.

CKM received first stage approval in June 2001. We have moved into a detector prototyping phase which will lead to a full technical design report. The first SCRF cavities have been fabricated and tested, achieving nearly twice the required field strength in the first 1-cell prototype. A muon veto prototype has been completed and tested at IHEP in Protvino. Prototypes of the upstream proportional chambers are under design and construction at Virginia. A series of small prototypes for the straw tubes have been built at Fermilab leading to a prototype which will operate in a test beam while under vacuum. San Luis Potosi has identified potential vendors for phototubes and accepted the first prototype mirrors for the RICH detectors. There is active work at Fermilab, BNL, and IHEP on aspects and components of a prototype photon veto module. We have successfully tested this prototype in an electron test beam with very high electron tagging efficiency in the summer of 2002 to demonstrate the single photon inefficiency requirement.



SECTION VIII. MASTER LIST OF PROPOSALS

The Master List of proposals contains an entry for each proposal submitted to Fermilab; a typical entry is explained on the next page. In addition to the formal title of the proposal and a brief parenthetical explanation, the name of the spokesperson and a list of participating institutions are included. In the lower part of each entry the specific requests for running time to complete the experiment are listed together with approval action by the Laboratory. For approved proposals only, the amount of running time granted is given together with the current status and extent of beam time used so far.

Most of the information about each proposal stored in the Program Planning Office data file is given in the Master List; lists of proposals shown elsewhere in this Workbook are based on the information contained in the Master List.

For proposals with number below 700, only those which are approved or unconsidered or deferred are listed in the following pages; those with obsolete status (rejected or withdrawn/inactive) are omitted, which explains the gaps in the sequential listing. The complete listing is given starting with proposal 700.

EXPLANATION OF A TYPICAL ENTRY IN THE MASTER LIST



Note: For proposals having a number below 700, only the approved proposals are listed.
Total number of proposals - 934 ... Total number of approved & pending proposals - 462

1A	NEUTRINO #1A	David B. Cline	FERMILAB HARVARD UNIVERSITY UNIVERSITY OF PENNSYLVANIA UNIVERSITY OF WISCONSIN - MADISON
	BEAM: Neutrino Area - Wide Band Horn NAL NEUTRINO PROPOSAL. (Broad band beam incident on target calorimeter with muon spectrometer.)		
	+-----+		
	Request	15 Apr, 70	Unspecified
	Approval	1 Oct, 70	1,200 Hours
		3 Jul, 74	1,200 Hours with completion of the experiment defined as 20,000 events with 2 x 10 to the 17th protons on a horn-focused beam
	Completed	30 Jun, 75	2,850 Hours
2B	30-INCH HYBRID #2B	Gerald A. Smith	DUKE UNIVERSITY FERMILAB IOWA STATE UNIVERSITY UNIVERSITY OF MARYLAND MICHIGAN STATE UNIVERSITY NOTRE DAME UNIVERSITY PURDUE UNIVERSITY UNIVERSITY OF TORONTO (CANADA) UNIVERSITY OF WISCONSIN - MADISON
	BEAM: Neutrino Area - 30 in. Hadron Beam STUDY OF MULTIPARTICLE P-P AND PI-P INTERACTIONS FROM 100 GEV/C TO 400 GEV/C WITH A 30-INCH BUBBLE CHAMBER-OPTICAL SPARK CHAMBER HYBRID SYSTEM.		
	+-----+		
	Request	11 May, 70	Unspecified but to include an exposure for study of p - p and pi - p interactions from 75 to 300 GeV
	Approval	29 Apr, 71	500 K Pix
		1 May, 71	450 K Pix
			100K pix of p - p @ 200 GeV 100K pix of p - p @ 300 GeV 120K pix of pi minus - p @ 200 GeV 50K pix of pi minus - p @ 100 GeV 80K pix of pi plus - p @ 100 GeV
	Completed	22 Apr, 74	479 K Pix 114K pix of p - p @ 200 105K pix of p - p @ 300 123K pix of pi - p @ 200 54K pix of pi - p @ 100 83K pix of pi+ - p @ 100 bonus pix: 350K pix from #37A, #121A, #125, #137, #138, #141A, #143, #252
3	MONOPOLE #3	Philippe Eberhard	LAWRENCE BERKELEY LABORATORY
	BEAM: Neutrino Area - Miscellaneous PROPOSAL FOR A SEARCH FOR MAGNETIC MONOPOLES AT NAL. (Ferromagnetic target located in a beam dump.)		
	+-----+		
	Request	20 May, 70	Target Exposure(s) to 1 x 10 to 18th protons
	Approval	1 Aug, 70	Target Exposure(s)
	Completed	4 Sep, 74	4 Targets Exposed
4	NEUTRON CROSS SECTION #4	Michael J. Longo	LAWRENCE BERKELEY LABORATORY UNIVERSITY OF MICHIGAN - ANN ARBOR
	BEAM: Meson Area - M3 Beam NEUTRON TOTAL CROSS SECTIONS UP TO 300 GEV. (Total cross sections on H2, D2, heavy nuclei to < 2%.)		
	+-----+		
	Request	20 May, 70	300 Hours with 100 hours for tune up and 200 hours for data to measure total cross sections
	Approval	1 Aug, 70	400 Hours
	Completed	20 Mar, 74	1,450 Hours
7	ELASTIC SCATTERING #7	Donald I. Meyer	ARGONNE NATIONAL LABORATORY FERMILAB INDIANA UNIVERSITY UNIVERSITY OF MICHIGAN - ANN ARBOR
	BEAM: Meson Area - M1 Beam PROPOSAL TO MEASURE PI+(-) - P AND P-P DIFFERENTIAL ELASTIC SCATTERING CROSS SECTIONS FROM 50 TO 170 GEV/C. (In addition, data will be taken on K+(-) - p and pbar - p simultaneously; t from 0.1 - 2.0 or 3.0.)		
	+-----+		
	Request	10 Jun, 70	1,600 Hours
	Approval	1 Aug, 70	800 Hours
	Completed	28 Jan, 75	2,350 Hours
8	NEUTRAL HYPERON #8	Lee G. Pondrom	UNIVERSITY OF MICHIGAN - ANN ARBOR RUTGERS UNIVERSITY UNIVERSITY OF WISCONSIN - MADISON
	BEAM: Meson Area - M2 Beam EXPERIMENTS IN A NEUTRAL HYPERON BEAM. (Beam survey, delta s = 2 decay search, and lambda - p scattering.)		
	+-----+		
	Request	12 Jun, 70	260 Hours for data
	Approval	1 Aug, 70	400 Hours
	Completed	22 Mar, 76	2,450 Hours
12	NEUTRON BACKWARD SCATTERING #12	Neville W. Reay	CARELTON UNIVERSITY (CANADA) MICHIGAN STATE UNIVERSITY OHIO STATE UNIVERSITY
	BEAM: Meson Area - M3 Beam A STUDY OF NEUTRON-PROTON CHARGE-EXCHANGE SCATTERING IN THE MOMENTUM RANGE 50-300 GEV/C. (u from 0.002 - 1.0.)		
	+-----+		
	Request	15 Jun, 70	760 Hours
	Approval	1 Aug, 70	600 Hours with priority lower than exp #4
	Completed	2 Dec, 74	1,300 Hours
14A	PROTON-PROTON INELASTIC #14A	Paolo Franzini	COLUMBIA UNIVERSITY SUNY AT STONY BROOK
	BEAM: Neutrino Area - Miscellaneous PROPOSAL TO STUDY INELASTIC HIGH-ENERGY PROTON-PROTON COLLISIONS IN THE DIFFRACTIVE REGION. (t from 0.001 - 0.07 and missing mass to 10 GeV.)		
	+-----+		
	Request	15 Jun, 70	200 Hours
	Approval	1 Mar, 71	150 Hours with low priority
	Completed	21 Jun, 73	140 Hours

21A	NEUTRINO #21A	Barry C. Barish	CALIFORNIA INSTITUTE OF TECHNOLOGY FERMILAB
	BEAM: Neutrino Area - Dichromatic NEUTRINO PHYSICS AT VERY HIGH ENERGIES. (Dichromatic beam incident on target calorimeter with muon spectrometer.)		
	+-----+		
	Request	15 Jun, 70	750 Hours
	Approval	1 Aug, 70	1,200 Hours
		26 Jun, 74	1,200 Hours with the inclination for the completion of exp# 21A (approximately 400 hours) to have a lower priority than running for exp# 320
		11 Nov, 74	1,200 Hours with remaining running to be coordinated with exp# 254
	Completed	2 Nov, 75	2,450 Hours
22	MULTIGAMMA #22	George B. Collins	BROOKHAVEN NATIONAL LABORATORY VIRGINIA TECH
	BEAM: Meson Area - M2 Beam EXPERIMENTAL PROPOSAL TO THE NATIONAL ACCELERATOR LABORATORY FOR A SEARCH FOR MULTIGAMMA EVENTS FROM MAGNETIC MONOPOLE PAIRS.		
	+-----+		
	Request	15 Jun, 70	100 Hours for data
	Approval	1 Aug, 70	200 Hours for hadron beam use only
	Completed	26 Jun, 74	350 Hours
25A	PHOTON TOTAL CROSS SECTION #25A	David O. Caldwell	UNIV. OF CALIFORNIA, SANTA BARBARA FERMILAB LEBEDEV PHYSICAL INST. (RUSSIA) UNIVERSITY OF TORONTO (CANADA)
	BEAM: Proton Area - East MEASUREMENT OF THE TOTAL PHOTOABSORPTION CROSS SECTION ON H, D, C, CU, AND PB FOR PHOTON ENERGIES FROM 14 TO 300 GEV, AND A SEARCH FOR THE PHOTOPRODUCED MONOPOLE.		
	+-----+		
	Request	15 Jun, 70	400 Hours for data
	Approval	1 Aug, 71	600 Hours with 200 hours for tuning, 400 hours for data
		26 Oct, 76	1,000 Hours with additional 400 hours for the experiment to continue data taking until 30 Nov 1976
	Completed	30 Nov, 76	1,850 Hours
26	MUON #26	Louis N. Hand	UNIV. OF CALIFORNIA, SAN DIEGO CORNELL UNIVERSITY LAWRENCE BERKELEY LABORATORY MICHIGAN STATE UNIVERSITY
	BEAM: Neutrino Area - Muon/Hadron Beam HIGH MOMENTUM TRANSFER INELASTIC MUON SCATTERING AND TEST OF SCALE INVARIANCE AT NAL.		
	+-----+		
	Request	15 Jun, 70	Unspecified
	Approval	1 Aug, 70	500 Hours
		6 Aug, 73	500 Hours defined as 3 x 10 to the 17th protons
	Completed	16 Apr, 74	900 Hours
27A	NEUTRON DISSOCIATION #27A	Jerome L. Rosen	FERMILAB UNIVERSITY OF MASSACHUSETTS NORTHWESTERN UNIVERSITY UNIVERSITY OF ROCHESTER
	BEAM: Meson Area - M3 Beam PROPOSAL TO STUDY THE COHERENT DISSOCIATION OF NEUTRONS.		
	+-----+		
	Request	15 Jun, 70	Unspecified
	Approval	1 Mar, 71	200 Hours for low priority Stage I running
	Completed	24 Apr, 74	850 Hours
28A	15-FOOT NEUTRINO/H2&NE #28A	William F. Fry	CERN (SWITZERLAND) UNIVERSITY OF HAWAII AT MANOA LAWRENCE BERKELEY LABORATORY UNIVERSITY OF WISCONSIN - MADISON
	BEAM: Neutrino Area - Wide Band Horn SEARCH FOR HEAVY LEPTONS AND HARD PENETRATING RADIATION IN THE NEUTRINO BEAM; STUDY DIFFRACTION SCATTERING OF NEUTRINOS AND DEEP INELASTIC MUON-NEUTRINO SCATTERING IN A NEON BUBBLE CHAMBER AT NAL; TEST OF DELTA S-DELTA Q RULE @ HIGH MOMENTUM		
	+-----+		
	Request	15 Jun, 70	1,000 K Pix to include 500K pix with the primary protons incident on the hadron shield and 500K pix with normal targetry
	Approval	1 Dec, 71	100 K Pix with 50K pix of neutrinos in neon (greater than or equal to 30%) with the constraint that running conditions yield at least 10,000 events; and 50K pix of neutrinos using special targeting
		9 May, 75	100 K Pix total of neutrinos in the 22% neon mixture under horn focusing conditions
	Completed	11 Jun, 75	97 K Pix
31A	15-FOOT ANTI-NEUTRINO/H2 #31A	Malcolm Derrick	ARGONNE NATIONAL LABORATORY CARNEGIE-MELLON UNIVERSITY PURDUE UNIVERSITY
	BEAM: Neutrino Area - Wide Band Horn PROPOSAL TO INVESTIGATE MUON-ANTINEUTRINO INTERACTIONS IN HYDROGEN AT NAL.		
	+-----+		
	Request	15 Jun, 70	1,000 K Pix requiring a total exposure of 10 to the 19th protons with 10 to the 13th protons per pulse on target
	Approval	1 Dec, 71	200 K Pix maximum with the constraint that the running conditions yield at least 7,000 antineutrino interactions
	Completed	13 Aug, 77	211 K Pix
34	DETECTOR DEVELOPMENT #34	Richard W. Huggett	LOUISIANA STATE UNIVERSITY MAX-PLANCK INSTITUTE (GERMANY)
	BEAM: Neutrino Area - Miscellaneous NUCLEAR-ELECTROMAGNETIC CASCADE DEVELOPMENT STUDY. (Ionization spectrometer development.)		
	+-----+		
	Request	15 Jun, 70	400 Hours in two calibration runs
	Approval	1 Aug, 70	Parasitic Running
	Completed	26 Jun, 74	50 Hours
36A	PROTON-PROTON SCATTERING #36A	Rodney L. Cool	FERMILAB JINR, DUBNA (RUSSIA) UNIVERSITY OF ROCHESTER ROCKEFELLER UNIVERSITY
	BEAM: Internal Target Area (C-0) A PROPOSAL TO STUDY SMALL ANGLE P-P SCATTERING AT VERY HIGH ENERGIES. (Using a gas jet target and the internal proton beam.)		
	+-----+		
	Request	15 Jun, 70	550 Hours
	Approval	1 Feb, 71	500 Hours
	Completed	24 Jun, 73	700 Hours
37A	30-INCH P-P @ 300 #37A	Ernest I. Malamud	CALIFORNIA INSTITUTE OF TECHNOLOGY UNIV. OF CALIFORNIA, LOS ANGELES FERMILAB INDIANA UNIVERSITY
	BEAM: Neutrino Area - 30 in. Hadron Beam MULTIBODY FINAL STATES IN PP COLLISIONS UP TO 500 GEV.		
	+-----+		
	Request	15 Jun, 70	250 K Pix of p - p interactions at 100,200,300,400,500 GeV in 15-foot chamber
		3 May, 71	100 K Pix of p - p interactions at one fixed high energy in 30-inch chamber
	Approval	26 Aug, 71	50 K Pix in bare chamber with events where there is downstream spark chamber data to be shared with exp #2B
	Completed	1 Jun, 73	51 K Pix

45A	15-FOOT NEUTRINO/H2 #45A	Frank A. Nezzrick	FERMILAB UNIVERSITY OF HAWAII AT MANOA LAWRENCE BERKELEY LABORATORY UNIVERSITY OF MICHIGAN - ANN ARBOR
	BEAM: Neutrino Area - Wide Band Horn PROPOSAL TO STUDY NEUTRINO INTERACTIONS WITH PROTONS USING THE 15-FOOT BUBBLE CHAMBER AT NAL.		
	+-----+		
	Request	15 Jun, 70	200 K Pix with 10 to the 13th protons/pulse of at least 200 GeV
		19 Jul, 71	500 K Pix with 10 to the 13th protons/pulse at 350 GeV
	Approval	17 Dec, 71	300 K Pix maximum with the constraint that the running conditions yield on the order of 15,000 events of neutrinos in hydrogen
	Completed	13 Jan, 76	162 K Pix
48	MUON SEARCH #48	Robert K. Adair	BROOKHAVEN NATIONAL LABORATORY FERMILAB YALE UNIVERSITY
	BEAM: Proton Area - Center A MEASUREMENT OF THE INTENSITY AND POLARIZATION OF MUONS PRODUCED DIRECTLY BY THE INTERACTIONS OF PROTONS WITH NUCLEI.		
	+-----+		
	Request	15 Jun, 70	200 Hours
	Approval	1 Dec, 70	200 Hours for an exploratory experiment
	Completed	1 Dec, 75	500 Hours
51A	MISSING MASS #51A	Eberhard Von Goeler	NORTHEASTERN UNIVERSITY
	BEAM: Meson Area - M2 Beam MASS SPECTRA AND DECAY MODES FOR HADRONS WITH MASSES UP TO 15 GEV.		
	+-----+		
	Request	15 Jun, 70	850 Hours
	Approval	14 Aug, 73	300 Hours with low priority
	Completed	23 Oct, 74	800 Hours
53A	15-FOOT NEUTRINO/H2&NE #53A	Charles Baltay	BROOKHAVEN NATIONAL LABORATORY COLUMBIA UNIVERSITY
	BEAM: Neutrino Area - Wide Band Horn SEARCH FOR THE INTERMEDIATE BOSON, LEPTON PAIR PRODUCTION, AND A STUDY OF DEEPLY INELASTIC REACTIONS UTILIZING HIGH ENERGY NEUTRINO INTERACTIONS IN LIQUID NEON.		
	+-----+		
	Request	15 Jun, 70	1,000 K Pix of neutrino interactions in 15-foot with 70% neon and 30% deuterium and with inserted plate
		6 Jul, 71	1,000 K Pix with 900K pix of neutrino interactions in neon with single plate and 100K pix in hydrogen with two plates
		16 Jun, 76	200 K Pix requested increase of the approved picture total from 100K to 200K
		25 Jan, 78	450 K Pix to include an increase of 300K beyond the approximately 150K pix presently available for the experiment; at least 150K pix additional are requested during the summer or fall of 1978
	Approval	19 Jun, 78	450 K Pix to include an increase of 300K pix; this follows rejection of the
		17 Dec, 71	100 K Pix in neon or plates to yield at least 20,000 events total including
		29 Jun, 76	150 K Pix total including about 50K pix already taken
		28 Jun, 78	450 K Pix total including an extension for 300K pix
	Completed	9 Mar, 81	440 K Pix
61	POLARIZED SCATTERING #61	Owen Chamberlain	ARGONNE NATIONAL LABORATORY FERMILAB HARVARD UNIVERSITY LAWRENCE BERKELEY LABORATORY SUFFOLK UNIVERSITY YALE UNIVERSITY
	BEAM: Meson Area - M1 Beam A PROPOSAL TO MEASURE POLARIZATION IN P P, PI- P, AND PI+ P ELASTIC SCATTERING AT 50, 100, AND 150 GEV/C.		
	+-----+		
	Request	15 Jun, 70	1,100 Hours for setup, tests, and data
		10 Mar, 77	1,600 Hours to include additional time for 4 weeks of data at 300 GeV and 1 week at 100 GeV; running requires accelerator operation at those energies
	Approval	1 Aug, 70	800 Hours
		24 Jun, 77	1,200 Hours with an attempt to provide 300 GeV data under the condition that the running not interfere with other major laboratory programs
	Completed	26 Oct, 77	1,900 Hours
63A	PHOTON SEARCH #63A	James K. Walker	FERMILAB UNIVERSITY OF HAWAII AT MANOA NORTHERN ILLINOIS UNIVERSITY
	BEAM: Internal Target Area (C-0) SURVEY OF PARTICLE PRODUCTION IN PROTON COLLISIONS AT NAL. (Photon production in proton collisions at the Internal Target Area; see also exp #284.)		
	+-----+		
	Request	15 Jun, 70	Unspecified
	Approval	17 Dec, 70	400 Hours
		19 Oct, 73	400 Hours with understanding that additional photon production data would be taken at 60, 50, 40, 30, and 20 mrad
	Completed	13 Mar, 75	2,600 Hours
67A	PROTON-PROTON MISSING MASS #67A	Felix Sannes	FLORIDA STATE UNIVERSITY RUTGERS UNIVERSITY UPSALA COLLEGE
	BEAM: Internal Target Area (C-0) SEARCH FOR BARYON RESONANCES UP TO 10 GEV MASS PRODUCED IN P + P TO P + MM WITH A RESOLUTION OF + OR - 25 MEV. (Using a gas jet target and the internal proton beam.)		
	+-----+		
	Request	15 Jun, 70	Unspecified
	Approval	1 Feb, 71	100 Hours
	Completed	8 Aug, 73	600 Hours
69A	ELASTIC SCATTERING #69A	Joseph Lach	FERMILAB RUTHERFORD-APPLETON LABS. (ENGLAND) YALE UNIVERSITY
	BEAM: Meson Area - M6 Beam ELASTIC SCATTERING OF THE LONG-LIVED HADRONS. (Small angle scattering to t of 0.2 and coulomb interference.)		
	+-----+		
	Request	15 Jun, 70	380 Hours of 'ideal time' to make coulomb interference measurements with stable particles and diffraction peak measurements with hyperons
		1 Dec, 70	180 Hours of 'ideal time' to make coulomb interference measurements with stable particles; also see exp# 97 and 497
	Approval	15 Sep, 70	600 Hours
	Completed	3 Mar, 76	2,800 Hours
70	LEPTON #70	Leon M. Lederman	COLUMBIA UNIVERSITY FERMILAB
	BEAM: Proton Area - Center STUDY OF LEPTON PAIRS FROM PROTON-NUCLEAR INTERACTIONS; SEARCH FOR INTERMEDIATE BOSONS AND LEE-WICK STRUCTURE.		
	+-----+		
	Request	23 Jun, 70	2,800 Hours to include about 1,700 hours for study of single lepton production and 1,100 hours for study of lepton pairs
	Approval	1 Dec, 70	600 Hours
	Completed	1 Dec, 74	2,800 Hours

72	QUARK #72	Lawrence B. Leipuner	BROOKHAVEN NATIONAL LABORATORY YALE UNIVERSITY
	BEAM: Meson Area - M4 Beam EXPERIMENTAL PROPOSAL TO NAL -- QUARK SEARCH. (By measuring ionization energy loss.)		
	+-----+		
	Request	15 Jun, 70	100 Hours for data taking
	Approval	1 Aug, 70	200 Hours
	Completed	11 Jun, 73	500 Hours
75	QUARK #75	Taiji Yamanouchi	FERMILAB NEW YORK UNIVERSITY
	BEAM: Meson Area - M2 Beam A PROPOSAL TO SEARCH FOR FRACTIONALLY CHARGED QUARKS. (Measurement of ionization and total energy of fractionally charged particles using momentum selection.)		
	+-----+		
	Request	29 Jun, 70	200 Hours for tests and data taking
	Approval	1 Sep, 70	200 Hours
	Completed	8 Sep, 73	1,050 Hours
76	MONOPOLE #76	Richard A. Carrigan	FERMILAB
	BEAM: Neutrino Area - Miscellaneous SEARCH FOR MAGNETIC MONOPOLES PRODUCED AT NAL. (Employing a beam-dump target.)		
	+-----+		
	Request	15 Jun, 70	Parasitic Running
	Approval	1 Sep, 70	Target Exposure(s) with parasitic running
	Completed	1 Dec, 74	5 Targets Exposed
81A	NUCLEAR CHEMISTRY #81A	Sheldon Kaufman	ARGONNE NATIONAL LABORATORY BROOKHAVEN NATIONAL LABORATORY CARNEGIE-MELLON UNIVERSITY UNIVERSITY OF CHICAGO UNIV. OF ILLINOIS, CHICAGO CIRCLE PURDUE UNIVERSITY RBL, ORSAY (FRANCE)
	BEAM: Meson Area - Miscellaneous PRELIMINARY SURVEY OF 200 GEV PROTON INTERACTIONS WITH COMPLEX NUCLEI. (Nuclear chemistry analysis.)		
	+-----+		
	Request	9 Jul, 70	Parasitic Running
	Approval	1 Aug, 70	Target Exposure(s)
	Completed	1 Oct, 78	197 Bombardment(s)
82	K ZERO REGENERATION #82	Valentine L. Telegdi	UNIV. OF CALIFORNIA, SAN DIEGO UNIVERSITY OF CHICAGO SLAC UNIVERSITY OF WISCONSIN - MADISON
	BEAM: Meson Area - M4 Beam PROPOSAL TO INVESTIGATE REGENERATION OF NEUTRAL K-MESONS AT VERY HIGH ENERGIES. (See exp #425.)		
	+-----+		
	Request	13 Jul, 70	1,000 Hours for preliminary run and data taking
	Approval	15 Sep, 70	800 Hours
	Completed	22 Nov, 74	1,100 Hours total including additional 300 hours with complex nuclear targets
	Completed	5 Jul, 75	3,500 Hours
86A	PION DISSOCIATION #86A	Henry J. Lubatti	LAL, ORSAY (FRANCE) UNIVERSITY OF WASHINGTON
	BEAM: Meson Area - M1 Beam A PROPOSAL TO STUDY INELASTIC DIFFRACTIVE PROCESSES BY OBSERVING COHERENT PRODUCTION OF MULTI-PION FINAL STATES FROM HE NUCLEI. (Using a streamer chamber.)		
	+-----+		
	Request	24 Jul, 70	1,050 Hours for setup, tests and data taking
	Approval	28 May, 71	800 Hours with low priority
	Completed	22 Mar, 76	800 Hours
87A	PHOTOPRODUCTION #87A	Thomas A. O'Halloran, Jr.	COLUMBIA UNIVERSITY FERMILAB UNIVERSITY OF HAWAII AT MANOA UNIVERSITY OF ILLINOIS, CHAMPAIGN
	BEAM: Proton Area - East PROPOSAL TO SEARCH FOR HEAVY LEPTONS AND INTERMEDIATE BOSONS FROM PHOTON-NUCLEON AND PHOTON-NUCLEI COLLISIONS.		
	+-----+		
	Request	30 Jul, 70	Unspecified
	Approval	25 Feb, 71	4,400 Hours for setup, tests, and data taking
	Approval	1 Aug, 71	600 Hours
	Approval	13 Nov, 75	1,100 Hours with an extension of 500 hours of data taking
	Completed	28 Jul, 77	3,100 Hours with an additional 2,000 hours for study of charmed baryon production
	Completed	7 May, 78	4,800 Hours
90	EMULSION/PROTONS @ 200 #90	Wladyslaw Wolter	INP, KRAKOW (POLAND)
	BEAM: Meson Area - Miscellaneous CRACOW NUCLEAR EMULSION EXPOSURES.		
	+-----+		
	Request	23 Jun, 70	Emulsion Exposure
	Approval	1 Aug, 70	Emulsion Exposure
	Completed	20 Sep, 72	4 Stack(s)
95A	PHOTON SEARCH #95A	Bradley B. Cox	FERMILAB JOHNS HOPKINS UNIVERSITY
	BEAM: Proton Area - West PROPOSAL FOR EXAMINATION OF WIDE ANGLE GAMMA RAYS AT NAL. (Single and digamma production by proton-nucleon collisions.)		
	+-----+		
	Request	26 Oct, 70	100 Hours of data taking with parasitic beam used for setup
	Request	12 Oct, 76	3,100 Hours for further study of diphoton spectra
	Approval	1 Jun, 71	400 Hours
	Approval	5 Jan, 77	1,650 Hours with an extension in an effort to approach the 12.5 weeks of running which was requested
	Completed	12 Sep, 77	1,950 Hours with approval of an additional 3 weeks of running at 200/300 GeV
	Completed	17 Oct, 77	3,400 Hours
96	ELASTIC SCATTERING #96	David Ritson	ARGONNE NATIONAL LABORATORY UNIVERSITY OF BARI (ITALY) BROWN UNIVERSITY CERN (SWITZERLAND) CORNELL UNIVERSITY FERMILAB MASSACHUSETTS INST. OF TECHNOLOGY NORTHEASTERN UNIVERSITY STANFORD UNIVERSITY
	BEAM: Meson Area - M6 Beam FOCUSING SPECTROMETER FACILITY. (Measure elastic scattering and quasi elastic scattering of pi+(-), K+(-), p+(-) on H2 and D2 up to 200 GeV/c with t up to 1.5.)		
	+-----+		
	Request	3 Dec, 70	1,000 Hours for check out and data taking
	Approval	1 Dec, 70	800 Hours
	Completed	17 Feb, 75	2,550 Hours

98	MUON #98 BEAM: Neutrino Area - Muon/Hadron Beam MUON-PROTON INELASTIC SCATTERING EXPERIMENT AT THE NATIONAL ACCELERATOR LABORATORY. (Using a large aperture magnet to detect scattered muons and charged hadrons.)	Herbert L. Anderson	UNIVERSITY OF CHICAGO HARVARD UNIVERSITY UNIVERSITY OF ILLINOIS, CHAMPAIGN UNIVERSITY OF OXFORD (ENGLAND)
	Request	2 Dec, 70	1,600 Hours for tests and data taking
	Approval	19 Jan, 71	400 Hours of initial running with H2 (100 hours of parasitic testing)
		6 Aug, 73	400 Hours with approval for both D2 and H2
		26 Jun, 74	800 Hours with additional 400 hours for data taking
	Completed	17 Feb, 75	1,800 Hours
99	ASSOCIATED PRODUCTION #99 BEAM: Meson Area - M6 Beam A STUDY OF π^+ P TO K^+ SIGMA+ AND π^+ P TO K^+ Y-STAR+ USING THE FOCUSING SPECTROMETER FACILITY. (Incident momenta from 20 - 120 GeV/c, t from 0.04 - 0.6.)	Robert E. Diebold	ARGONNE NATIONAL LABORATORY FERMILAB SLAC STANFORD UNIVERSITY
	Request	3 Dec, 70	500 Hours for tests and data taking
	Approval	25 Nov, 74	500 Hours
	Completed	24 Jan, 78	750 Hours
100A	PARTICLE SEARCH #100A BEAM: Proton Area - East A PROPOSAL TO STUDY PARTICLE PRODUCTION AT HIGH TRANSVERSE MOMENTA. (Measurement of particle production at 90 degrees in c.m. from proton interactions with nuclei.)	Pierre A. Piroue	UNIVERSITY OF CHICAGO PRINCETON UNIVERSITY
	Request	4 Dec, 70	500 Hours for data taking
	Approval	1 Feb, 71	500 Hours
	Completed	4 Apr, 74	1,150 Hours
103	EMULSION/PROTONS @ 200 #103 BEAM: Meson Area - Miscellaneous INTRA-NUCLEAR CASCADE PRODUCED BY 200 GEV PROTONS.	David T. King	UNIVERSITY OF TENNESSEE, KNOXVILLE
	Request	21 Dec, 70	Emulsion Exposure
	Approval	1 Feb, 71	Emulsion Exposure
	Completed	20 Sep, 72	1 Stack(s)
104	TOTAL CROSS SECTION #104 BEAM: Meson Area - M1 Beam MEASUREMENT OF TOTAL CROSS SECTIONS ON HYDROGEN AND DEUTERIUM. (Of π^+ , K^+ , p, \bar{p} .)	Thaddeus F. Kycia	BROOKHAVEN NATIONAL LABORATORY FERMILAB MAX-PLANCK INSTITUTE (GERMANY) ROCKEFELLER UNIVERSITY UNIVERSITY OF WASHINGTON
	Request	8 Jan, 71	700 Hours for tests and data taking
		16 Jun, 76	1,300 Hours total with additional 600 hours for completion of cross section data and particle search exp# 354
	Approval	8 Mar, 71	700 Hours
		29 Jun, 76	1,300 Hours including an additional 600 hours for the remainder of exp# 104 and exp# 354
	Completed	22 Dec, 77	2,650 Hours
105	EMULSION/PROTONS @ 200 #105 BEAM: Meson Area - Miscellaneous A PROPOSAL TO STUDY SOME CHARACTERISTICS OF PROTON-NUCLEON AND PROTON-NUCLEUS COLLISIONS AT 400 GEV USING NUCLEAR EMULSIONS.	Prince K. Malhotra	JAMMU UNIVERSITY (INDIA) PANJAB UNIVERSITY (INDIA) TATA INSTITUTE (INDIA)
	Request	14 Jan, 71	Emulsion Exposure
	Approval	1 Apr, 71	Emulsion Exposure
	Completed	20 Sep, 72	1 Stack(s)
108	BEAM DUMP #108 BEAM: Meson Area - M2 Beam A BEAM DUMP EXPERIMENT. (Study of shielding including hadron cascade development, muon attenuation, radioactivity.)	Miguel Awaschalom	FERMILAB
	Request	4 Feb, 71	40 Hours for irradiation
	Approval	1 Mar, 71	40 Hours
	Completed	2 Jun, 75	350 Hours
110A	MULTIPARTICLE #110A BEAM: Meson Area - M6 Beam PROPOSAL TO STUDY MULTIPARTICLE PERIPHERAL PHYSICS AT NAL. (Using a large wire chamber magnetic spectrometer.)	Alexander R. Dzierba	CALIFORNIA INSTITUTE OF TECHNOLOGY UNIV. OF CALIFORNIA, LOS ANGELES FERMILAB UNIV. OF ILLINOIS, CHICAGO CIRCLE INDIANA UNIVERSITY MAX-PLANCK INSTITUTE (GERMANY)
	Request	15 Feb, 71	400 Hours for test run and overview
		10 Aug, 72	900 Hours for tests and data taking
		21 Oct, 76	900 Hours for data taking
	Approval	5 Apr, 72	800 Hours
		16 Nov, 73	600 Hours with understanding that approximately 200 hours of previously approved 800 hours of running will be used for exp# 260
		18 Nov, 76	1,000 Hours with expectation that 800 hours will be used for data taking and 2 weeks for tuneup of beam and equipment
	Completed	9 Apr, 78	1,600 Hours
111	PION CHARGE EXCHANGE #111 BEAM: Meson Area - M2 Beam PROPOSAL TO STUDY π^- P TO π^0 N AND π^- P TO η N AT HIGH ENERGY.	Alvin V. Tollestrup	CALIFORNIA INSTITUTE OF TECHNOLOGY LAWRENCE BERKELEY LABORATORY
	Request	15 Feb, 71	450 Hours for tests and data taking
	Approval	1 Feb, 71	400 Hours
	Completed	19 Sep, 74	1,800 Hours
114	EMULSION/PROTONS @ 200 #114 BEAM: Meson Area - Miscellaneous STUDY OF 200-500 GEV PROTON AND PION INTERACTION WITH NUCLEAR EMULSION.	Piyare L. Jain	SUNY AT BUFFALO
	Request	24 Feb, 71	Emulsion Exposure
	Approval	1 Mar, 72	Emulsion Exposure
	Completed	20 Sep, 72	1 Stack(s)

115	LONG-LIVED PARTICLES #115 BEAM: Neutrino Area - Miscellaneous SEARCH FOR LONG-LIVED PARTICLES (Tau greater than or approximately equal 0.1 msec; analysis of particles from a beam dump.)	M. Lynn Stevenson	LAWRENCE BERKELEY LABORATORY
	Request	1 Mar, 71	Parasitic Running
	Approval	26 Aug, 71	Parasitic Running
	Completed	23 Nov, 74	6 Hours
116	EMULSION/PROTONS @ 200 #116 BEAM: Meson Area - Miscellaneous INTERACTION OF HIGH ENERGY PROTONS IN NUCLEAR EMULSIONS LOADED WITH B 10 AND LIF.	Jacques D. Hebert	UNIVERSITY OF BARCELONA (SPAIN) CRN, STRASBOURG (FRANCE) FERMILAB UNIVERSITY OF LYON (FRANCE) MCGILL UNIVERSITY (CANADA) UNIVERSITY OF MONTREAL (CANADA) UNIVERSITY OF OTTAWA (CANADA) UNIVERSITY OF VALENCIA (SPAIN)
	Request	31 Mar, 71	Emulsion Exposure
	Approval	1 Apr, 71	Emulsion Exposure
	Completed	20 Sep, 72	5 Stack(s)
117A	EMULSION/PROTONS @ 200 #117A BEAM: Meson Area - Miscellaneous PHENOMOLOGICAL STUDY OF 200 AND 500 GEV/C PROTON-PROTON COLLISIONS IN EMULSION.	Osamu Kusumoto	KINKI UNIVERSITY (JAPAN) KOBE UNIVERSITY (JAPAN) OSAKA CITY UNIVERSITY (JAPAN) OSAKA SCIENCE EDUC. INST. (JAPAN) WAKAYAMA MEDICAL COLLEGE (JAPAN)
	Request	2 Mar, 71	Emulsion Exposure
	Approval	1 Apr, 71	Emulsion Exposure
	Completed	20 Sep, 72	11 Stack(s)
118A	INCLUSIVE SCATTERING #118A BEAM: Meson Area - M6 Beam HADRON SPECTRA FROM HIGH ENERGY INTERACTIONS. (Single particle inclusive spectra from pions, kaons, and protons using single arm spectrometer.)	George W. Brandenburg	UNIVERSITY OF BARI (ITALY) BROWN UNIVERSITY FERMILAB MASSACHUSETTS INST. OF TECHNOLOGY
	Request	3 Mar, 71	950 Hours for tests and data taking
		20 Jun, 73	1,200 Hours total with additional 250 hours of data taking
		22 Oct, 76	950 Hours with an additional 350 hours to extend existing measurements; see proposal #513
	Approval	25 Nov, 74	600 Hours
		18 Nov, 76	950 Hours with additional 350 hours for continued data taking
	Completed	20 Jul, 77	2,550 Hours
120	PHOTON SEARCH #120 BEAM: Internal Target Area (C-0) EARLY PI ZERO PARTICLE PRODUCTION SURVEY WITH THE GAS JET TARGET. (Also direct photon production using the internal proton beam.)	David B. Cline	UNIVERSITY OF CHICAGO HARVARD UNIVERSITY UNIVERSITY OF WISCONSIN - MADISON
	Request	9 Mar, 71	Unspecified
	Approval	1 Jun, 71	200 Hours
	Completed	29 May, 73	1,200 Hours
121A	30-INCH PI+ & P - P @ 100 #121A BEAM: Neutrino Area - 30 in. Hadron Beam A PROPOSAL TO SEARCH FOR VERY HEAVY STRANGE PARTICLES USING A SMALL HYDROGEN BUBBLE CHAMBER.	Richard L. Lander	UNIV. OF CALIFORNIA, DAVIS LAWRENCE BERKELEY LABORATORY
	Request	11 Mar, 71	100 K Pix
		17 May, 71	200 K Pix total with 50K at each of four incident proton momenta, 100, 200, 300, and 400 GeV/c
	Approval	26 Aug, 71	50 K Pix in bare chamber with events where there is downstream spark chamber data to be shared with exp #2B
	Completed	23 Jan, 74	104 K Pix
125	30-INCH PI- - P @ 100 #125 BEAM: Neutrino Area - 30 in. Hadron Beam PROPOSAL TO STUDY PI- P REACTIONS AT 60 AND 200 GEV/C IN THE 30-INCH.	Douglas R. O. Morrison	CERN (SWITZERLAND)
	Request	7 May, 71	100 K Pix
	Approval	27 Aug, 71	50 K Pix in bare chamber with events where there is downstream spark chamber data to be shared with exp #2B
	Completed	28 Aug, 73	53 K Pix
137	30-INCH PI- - P @ 200 #137 BEAM: Neutrino Area - 30 in. Hadron Beam STUDY OF PI- + P INTERACTIONS AT HIGH ENERGY.	Fred Russell Huson	UNIV. OF CALIFORNIA, BERKELEY FERMILAB LAWRENCE BERKELEY LABORATORY
	Request	4 May, 71	50 K Pix
	Approval	26 Aug, 71	50 K Pix in bare chamber with events where there is downstream spark chamber data to be shared with exp #2B
	Completed	10 Mar, 73	48 K Pix
138	30-INCH P-P @ 400 #138 BEAM: Neutrino Area - 30 in. Hadron Beam STUDY OF MULTIPARTICLE PRODUCTION IN A 30-INCH BUBBLE CHAMBER.	Jack C. Vander Velde	UNIVERSITY OF MICHIGAN - ANN ARBOR UNIVERSITY OF ROCHESTER
	Request	10 May, 71	240 K Pix total; combined experiment from proposals #62 and #80
	Approval	26 Aug, 71	50 K Pix in bare chamber with events where there is downstream spark chamber data to be shared with exp #2B
	Completed	26 Aug, 75	52 K Pix
141A	30-INCH P-P @ 200 #141A BEAM: Neutrino Area - 30 in. Hadron Beam STUDY OF PP INTERACTIONS IN THE ANL 30-INCH HYDROGEN BUBBLE CHAMBER AT NAL.	Thomas H. Fields	ARGONNE NATIONAL LABORATORY FERMILAB IOWA STATE UNIVERSITY UNIVERSITY OF MARYLAND MICHIGAN STATE UNIVERSITY
	Request	25 Jun, 71	50 K Pix
	Approval	26 Aug, 71	50 K Pix in bare chamber with events where there is downstream spark chamber data to be shared with exp #2B
	Completed	27 Nov, 72	67 K Pix
142	SUPER-HEAVY ELEMENTS #142 BEAM: Neutrino Area - Miscellaneous PROPOSAL FOR A SEARCH FOR SUPERHEAVY ELEMENTS BY IRRADIATIONS AT NAL.	Raymond W. Stoughton	ARGONNE NATIONAL LABORATORY OAK RIDGE NATIONAL LABORATORY
	Request	12 Jul, 71	Parasitic Running with a total of 10 to the 18th protons on target
	Approval	26 Aug, 71	Target Exposure(s)
	Completed	4 Jun, 75	1 Target(s)

```

=====
143A 30-INCH PI- - P @ 300 #143A      George R. Kalbfleisch      BROOKHAVEN NATIONAL LABORATORY
BEAM: Neutrino Area - 30 in. Hadron Beam      CASE WESTERN RESERVE UNIVERSITY
PROPOSAL FOR A RAPID SYSTEMATIC STUDY OF ALL INTERACTIONS IN A PI- - P EXPOSURE OF
THE BARE 30-INCH CHAMBER AT 120 GEV/C.
+-----+
Request      12 Jul, 71      50 K Pix
Approval     26 Aug, 71      50 K Pix in bare chamber with events where there is downstream spark chamber
data to be shared with exp #2B
Completed    10 Apr, 74      51 K Pix
=====
147  SUPER-HEAVY ELEMENTS #147      Monique DeBeauvais      CRN, STRASBOURG (FRANCE)
BEAM: Meson Area - Miscellaneous      UNIVERSITY OF OTTAWA (CANADA)
PROPOSAL OF AN EXPERIMENT ON THE FISSION OF VERY HEAVY NUCLEI INDUCED BY 200 GEV
PROTONS.
+-----+
Request      9 Jul, 71      Target Exposure(s)
Approval     6 Aug, 73      Target Exposure(s)
Completed    11 Jun, 75      4 Exposure(s)
=====
152B PHOTOPRODUCTION #152B      Clemens A. Heusch      UNIV. OF CALIFORNIA, SANTA CRUZ
BEAM: Proton Area - East
PROPOSAL TO BUILD AN ELECTRON-PHOTON FACILITY AT NAL AND TO MEASURE PHOTON SCATTERING
AT HIGH ENERGIES.
(Measurement of total cross sections, elastic and inelastic scattering
meson production, and a search for new particles.)
+-----+
Request      19 Jul, 71      300 Hours with actual data taking of 160 hours
23 Jun, 72      490 Hours total with an additional 190 hours of data taking
Approval     4 Mar, 74      350 Hours with understanding that there will be a collaborative effort in
development and construction of equipment with exp# 263
28 Jun, 78      1,800 Hours approximately with the experiment to be considered complete by the
time of the fall 1978 shutdown
Completed    13 Nov, 78      1,950 Hours
=====
154  30-INCH HYBRID #154      Irwin A. Pless      BROWN UNIVERSITY
BEAM: Neutrino Area - 30 in. Hadron Beam      FERMILAB
TEST OF PROPORTIONAL WIRE CHAMBERS IN HYBRID SYSTEMS.      ILLINOIS INSTITUTE OF TECHNOLOGY
UNIVERSITY OF ILLINOIS, CHAMPAIGN
INDIANA UNIVERSITY
JOHNS HOPKINS UNIVERSITY
MASSACHUSETTS INST. OF TECHNOLOGY
OAK RIDGE NATIONAL LABORATORY
RUTGERS UNIVERSITY
STEVENS INSTITUTE OF TECHNOLOGY
UNIVERSITY OF TENNESSEE, KNOXVILLE
YALE UNIVERSITY
+-----+
Request      23 Jun, 71      2,000 K Pix
Approval     27 Aug, 71      20 K Pix with understanding that work will be done in two phases.
Phase I - design, construction, installation, and initial operation
of upstream tagging system
Phase II - use of downstream PWC's for feasibility test run of 20K pix
6 Aug, 73      120 K Pix with additional 100K pix to be taken with single type incident
particles at a given energy
Completed    13 Mar, 74      105 K Pix of pi- - p @ 150 GeV
=====
155  15-FOOT EMI TEST #155      Vincent Z. Peterson      UNIVERSITY OF HAWAII AT MANOA
BEAM: Neutrino Area - Wide Band Horn      LAWRENCE BERKELEY LABORATORY
PROPOSAL TO DEVELOP A PHASE I EXTERNAL MUON IDENTIFIER (EMI) FOR USE WITH THE NAL 30
CUBIC METER BUBBLE CHAMBER.
+-----+
Request      15 Jul, 71      Test Running
Approval     27 Aug, 71      Parasitic Running with understanding that completion of Phase I will include tests in
neutrino beam with 15-ft bubble chamber in operation and number of
pix to be determined at a later date
17 Dec, 71      Parasitic Running with 100K pix to be taken from exp# 45A exposures taken when EMI was
operating; film containing about 200 events to be delivered as soon
as feasible to aid in preliminary tuneup and checking
26 Jun, 74      50 K Pix with formal approval for dedicated pictures to follow successful
analysis of 200 events from exp# 45A exposures
Completed    30 Nov, 74      14 K Pix
=====
156  EMULSION/PROTONS @ 200 #156      Kiyoshi Niu      AICHI UNIV. OF EDUCATION (JAPAN)
BEAM: Meson Area - Miscellaneous      KWANSEI GAKUIN UNIVERSITY (JAPAN)
STUDY OF SECONDARY PARTICLES PRODUCED BY 200 AND 500 GEV PROTONS IN EMULSION      NAGOYA UNIVERSITY (JAPAN)
CHAMBERS.      UNIVERSITY OF TOKYO (JAPAN)
YOKOHAMA NATIONAL UNIV. (JAPAN)
+-----+
Request      15 Aug, 71      Emulsion Exposure
Approval     1 Sep, 71      Emulsion Exposure
Completed    20 Sep, 72      13 Stack(s)
=====
161  30-INCH P - P&NE @ 300 #161      James Mapp      UNIVERSITY OF WISCONSIN - MADISON
BEAM: Neutrino Area - 30 in. Hadron Beam
PROPOSAL TO SURVEY HIGH ENERGY PROTON COLLISIONS IN NEON AND TO SEARCH FOR ANOMALOUS
PHOTON BUNDLES AT NAL.
+-----+
Request      13 Oct, 71      50 K Pix
Approval     6 Aug, 73      50 K Pix
Completed    25 Jun, 74      51 K Pix
=====
163A 30-INCH PI- - P&NE @ 200 #163A      William D. Walker      DUKE UNIVERSITY
BEAM: Neutrino Area - 30 in. Hadron Beam      UNIVERSITY OF NORTH CAROLINA
PROPOSAL FOR A STUDY OF THE INTERACTION OF HIGH ENERGY PI- WITH NEON.
+-----+
Request      4 Dec, 71      50 K Pix
Approval     19 Jul, 72      50 K Pix
Completed    18 Jun, 74      52 K Pix
=====
171  EMULSION/PROTONS @ 200 #171      Jere J. Lord      UNIVERSITY OF WASHINGTON
BEAM: Meson Area - Miscellaneous
PROPOSED EMULSION EXPERIMENT SEARCH FOR SHORT LIVED PARTICLES AT HIGH ENERGIES.
+-----+
Request      10 May, 72      Emulsion Exposure
Approval     1 Aug, 72      Emulsion Exposure
Completed    20 Sep, 72      6 Stack(s)
=====

```

172	15-FOOT ANTI-NEUTRINO/H2&NE#172 BEAM: Neutrino Area - Wide Band Horn ANTINEUTRINO INTERACTIONS IN THE 15-FOOT H2-NEON BUBBLE CHAMBER.	Henry J. Lubatti	UNIV. OF CALIFORNIA, BERKELEY UNIVERSITY OF HAWAII AT MANOA LAWRENCE BERKELEY LABORATORY UNIVERSITY OF WASHINGTON
	Request	16 May, 72	50 K Pix
	Approval	19 Jul, 72	50 K Pix
	Completed	25 May, 76	49 K Pix
177A	PROTON-PROTON ELASTIC #177A BEAM: Proton Area - West EARLY MEASUREMENT OF HIGH ENERGY P P LARGE ANGLE ELASTIC SCATTERING.	Jay Orear	CORNELL UNIVERSITY LEBEDEV PHYSICAL INST. (RUSSIA) MCGILL UNIVERSITY (CANADA) NORTHEASTERN UNIVERSITY
	Request	12 Jun, 72	100 Hours for initial run
	Approval	27 Oct, 72	700 Hours total with additional 600 hours for data
	Approval	13 Aug, 73	100 Hours for Phase I; counter tests to demonstrate success of proposed technique
	Request	28 Jun, 76	700 Hours with 600 hours additional for data
	Request	19 Nov, 76	1,500 Hours with additional 800 hours to collect data at 200 GeV and 400 GeV to t-values of 18 GeV squared; completion of run expected by 15 Feb 1977
	Request	7 Mar, 77	2,200 Hours with additional 700 hours to collect data in high t region with completion of experiment expected at end of April 1977
	Completed	19 Apr, 77	2,400 Hours
178	MULTIPLICITIES #178 BEAM: Meson Area - M6 Beam A STUDY OF THE AVERAGE MULTIPLICITY AND MULTIPLICITY DISTRIBUTIONS IN HADRON-NUCLEUS COLLISIONS AT HIGH ENERGIES. (Using Cerenkov counter pulse height analysis.)	Wit Busza	CARELTON UNIVERSITY (CANADA) FERMILAB MASSACHUSETTS INST. OF TECHNOLOGY
	Request	16 Jun, 72	60 Hours including 20 hours for tests
	Approval	6 Aug, 73	100 Hours with understanding that running will be on a parasitic basis during tuning of M6 beam line by exp# 96
	Request	25 Oct, 74	200 Hours with an additional 100 hours of running in the M6 beam line
	Completed	14 Aug, 75	800 Hours
180	15-FOOT ANTI-NEUTRINO/H2&NE#180 BEAM: Neutrino Area - Wide Band Horn A STUDY OF ANTINEUTRINO INTERACTIONS IN THE NAL 15-FOOT BUBBLE CHAMBER, FILLED WITH HYDROGEN AND NEON.	Pavel F. Ermolov	FERMILAB UNIVERSITY OF MICHIGAN - ANN ARBOR ITEP, MOSCOW (RUSSIA) IHEP, PROTIVNO (SERPUKHOV) (RUSSIA)
	Request	23 Jun, 72	200 K Pix
	Approval	11 Jul, 72	50 K Pix of antineutrinos to run before exp# 172 and to have first choice of the two H2/neon mixtures
	Request	29 Jun, 76	200 K Pix including an additional 150K pix; with the expectation that the experiment will involve a total of 500K pix
	Approved/Inactive	1 Jun, 77	273 K Pix as of 01 Jun 1977
181	EMULSION/PROTONS @ 300 #181 BEAM: Neutrino Area - Miscellaneous THE DIRECT PRODUCTION OF ELECTRON PAIRS IN NUCLEAR EMULSION BY 100 AND 200 GEV PROTONS.	Arthur S. Cary	HARVEY MUDD COLLEGE
	Request	27 Jul, 72	Emulsion Exposure
	Approval	15 Nov, 72	Emulsion Exposure
	Completed	20 Oct, 73	3 Stack(s)
183	EMULSION/PROTONS @ 200 #183 BEAM: Meson Area - Miscellaneous A PROPOSAL OF THE PHOTOEMULSION EXPERIMENT AT THE NATIONAL ACCELERATOR LABORATORY (BATAVIA).	M. I. Tretjakova	LEBEDEV PHYSICAL INST. (RUSSIA)
	Request	7 Jul, 72	Emulsion Exposure
	Approval	1 Aug, 72	Emulsion Exposure
	Completed	20 Sep, 72	3 Stack(s)
184	PARTICLE SEARCH #184 BEAM: Internal Target Area (C-0) SEARCH FOR A NEW CLASS OF PENETRATING MASSIVE PARTICLES AT C-0.	Peter J. Wanderer	UNIVERSITY OF CHICAGO HARVARD UNIVERSITY UNIVERSITY OF PENNSYLVANIA UNIVERSITY OF WISCONSIN - MADISON
	Request	14 Sep, 72	Unspecified
	Approval	5 Oct, 72	400 Hours with installation to begin at time of removal of exp# 120 and extending for a period of one month
	Request	6 Aug, 73	600 Hours with approval for occupancy at C-0 for 6 weeks
	Request	22 Feb, 74	760 Hours with an authorized extension of 160 hours
	Completed	29 May, 74	800 Hours
186	PROTON-DEUTERON SCATTERING #186 BEAM: Internal Target Area (C-0) A PROPOSAL TO STUDY SMALL ANGLE PROTON-DEUTERON SCATTERING. (Using a gas jet target with deuterium and the internal proton beam; t from 0.001 - 0.020.)	Adrian Melissinos	FERMILAB JINR, DUBNA (RUSSIA) UNIVERSITY OF ROCHESTER ROCKEFELLER UNIVERSITY
	Request	19 Oct, 72	400 Hours
	Approval	1 Nov, 72	400 Hours
	Completed	19 Aug, 74	450 Hours
187	PARTICLE SEARCH #187 BEAM: Proton Area - Center PHASE 0.8 - SEARCH FOR LONG-LIVED MASSIVE OBJECTS (HIGH ENERGY CALIBRATION RUN). (Relying on r.f. bunching and time of flight measurement.)	Leon M. Lederman	COLUMBIA UNIVERSITY FERMILAB
	Request	5 Sep, 72	Unspecified
	Approval	30 Oct, 72	100 Hours
	Completed	6 Nov, 73	200 Hours
188	PROTON-NUCLEON INCLUSIVE #188 BEAM: Internal Target Area (C-0) A PROPOSAL TO MEASURE CROSS SECTIONS FOR P-P TO P-X, N-X AS A FUNCTION OF S AND MX SQUARED USING THE INTERNAL TARGET FACILITY AT NAL.	Felix Sannes	UNIV. OF ILLINOIS, CHICAGO CIRCLE IMPERIAL COLLEGE (ENGLAND) RUTGERS UNIVERSITY UPSALA COLLEGE
	Request	25 Oct, 72	200 Hours
	Approval	1 Nov, 72	200 Hours
	Completed	9 May, 73	1,050 Hours

189	EMULSION/PROTONS @ 200 #189	David Ritson	STANFORD UNIVERSITY
	BEAM: Meson Area - Miscellaneous NUCLEAR EMULSION EXPOSURES TO 400 GEV. (For student laboratory use.)		
	+-----+		
	Request	16 Oct, 72	Emulsion Exposure
	Approval	2 Nov, 72	Emulsion Exposure
	Completed	20 Sep, 72	2 Plate(s)
194	30-INCH P - D @ 100 #194	C. Thornton Murphy	CARNEGIE-MELLON UNIVERSITY FERMILAB UNIVERSITY OF MICHIGAN - ANN ARBOR SUNY AT STONY BROOK
	BEAM: Neutrino Area - 30 in. Hadron Beam PROPOSAL TO STUDY PROTON-DEUTERON INTERACTIONS IN THE 30-INCH BUBBLE CHAMBER.		
	+-----+		
	Request	13 Nov, 72	200 K Pix
	Approval	1 Mar, 74	100 K Pix in bare chamber with downstream chamber data if it can be arranged
	Completed	20 Aug, 76	92 K Pix
195	EMULSION/PROTONS @ 300 #195	Yu K. Lim	CRFC, CAMBRIDGE EMMANUEL COLLEGE MISSISSIPPI STATE UNIVERSITY UNIVERSITY OF SINGAPORE(SINGAPORE)
	BEAM: Neutrino Area - Miscellaneous PROPOSAL TO MEASURE THE LIFETIME OF THE NEUTRAL PION.		
	+-----+		
	Request	13 Nov, 72	Emulsion Exposure
	Approval	15 Nov, 72	Emulsion Exposure
	Completed	10 Jun, 75	3 Stack(s)
196	30-INCH P - D @ 400 #196	Roderich J. Engelmann	CARNEGIE-MELLON UNIVERSITY FERMILAB UNIVERSITY OF MICHIGAN - ANN ARBOR SUNY AT STONY BROOK
	BEAM: Neutrino Area - 30 in. Hadron Beam PROTON-DEUTERON INTERACTIONS IN THE BARE 30-INCH BUBBLE CHAMBER.		
	+-----+		
	Request	13 Nov, 72	100 K Pix
	Approval	21 Mar, 74	100 K Pix in bare chamber with downstream chamber data if it can be arranged
	Completed	20 Oct, 75	109 K Pix
198A	PROTON-NUCLEON SCATTERING #198A	Stephen L. Olsen	IMPERIAL COLLEGE (ENGLAND) UNIVERSITY OF ROCHESTER RUTGERS UNIVERSITY
	BEAM: Internal Target Area (C-0) A PROPOSAL FOR A MAGNETIC RECOIL SPECTROMETER FOR THE GAS JET TARGET. (Use of the gas jet target with H2 and D2 to study p - p and p - d scattering with the internal proton beam; t from 0.15 - 3.0.)		
	+-----+		
	Request	22 Dec, 72	800 Hours
	Approval	22 Mar, 74	800 Hours contingent on construction of C-0 extension
		26 Jun, 74	800 Hours with the understanding that concurrent running with exp# 313 be arranged whenever possible
	Completed	19 Apr, 77	900 Hours
199	MASSIVE PARTICLE SEARCH #199	Sherman Frankel	FERMILAB UNIVERSITY OF PENNSYLVANIA
	BEAM: Neutrino Area - Miscellaneous SEARCH FOR WEAKLY PRODUCED MASSIVE LONG LIVED PARTICLES AT NAL. (Using a threshold Cerenkov counter.)		
	+-----+		
	Request	21 Dec, 72	Target Exposure(s)
	Approval	15 Jan, 73	Target Exposure(s)
	Completed	22 Aug, 73	2 Targets Exposed
202	TACHYON MONOPOLE #202	David F. Bartlett	UNIVERSITY OF COLORADO AT BOULDER PRINCETON UNIVERSITY
	BEAM: Neutrino Area - Miscellaneous SEARCH FOR TACHYON MONOPOLES IN COSMIC RAYS ABOVE 15-FOOT BUBBLE CHAMBER. (Using magnet fringe field.)		
	+-----+		
	Request	1 Feb, 73	800 Hours of which half would be at zero field
	Approval	22 Aug, 73	Parasitic Running
	Completed	19 May, 76	Cosmic Ray Running
203A	MUON #203A	Leroy T. Kerth	UNIV. OF CALIFORNIA, BERKELEY FERMILAB LAWRENCE BERKELEY LABORATORY PRINCETON UNIVERSITY
	BEAM: Neutrino Area - Muon/Hadron Beam FEASIBLE SEARCH FOR HEAVY NEUTRAL MUONS PREDICTED BY GAUGE THEORIES AND CONCURRENT MEASUREMENT OF DEEP-INELASTIC VIRTUAL COMPTON SCATTERING.		
	+-----+		
	Request	9 Mar, 73	600 Hours with muon beam intensity of 5×10 to the 6th per pulse
	Approval	26 Mar, 75	500 Hours with formal approval of 1×10 to the 18th protons
		23 Mar, 78	1,200 Hours with the expectation to run the experiment until about April 27, 1978
	Completed	18 May, 78	1,200 Hours
205A	EMULSION/MUONS @ 150 #205A	Osamu Kusumoto	KINKI UNIVERSITY (JAPAN) KOBE UNIVERSITY (JAPAN) OKAYAMA UNIVERSITY (JAPAN) OSAKA CITY UNIVERSITY (JAPAN) OSAKA SCIENCE EDUC. INST. (JAPAN) UNIVERSITY OF TOKYO (JAPAN)
	BEAM: Neutrino Area - Miscellaneous PHENOMENOLOGICAL STUDY OF MUON-NUCLEON COLLISION AT ENERGY MORE THAN 100 GEV IN EMULSION.		
	+-----+		
	Request	4 Apr, 73	Emulsion Exposure
	Approval	15 Jun, 73	Emulsion Exposure
	Completed	16 Oct, 73	2 Stack(s)
209	30-INCH P - D @ 300 #209	Fu Tak Dao	CALIFORNIA INSTITUTE OF TECHNOLOGY IOWA STATE UNIVERSITY TUFTS UNIVERSITY VANDERBILT UNIVERSITY
	BEAM: Neutrino Area - 30 in. Hadron Beam A STUDY OF 300 GEV/C P D INTERACTIONS IN THE THIRTY-INCH BUBBLE CHAMBER.		
	+-----+		
	Request	1 May, 73	50 K Pix
	Approval	21 Mar, 74	100 K Pix in bare chamber with downstream chamber data if it can be arranged
	Completed	7 Oct, 76	106 K Pix
211	BEAM DUMP #211	Klaus Goebel	CERN (SWITZERLAND) FERMILAB
	BEAM: Neutrino Area - Miscellaneous PROPOSAL FOR RADIATION MEASUREMENTS AROUND A PROTON BEAM DUMP AT 300 GEV. (Early measurements to confirm calculations for CERN; very reduced version of exp #108.)		
	+-----+		
	Request	18 Apr, 73	10 Hours with a total of 10 to the 15th protons
	Approval	20 Apr, 73	10 Hours
	Completed	14 Nov, 73	2 Hours

216	FORM FACTOR #216 BEAM: Meson Area - M1 Beam A MEASUREMENT OF THE PION FORM FACTOR BY DIRECT PION-ELECTRON SCATTERING.	Donald H. Stork	UNIV. OF CALIFORNIA, LOS ANGELES FERMILAB JINR, DUBNA (RUSSIA) NOTRE DAME UNIVERSITY UNIVERSITY OF PITTSBURGH
	Request 25 May, 73 630 Hours Approval 6 Aug, 73 100 Hours for testing and running at 100 GeV to assess background effects 7 Jul, 75 600 Hours with additional 500 hours of running in M-1 beam line and encouragement to select a single high energy for measurement		
	Completed 1 Oct, 75 900 Hours		
217	30-INCH PI+ & P - P @ 200 #217 BEAM: Neutrino Area - 30 in. Hadron Beam A COMPARISON OF 100 GEV AND 200 GEV PI+ - P INTERACTIONS.	Richard L. Lander	UNIV. OF CALIFORNIA, DAVIS LAWRENCE BERKELEY LABORATORY SLAC
	Request 29 May, 73 50 K Pix Approval 6 Aug, 73 50 K Pix Completed 15 May, 74 85 K Pix		
218	30-INCH PI- - D @ 200 #218 BEAM: Neutrino Area - 30 in. Hadron Beam PION-DEUTERON INTERACTIONS AT 200 GEV/C.	Philip Marvin Yager	UNIV. OF CALIFORNIA, DAVIS INP, KRAKOW (POLAND) WARSAW UNIVERSITY, INP, (POLAND) UNIVERSITY OF WASHINGTON
	Request 29 May, 73 50 K Pix Approval 21 Mar, 74 50 K Pix in bare chamber with downstream chamber data if it can be arranged Completed 18 Sep, 74 72 K Pix		
221	PROTON-PROTON INELASTIC #221 BEAM: Internal Target Area (C-0) P - P INELASTIC SCATTERING IN THE DIFFRACTIVE REGION. (Continuation of experiment #14A.)	Paolo Franzini	COLUMBIA UNIVERSITY SUNY AT STONY BROOK
	Request 8 Jun, 73 400 Hours including 200 hours of setup and tuning Approval 6 Aug, 73 400 Hours Completed 5 Sep, 74 950 Hours		
226	K ZERO CHARGE RADIUS #226 BEAM: Meson Area - M4 Beam COHERENT K-SHORT REGENERATION BY ELECTRONS.	Valentine L. Telegdi	UNIVERSITY OF CHICAGO LHE, ETH HONGGERBERG (SWITZERLAND) UNIVERSITY OF WISCONSIN - MADISON
	Request 12 Jun, 73 720 Hours 15 Nov, 74 2,100 Hours total for Phase 1, 500 hours in M4 line; and Phase 2, 1600 hours in M3 line Approval 22 Nov, 74 500 Hours 30 Jun, 76 600 Hours with a total of 800 hours approved for the combination of E-486 and E-226 Completed 17 Mar, 77 1,200 Hours		
228	30-INCH PI+ & P - P @ 60 #228 BEAM: Neutrino Area - 30 in. Hadron Beam PROPOSAL TO EXTEND THE ENERGY RANGE OF A STUDY OF MULTIPARTICLE PRODUCTION IN P - P COLLISIONS. (Request for the remaining pictures for exp #252 to be with a momentum of 60 GeV/c.)	Thomas Ferbel	UNIVERSITY OF MICHIGAN - ANN ARBOR UNIVERSITY OF ROCHESTER
	Request 16 Jun, 73 25 K Pix 20 Feb, 74 35 K Pix total with a pi/p ratio of 5/3 Approval 6 Aug, 73 25 K Pix in bare chamber with tagged beam 14 Mar, 74 35 K Pix including additional 10K pix and a pi/p ratio of about 5/3 Completed 15 Apr, 74 37 K Pix		
229	DETECTOR DEVELOPMENT #229 BEAM: Meson Area - M1 Beam A PROPOSAL FOR TESTING A TRANSITION RADIATION DETECTOR AT NAL.	Luke C. L. Yuan	BROOKHAVEN NATIONAL LABORATORY
	Request 19 Jun, 73 100 Hours Approval 23 Aug, 73 Parasitic Running for about 200 hours Completed 16 Nov, 74 300 Hours		
230	MULTIGAMMA #230 BEAM: Meson Area - M3 Beam A SEARCH FOR "SCHEIN EVENTS" AND EVENTS WITH A HIGH MULTIPLICITY OF GAMMAS.	Michael J. Longo	UNIVERSITY OF MICHIGAN - ANN ARBOR
	Request 25 Jun, 73 40 Hours Approval 6 Aug, 73 40 Hours with restriction that wide gap chambers will not cause any interference with other experiments in the area Completed 24 Apr, 74 50 Hours		
232	EMULSION/PROTONS @ 300 #232 BEAM: Neutrino Area - Miscellaneous 400-GEV PROTONS ON COMPLEX NUCLEI.	David T. King	UNIVERSITY OF TENNESSEE, KNOXVILLE
	Request 6 Jul, 73 Emulsion Exposure Approval 16 Aug, 73 Emulsion Exposure Completed 20 Oct, 73 2 Stack(s)		
233	EMULSION/PROTONS @ 300 #233 BEAM: Neutrino Area - Miscellaneous 300 GEV (AND 400 GEV) PROTON INTERACTIONS IN NUCLEAR EMULSION.	Jacques D. Hebert	UNIVERSITY OF BARCELONA (SPAIN) UNIVERSITY OF BELGRADE (YUGOSLAVIA) IAP, BUCHAREST (ROMANIA) CRN, STRASBOURG (FRANCE) FERMILAB UNIVERSITY OF LUND (SWEDEN) MCGILL UNIVERSITY (CANADA) UNIVERSITY OF NANCY (FRANCE) UNIVERSITY OF OTTAWA (CANADA) UNIV. OF PARIS VI, LPG (FRANCE) UNIVERSITY OF QUEBEC (CANADA) LRC, LYON (FRANCE) INFN, ROME (ITALY) IFC, VALENCIA (SPAIN)
	Request 16 Jul, 73 Emulsion Exposure Approval 16 Aug, 73 Emulsion Exposure Completed 20 Oct, 73 8 Stack(s)		
234	15-FOOT ENGINEERING RUN #234 BEAM: Neutrino Area - 15 ft. Hadron Beam AN ENGINEERING RUN FOR THE NAL 15-FOOT CRYOGENIC BUBBLE CHAMBER.	Fred Russell Huson	FERMILAB FLORIDA STATE UNIVERSITY
	Request 1 Aug, 73 50 K Pix Approval 6 Aug, 73 50 K Pix Completed 5 Nov, 74 57 K Pix of pi- - p interactions at 250 GeV/c		

236A	HADRON JETS #236A BEAM: Meson Area - M1 Beam A PROPOSAL TO EXPLORE THE LARGE-PT DOMAIN: INCLUSIVE CROSS SECTIONS AND POSSIBLE JET STRUCTURE.	Paul M. Mockett	FERMILAB TUFTS UNIVERSITY UNIVERSITY OF WASHINGTON
	Request	13 Aug, 73	550 Hours for tests and data
		16 Dec, 76	1,150 Hours including an additional 400 hours for data and 200 hours for tests
	Approval	22 Jan, 74	550 Hours
		1 Apr, 77	1,150 Hours including additional 600 hours to complete experiment during a six week running period
	Completed	20 Jul, 77	1,700 Hours
237	EMULSION/PROTONS @ 300 #237 BEAM: Neutrino Area - Miscellaneous EMULSION EXPOSURE TO 300 GEV PROTONS.	Jere J. Lord	UNIVERSITY OF WASHINGTON
	Request	14 Aug, 73	Emulsion Exposure
	Approval	11 Sep, 73	Emulsion Exposure
	Completed	10 Jun, 75	5 Stack(s)
238	EMULSION/PROTONS @ 400 #238 BEAM: Neutrino Area - Miscellaneous EMULSION EXPOSURE TO 400 GEV PROTONS.	Jere J. Lord	UNIVERSITY OF WASHINGTON
	Request	14 Aug, 73	Emulsion Exposure
	Approval	12 Mar, 74	Emulsion Exposure
	Completed	9 Dec, 75	9 Stack(s)
239	LONG-LIVED PARTICLES #239 BEAM: Neutrino Area - Miscellaneous PROPOSAL FOR A FURTHER SEARCH FOR LONG LIVED PARTICLES AT NAL. (With a Cerenkov counter looking at the neutrino target from the 90 degree monitor pipe.)	William Frati	FERMILAB UNIVERSITY OF PENNSYLVANIA
	Request	15 Jul, 73	Parasitic Running
	Approval	6 Dec, 73	Parasitic Running
	Completed	3 Feb, 74	350 Hours
242	EMULSION/PROTONS @ 300 #242 BEAM: Neutrino Area - Miscellaneous STUDY OF SECONDARY PARTICLES PRODUCED BY 300 GEV PROTONS IN EMULSION CHAMBERS.	Kiyoshi Niu	AICHI UNIV. OF EDUCATION (JAPAN) NAGOYA UNIVERSITY (JAPAN) YOKOHAMA NATIONAL UNIV. (JAPAN)
	Request	28 Sep, 73	Emulsion Exposure
	Approval	22 Nov, 73	Emulsion Exposure
	Completed	20 Oct, 73	2 Stack(s)
243	EMULSION/PROTONS @ 400 #243 BEAM: Neutrino Area - Miscellaneous STUDY OF SECONDARY PARTICLES PRODUCED BY 400 GEV PROTONS IN EMULSION CHAMBERS.	Kiyoshi Niu	AICHI UNIV. OF EDUCATION (JAPAN) KONAN UNIVERSITY (JAPAN) NAGOYA UNIVERSITY (JAPAN) YOKOHAMA NATIONAL UNIV. (JAPAN)
	Request	28 Sep, 73	Emulsion Exposure
	Approval	12 Mar, 74	Emulsion Exposure
	Completed	9 Dec, 75	7 Stack(s)
244	EMULSION/PROTONS @ 300 #244 BEAM: Neutrino Area - Miscellaneous INTERACTION OF 300 GEV PROTONS IN NUCLEAR EMULSION.	Piyare L. Jain	SUNY AT BUFFALO
	Request	1 Oct, 73	Emulsion Exposure
	Approval	22 Nov, 73	Emulsion Exposure
	Completed	20 Oct, 73	1 Stack(s)
245	EMULSION/PROTONS @ 400 #245 BEAM: Neutrino Area - Miscellaneous INTERACTION OF 400 GEV PROTONS IN NUCLEAR EMULSION.	Piyare L. Jain	SUNY AT BUFFALO
	Request	1 Oct, 73	Emulsion Exposure
	Approval	3 Mar, 74	Emulsion Exposure
	Completed	9 Dec, 75	1 Stack(s)
247	PARTICLE SEARCH #247 BEAM: Neutrino Area - Wide Band Horn A PROPOSED EXPERIMENT TO SEARCH FOR HEAVY LEPTONS. (Using a hybrid emulsion-spark chamber arrangement.)	Eric H. S. Burhop	UNIV. COLLEGE DUBLIN (IRELAND) FERMILAB UNIVERSITY OF LIBRE (BELGIUM) LONDON UNIVERSITY COLLEGE (ENGLAND) INFN, ROME (ITALY) UNIVERSITY OF STRASBOURG (FRANCE)
	Request	21 Sep, 73	1,000 Hours with request for a bombardment of 2 x 10 to the 18th protons
	Approval	2 Oct, 73	Unspecified but with expectation of test running for feasibility studies
		26 Mar, 75	1,000 Hours with formal approval for 2 x 10 to the 18th protons subject to the condition that running is compatible with exp# 310 and the 15-ft bubble chamber program
		11 Mar, 76	1,000 Hours with formal approval for 2 x 10 to the 18th protons and high priority
	Completed	18 May, 76	350 Hours
248	NEUTRON ELASTIC SCATTERING #248 BEAM: Meson Area - M3 Beam NEUTRON-PROTON DIFFRACTION SCATTERING UP TO 300 GEV. (Differential cross sections with t from 0.1 to 3.5; formerly referred to as exp #4II.)	Michael J. Longo	UNIVERSITY OF MICHIGAN - ANN ARBOR
	Request	15 May, 70	700 Hours as an estimate
	Approval	1 Aug, 70	400 Hours
	Completed	10 Dec, 76	2,400 Hours
249	EMULSION/PROTONS @ 400 #249 BEAM: Neutrino Area - Miscellaneous CRACOW EMULSION EXPOSURE TO 400 GEV PROTONS.	Wladyslaw Wolter	INP, KRAKOW (POLAND)
	Request	8 Oct, 73	Emulsion Exposure
	Approval	12 Mar, 74	Emulsion Exposure
	Completed	9 Dec, 75	3 Stack(s)

250	EMULSION/PROTONS @ 300 #250 BEAM: Neutrino Area - Miscellaneous PHENOMENOLOGICAL STUDY OF PROTON-NUCLEUS COLLISION AT NAL ENERGIES IN EMULSION (300 GEV). +-----+ Request 10 Oct, 73 Emulsion Exposure Approval 22 Nov, 73 Emulsion Exposure Completed 20 Oct, 73 1 Stack(s)	Osamu Kusumoto	KINKI UNIVERSITY (JAPAN) KOBE UNIVERSITY (JAPAN) OSAKA CITY UNIVERSITY (JAPAN) OSAKA SCIENCE EDUC. INST. (JAPAN) WAKAYAMA MEDICAL COLLEGE (JAPAN)
251	EMULSION/PROTONS @ 400 #251 BEAM: Neutrino Area - Miscellaneous PHENOMENOLOGICAL STUDY OF PROTON-NUCLEUS COLLISION AT NAL ENERGIES IN EMULSION (400 GEV). +-----+ Request 10 Oct, 73 Emulsion Exposure Approval 22 Oct, 73 Emulsion Exposure Completed 9 Dec, 75 3 Stack(s)	Osamu Kusumoto	KINKI UNIVERSITY (JAPAN) KOBE UNIVERSITY (JAPAN) OSAKA CITY UNIVERSITY (JAPAN) OSAKA SCIENCE EDUC. INST. (JAPAN) WAKAYAMA MEDICAL COLLEGE (JAPAN)
252	30-INCH P-P @ 100 #252 BEAM: Neutrino Area - 30 in. Hadron Beam STUDY OF MULTIPARTICLE PRODUCTION IN A 30-INCH BUBBLE CHAMBER. (Formerly known as experiment #138I.) +-----+ Request 10 May, 71 240 K Pix Approval 26 Aug, 71 50 K Pix in bare chamber with events where there is downstream spark chamber data to be shared with exp #2B Completed 6 Dec, 72 33 K Pix	Thomas Ferbel	UNIVERSITY OF MICHIGAN - ANN ARBOR UNIVERSITY OF ROCHESTER
253	NEUTRINO #253 BEAM: Neutrino Area - Wide Band Horn NEUTRINO-ELECTRON SCATTERING AT NAL. +-----+ Request 15 Oct, 73 Parasitic Running expected to total 1,000 hours Approval 7 Jul, 75 Parasitic Running Completed 7 Mar, 79 2,050 Hours	Luke W. Mo	IHEP, BEIJING (PRC) UNIVERSITY OF MARYLAND NATIONAL SCIENCE FOUNDATION UNIVERSITY OF OXFORD (ENGLAND) VIRGINIA TECH
254	NEUTRINO #254 BEAM: Neutrino Area - Dichromatic PROPOSAL TO SEARCH FOR A SECOND MUON NEUTRINO. (Dichromatic beam incident on target calorimeter with muon spectrometer of exp #21A; muon monitoring instrumentation will be added.) +-----+ Request 17 Oct, 73 300 Hours with total flux of 3 x 10 to the 17th protons Approval 22 Nov, 74 300 Hours with a formal approval for 3 x 10 to the 17th protons and the hope that running can be coordinated with exp# 21 Completed 15 Oct, 75 550 Hours	George R. Kalbfleisch	BROOKHAVEN NATIONAL LABORATORY CALIFORNIA INSTITUTE OF TECHNOLOGY FERMILAB PURDUE UNIVERSITY
255	EMULSION/MUONS @ 150 #255 BEAM: Neutrino Area - Miscellaneous EXPOSURE OF NUCLEAR EMULSIONS TO A BEAM OF 150 GEV MUONS AT THE NATIONAL ACCELERATOR LABORATORY. +-----+ Request 15 Oct, 73 Emulsion Exposure Approval 22 Oct, 73 Emulsion Exposure Completed 16 Oct, 73 1 Stack(s)	Piyare L. Jain	SUNY AT BUFFALO
258	PION INCLUSIVE #258 BEAM: Proton Area - West A PROPOSAL TO MEASURE PARTICLES PRODUCED AT HIGH TRANSVERSE MOMENTUM BY PIONS. +-----+ Request 22 Oct, 73 Unspecified Approval 26 Jun, 74 800 Hours contingent upon development of a suitable beam Completed 9 Jul, 79 1,500 Hours	Melvyn Jay Shochet	UNIVERSITY OF CHICAGO PRINCETON UNIVERSITY
260	HADRON JETS #260 BEAM: Meson Area - M6 Beam A PROPOSAL TO STUDY HIGH PT PHYSICS WITH A MULTIPARTICLE SPECTROMETER. +-----+ Request 26 Oct, 73 650 Hours Approval 9 Aug, 76 1,150 Hours including an extension of 500 hours to complete the experiment to come out of the 800 hours previously approved for exp# 110A 16 Nov, 73 200 Hours for data including an additional 750 hours with the understanding that the commitment to the experiment is to be complete before a shutdown in September 1976 13 Aug, 76 950 Hours Completed 20 Sep, 76 2,300 Hours	Donald W. McLeod	CALIFORNIA INSTITUTE OF TECHNOLOGY UNIV. OF CALIFORNIA, LOS ANGELES FERMILAB UNIV. OF ILLINOIS, CHICAGO CIRCLE INDIANA UNIVERSITY MAX-PLANCK INSTITUTE (GERMANY)
261	DETECTOR DEVELOPMENT #261 BEAM: Meson Area - M1 Beam PROPOSAL TO TEST TRANSITION COUNTERS AT NAL. +-----+ Request 26 Oct, 73 Parasitic Running expected to total 200 hours Approval 17 Jan, 74 Parasitic Running for about 200 hours Completed 20 Nov, 74 600 Hours	Ching Lin Wang	BROOKHAVEN NATIONAL LABORATORY FERMILAB
262	NEUTRINO #262 BEAM: Neutrino Area - Dichromatic NEUTRAL CURRENT INVESTIGATION AT NAL. (Using the Dichromatic beam, target calorimeter, and spectrometer of exp. #21A.) +-----+ Request 28 Oct, 73 300 Hours to include 3 x 10 to the 17th protons Approval 16 Nov, 73 300 Hours with understanding that this will include 3 x 10 to the 17th protons Completed 20 Mar, 74 400 Hours	Barry C. Barish	CALIFORNIA INSTITUTE OF TECHNOLOGY FERMILAB
264	EMULSION/PI- @ 200 #264 BEAM: Neutrino Area - Miscellaneous EXPOSURE OF EMULSIONS TO 200-300 GEV PI- FOR NEW DETERMINATION OF MEAN LIFE OF PI ZERO. +-----+ Request 31 Oct, 73 Emulsion Exposure Approval 12 Mar, 74 Emulsion Exposure Completed 7 Oct, 74 2 Stack(s)	Poh Shien Young	MISSISSIPPI STATE UNIVERSITY UNIVERSITY OF TENNESSEE, KNOXVILLE

265	EMULSION/PROTONS @ 400 #265 BEAM: Neutrino Area - Miscellaneous EXPOSURE OF EMULSIONS TO 400 GEV PROTONS FOR NEW DETERMINATION OF MEAN LIFE OF PI ZERO.	Poh Shien Young	CRFC, CAMBRIDGE MISSISSIPPI STATE UNIVERSITY
	Request 31 Oct, 73 Emulsion Exposure Approval 12 Mar, 74 Emulsion Exposure Completed 9 Dec, 75 3 Stack(s)		
268	INCLUSIVE PROTON #268 BEAM: Meson Area - M2 Beam A PROPOSAL TO STUDY MESON PRODUCTION AT LARGE P- TRANSVERSE WITH A GAMMA RAY DETECTOR. (Induced by protons @ 300 GeV and by pi+- @ 100 and 200 GeV; using photon detector of exp #111.)	Joel Mellema	BROOKHAVEN NATIONAL LABORATORY CALIFORNIA INSTITUTE OF TECHNOLOGY LAWRENCE BERKELEY LABORATORY
	Request 5 Nov, 73 900 Hours total with an initial run of 500 hours 3 Nov, 75 1,200 Hours including a three-week extension Approval 21 Mar, 74 100 Hours of running in diffracted proton beam to demonstrate feasibility 26 Jun, 74 100 Hours with formal approval for parasitic running using a pion beam in front of exp# 51 22 Nov, 74 600 Hours including an additional 500 hours of running in a pion beam 10 Nov, 75 900 Hours including an additional three week run to obtain data at a forward angle with a 200 GeV beam Completed 11 Feb, 76 1,850 Hours		
271	EMULSION/PROTONS @ 200 #271 BEAM: Neutrino Area - Miscellaneous MULTIPARTICLE PRODUCTION IN NUCLEI BY PROTONS OF SEVERAL HUNDRED GEV. (Using target materials consisting of fine wires imbedded in emulsion or foils covering the emulsion; 200 GeV exposure.)	Kurt Gottfried	IAP, BUCHAREST (ROMANIA) CERN (SWITZERLAND) CORNELL UNIVERSITY UNIVERSITY OF LUND (SWEDEN)
	Request 30 Nov, 73 Emulsion Exposure Approval 16 Jan, 74 Emulsion Exposure Completed 10 Jun, 75 10 Stack(s)		
272	HADRON DISSOCIATION #272 BEAM: Meson Area - M1 Beam PROPOSAL TO MEASURE COHERENT DISSOCIATION OF PI-, K-, AND PBAR INTO TWO-BODY SYSTEMS AT FERMILAB ENERGIES.	Thomas Ferbel	BROOKHAVEN NATIONAL LABORATORY FERMILAB UNIVERSITY OF MINNESOTA UNIVERSITY OF ROCHESTER
	Request 3 Dec, 73 600 Hours 9 Jun, 75 900 Hours total with the additional 300 hours of data taking at 150 and 300 GeV/c incident momentum Approval 7 Jul, 75 600 Hours Completed 3 Dec, 79 1,950 Hours		
275	PLASTIC DETECTORS #275 BEAM: Neutrino Area - Miscellaneous EXPOSURE OF PLASTIC-DETECTOR STACKS TO A 300 GEV PROTON BEAM AT NAL.	Wolfgang Enge	CHRISTIAN-ALBRECHTS UNIV. (GERMANY)
	Request 17 Dec, 73 Detector Exposure Approval 20 Oct, 73 Detector Exposure Completed 20 Oct, 73 4 Stack(s)		
276	QUARK #276 BEAM: Neutrino Area - Miscellaneous A SEARCH FOR STABLE INTEGRALLY CHARGED MASSIVE PARTICLES (HAN-NAMBU QUARKS). (Mass spectroscopic analysis of irradiated target.)	Andreas Van Ginneken	ARGONNE NATIONAL LABORATORY UNIVERSITY OF CHICAGO FERMILAB
	Request 25 Jan, 74 Target Exposure(s) Approval 8 Jul, 74 Target Exposure(s) 30 Aug, 76 Target Exposure(s) with different chemicals and re-exposure of two previous samples Completed 2 Nov, 75 3 Targets Exposed		
279	EMULSION/PROTONS @ 400 #279 BEAM: Neutrino Area - Miscellaneous THE INTERACTION OF PA=PAE+E- AT 400 GEV.	David T. King	UNIVERSITY OF TENNESSEE, KNOXVILLE
	Request 28 Jan, 74 Emulsion Exposure Approval 12 Mar, 74 Emulsion Exposure Completed 9 Dec, 75 3 Stack(s)		
280	30-INCH P - D @ 200 #280 BEAM: Neutrino Area - 30 in. Hadron Beam PROPOSAL TO STUDY P - D INTERACTIONS AT 205 GEV/C IN THE 30-INCH BUBBLE CHAMBER.	Thomas H. Fields	ARGONNE NATIONAL LABORATORY CIPP (CANADA) JINR, DUBNA (RUSSIA) MOSCOW STATE UNIVERSITY (RUSSIA)
	Request 1 Feb, 74 100 K Pix Approval 21 Mar, 74 100 K Pix in bare chamber with downstream chamber data if it can be arranged Completed 11 Oct, 75 103 K Pix		
281	30-INCH HYBRID #281 BEAM: Neutrino Area - 30 in. Hadron Beam PROPOSAL TO STUDY HIGH ENERGY PROTON-PROTON AND PI-MINUS PROTON INTERACTIONS WITH THE NAL 30-INCH BUBBLE CHAMBER-WIDE GAP SPARK CHAMBER HYBRID SYSTEM.	Gerald A. Smith	IOWA STATE UNIVERSITY UNIVERSITY OF MARYLAND MICHIGAN STATE UNIVERSITY NOTRE DAME UNIVERSITY
	Request 1 Feb, 74 400 K Pix including 200K pix of p - p 300 GeV and 200K pix of pi- - p at highest momentum 25 Sep, 74 700 K Pix total including 300K pix of p - p @ 300 GeV, 100K pix of pi- - p @ 100 GeV, and 300K pix of pi- - p @ 375 GeV Approval 22 Nov, 74 300 K Pix in a combination of pi- and p bombardments at an energy greater than or equal to 300 GeV and with the understanding that following this run work with the wide gap chamber system will be terminated Completed 28 Sep, 75 301 K Pix of pi- - p interactions at 360 GeV/c		
284	PARTICLE PRODUCTION #284 BEAM: Proton Area - West SURVEY OF PARTICLE PRODUCTION IN PROTON COLLISIONS AT NAL. (Continuation of work begun in exp #63A.)	James K. Walker	FERMILAB NORTHEASTERN UNIVERSITY NORTHERN ILLINOIS UNIVERSITY
	Request 19 Feb, 74 Unspecified Approval 26 Jun, 74 750 Hours divided roughly as 150 hours for setup and testing and 150 hours each at the four energies of 100, 200, 300, and 400 GeV Completed 3 Oct, 76 1,150 Hours		

285	SUPER-HEAVY ELEMENTS #285 BEAM: Neutrino Area - Miscellaneous A SEARCH FOR A NEW STATE OF MATTER IN THE ANALYSIS OF AN NAL BEAM DUMP.	Leon M. Lederman	COLUMBIA UNIVERSITY FERMILAB
	Request	21 Feb, 74	Target Exposure(s)
	Approval	27 Feb, 74	Target Exposure(s)
	Completed	2 Aug, 76	3 Targets Exposed
288	DI-LEPTON #288 BEAM: Proton Area - Center A STUDY OF DI-LEPTON PRODUCTION IN PROTON COLLISIONS AT NAL. (Formerly known as exp #70 III.)	Leon M. Lederman	COLUMBIA UNIVERSITY FERMILAB SUNY AT STONY BROOK
	Request	21 Feb, 74	Unspecified
		10 May, 76	1,500 Hours additional for mu-mu II
		10 Nov, 77	4,500 Hours with a request for an additional 3,000 hours for high intensity and high resolution studies
	Approval	18 Jan, 74	1,000 Hours
		17 Nov, 76	2,500 Hours with additional 1,500 hours not to extend beyond 1 Sep 1977
		16 Nov, 77	5,500 Hours with an extension of about 3,000 hours until August 1978, and with a request for a progress report in May 1978
	Completed	23 Jul, 78	6,850 Hours
289	PROTON-HELIUM SCATTERING #289 BEAM: Internal Target Area (C-0) SMALL ANGLE PROTON-HELIUM ELASTIC AND INELASTIC SCATTERING FROM 8 TO 500 GEV. (Using an internal proton beam with a gas jet target.)	Ernest I. Malamud	UNIVERSITY OF ARIZONA FERMILAB JINR, DUBNA (RUSSIA)
	Request	1 Mar, 74	700 Hours
	Approval	22 Mar, 74	700 Hours conditional upon successful development of the helium jet technique
	Completed	8 Nov, 77	1,050 Hours
290	BACKWARD SCATTERING #290 BEAM: Meson Area - M6 Beam BACKWARD PION-PROTON ELASTIC SCATTERING. (For u from 0 - 0.8.)	Winslow F. Baker	UNIVERSITY OF ARIZONA FERMILAB
	Request	6 Mar, 74	1,100 Hours including 200 hours for testing
	Approval	22 Nov, 74	900 Hours
	Completed	31 Jul, 78	1,500 Hours
292	EMULSION/PROTONS @ 400 #292 BEAM: Neutrino Area - Miscellaneous MULTIPARTICLE PRODUCTION IN NUCLEI BY PROTONS OF SEVERAL HUNDRED GEV. (Using target materials consisting of fine wires imbedded in emulsion or foils covering the emulsion; 400 GeV exposure.)	Kurt Gottfried	IAP, BUCHAREST (ROMANIA) CERN (SWITZERLAND) CORNELL UNIVERSITY UNIVERSITY OF LUND (SWEDEN)
	Request	30 Nov, 73	Emulsion Exposure
	Approval	16 Jan, 74	Emulsion Exposure
	Completed	9 Dec, 75	12 Stack(s)
295	30-INCH PI+ & P - D @ 200 #295 BEAM: Neutrino Area - 30 in. Hadron Beam A STUDY OF PI+ - D INTERACTIONS AT 200 GEV/C IN THE 30-INCH BUBBLE CHAMBER AT NAL.	Gideon Yekutieli	CRM, STRASBOURG (FRANCE) FERMILAB WEIZMANN INSTITUTE (ISRAEL)
	Request	15 Mar, 74	50 K Pix of p - d @ 205 GeV
		14 Aug, 74	150 K Pix total including an additional 50K pix due to decreased yield of pi+ - d events
	Approval	21 Mar, 74	100 K Pix in bare chamber with downstream chamber data if it can be arranged; and with request that interest be switched from p - d to pi+ - d bombardment
		27 Aug, 74	150 K Pix with additional 50K pix to yield the requested number of pi+ - d
	Completed	2 Nov, 75	156 K Pix
297	QUARK #297 BEAM: Neutrino Area - 30 in. Hadron Beam QUARK SEARCH USING 400-500 GEV PROTONS. (By measuring ionization energy loss.)	Lawrence B. Leipuner	BROOKHAVEN NATIONAL LABORATORY
	Request	15 Apr, 74	24 Hours with beam of 5 x 10 to the 4th particles/pulse and a 200 msec spill
	Approval	15 May, 74	24 Hours
	Completed	10 Jul, 74	50 Hours
299	30-INCH HYBRID #299 BEAM: Neutrino Area - 30 in. Hadron Beam PRECISION STUDY OF HIGH ENERGY COLLISIONS INDUCED BY INCIDENT 150 GEV/C PIONS AND PROTONS. (Using the downstream PWC hybrid system.)	Irwin A. Pless	BROWN UNIVERSITY UNIVERSITY OF CAMBRIDGE (ENGLAND) FERMILAB ILLINOIS INSTITUTE OF TECHNOLOGY UNIVERSITY OF ILLINOIS, CHAMPAIGN INDIANA UNIVERSITY JOHNS HOPKINS UNIVERSITY UNIVERSITY OF L'ETAT (BELGIUM) MASSACHUSETTS INST. OF TECHNOLOGY SUNY AT ALBANY NIJMEGEN UNIVERSITY (NETHERLANDS) OAK RIDGE NATIONAL LABORATORY RUTGERS UNIVERSITY STEVENS INSTITUTE OF TECHNOLOGY UNIVERSITY OF TENNESSEE, KNOXVILLE YALE UNIVERSITY
	Request	16 May, 74	1,200 K Pix at 150 GeV equally split between study of p - p, pi- - p, and pi+ - p interactions
	Approval	22 Nov, 74	600 K Pix of pi- - p, p - p, and pi+ - p interactions at 150 GeV/c
		6 Aug, 76	500 K Pix to be pi+ - p @ 150 GeV/c in 30-inch bubble chamber with PWC hybrid system and with 100K pix of pi- - p now included in approval for exp# 393
		28 Oct, 76	660 K Pix with additional 160K pix from a collaboration with proposal #375 to provide an overall package of 500K pix to be taken in an enriched K+ mode; 160K pix already taken at this time
	Completed	22 Nov, 76	431 K Pix with 229K pix remaining to be taken under earlier approval when declared complete on 29 Jun 1977

300	PARTICLE SEARCH #300 BEAM: Proton Area - East STUDY OF PARTICLE PRODUCTION AT HIGH TRANSVERSE MOMENTA USING HYDROGEN AND DEUTERIUM TARGETS.	Pierre A. Piroué	UNIVERSITY OF CHICAGO PRINCETON UNIVERSITY
	Request	16 May, 74	1,200 Hours with a liquid hydrogen/deuterium target and at beam energies of 200, 300, 400, and 500 GeV
	Approval	26 Jun, 74	600 Hours with hydrogen target
	Completed	24 Apr, 76	750 Hours
305	NEUTRON DISSOCIATION #305 BEAM: Meson Area - M3 Beam PROPOSAL TO STUDY THE COHERENT DISSOCIATION OF NEUTRONS. (A continuation of work begun in exp #27A.)	Bruno Gobbi	FERMILAB NORTHWESTERN UNIVERSITY UNIVERSITY OF ROCHESTER SLAC
	Request	22 May, 74	1,200 Hours total to include one month of running every four months through calendar 1975
	Approval	26 Jun, 74	900 Hours without approval for the installation of the transmission target for H2 and D2 cross section measurements
	Completed	16 Dec, 74 14 Apr, 75	1,200 Hours with additional 300 hours for particle search 1,400 Hours
310	NEUTRINO #310 BEAM: Neutrino Area - Wide Band Horn FURTHER STUDY OF HIGH ENERGY NEUTRINO INTERACTIONS AT FERMILAB.	David B. Cline	FERMILAB HARVARD UNIVERSITY UNIVERSITY OF PENNSYLVANIA RUTGERS UNIVERSITY UNIVERSITY OF WISCONSIN - MADISON
	Request	4 Jun, 74 1 Feb, 78	Unspecified 1,200 Hours to include 2 x 10 to the 18th protons on target with the Wide Band Horn system focused for negatives without a plug and 2 x 10 to the 18th for positives
	Approval	22 Nov, 74 17 Nov, 76 15 Mar, 77	1,000 Hours with a formal approval for 2 x 10 to the 18th protons and the understanding that use will be made of a horn focusing system 1,000 Hours to also include running with the Quadrupole Triplet train for an exposure of 1 x 10 to the 18th protons during December 1976 2,500 Hours with formal additional approval as follows--1 - 2 x 10 to the 18th protons using the sign-selected-bare-target train understood to focus antineutrinos, and 2 x 10 to the 18th protons using the Quadrupole Triplet train load
	Completed	21 Mar, 78 31 Aug, 78	3,500 Hours with additional approval for a final run to complete the experiment during wide-band horn running for the 15-ft bubble chamber 3,800 Hours at the request of the experimenters, because it was felt that the conditions required to properly continue the experiment could not be met.
311	30-INCH PBAR - P @ 100 #311 BEAM: Neutrino Area - 30 in. Hadron Beam PROPOSAL TO STUDY MULTIPARTICLE PRODUCTION IN HIGH ENERGY ANTIPROTON-PROTON INTERACTIONS WITH THE FERMILAB 30-INCH BUBBLE CHAMBER.	William W. Neale	UNIVERSITY OF CAMBRIDGE (ENGLAND) FERMILAB MICHIGAN STATE UNIVERSITY
	Request	6 Jun, 74	100 K Pix with equal numbers of pbar and pi-
	Approval	26 Jun, 74	100 K Pix to be obtained with not more than 200K pulses of the chamber
	Completed	27 Jan, 75	98 K Pix
313	PROTON-PROTON POLARIZATION #313 BEAM: Internal Target Area (C-0) POLARIZATION IN P - P ELASTIC, INELASTIC AND INCLUSIVE REACTIONS AT FERMILAB ENERGIES. (Using a gas jet target with hydrogen, the internal proton beam, the spectrometer of exp #198A, and a new carbon polarimeter.)	Homer A. Neal	INDIANA UNIVERSITY
	Request	5 Jun, 74	1,500 Hours total with two jet pulses per cycle
	Approval	26 Jun, 74	1,000 Hours with about 800 hours of running on polarization in elastic scattering and about 200 hours of running to observe polarization in inelastic channels
	Completed	15 Mar, 77 30 Mar, 77	1,000 Hours with encouragement to use some of the remaining running to accumulate further data on polarization in inelastic processes; see proposal #522 850 Hours with some approved running remaining; see exp #522
317	PROTON-NUCLEON INELASTIC #317 BEAM: Internal Target Area (C-0) PROTON DIFFRACTION DISSOCIATION ON HYDROGEN AND DEUTERIUM. (Using the gas jet target and internal proton beam.)	Rodney L. Cool	UNIVERSITY OF ARIZONA FERMILAB JINR, DUBNA (RUSSIA) UNIVERSITY OF ROCHESTER ROCKEFELLER UNIVERSITY
	Request	7 Jun, 74	800 Hours for tests and data taking
	Approval	3 Jul, 74	800 Hours using gas jet with running to be interleaved with exp# 321
	Completed	1 Nov, 75	1,400 Hours
319	MUON #319 BEAM: Neutrino Area - Muon/Hadron Beam FURTHER TEST OF SCALING AT HIGH MOMENTUM TRANSFERS IN DEEP INELASTIC MUON SCATTERING. (A continued exploration of the studies begun in exp #26.)	K. Wendell Chen	FERMILAB MICHIGAN STATE UNIVERSITY
	Request	10 Jun, 74	1,100 Hours
	Approval	26 Mar, 75	500 Hours for a scaling test at high energies
	Completed	20 Sep, 76	900 Hours
320	NEUTRINO #320 BEAM: Neutrino Area - Dichromatic PROPOSAL TO MEASURE NEUTRAL CURRENT CROSS-SECTIONS AND ASSOCIATED INELASTIC DISTRIBUTIONS IN THE NARROW-BAND BEAM.	Frank J. Sciulli	CALIFORNIA INSTITUTE OF TECHNOLOGY FERMILAB
	Request	10 Jun, 74	1,200 Hours with request of 3 x 10 to the 18th protons total and initial run of 1 x 10 to the 18th protons for investigation
	Approval	26 Jun, 74	500 Hours with a formal approval for 1 x 10 to the 18th protons pending a positive finding of neutral currents and with the inclination to assign higher priority for running to exp# 320 than to completion of exp# 21
	Completed	1 Oct, 74	500 Hours

321	PROTON-PROTON INELASTIC #321	Juliet Lee-Franzini	COLUMBIA UNIVERSITY SUNY AT STONY BROOK
	BEAM: Internal Target Area (C-0) A HIGH PRECISION EXPERIMENT TO MEASURE THE INELASTIC P - P CROSS SECTION AND ITS ASSOCIATED FORWARD MULTIPLICITIES AT SMALL MOMENTUM TRANSFER. (Using a new hydrogen gas jet target and the internal proton beam.)		
	Request	11 Jun, 74	2,000 Hours total including 800 hours for testing
	Approval	3 Jul, 74	800 Hours with running to be interleaved with exp# 317 and using the existing cryogenic hydrogen jet
	Completed	26 Mar, 75 20 Sep, 76	800 Hours with approval to use a room temperature gas jet of their own design 1,900 Hours
324	INCLUSIVE SCATTERING #324	Howard L. Weisberg	UNIVERSITY OF PENNSYLVANIA
	BEAM: Meson Area - M1 Beam A PROPOSAL TO STUDY SINGLE PARTICLE INCLUSIVE SPECTRA IN HIGH ENERGY HADRON-HADRON COLLISIONS		
	Request	11 Apr, 74	1,000 Hours
	Approval	24 Jun, 74	500 Hours
	Completed	13 Aug, 77	1,200 Hours
325	PARTICLE SEARCH #325	Pierre A. Piroué	UNIVERSITY OF CHICAGO PRINCETON UNIVERSITY
	BEAM: Proton Area - East STUDY OF DI-MUON PRODUCTION AT HIGH TRANSVERSE MOMENTA.		
	Request	12 Jun, 74	Parasitic Running
	Approval	25 Nov, 74	Parasitic Running with the stipulation that this running time will be concurrent with the previously approved 600 hours for exp# 300
	Completed	6 May, 76 26 Oct, 76 28 Feb, 77	600 Hours for a portion of the program estimated to require 13 weeks and with the expectation to continue the experiment during another running period 1,200 Hours during a six-week running period to begin in January 1977 1,500 Hours
326	DI-MUON #326	Melvyn Jay Shochet	UNIVERSITY OF CHICAGO PRINCETON UNIVERSITY
	BEAM: Proton Area - West PROPOSAL TO MEASURE MUON PAIRS PRODUCED AT HIGH TRANSVERSE MOMENTUM BY PIONS.		
	Request	29 May, 74	Unspecified
	Approval	7 Jul, 75	400 Hours
	Completed	2 Feb, 77	800 Hours to be run in conjunction with exp #258 in the P-West pion beam by adding a second arm to the exp #258 spectrometer
	Approval	15 Mar, 77	800 Hours
	Completed	26 Apr, 82	2,000 Hours
327	DETECTOR DEVELOPMENT #327	Wade W. M. Allison	MASSACHUSETTS INST. OF TECHNOLOGY UNIVERSITY OF OXFORD (ENGLAND)
	BEAM: Neutrino Area - Miscellaneous PROPOSAL TO TEST PARTICLE IDENTIFICATION BY IONIZATION LOSS (ISIS).		
	Request	15 Jul, 74	400 Hours
	Approval	31 Jul, 74	50 Hours
	Completed	7 Feb, 75	50 Hours
328	EMULSION/PI- @ 200 #328	M. I. Tretjakova	LEBEDEV PHYSICAL INST. (RUSSIA)
	BEAM: Neutrino Area - Miscellaneous PROPOSAL TO STUDY THE INTERACTIONS OF PI- MESONS IN NUCLEAR EMULSION AT THE FERMILAB ACCELERATOR.		
	Request	5 Aug, 74	Emulsion Exposure
	Approval	5 Aug, 74	Emulsion Exposure
	Completed	7 Oct, 74	5 Stack(s)
329	EMULSION/PROTONS @ 300 #329	M. I. Tretjakova	LEBEDEV PHYSICAL INST. (RUSSIA)
	BEAM: Neutrino Area - Miscellaneous PROPOSAL TO STUDY THE INTERACTIONS OF PROTONS IN NUCLEAR EMULSION AT THE FERMILAB ACCELERATOR.		
	Request	5 Aug, 74	Emulsion Exposure
	Approval	3 Jun, 75	Emulsion Exposure
	Completed	10 Jun, 75	2 Stack(s)
330	PARTICLE SEARCH #330	H. Richard Gustafson	UNIVERSITY OF MICHIGAN - ANN ARBOR
	BEAM: Meson Area - M4 Beam SEARCH FOR MASSIVE NEUTRAL PARTICLES. (Using time-of-flight and a total absorption calorimeter.)		
	Request	6 Aug, 74	1,300 Hours to include 800 hours for tuneup parasitic to exp #305 and 500 hours for data
	Approval	22 Jan, 75	100 Hours
	Completed	7 Jul, 75	150 Hours
331	DI-MUON #331	James E. Pilcher	UNIVERSITY OF CHICAGO PRINCETON UNIVERSITY
	BEAM: Neutrino Area - Muon/Hadron Beam PROPOSAL FOR A DETAILED STUDY OF DI-MUON PRODUCTION. (Alternative version of expts #308 & #323 designed for muon laboratory cyclotron spectrometer.)		
	Request	10 Aug, 74	Unspecified
	Approval	25 Nov, 74	400 Hours for an initial run at an incident beam intensity of about 10 to the 6th particles/pulse
	Completed	22 Mar, 76	1,400 Hours
335	MUON SEARCH #335	Orrin D. Fackler	CALIFORNIA INSTITUTE OF TECHNOLOGY UNIVERSITY OF CHICAGO FERMILAB PRINCETON UNIVERSITY ROCKEFELLER UNIVERSITY
	BEAM: Meson Area - M1 Beam A SEARCH FOR DIRECT MUON PRODUCTION IN THE FORWARD DIRECTION.		
	Request	18 Aug, 74	200 Hours total including time for tests and data
	Approval	22 Nov, 74	200 Hours provided that this running time can be arranged in such a way as not to interfere substantially with the ongoing physics program in the M1 beam line
	Completed	6 Jun, 75	300 Hours

336	EMULSION/PROTONS @ 400 #336 BEAM: Neutrino Area - Miscellaneous MULTIPARTICLE PRODUCTION IN NUCLEON-NUCLEUS COLLISIONS AT 400 GEV. +-----+ Request 9 Sep, 74 Emulsion Exposure Approval 19 Oct, 74 Emulsion Exposure Completed 9 Dec, 75 2 Stack(s)	Takeshi Ogata	KWANSEI GAKUIN UNIVERSITY (JAPAN)
337	DI-MUON #337 BEAM: Meson Area - Miscellaneous MEASUREMENT OF DI-MUON EVENTS IN THE MESON AREA. +-----+ Request 20 Sep, 74 3 Hours Approval 27 Sep, 74 3 Hours Completed 7 Feb, 75 5 Hours	David P. Eartly	FERMILAB MAX-PLANCK INSTITUTE (GERMANY)
338	30-INCH PI- - D @ 360 #338 BEAM: Neutrino Area - 30 in. Hadron Beam PION-DEUTERON INTERACTIONS AT 400 GEV/C. +-----+ Request 21 Sep, 74 100 K Pix Approval 24 Sep, 74 50 K Pix in bare chamber with downstream chamber data if it can be arranged Completed 28 Aug, 76 53 K Pix	Keihachiro Moriyasu	UNIV. OF CALIFORNIA, DAVIS INP, KRAKOW (POLAND) WARSAW UNIVERSITY, INP, (POLAND) UNIVERSITY OF WASHINGTON
339	EMULSION/PI- @ 200 #339 BEAM: Neutrino Area - Miscellaneous CRACOW EMULSION EXPOSURE TO 200 GEV PIONS. +-----+ Request 12 Sep, 74 Emulsion Exposure Approval 1 Oct, 74 Emulsion Exposure Completed 9 Jun, 75 4 Stack(s)	Wladyslaw Wolter	INP, KRAKOW (POLAND)
340	EMULSION/ELECTRONS @ HI E #340 BEAM: Proton Area - Miscellaneous STUDY OF THE ELECTRON-PHOTON CASCADE SHOWER IN LEAD ABSORBER. +-----+ Request 25 Sep, 74 Emulsion Exposure Approval 10 Oct, 74 Emulsion Exposure Completed 5 Oct, 76 10 Stack(s)	Shoji Dake	KOBE UNIVERSITY (JAPAN) KONAN UNIVERSITY (JAPAN) SAITAMA UNIVERSITY (JAPAN) UNIVERSITY OF TOKYO (JAPAN) UTSUNOMIYA UNIVERSITY (JAPAN) WASEDA UNIVERSITY (JAPAN)
341	15-FOOT P - P @ 400 #341 BEAM: Neutrino Area - 15 ft. Hadron Beam INTERACTIONS OF PI+ MESONS AND PROTONS IN A HYDROGEN-NEON MIXTURE. +-----+ Request 1 Oct, 74 100 K Pix Approval 4 Dec, 74 25 K Pix of tagged pi+ and p at 150 GeV in H2 to develop analysis techniques for 15-foot bubble chamber film 8 Dec, 75 25 K Pix of p - p interactions at 400 GeV Completed 21 Dec, 75 34 K Pix	Winston Ko	UNIV. OF CALIFORNIA, DAVIS LAWRENCE BERKELEY LABORATORY
343	15-FOOT P - P @ 300 #343 BEAM: Neutrino Area - 15 ft. Hadron Beam PROPOSAL TO STUDY NEUTRAL PARTICLE PRODUCTION IN 250 GEV P - P INTERACTIONS IN THE FERMILAB 15-FOOT BUBBLE CHAMBER. +-----+ Request 3 Oct, 74 25 K Pix Approval 4 Dec, 74 25 K Pix Completed 13 Jan, 76 27 K Pix	Roderich J. Engelmann	ARGONNE NATIONAL LABORATORY UNIVERSITY OF KANSAS SUNY AT STONY BROOK TUFTS UNIVERSITY
344	30-INCH PBAR - P @ 50 #344 BEAM: Neutrino Area - 30 in. Hadron Beam PROPOSAL TO SURVEY CENTRAL COLLISIONS IN PBAR - P TO MESONS BETWEEN 30 AND 60 GEV/C IN THE 30-INCH BUBBLE CHAMBER AT FERMILAB. +-----+ Request 4 Oct, 74 100 K Pix to be taken in < 200K chamber expansions Approval 27 Nov, 74 100 K Pix with the qualification that it must be possible to obtain these pictures in no more than one calendar month of running time Completed 1 Nov, 76 145 K Pix	Laszlo J. Gutay	CNTRL RES INST, BUDAPEST (HUNGARY) FERMILAB PURDUE UNIVERSITY
345	30-INCH PBAR - D @ 100 #345 BEAM: Neutrino Area - 30 in. Hadron Beam PROPOSAL TO STUDY MULTIPARTICLE PRODUCTION IN 100 GEV/C ANTI-PROTON-DEUTERIUM INTERACTIONS WITH THE FERMILAB 30-INCH BUBBLE CHAMBER. +-----+ Request 5 Oct, 74 100 K Pix with a Cerenkov tagged incoming beam Approval 4 Dec, 74 100 K Pix with the qualification that serious consideration be given to the use* of the PWC downstream system Completed 7 Sep, 76 61 K Pix with 39K pix remaining to be taken under earlier approval when declared complete on 29 Jun 1977	Gosta Ekspong	UNIVERSITY OF LIVERPOOL (ENGLAND) UNIVERSITY OF STOCKHOLM (SWEDEN) VANDERBILT UNIVERSITY
346	EMULSION/PROTONS @ 400 #346 BEAM: Neutrino Area - Miscellaneous SEARCH FOR HEAVY, SHORTLIVED PARTICLES. +-----+ Request 6 Oct, 74 Emulsion Exposure Approval 21 Oct, 74 Emulsion Exposure Completed 9 Dec, 75 1 Stack(s)	Gosta Ekspong	UNIVERSITY OF STOCKHOLM (SWEDEN)
350	INCLUSIVE NEUTRAL MESON #350 BEAM: Meson Area - M2 Beam A PROPOSAL TO STUDY NEUTRAL PIONS AND MESON INCLUSIVE PRODUCTION WITH INCIDENT NEGATIVE PIONS IN THE TRIPLE REGGE REGION. (Using the photon detector of exp #111.) +-----+ Request 11 Oct, 74 500 Hours Approval 21 Nov, 74 400 Hours 16 Dec, 74 400 Hours with up to 150 hours approved for a particle search with the condition that this time be included within the 900 hours already approved for for expts# 268 and 350 Completed 24 Feb, 77 900 Hours	Robert W. Kenney	BROOKHAVEN NATIONAL LABORATORY CALIFORNIA INSTITUTE OF TECHNOLOGY LAWRENCE BERKELEY LABORATORY

356	NEUTRINO #356 BEAM: Neutrino Area - Dichromatic STUDIES OF DEEP INELASTIC DIFFERENTIAL DISTRIBUTIONS AT HIGH ENERGIES FOR NEUTRINO AND ANTI-NEUTRINO BEAMS. (A continuation of the work begun in exp #21A with a new narrow band beam and changed apparatus.)	Frank J. Sciulli	CALIFORNIA INSTITUTE OF TECHNOLOGY FERMILAB UNIVERSITY OF ROCHESTER ROCKEFELLER UNIVERSITY
	Request	18 Oct, 74	1,000 Hours
	Approval	22 Nov, 74	1,000 Hours with a formal commitment of 2 x 10 to the 18th protons contingent on the feasibility of developing the improved Dichromatic beam
	Completed	17 Jan, 79	1,350 Hours
357	PARTICLE SEARCH #357 BEAM: Meson Area - M2 Beam A PROPOSAL TO SEARCH FOR CHARMED PARTICLES AND MEASUREMENTS OF TWO-PARTICLE INCLUSIVE CROSS SECTIONS AT LARGE P-TRANSVERSE. (Employing a two-arm magnetic spectrometer.)	Donald I. Meyer	FERMILAB UNIVERSITY OF MICHIGAN - ANN ARBOR PURDUE UNIVERSITY
	Request	19 Oct, 74	2,400 Hours
	Approval	16 Dec, 74	600 Hours
	Completed	7 Jun, 76	1,700 Hours
358	DI-MUON #358 BEAM: Proton Area - East DI-MUON PRODUCTION BY NEUTRONS.	Wonyong Lee	COLUMBIA UNIVERSITY CORNELL UNIVERSITY FERMILAB UNIVERSITY OF HAWAII AT MANOA UNIVERSITY OF ILLINOIS, CHAMPAIGN
	Request	20 Oct, 74	Unspecified
	Approval	27 Nov, 74	300 Hours of neutron running to be interleaved within the 600 hours already approved for exp# 87A
	Completed	1 Oct, 75	400 Hours
361	LAMBDA BETA-DECAY #361 BEAM: Meson Area - M2 Beam PRECISION MEASUREMENT OF LAMBDA BETA DECAY PARAMETERS. (Will run with experimental set-up for neutral hyperon #8.)	Lee G. Pondrom	UNIVERSITY OF MICHIGAN - ANN ARBOR UNIVERSITY OF MINNESOTA RUTGERS UNIVERSITY UNIVERSITY OF WISCONSIN - MADISON
	Request	14 Nov, 74	300 Hours
		23 Jan, 76	350 Hours total including 150 hours in unpolarized lambda-zero beam and 200 hours in polarized lambda-zero beam
	Approval	15 Nov, 77	300 Hours
	Completed	29 Oct, 79	1,250 Hours
362	EMULSION/PI- @ 200 #362 BEAM: Neutrino Area - Miscellaneous INTERACTION OF 200 - 400 GEV PIONS WITH EMULSION NUCLEI.	Piyare L. Jain	SUNY AT BUFFALO
	Request	15 Nov, 74	Emulsion Exposure
	Approval	25 Nov, 74	Emulsion Exposure
	Completed	9 Jun, 75	1 Stack(s)
363	PARTICLE SEARCH #363 BEAM: Internal Target Area (C-0) A PROPOSAL TO SEARCH FOR CHARMED PARTICLE PRODUCTION NEAR THRESHOLD.	Stephen L. Olsen	FLORIDA STATE UNIVERSITY IMPERIAL COLLEGE (ENGLAND) UNIVERSITY OF ROCHESTER RUTGERS UNIVERSITY
	Request	24 Nov, 74	Unspecified
	Approval	16 Dec, 74	500 Hours of running with the rotating carbon filament target
	Completed	9 Apr, 75	650 Hours
365	PARTICLE SEARCH #365 BEAM: Meson Area - M2 Beam A PROPOSAL TO SEARCH FOR THE PRODUCTION OF CHARMED MESONS IN PI - P INTERACTIONS.	David A. Garelick	NORTHEASTERN UNIVERSITY
	Request	27 Nov, 74	200 Hours including 40 hours for testing
	Approval	31 Dec, 74	200 Hours during a two week run with a passive, nonmagnetized steel absorber to be used in conjunction with a muon trigger
	Completed	5 Feb, 75	200 Hours
366	PARTICLE SEARCH #366 BEAM: Meson Area - M3 Beam STUDY OF HEAVY, NARROW MESONS USING A MASS-FOCUSING SPECTROMETER. (Experiment consists mainly of rearranged components from exp #12.)	Maris A. Abolins	CARELTON UNIVERSITY (CANADA) FERMILAB MICHIGAN STATE UNIVERSITY OHIO STATE UNIVERSITY
	Request	27 Nov, 74	Unspecified
	Approval	16 Dec, 74	600 Hours for a particle search to be slanted particularly toward an identification of charmed mesons
		24 Nov, 75	1,200 Hours with an additional 600 hours to explore the possibility of a mass peak in the K- pi+ mass spectrum
	Completed	2 Jul, 76	2,500 Hours
369	PARTICLE SEARCH #369 BEAM: Neutrino Area - Muon/Hadron Beam A SEARCH FOR CHARMED PARTICLES. (Using the spectrometer originally developed for exp #98.)	Thomas B. W. Kirk	FERMILAB HARVARD UNIVERSITY UNIVERSITY OF ILLINOIS, CHAMPAIGN MAX-PLANCK INSTITUTE (GERMANY) TUFTS UNIVERSITY
	Request	9 Dec, 74	700 Hours for data with 300 pulses/hour and 1 x 10 to the 6th pi-/pulse
	Approval	17 Mar, 76	600 Hours
	Completed	13 Aug, 77	1,000 Hours
370	NEUTRINO #370 BEAM: Neutrino Area - Quadrupole Triplet CONTINUED SEARCH FOR NEW PARTICLE PRODUCTION USING THE EXP #1A DETECTOR.	David B. Cline	FERMILAB HARVARD UNIVERSITY UNIVERSITY OF PENNSYLVANIA UNIVERSITY OF WISCONSIN - MADISON
	Request	9 Dec, 74	500 Hours with a total of 1 x 10 to the 18th protons and a 1 msec spill
	Approval	7 Jul, 75	500 Hours with the hope of providing 1 x 10 to the 18th protons
	Completed	19 Mar, 75	400 Hours
371	SUPER-HEAVY ELEMENTS #371 BEAM: Meson Area - Miscellaneous INVESTIGATION OF THE PRODUCTION OF HEAVY FRAGMENTS INDUCED BY PARTICLES OF HIGH ENERGIES.	Mira Juric	UNIVERSITY OF BELGRADE(YUGOSLAVIA)
	Request	2 Dec, 74	Target Exposure(s)
	Approval	12 Mar, 75	Target Exposure(s)
	Completed	20 Dec, 75	2 Stack(s)

```

=====
373  EMULSION/MUONS @ 200 #373          Piyare L. Jain          SUNY AT BUFFALO
BEAM: Neutrino Area - Miscellaneous
INTERACTION OF 50 - 100 GEV MUONS WITH EMULSION NUCLEI.
+-----+
Request      8 Jul, 75  Emulsion Exposure
Approval    24 Sep, 76  Emulsion Exposure to muons @ 225 GeV/c and with an intensity not to exceed
                    50K particles/sq cm
Completed   22 Nov, 76  2 Stack(s)
=====
374  EMULSION/PROTONS @ 300 #374       D. H. Davis            UNIVERSITY OF BELGRADE (YUGOSLAVIA)
BEAM: Neutrino Area - Miscellaneous          UNIV. COLLEGE DUBLIN (IRELAND)
A PROPOSAL TO SEARCH FOR CHARMED PARTICLES ORIGINATING FROM INTERACTIONS OF 300 GEV/C  INP, KRAKOW (POLAND)
PROTONS IN EMULSION NUCLEI.                UNIVERSITY OF LIBRE (BELGIUM)
                                           LONDON UNIVERSITY COLLEGE (ENGLAND)
                                           THE OPEN UNIVERSITY (ENGLAND)
                                           INFN, ROME (ITALY)
                                           UNIVERSITY OF STRASBOURG (FRANCE)
                                           WARSAW UNIVERSITY, INP, (POLAND)
+-----+
Request      25 Jan, 74  Emulsion Exposure
Approval    12 Mar, 75  Emulsion Exposure with the understanding that exp# 374 will replace exp# 364
Completed   10 Jun, 75  1 Stack(s)
=====
379  PARTICLE SEARCH #379              Stanley G. Wojcicki    CALIFORNIA INSTITUTE OF TECHNOLOGY
BEAM: Neutrino Area - 15 ft. Hadron Beam    UNIVERSITY OF ROCHESTER
SEARCH FOR SHORT LIVED STATES DECAYING WEAKLY VIA LEPTONIC MODES.  STANFORD UNIVERSITY
+-----+
Request      5 Feb, 75  1,000 Hours
Approval    26 Mar, 75  200 Hours for testing and initial data taking
                    17 Nov, 76  600 Hours with 400 hours for high priority running and with the expectation
                    that a second 400 hour run will be approved if preliminary analysis
                    of initial results are satisfactory
                    15 Mar, 77  600 Hours with a hope of combining the two requested running periods into a
                    single block of running but with the understanding that the total
                    number of hours would be somewhat less than requested
Completed   8 Jun, 77  1,250 Hours
=====
380  15-FOOT NEUTRINO/HELIUM #380      Charles Baltay        BROOKHAVEN NATIONAL LABORATORY
BEAM: Neutrino Area - Dichromatic          COLUMBIA UNIVERSITY
STUDY OF THE PROPERTIES OF WEAK NEUTRAL CURRENTS IN THE INTERACTIONS OF A NARROW BAND
NEUTRINO BEAM IN LIQUID NEON.
+-----+
Request      6 Feb, 75  200 K Pix
Approval    7 Jul, 75  200 K Pix in a heavy neon-hydrogen mixture contingent upon the construction
                    and adequate performance of an improved narrow-band beam
                    24 Jun, 77  200 K Pix at higher energies using the D C Dichromatic train; new requests for
                    use of the Dichromatic horn to be considered later
Completed   31 Oct, 79  196 K Pix
=====
381  PROTON-NUCLEON SCATTERING #381    Ernest I. Malamud    UNIVERSITY OF ARIZONA
BEAM: Internal Target Area (C-0)          FERMILAB
MEASUREMENT OF THE REAL PART OF THE P - N AND P - P FORWARD SCATTERING AMPLITUDES;
PRODUCTION OF LOW MASS ISOBARS IN THE VERY SMALL MOMENTUM TRANSFER REGION.
(Uses gas jet target.)
+-----+
Request      20 Feb, 75  300 Hours
Approval    26 Mar, 75  300 Hours
Completed   30 Mar, 77  600 Hours
=====
382  PARTICLE SEARCH #382              Louis N. Hand         CORNELL UNIVERSITY
BEAM: Neutrino Area - Muon/Hadron Beam    FERMILAB
A SEARCH FOR CHARMED HADRONS PRODUCED BY MUON DEEP INELASTIC SCATTERING IN TAGGED
NUCLEAR EMULSIONS.
(Using drift chambers to locate events and reduce scanning time.)
+-----+
Request      21 Feb, 75  Emulsion Exposure
Approval    26 Mar, 75  Emulsion Exposure with a provision that it does not seriously interfere with the rest
                    of the muon and neutrino program
                    24 Nov, 75  Emulsion Exposure with a bombardment of five days duration during December 1975
                    19 Dec, 75  200 Hours
Completed   19 Dec, 75  200 Hours
=====
383  INCLUSIVE K-SHORT #383            Hans G. E. Kobrak    UNIV. OF CALIFORNIA, DAVIS
BEAM: Meson Area - M4 Beam                UNIV. OF CALIFORNIA, SAN DIEGO
A PROPOSAL TO STUDY THE INCLUSIVE PRODUCTION OF K ZERO SHORT BY K MINUS ON HYDROGEN.
(To use the M4 line as a charged beam at momenta of 20 - 150 GeV/c.)
MICHIGAN STATE UNIVERSITY
+-----+
Request      24 Feb, 75  500 Hours
Approval    29 Jun, 76  500 Hours with 200 hours for setup and original run and 300 hours for final run
Completed   7 May, 78  2,200 Hours
=====
385  EMULSION/PROTONS @ 400 #385       Yog Prakash          DELHI UNIVERSITY (INDIA)
BEAM: Neutrino Area - Miscellaneous        JAMMU UNIVERSITY (INDIA)
PROPOSAL FOR EXPOSURE OF A STACK OF NUCLEAR EMULSIONS TO PROTONS OF 400 GEV/C.
PANJAB UNIVERSITY (INDIA)
RAJASTHAN UNIVERSITY (INDIA)
+-----+
Request      5 Mar, 75  Emulsion Exposure
Approval    11 Mar, 75  Emulsion Exposure
Completed   9 Dec, 75  1 Stack(s)
=====
386  EMULSION/NEW PARTICLES #386       Jere J. Lord         UNIVERSITY OF WASHINGTON
BEAM: Neutrino Area - Miscellaneous
A SEARCH FOR LOW ENERGY NEUTRAL PARTICLES AND PARTICLE INTERACTIONS INVOLVING SMALL
ENERGY EXCHANGES IN THE NEUTRINO BEAM.
+-----+
Request      7 Mar, 75  Emulsion Exposure
Approval    27 Mar, 75  Emulsion Exposure
Completed   29 Dec, 76  1 Stack(s)
=====
387  EMULSION/PI- @ 200 #387           Richard J. Wilkes    UNIVERSITY OF WASHINGTON
BEAM: Neutrino Area - Miscellaneous
100 TO 300 GEV PION INTERACTIONS IN EMULSION AND HEAVY ELEMENT TARGETS.
+-----+
Request      7 Mar, 75  Emulsion Exposure
Approval    13 May, 75  Emulsion Exposure
Completed   9 Jun, 75  4 Stack(s)
=====

```

388	15-FOOT ANTI-NEUTRINO/H2&NE#388	Vincent Z. Peterson	FERMILAB UNIVERSITY OF HAWAII AT MANOA LAWRENCE BERKELEY LABORATORY
	BEAM: Neutrino Area - Dichromatic PROPOSAL TO STUDY NEUTRAL CURRENT NEUTRINO AND ANTI-NEUTRINO INTERACTIONS IN THE 15-FOOT BUBBLE CHAMBER USING THE EXTERNAL MUON IDENTIFIER AND A DICHROMATIC BEAM.		
	Request	24 Apr, 75 200 K Pix 7 Jun, 78 500 K Pix	or 5 x 10 to the 18th protons
	Approval	7 Jul, 75 200 K Pix	of antineutrino bombardment with a heavy neon-hydrogen mixture contingent upon the construction and adequate performance of an improved narrow-band beam; see proposal #455
		24 Jun, 77 200 K Pix	at higher energies using the D C Dichromatic train; new requests for use of the Dichromatic horn to be considered later
		28 Jun, 78 200 K Pix	with a decision to maintain the approval as it stands
	Completed	12 Sep, 79 181 K Pix	
390	15-FOOT ANTI-NEUTRINO/D2 #390	Arthur F. Garfinkel	ARGONNE NATIONAL LABORATORY CARNEGIE-MELLON UNIVERSITY PURDUE UNIVERSITY
	BEAM: Neutrino Area - Wide Band Horn ANTI-NEUTRINO INTERACTIONS IN THE DEUTERIUM-FILLED 15-FOOT BUBBLE CHAMBER.		
	Request	29 Apr, 75 300 K Pix	
	Approval	7 Jul, 75 300 K Pix	
		28 Jun, 78 300 K Pix	with a total of 150K pix presently scheduled for the experiment during the fall 1978 run
		19 Mar, 79 250 K Pix	
	Approved/Inactive	1 Apr, 79 10 K Pix	as of 1 Apr 1979
391	MUON #391	Leroy T. Kerth	UNIV. OF CALIFORNIA, BERKELEY FERMILAB LAWRENCE BERKELEY LABORATORY PRINCETON UNIVERSITY
	BEAM: Neutrino Area - Muon/Hadron Beam EXPLORATION OF RARE MUON-INDUCED PROCESSES.		
	Request	15 Feb, 75 Unspecified	
	Approval	7 Jul, 75	Parasitic Running concurrent with exp# 203
	Completed	18 May, 78	Unspecified but for information on the total extent of run, see exp #203A
395	HADRON JETS #395	Walter Selove	LEHIGH UNIVERSITY UNIVERSITY OF PENNSYLVANIA UNIVERSITY OF WISCONSIN - MADISON
	BEAM: Meson Area - M2 Beam CALORIMETER-ARRAY STUDY OF HIGH P-TRANSVERSE EVENTS.		
	Request	21 May, 75 450 Hours	total including 150 hours of tests
	Approval	7 Jul, 75 450 Hours	contingent upon the successful completion of the calorimeter tests planned for the M5 beam line
	Completed	16 Nov, 77 1,150 Hours	
396	HADRON DISSOCIATION #396	Konstantin Goulianos	ROCKEFELLER UNIVERSITY
	BEAM: Meson Area - M6 Beam ELASTIC SCATTERING AND DIFFRACTION DISSOCIATION AT SMALL MOMENTUM TRANSFER FOR π^{+-} , K^{+-} , P, PBAR AND N.		
	Request	21 May, 75 1,000 Hours	
	Approval	7 Jul, 75 600 Hours	for Phase I
	Completed	23 Nov, 77 1,200 Hours	
397	PARTICLE SEARCH #397	Jerome L. Rosen	FERMILAB NORTHWESTERN UNIVERSITY UNIVERSITY OF ROCHESTER SLAC
	BEAM: Meson Area - M3 Beam PROPOSAL TO SEARCH FOR HIGH MASS PARTICLES PRODUCED IN ASSOCIATION WITH PROMPT MUONS. (Using the spectrometer from exps #27A and #305 with additions.)		
	Request	21 May, 75 1,000 Hours	
	Approval	9 Jul, 75 500 Hours	
		18 May, 76 1,000 Hours	including an additional running period of approximately 5 weeks duration during the summer of 1976
	Completed	18 Aug, 76 1,150 Hours	
398	MUON #398	Richard Wilson	UNIVERSITY OF CHICAGO HARVARD UNIVERSITY UNIVERSITY OF ILLINOIS, CHAMPAIGN UNIVERSITY OF OXFORD (ENGLAND) VIRGINIA TECH
	BEAM: Neutrino Area - Muon/Hadron Beam A PROPOSAL FOR A FURTHER STUDY OF MUON NUCLEON INELASTIC SCATTERING AT FERMILAB. (Using the spectrometer of exp #98.)		
	Request	21 May, 75 800 Hours	
	Approval	7 Jul, 75 800 Hours	of H2 and D2 running with the expectation that some of this running can occur concurrently with exp #319, at which time priority will be given to exp# 319
	Completed	1 Dec, 76 1,100 Hours	
399	EMULSION/ELECTRONS @ >100 #399	Robert L. Golden	JOHNSON SPACE CENTER (NASA) KANAGAWA UNIVERSITY (JAPAN) ISAS, TOKYO UNIVERSITY (JAPAN) UNIVERSITY OF WASHINGTON
	BEAM: Proton Area - Miscellaneous PRODUCTION OF ELECTROMAGNETIC CASCADE SHOWERS BY SEVERAL HUNDRED GEV ELECTRONS IN EMULSION CHAMBERS.		
	Request	5 May, 75 1,000 Emulsion Exposure	
	Approval	19 Jun, 75 Emulsion Exposure	to electrons with fluxes of 10, 1,000, and 200K/sq cm
	Completed	5 Oct, 76 6 Stack(s)	
400	PARTICLE SEARCH #400	James E. Wiss	UNIVERSITY OF BOLOGNA (ITALY) UNIVERSITY OF COLORADO AT BOULDER FERMILAB UNIVERSITY OF ILLINOIS, CHAMPAIGN INFN, MILANO (ITALY) UNIVERSITY OF MILANO (ITALY) UNIVERSITY OF PAVIA (ITALY) YALE UNIVERSITY
	BEAM: Proton Area - East A SEARCH FOR NEW PARTICLES PRODUCED IN ASSOCIATION WITH THE HADRONIC PRODUCTION OF PSI (3.1) MESONS. (Using a proton beam of about 10 to the 7th into the zero degree neutral beam line and the spectrometer of exp #401/458 with additions.)		
	Request	22 May, 75 870 Hours	
	Approval	7 Jul, 75 400 Hours	
		2 Jul, 76 400 Hours	with a total of 1,000 hours approved for the combination of exps #400, #401, and #458
		14 Mar, 77 400 Hours	with a total of 2,000 hours for the combination of exps #400,401 & 458
		1 Apr, 78 Unspecified	since approved running time has been used by exp #87A
		7 Jul, 80 500 Hours	
	Completed	14 Jul, 84 2,210 Hours	

401	PHOTOPRODUCTION #401 BEAM: Proton Area - East PHOTOPRODUCTION OF HIGH MASS TWO-BODY FINAL STATES. (Using an improved exp #87A apparatus and an additional sweeping magnet in the photon beam.)	Michael F. Gornley	FERMILAB UNIVERSITY OF ILLINOIS, CHAMPAIGN
	Request	22 May, 75 300 Hours	
		1 Jun, 78 1,100 Hours	
	Approval	7 Jul, 75 300 Hours	
		2 Jul, 76 300 Hours with a total of 1,000 hours approved for the combination of exps #400, #401, and #458	
		14 Mar, 77 600 Hours with a total of 2,000 hours for the combination exps #400, 401, & 458	
		1 Apr, 78 Unspecified since approved running time has been used by exp #87A	
		29 Jun, 78 600 Hours	
	Completed	26 Nov, 79 2,100 Hours	
404	INCLUSIVE NEUTRON #404 BEAM: Meson Area - M2 Beam INCLUSIVE NEUTRON PRODUCTION BY PROTONS ON PROTONS AND NUCLEI.	H. Richard Gustafson	UNIVERSITY OF MICHIGAN - ANN ARBOR RUTGERS UNIVERSITY UNIVERSITY OF WISCONSIN - MADISON
	Request	22 May, 75 500 Hours	
	Approval	11 Mar, 76 Parasitic Running with the condition that there will be no significant interference with other work in the Meson Laboratory	
	Completed	5 Jul, 77 350 Hours	
415	PARTICLE PRODUCTION #415 BEAM: Meson Area - M2 Beam MEASUREMENTS OF PI- CU TO K-SHORT, LAMBDA AND NEUTRON INCLUSIVE CROSS SECTIONS. (For proposal #360 with the apparatus of exp #8 in the M2 beam line.)	Lee G. Pondrom	BROOKHAVEN NATIONAL LABORATORY UNIVERSITY OF MICHIGAN - ANN ARBOR RUTGERS UNIVERSITY UNIVERSITY OF WISCONSIN - MADISON
	Request	24 May, 75 100 Hours	
	Approval	28 Jun, 75 100 Hours	
	Completed	18 Oct, 76 100 Hours	
416	PARTICLE SEARCH #416 BEAM: Meson Area - M1 Beam STREAMER CHAMBER SEARCH FOR NEW STATES WHICH DECAY SEMI-LEPTONICALLY. (Using the streamer chamber originally proposed for exp #86A with additional muon counters.)	Henry J. Lubatti	UNIV. OF CALIFORNIA, DAVIS LAL, ORSAY (FRANCE) UNIVERSITY OF WASHINGTON
	Request	27 May, 75 300 Hours	
	Approval	29 May, 75 300 Hours with the understanding that the total running time for exp# 416 and exp# 86A is to remain within 800 hours	
	Completed	1 Jul, 75 400 Hours	
418	PARTICLE PRODUCTION #418 BEAM: Internal Target Area (C-0) NUCLEAR SIZE DEPENDENCE FOR PARTICLE PRODUCTION AT INTERMEDIATE TRANSVERSE MOMENTUM. (With the spectrometer used for exp #363.)	Felix Sannes	IMPERIAL COLLEGE (ENGLAND) UNIVERSITY OF ROCHESTER RUTGERS UNIVERSITY
	Request	2 Jun, 75 Unspecified	
	Approval	7 Jul, 75 500 Hours contingent upon the fact that such running does not constitute an interference with the requirements of other experiments to be run in that area	
	Completed	22 Oct, 75 900 Hours	
419	EMULSION/PROTONS @ 300 #419 BEAM: Neutrino Area - Miscellaneous SEARCH FOR SHORT LIVED PARTICLES PRODUCED BY 300 GEV PROTONS IN EMULSIONS.	Giorgio Giacomelli	UNIVERSITY OF BOLOGNA (ITALY)
	Request	2 Jun, 75 Emulsion Exposure	
	Approval	10 Jun, 75 Emulsion Exposure	
	Completed	10 Jun, 75 1 Stack(s)	
421	EMULSION/PROTONS @ 300 #421 BEAM: Neutrino Area - Miscellaneous EXPOSURE OF AN EMULSION CHAMBER TO A 300 GEV/C PROTON BEAM.	Venedict P. Dzhelepov	JINR, DUBNA (RUSSIA)
	Request	18 Jun, 75 Emulsion Exposure	
	Approval	18 Jun, 75 Emulsion Exposure	
	Completed	24 Jun, 75 1 Stack(s)	
423	EMULSION/PROTONS @ 400 #423 BEAM: Neutrino Area - Miscellaneous SEARCH FOR NEW PARTICLES IN EMULSION CHAMBERS.	Hisahiko Sugimoto	HIROSAKI UNIVERSITY (JAPAN) ICRR, UNIVERSITY OF TOKYO (JAPAN) UNIVERSITY OF TOKYO (JAPAN) WASEDA UNIVERSITY (JAPAN)
	Request	7 Jul, 75 Emulsion Exposure	
	Approval	21 Jul, 75 Emulsion Exposure	
	Completed	9 Dec, 75 4 Stack(s)	
424	EMULSION/MUONS @ 200 #424 BEAM: Neutrino Area - Miscellaneous MULTIPLE PION PRODUCTION BY 200 GEV/C MUONS.	Tomonori Wada	ASHIKAGA INST. OF TECH. (JAPAN) ICRR, UNIVERSITY OF TOKYO (JAPAN) OKAYAMA UNIVERSITY (JAPAN) SAITAMA UNIVERSITY (JAPAN)
	Request	23 Jun, 75 Emulsion Exposure	
	Approval	9 Feb, 76 Emulsion Exposure in the muon beam while it is operating for exp# 319 at a momentum in the vicinity of 300 GeV/c	
	Completed	8 Oct, 76 1 Stack(s)	
425	K ZERO REGENERATION #425 BEAM: Meson Area - M4 Beam PROPOSAL TO INVESTIGATE REGENERATION OF NEUTRAL K-MESONS AT VERY HIGH ENERGIES. (Using a liquid hydrogen target; see exp #82.)	Valentine L. Telegdi	UNIV. OF CALIFORNIA, SAN DIEGO UNIVERSITY OF CHICAGO LHE, ETH HONGGERBERG (SWITZERLAND) SLAC UNIVERSITY OF WISCONSIN - MADISON
	Request	24 Jun, 75 600 Hours	
	Approval	18 Mar, 75 600 Hours contingent upon exp# 425 providing a hydrogen target (see exp# 82)	
	Completed	17 May, 76 1,400 Hours	
426	FRAGMENTATION PARTICLES #426 BEAM: Meson Area - Miscellaneous PROPOSAL ON THE STUDY OF FRAGMENTATION PARTICLES CREATED IN A PLASTIC DETECTOR BY 300 GEV PROTONS.	Katsura Fukui	HANSCOM A.F.B. GEOPHYSICS LAB. UNIVERSITY OF KIEL (GERMANY)
	Request	27 May, 75 Detector Exposure	
	Approval	28 Jul, 75 Detector Exposure	
	Completed	20 Mar, 76 16 Stack(s)	

427	DETECTOR DEVELOPMENT #427 BEAM: Meson Area - M1 Beam A PROPOSAL FOR TESTING A TRANSITION RADIATION DETECTOR AND A HIGH ENERGY SHOWER DETECTOR FOR COSMIC RAY EXPERIMENTS.	Luke C. L. Yuan	BROOKHAVEN NATIONAL LABORATORY
	Request 27 Jun, 75 50 Hours Approval 4 Jan, 78 100 Hours during an opportunity for running in the M1-beam in January 1978 Completed 10 Jan, 78 40 Hours with only a portion of the objectives of the experiment finished due to problems with the M1-beam and the accelerator		
428	EMULSION/PROTONS @ 400 #428 BEAM: Neutrino Area - Miscellaneous 400 GEV PROTON INTERACTIONS IN NUCLEAR EMULSION.	Jacques D. Hebert	UNIVERSITY OF BELGRADE (YUGOSLAVIA) CRN, STRASBOURG (FRANCE) FERMILAB UNIVERSITY OF LUND (SWEDEN) UNIVERSITY OF LYON (FRANCE) UNIVERSITY OF NANCY (FRANCE) UNIVERSITY OF OTTAWA (CANADA) UNIV. OF PARIS VI, LPG (FRANCE) UNIVERSITY OF QUEBEC (CANADA) UNIVERSITY OF SANTANDER (SPAIN) UNIVERSITY OF VALENCIA (SPAIN) UNIV. OF WESTERN ONTARIO (CANADA)
	Request 4 Aug, 75 Emulsion Exposure Approval 25 Aug, 75 Emulsion Exposure Completed 9 Dec, 75 14 Stack(s)		
434	EMULSION/PROTONS @ 400 #434 BEAM: Neutrino Area - Miscellaneous CASCADE SHOWERS ORIGINATED IN JET SHOWERS.	Shoji Dake	KOBE UNIVERSITY (JAPAN) KONAN UNIVERSITY (JAPAN) SAITAMA UNIVERSITY (JAPAN) UNIVERSITY OF TOKYO (JAPAN) UTSUNOMIYA UNIVERSITY (JAPAN)
	Request 16 Sep, 75 Emulsion Exposure Approval 20 Sep, 75 Emulsion Exposure Completed 9 Dec, 75 3 Stack(s)		
435	MUON SEARCH #435 BEAM: Proton Area - Center MEASUREMENT OF THE POLARIZATION OF PROMPT MUONS AT X = 0.14 AT P-TRANSVERSE = 0 AND P-TRANSVERSE = 1.5 GEV/C. (Extension of measurements begun in experiment #48.)	Robert K. Adair	BROOKHAVEN NATIONAL LABORATORY FERMILAB YALE UNIVERSITY
	Request 18 Sep, 75 250 Hours total including 50 hours of tests Approval 25 Nov, 75 250 Hours of setup and running time Completed 2 Jul, 76 250 Hours		
436	DI-MUON #436 BEAM: Proton Area - Center DETERMINATION OF THE POSSIBLE DI-MUON CHARACTER OF THE PROMPT MUON FLUX.	Robert K. Adair	BROOKHAVEN NATIONAL LABORATORY FERMILAB YALE UNIVERSITY
	Request 18 Sep, 75 75 Hours including 40 hours of tests Approval 7 Oct, 75 100 Hours to be completed during the operating period due to end in Nov. 1975 Completed 29 Oct, 75 200 Hours		
438	NEUTRON-NUCLEUS INELASTIC #438 BEAM: Meson Area - M3 Beam INELASTIC CROSS SECTIONS OF NEUTRONS ON NUCLEI.	Lawrence W. Jones	UNIVERSITY OF MICHIGAN - ANN ARBOR
	Request 26 Sep, 75 500 Hours Approval 25 Nov, 75 200 Hours Completed 18 Apr, 77 350 Hours		
439	MULTI-MUON #439 BEAM: Meson Area - M2 Beam HIGH SENSITIVITY SEARCH FOR NEW STATES WHICH DECAY INTO MUONS.	David A. Garelick	UNIVERSITY OF MICHIGAN - ANN ARBOR NORTHEASTERN UNIVERSITY TUFTS UNIVERSITY UNIVERSITY OF WASHINGTON
	Request 26 Sep, 75 500 Hours with 200 hours for tests and 300 hours for data 31 May, 77 1,600 Hours to include 3 additional one-month periods of running Approval 25 Nov, 75 400 Hours 24 Jun, 77 800 Hours with the understanding that the 400-hour extension and time remaining under previous approval be used for investigation of multi-muon events 27 Jul, 77 800 Hours with the previous constraints on the further running removed 24 Mar, 78 1,600 Hours with an extension until the spring 1978 shutdown, but without overriding priority Completed 19 May, 78 1,700 Hours		
440	LAMBDA MAGNETIC MOMENT #440 BEAM: Meson Area - M2 Beam PROPOSAL FOR A NEW MEASUREMENT OF THE MAGNETIC MOMENT OF THE LAMBDA HYPERON.	Gerry M. Bunce	UNIVERSITY OF MICHIGAN - ANN ARBOR RUTGERS UNIVERSITY UNIVERSITY OF WISCONSIN - MADISON
	Request 26 Sep, 75 160 Hours Approval 25 Nov, 75 160 Hours Completed 22 Mar, 77 250 Hours		
441	LAMBDA POLARIZATION #441 BEAM: Meson Area - M2 Beam A PROPOSAL TO STUDY LAMBDA POLARIZATION IN THE INCLUSIVE REACTION PROTON - PROTON TO LAMBDA PLUS ANYTHING WITH LIQUID HYDROGEN TARGET. (Extension of previous measurements of 300 GeV protons on beryllium to 400 GeV protons on hydrogen.)	Lee G. Pondrom	UNIVERSITY OF MICHIGAN - ANN ARBOR RUTGERS UNIVERSITY UNIVERSITY OF WISCONSIN - MADISON
	Request 29 Sep, 75 150 Hours Approval 25 Nov, 75 150 Hours Completed 2 Jul, 77 400 Hours		
442	NUCLEAR FRAGMENTS #442 BEAM: Internal Target Area (C-0) STUDY OF NUCLEAR FRAGMENT EMISSION IN PROTON HEAVY NUCLEUS COLLISIONS FROM 10 TO 500 GEV. (Will use room temperature gas jet target with heavy gases.)	Frank Turkot	FERMILAB PURDUE UNIVERSITY
	Request 26 Sep, 75 400 Hours for data taking 11 May, 77 800 Hours to include additional time to search for quarks bound in nuclear fragments Approval 25 Nov, 75 400 Hours 25 Jun, 77 400 Hours without time for the quark search Completed 13 Aug, 77 1,200 Hours		

444	DI-MUON #444	A. J. Stewart Smith	UNIVERSITY OF CHICAGO PRINCETON UNIVERSITY
	BEAM: Neutrino Area - Muon/Hadron Beam A SPECIAL REQUEST FOR HIGH-PRIORITY RUNNING TO MEASURE HIGH-MASS MUON PAIRS. (Using the Quadrupole Triplet focusing system for producing a high intensity hadron beam.)		
	+-----+ Request 25 Sep, 75 400 Hours 31 May, 77 800 Hours with a request for a 400 hour extension for a scaling test and to increase the sensitivity at high masses		
	Approval 24 Nov, 75 400 Hours 24 Jun, 77 400 Hours with a decision not to grant an extension		
	Completed 3 Jan, 78 1,100 Hours		
448	MUON #448	William A. Loomis	UNIVERSITY OF CHICAGO FERMILAB HARVARD UNIVERSITY MASSACHUSETTS INST. OF TECHNOLOGY MICHIGAN STATE UNIVERSITY TUFTS UNIVERSITY
	BEAM: Neutrino Area - Muon/Hadron Beam PROPOSAL FOR THE INVESTIGATION OF VIRTUAL PHOTOABSORPTION BY NUCLEAR MATTER. (Using the cyclotron spectrometer and heavy targets; see proposal #257.)		
	+-----+ Request 17 Oct, 75 300 Hours 9 Jun, 77 300 Hours to study both photoabsorption by nuclear matter and production of charmed particles (the latter to employ a Cerenkov counter)		
	Approval 15 Mar, 77 Parasitic Running for about 300 hours concurrent with exp #203 29 Jun, 77 Parasitic Running for about 300 hours for study of photoabsorption of nuclear matter; without the disruption required to install the Cerenkov counter		
	Completed 7 May, 78 900 Hours		
451	INCLUSIVE SCATTERING #451	Donald S. Barton	UNIVERSITY OF BARI (ITALY) BROWN UNIVERSITY FERMILAB MASSACHUSETTS INST. OF TECHNOLOGY WARSAW HEP LABORATORY (POLAND)
	BEAM: Meson Area - M6 Beam STUDY OF THE A-DEPENDENCE OF INCLUSIVE PROCESSES AND ASSOCIATED MULTIPLICITY. (Using the single arm spectrometer facility.)		
	+-----+ Request 17 Oct, 75 600 Hours including 100 hours of tests Approval 30 Jun, 76 400 Hours Completed 6 Sep, 78 500 Hours		
456	FORM FACTOR #456	Donald H. Stork	UNIV. OF CALIFORNIA, LOS ANGELES FERMILAB JINR, DUBNA (RUSSIA) NOTRE DAME UNIVERSITY UNIVERSITY OF PITTSBURGH
	BEAM: Meson Area - M1 Beam MEASUREMENT OF THE KAON FORM FACTOR. (Continuation of work begun in exp #216.)		
	+-----+ Request 17 Oct, 75 800 Hours including 200 hours of tests Approval 25 Nov, 75 500 Hours 7 Dec, 76 950 Hours including an additional 450 hours for data taking with a request for a report on preliminary results from existing data before the start of the next running period		
	Completed 13 Apr, 77 1,450 Hours		
458	PHOTOPRODUCTION #458	Wonyong Lee	COLUMBIA UNIVERSITY FERMILAB UNIVERSITY OF ILLINOIS, CHAMPAIGN
	BEAM: Proton Area - East PHOTOPRODUCTION EXPERIMENT AT FERMILAB. (Using the broad band photon beam; a continuation of work begun in exp #87A and #401.)		
	+-----+ Request 17 Oct, 75 700 Hours 7 May, 76 900 Hours with 300 hours for testing, 600 hours for data Approval 2 Jul, 76 300 Hours with a total of 1,000 hours approved for the combination of expts #400, #401, and #458 14 Mar, 77 1,000 Hours with a total of 2,000 hours for the combination of expts #400, #401, & #458 1 Apr, 78 Unspecified since approved running time has been used by exp #87A Approved/Inactive 27 Oct, 81 Unspecified		
461	EMULSION/PROTONS @ 400 #461	Jere J. Lord	UNIV. OF AUCKLAND (NEW ZEALAND) AUSTRALIAN NAT'L UNIV. (AUSTRALIA) UNIVERSITY OF MELBOURNE (AUSTRALIA) UNIVERSITY OF SYDNEY (AUSTRALIA) UNIVERSITY OF TASMANIA (AUSTRALIA) UNIVERSITY OF WASHINGTON
	BEAM: Neutrino Area - Miscellaneous SEARCH FOR NEW PARTICLES FROM 400 GEV PROTON COLLISIONS IN EMULSIONS.		
	+-----+ Request 10 Nov, 75 Emulsion Exposure Approval 26 Nov, 75 6 Stack(s) Completed 9 Dec, 75 6 Stack(s)		
462	EMULSION/PROTONS @ 400 #462	Giorgio Giacomelli	UNIVERSITY OF BOLOGNA (ITALY) UNIVERSITY OF FIRENZE (ITALY)
	BEAM: Neutrino Area - Miscellaneous SEARCH FOR SHORT LIVED PARTICLES PRODUCED BY 400 GEV PROTONS IN EMULSIONS.		
	+-----+ Request 18 Nov, 75 Emulsion Exposure Approval 26 Nov, 75 Emulsion Exposure Completed 9 Dec, 75 1 Stack(s)		
463	EMULSION/PROTONS @ 400 #463	M. I. Tretjakova	KAZAKH STATE UNIV., (KAZAKHSTAN) LEBEDEV PHYSICAL INST. (RUSSIA) ITEP, MOSCOW (RUSSIA) PNPI, ST. PETERSBURG (RUSSIA) TASHKENT, PHY. TEC. INS (UZBEKISTAN)
	BEAM: Neutrino Area - Miscellaneous THE INTERACTIONS OF PROTONS IN NUCLEAR EMULSION AT 400 GEV/C (OR 500 GEV/C).		
	+-----+ Request 17 Nov, 75 Emulsion Exposure Approval 26 Nov, 75 Emulsion Exposure Completed 9 Dec, 75 2 Stack(s)		
466	NUCLEAR FRAGMENTS #466	Norbert T. Porile	ARGONNE NATIONAL LABORATORY UNIVERSITY OF CHICAGO UNIV. OF ILLINOIS, CHICAGO CIRCLE PURDUE UNIVERSITY
	BEAM: Proton Area - Miscellaneous A PROPOSAL FOR THE STUDY OF HIGH-ENERGY REACTION MECHANISMS BY THE MEASUREMENT OF THE ANGULAR AND ENERGY DISTRIBUTIONS OF NUCLEAR FRAGMENTS RECOILING FROM TARGETS BOMBARDED WITH 200-300 GEV PROTONS.		
	+-----+ Request 9 Jan, 76 500 Hours Approval 30 Mar, 76 500 Hours to be met on an essentially parasitic basis with the understanding that this work will not constitute an interference with the rest of the proton area program		
	Completed 15 Feb, 88 102 Targets Exposed		
467	TEST MUON IRRADIATION #467	Melvin Freedman	ARGONNE NATIONAL LABORATORY
	BEAM: Neutrino Area - Miscellaneous PROPOSAL FOR PARASITIC DUAL TARGET IRRADIATION WITH MUON SPILL BEAM BEHIND EXP #319.		
	+-----+ Request 13 Jan, 76 Target Exposure(s) Approval 28 Apr, 76 Parasitic Running for a bombardment of chlorine and thallium targets downstream of exp #319 or exp #398		
	Completed 1 Dec, 76 4 Targets Exposed		

468	PARTICLE SEARCH #468 BEAM: Meson Area - M2 Beam SEARCH FOR PENETRATING MASSIVE NEUTRAL PARTICLES PRODUCED IN HIGH ENERGY PROTON COLLISIONS. +-----+ Request 21 Jan, 76 1,200 Hours 4 Oct, 76 300 Hours in a 400 GeV proton beam at an intensity of 10 to the 9th protons/pulse 4 Nov, 77 450 Hours including an additional 150 hours to improve the sensitivity during another run of the experiment Approval 18 Nov, 76 300 Hours Completed 14 Aug, 77 300 Hours	Phillip H. Steinberg	UNIVERSITY OF MARYLAND
469	PARTICLE SEARCH #469 BEAM: Meson Area - M6 Beam SEARCH FOR HEAVY LONG-LIVED PARTICLES. (Using the single arm spectrometer facility.) +-----+ Request 23 Jan, 76 150 Hours Approval 3 Feb, 78 150 Hours with the understanding that the schedule for this run may place the desired running for exp #451 in some jeopardy Completed 15 May, 78 400 Hours	David Cutts	UNIVERSITY OF BARI (ITALY) BROWN UNIVERSITY CERN (SWITZERLAND) FERMILAB MASSACHUSETTS INST. OF TECHNOLOGY
472	PARTICLE SEARCH #472 BEAM: Meson Area - M2 Beam SEARCH FOR HEAVY PARTICLES PRODUCED IN ASSOCIATION WITH PROMPT MUONS. (Experiment would use modified exp #357 spectrometer.) +-----+ Request 23 Jan, 76 600 Hours including 100 hours of tests Approval 10 Mar, 76 600 Hours Completed 29 Nov, 76 1,100 Hours	Kenneth C. Stanfield	FERMILAB UNIVERSITY OF MICHIGAN - ANN ARBOR PURDUE UNIVERSITY
481	EMULSION/PI- @ 300 #481 BEAM: Neutrino Area - Miscellaneous INVESTIGATION OF MULTIPLE PRODUCTION BY PI - MESONS WITH EMULSION CHAMBER. +-----+ Request 28 Apr, 76 Emulsion Exposure 10K particles per cm. sq. over a square of 10 cm x 10 cm Approval 12 May, 76 Emulsion Exposure Completed 18 Jan, 78 7 Stack(s)	Yoshiyuki Takahashi	OSAKA CITY UNIVERSITY (JAPAN) SHINSHU UNIVERSITY (JAPAN)
482	NEUTRINO #482 BEAM: Neutrino Area - Quadrupole Triplet STUDY OF DI-MUON EVENTS PRODUCED IN NEUTRINO INTERACTIONS. +-----+ Request 11 May, 76 500 Hours to be run with the Quadrupole Triplet train load with focus set at 200 GeV at 10 to the 13th protons per pulse Approval 30 Jun, 76 Parasitic Running with other experiments using the neutrino beam Completed 3 Jan, 78 1,600 Hours	Barry C. Barish	CALIFORNIA INSTITUTE OF TECHNOLOGY FERMILAB NORTHWESTERN UNIVERSITY UNIVERSITY OF ROCHESTER ROCKEFELLER UNIVERSITY
486	K ZERO CROSS SECTION #486 BEAM: Meson Area - M4 Beam PROPOSAL TO STUDY THE ATOMIC NUMBER DEPENDENCE OF THE DIFFERENCE BETWEEN PARTICLE AND ANTI-PARTICLE TOTAL CROSS SECTIONS. (Using the apparatus of expts #82 and #425 with modifications.) +-----+ Request 7 May, 76 200 Hours to be run in a modified version of the M-4 neutral beam; data taking to require 1.4 x 10 to the 17th protons into the meson production target Approval 30 Jun, 76 200 Hours with a total of 800 hours approved for the combination of E-486 and E-226 Completed 17 Mar, 77 950 Hours	Bruce D. Winstein	UNIVERSITY OF CHICAGO LHE, ETH HONGGERBERG (SWITZERLAND) UNIVERSITY OF WISCONSIN - MADISON
490	PARTICLE SEARCH #490 BEAM: Meson Area - M1 Beam SEARCH FOR SHORT LIVED PARTICLES USING A HIGH RESOLUTION STREAMER CHAMBER. +-----+ Request 7 May, 76 800 Hours to be run in a 200 GeV pi- beam of intensity 8 x 10 to the 5th particles per pulse focused to a 1 mm x 5 mm spot Approval 30 Jun, 76 Test Running to study the performance of the high resolution streamer chamber Completed 9 Jun, 80 850 Hours	Jack Sandweiss	FERMILAB LAWRENCE BERKELEY LABORATORY YALE UNIVERSITY
494	DI-HADRON #494 BEAM: Proton Area - Center A STUDY OF DI-HADRON PRODUCTION IN PROTON COLLISIONS AT FERMILAB. (This experiment is an off-shoot of di-lepton #288.) +-----+ Request 10 May, 76 800 Hours Approval 17 May, 76 800 Hours 17 Nov, 76 1,400 Hours including an additional six weeks of running with the experiment expected to terminate in February 1977 Completed 21 Feb, 77 1,950 Hours	Myron L. Good	COLUMBIA UNIVERSITY FERMILAB SUNY AT STONY BROOK
495	XI-ZERO PRODUCTION #495 BEAM: Meson Area - M2 Beam PROPOSAL TO STUDY CASCADE ZERO AND ANTILAMBDA PRODUCTION AND POLARIZATION. (Experiment would use the spectrometer of E-8.) +-----+ Request 17 May, 76 400 Hours Approval 17 Nov, 76 400 Hours Completed 28 Aug, 78 700 Hours	Kenneth J. Heller	BROOKHAVEN NATIONAL LABORATORY UNIVERSITY OF MICHIGAN - ANN ARBOR RUTGERS UNIVERSITY UNIVERSITY OF WISCONSIN - MADISON
497	CHARGED HYPERON #497 BEAM: Proton Area - Center ELASTIC SCATTERING OF THE HYPERONS. (Measurements of charged hyperon fluxes and differential elastic cross sections, and a particle search.) +-----+ Request 13 May, 76 1,200 Hours with 600 hours for flux measurements and new particle search and 600 hours to measure differential cross sections 26 Jan, 79 800 Hours including an additional 400 hours to search for the b-particle after the beam is commissioned Approval 29 Jun, 76 400 Hours initial approval Completed 16 Mar, 81 2,500 Hours see proposal #697	Joseph Lach	FERMILAB IOWA STATE UNIVERSITY YALE UNIVERSITY

498	DETECTOR DEVELOPMENT #498	Charles R. Gruhn	LOS ALAMOS NATIONAL LABORATORY
	BEAM: Proton Area - East A MEASUREMENT OF THE RELATIVISTIC RISE IN THE MOST PROBABLE ENERGY LOSS IN THIN SOLID FILMS.		
	+-----+		
	Request	26 May, 76	50 Hours in an electron beam at the highest energies available
	Approval	14 Jun, 76	Parasitic Running that will not disturb the normal proton area program
	Completed	18 Aug, 76	50 Hours
499	EMULSION/PROTONS @ 400 #499	Junsuke Iwai	WASEDA UNIVERSITY (JAPAN)
	BEAM: Neutrino Area - Miscellaneous A STUDY OF ANGULAR DISTRIBUTIONS IN PROTON-NUCLEUS COLLISIONS USING NUCLEAR EMULSIONS.		
	+-----+		
	Request	1 Jun, 76	2 Exposure(s)
	Approval	16 Aug, 76	Emulsion Exposure with one stack exposed to an intensity of 600K protons/sq cm and a second to an intensity of 10K protons/sq cm
	Completed	15 Jan, 78	5 Stack(s)
501	TEST MUON IRRADIATION #501	Kenneth Lande	BROOKHAVEN NATIONAL LABORATORY UNIVERSITY OF PENNSYLVANIA
	BEAM: Neutrino Area - Muon/Hadron Beam PROPOSAL FOR A MEASUREMENT OF THE TRANSITION RATE FOR CL(37) AND AR(37) INDUCED BY MUONS AT FERMILAB ENERGIES.		
	+-----+		
	Request	11 Aug, 76	25 Hours an integrated flux of - about 5 x 10 to the 9th times (e/300) to the 0.7th - muons @ 75, 150, and 250 GeV
	Approval	28 Oct, 76	Target Exposure(s) parasitic to running of upstream muon experiments
	Completed	1 Dec, 76	2 Targets Exposed
502	MONOPOLE #502	David F. Bartlett	UNIVERSITY OF COLORADO AT BOULDER GENERAL ELECTRIC R&D CENTER
	BEAM: Neutrino Area - Miscellaneous SEARCH FOR MONOPOLES ABOVE THE 15-FOOT BUBBLE CHAMBER. (Would require a scuttle in the roof of the 15-foot bubble chamber building.)		
	+-----+		
	Request	30 Jul, 76	Cosmic Ray Running to include use of the fringe field of the 15-foot bubble chamber magnet during two long runs; approximately 7 months of data-taking requested with lexan and later with emulsion detectors
	Approval	2 Sep, 76	Cosmic Ray Running during parasitic operation in the fringe field of the 15-foot bubble chamber magnet
	Completed	23 Jun, 80	Cosmic Ray Running
503	EMULSION/PI- @ 300 #503	Takeshi Ogata	HIROSAKI UNIVERSITY (JAPAN) ICRR, UNIVERSITY OF TOKYO (JAPAN) KONAN UNIVERSITY (JAPAN) KWANSEI GAKUIN UNIVERSITY (JAPAN)
	BEAM: Neutrino Area - Miscellaneous MULTIPARTICLE PRODUCTION IN HIGH ENERGY PION-NUCLEUS INTERACTIONS.		
	+-----+		
	Request	12 Aug, 76	Emulsion Exposure consisting of eight blocks of mulsion exposed to 50K particles/sq cm in a pi- beam of 200 GeV/c or greater
	Approval	19 Aug, 76	Emulsion Exposure
	Completed	18 Jan, 78	4 Stack(s)
505	PROTON POLARIZATION #505	Samuel Peter Yamin	BROOKHAVEN NATIONAL LABORATORY UNIVERSITY OF MICHIGAN - ANN ARBOR RUTGERS UNIVERSITY UNIVERSITY OF WISCONSIN - MADISON
	BEAM: Meson Area - M2 Beam A SEARCH FOR PROTON POLARIZATION IN INCLUSIVE PRODUCTION AT 300 GEV/C.		
	+-----+		
	Request	16 Aug, 76	100 Hours with a change in the targetting angle of the primary proton beam for the meson area
	Approval	29 Jun, 78	100 Hours with low priority during the time available for exp #495
	Completed	27 Aug, 78	50 Hours
506	EMULSION/PI- @ 300 #506	Shoji Dake	KOBE UNIVERSITY (JAPAN) KONAN UNIVERSITY (JAPAN) SAITAMA UNIVERSITY (JAPAN) UNIVERSITY OF TOKYO (JAPAN)
	BEAM: Neutrino Area - Miscellaneous CASCADE SHOWERS ORIGINATED IN JET SHOWERS DUE TO NEGATIVE PIONS.		
	+-----+		
	Request	17 Aug, 76	Emulsion Exposure using two - three emulsion chambers 10 cm x 10 cm x 8 mm exposed to 10-100 particles/sq cm in a pi- beam of 200 GeV/c or greater
	Approval	23 Aug, 76	Emulsion Exposure
	Completed	15 Jan, 78	2 Stack(s)
507	HIGH ENERGY CHANNELING #507	Edward N. Tsyganov	UNIV. OF CALIFORNIA, LOS ANGELES FERMILAB JINR, DUBNA (RUSSIA) KHARKOV PHYS-TECH INST (UKRAINE) LEHIGH UNIVERSITY ITEP, MOSCOW (RUSSIA) SUNY AT ALBANY TOMSK POLYTECH. INST. (USSR) INR, WARSAW (POLAND)
	BEAM: Meson Area - M1 Beam PROPOSAL TO STUDY CHANNELING AT FERMILAB. (Using the spectrometer of exp #456.)		
	+-----+		
	Request	8 Sep, 76	250 Hours use of the M-1 beam is requested in conjunction with operation of form factor #456
	Approval	1 Jun, 77	250 Hours with the understanding that this activity will not delay significantly the program in the M1 beam
	Completed	30 May, 77	350 Hours
508	EMULSION/PROTONS @ 500 #508	Wladyslaw Wolter	INP, KRAKOW (POLAND)
	BEAM: Meson Area - Test Beam STUDY OF THE MECHANISM FOR MULTIPLE PRODUCTION OF PARTICLES AT HIGH ENERGIES.		
	+-----+		
	Request	15 Sep, 76	Emulsion Exposure consisting of 3 emulsion stacks
	Approval	24 Sep, 76	Emulsion Exposure
	Completed	26 Apr, 85	7 Emulsion Stack(s)
509	EMULSION/MUONS @ 200 #509	T. Shirai	KANAGAWA UNIVERSITY (JAPAN) KOBE UNIVERSITY (JAPAN) UNIVERSITY OF TOKYO (JAPAN)
	BEAM: Neutrino Area - Miscellaneous SEARCH FOR THE LARGE ANGLE SCATTERING OF MUONS.		
	+-----+		
	Request	13 Sep, 76	Emulsion Exposure of 10 to the 6th particles/sq cm
	Approval	24 Sep, 76	Emulsion Exposure
	Completed	8 Oct, 76	1 Stack(s)

510	EMULSION/ELECTRONS @ HI E #510 BEAM: Proton Area - Miscellaneous STUDY OF CASCADE SHOWERS INITIATED BY ELECTRONS.	Kiyoshi Niu	AICHI UNIV. OF EDUCATION (JAPAN) NAGOYA UNIVERSITY (JAPAN) YOKOHAMA NATIONAL UNIV. (JAPAN)
	Request	9 Sep, 76	Emulsion Exposure
	Approval	24 Sep, 76	Emulsion Exposure
	Completed	5 Oct, 76	6 Stack(s)
515	PARTICLE SEARCH #515 BEAM: Meson Area - M1 Beam PROPOSAL TO STUDY CHARGED PARTICLES PRODUCED IN HADRONIC INTERACTIONS.	Jerome L. Rosen	CARNEGIE-MELLON UNIVERSITY FERMILAB NORTHWESTERN UNIVERSITY NOTRE DAME UNIVERSITY
	Request	5 Oct, 76	1,000 Hours in a high intensity pi- beam @ 200 GeV/c
	Approval	14 Mar, 77	800 Hours
	Completed	10 Mar, 82	2,650 Hours
516	PHOTOPRODUCTION #516 BEAM: Proton Area - East A STUDY OF PHOTOPRODUCTION USING A MAGNETIC SPECTROMETER AT THE TAGGED PHOTON LAB.	E. Thomas Nash	UNIV. OF CALIFORNIA, SANTA BARBARA CARELTON UNIVERSITY (CANADA) UNIVERSITY OF COLORADO AT BOULDER FERMILAB NATIONAL RESEARCH COUNCIL (CANADA) UNIVERSITY OF OKLAHOMA UNIVERSITY OF TORONTO (CANADA)
	Request	5 Oct, 76	1,000 Hours in the tagged photon beam assuming a primary beam of 450 GeV protons with 2.9 x 10 to the 15th protons/hour
		3 Oct, 77	1,000 Hours with 6 x 10 to the 12th protons per pulse, a 1 sec. flat top and a 10 sec. cycle
	Approval	15 Nov, 77	1,000 Hours to include 400 hours for testing and 600 hours for data
	Completed	1 Jun, 81	4,500 Hours
522	PROTON POLARIZATION #522 BEAM: Internal Target Area (C-0) A STUDY OF INCLUSIVE PROTON POLARIZATION.	Harold O. Ogren	INDIANA UNIVERSITY
	Request	28 Oct, 76	840 Hours the experiment would run with the existing exp #313 set-up in the internal target area
	Approval	25 Jun, 77	800 Hours conditional on cryogenic operation of the internal target area
	Completed	21 Mar, 78	700 Hours
524	EMULSION/PROTONS > 500 GEV #524 BEAM: Meson Area - Test Beam PROPOSAL TO STUDY INTERACTIONS OF PROTONS OF ENERGY GREATER THAN 500 GEV IN EMULSION AND HEAVY NUCLEI.	Richard J. Wilkes	UNIVERSITY OF WASHINGTON
	Request	18 Jan, 77	Emulsion Exposure of 10 plates would be exposed to fluxes ranging from 75,000 to 200,000 particles/sq.cm.
	Approval	3 Mar, 77	Emulsion Exposure with a momentum of approximately 500 GeV/c
	Completed	26 Apr, 85	6 Emulsion Stack(s)
525	EMULSION/PI- @ 300 #525 BEAM: Neutrino Area - Miscellaneous PROPOSAL TO STUDY PROTON-NUCLEUS INTERACTIONS IN EMULSION PLATES WITH EMBEDDED METAL POWDER GRANULES AT 300 GEV.	Richard J. Wilkes	UNIVERSITY OF WASHINGTON
	Request	18 Jan, 77	Emulsion Exposure of 10 plates would be exposed in a negative beam to fluxes ranging from 75,000 - 200,000 particles/sq.cm.
		13 Dec, 77	Emulsion Exposure with a request for the beam energy to be changed to 300 GeV
	Approval	3 Mar, 77	Emulsion Exposure
	Completed	15 Jan, 78	2 Stack(s)
531	NEUTRINO #531 BEAM: Neutrino Area - Wide Band Horn A PROPOSAL TO STUDY WEAK DECAY LIFETIMES OF NEUTRINO PRODUCED PARTICLES IN A TAGGED EMULSION SPECTROMETER.	Neville W. Reay	AICHI UNIV. OF EDUCATION (JAPAN) FERMILAB ICRR, UNIVERSITY OF TOKYO (JAPAN) KOBE UNIVERSITY (JAPAN) KOREA UNIVERSITY, SEOUL (KOREA) MCGILL UNIVERSITY (CANADA) NAGOYA UNIVERSITY (JAPAN) OHIO STATE UNIVERSITY OKAYAMA UNIVERSITY (JAPAN) OSAKA CITY UNIVERSITY (JAPAN) OSAKA SCIENCE EDUC. INST. (JAPAN) UNIVERSITY OF OTTAWA (CANADA) UNIVERSITY OF TORONTO (CANADA) VIRGINIA TECH YOKOHAMA NATIONAL UNIV. (JAPAN)
	Request	31 Jan, 77	1,500 Hours or a total proton flux of 3 x 10 to the 18th
		19 May, 78	3,000 Hours including a second parasitic run
		8 May, 79	2,250 Hours total with an additional 1,100 hours requested for two runs of 6 x 10 to the 18th protons each, the first to be neutrinos (350 GeV pi+), the second to be antineutrinos (350 GeV pi- with the plug out)
	Approval	15 Mar, 77	Parasitic Running concurrent with other neutrino experiments
		1 Jul, 79	Parasitic Running concurrent with the next 15-foot bubble chamber neutrino run with the Wide Band Horn
	Completed	1 Jun, 81	3,800 Hours
533	PI-MU ATOMS #533 BEAM: Meson Area - M3 Beam PROPOSAL TO MEASURE THE RATE OF FORMATION OF PI-MU ATOMS IN K-LONG M 3 DECAY.	Gordon B. Thomson	UNIVERSITY OF CHICAGO STANFORD UNIVERSITY UNIVERSITY OF WISCONSIN - MADISON
	Request	1 Feb, 77	500 Hours based on 3 x 10 to the 6th K-longs/pulse in the M3 beam
	Approval	18 Mar, 77	500 Hours with the requirement that preliminary studies and tests show that costs for the experiment are reasonable
		19 Mar, 79	2,100 Hours for the additional 1,500 hours requested for tuneup and data to complete the experiment
	Completed	28 Nov, 79	2,050 Hours
536	EMULSION/NEUTRINO #536 BEAM: Neutrino Area - Wide Band Horn STUDY OF NEUTRINO INTERACTIONS IN NUCLEAR EMULSIONS.	Kiyoshi Niu	AICHI UNIV. OF EDUCATION (JAPAN) NAGOYA UNIVERSITY (JAPAN) YOKOHAMA NATIONAL UNIV. (JAPAN)
	Request	2 Feb, 77	500 Hours or 1 x 10 to the 18th protons to be run in the broad band neutrino beam on a parasitic basis with the regular neutrino program
	Approval	10 Feb, 77	Parasitic Running
	Completed	13 Aug, 77	2 Stack(s)

537	DI-MUON #537	Bradley B. Cox	UNIVERSITY OF ATHENS (GREECE) FERMILAB MCGILL UNIVERSITY (CANADA) UNIVERSITY OF MICHIGAN - ANN ARBOR SHANDONG UNIVERSITY (PRC)
	BEAM: Proton Area - West PROPOSAL TO STUDY PBAR-N INTERACTIONS IN THE P-WEST HIGH INTENSITY LABORATORY		
	+-----+		
	Request	14 Feb, 77 1,700 Hours	with 300 hours of tuning and 600 hours initial data run to be followed by 800 hours for final data run, all in high intensity secondary beam
		31 Oct, 77 1,400 Hours	to include 100 hours of tuneup, 300 hours of pi- @ 200 or 300 GeV, 700 hours of pi+ @ 200 or 300 GeV and 300 hours of pbar @ 100 GeV in high intensity secondary beam. Phase 1 would consist of 250 hours for tune up and 750 hours for data taking on di-muon production by p bars. Phase 2 would consist of 250 hours for tune up and 750 hours for data taking on di-electron production by p bars
		31 Jan, 78 2,000 Hours	for study of di-muon production by pbars
	Approval	16 Mar, 78 1,000 Hours	
	Completed	28 Feb, 82 2,700 Hours	
540	PARTICLE SEARCH #540	Michael J. Longo	UNIVERSITY OF MICHIGAN - ANN ARBOR
	BEAM: Meson Area - M3 Beam A SEARCH FOR NEW METASTABLE PARTICLES TRAPPED IN MATTER.		
	+-----+		
	Request	22 Mar, 77 1,900 Hours	with a running period of six months in the M3 beam. The beam would be used 50 - 75% of the time available.
	Approval	23 May, 77	Parasitic Running conditional on negotiation of an agreement and that the experiment will be mounted and run under low priority conditions
	Completed	21 Feb, 78 600 Hours	
545	15-FOOT NEUTRINO/D2&HIZ #545	George A. Snow	ILLINOIS INSTITUTE OF TECHNOLOGY UNIVERSITY OF MARYLAND SUNY AT STONY BROOK TOHOKU UNIVERSITY (JAPAN) TUFTS UNIVERSITY
	BEAM: Neutrino Area - Wide Band Horn PROPOSAL FOR AN EXTENSION OF E-151/E-227 TO STUDY NEUTRINO INTERACTIONS IN DEUTERIUM IN THE 15-FOOT BUBBLE CHAMBER WITH PLATES. (An initial run will be without plates.)		
	+-----+		
	Request	18 Apr, 77 300 K Pix	
		21 Dec, 77 500 K Pix	to be run in the wide band beam with 1.3 x 10 to the 13th protons per pulse incident on the target at 400 GeV
	Approval	16 Mar, 78 350 K Pix	or equivalently 3.5 x 10 to the 18th protons; with the assumption that the test of the plate system will be successful
		28 Jun, 78 350 K Pix	to be run in the 15-ft chamber without plates
	Completed	17 Jan, 79 317 K Pix	
546	15-FOOT NEUTRINO/H2&NE #546	Fred Russell Huson	UNIV. OF CALIFORNIA, BERKELEY FERMILAB UNIVERSITY OF HAWAII AT MANOA LAWRENCE BERKELEY LABORATORY UNIVERSITY OF WASHINGTON UNIVERSITY OF WISCONSIN - MADISON
	BEAM: Neutrino Area - Quadrupole Triplet HIGH ENERGY NEUTRINO AND ANTINEUTRINO INTERACTIONS IN THE 15-FOOT BUBBLE CHAMBER USING THE QUADRUPOLE TRIPLET TRAIN LOAD AND THE TWO-PLANE EMI.		
	+-----+		
	Request	27 Apr, 77 250 K Pix	with specific interest in an exposure of 5 x 10 to the 18th protons
	Approval	29 Jun, 77	Parasitic Running concurrent with other neutrino running with the Quad Triplet train
	Completed	26 Jan, 78 375 K Pix	
547	EMULSION/PROTONS @ 400 #547	C. J. Jacquot	CRN, STRASBOURG (FRANCE) UNIVERSITY OF LYON (FRANCE) UNIVERSITY OF SANTANDER (SPAIN)
	BEAM: Neutrino Area - Miscellaneous ANGULAR CORRELATIONS STUDY IN PROTON-NUCLEI JETS AT 400-500 GEV USING EMULSION TELESCOPE TECHNIQUES.		
	+-----+		
	Request	27 Apr, 77	Emulsion Exposure in a 400-500 GeV proton beam with incoming flux of 5 x 10 to the 4th particles over a surface 5 x 5 cm sq.
	Approval	14 Jun, 77	Emulsion Exposure
	Completed	15 Jan, 78 24 Stack(s)	
549	QUARK #549	Michael J. Longo	UNIVERSITY OF MICHIGAN - ANN ARBOR STANFORD UNIVERSITY
	BEAM: Neutrino Area - Miscellaneous A SEARCH FOR FRACTIONAL CHARGES USING ACCELERATOR AND LOW TEMPERATURE TECHNIQUES.		
	+-----+		
	Request	2 May, 77	Parasitic Running to expose at least 12 niobium spheres in the vicinity of a proton beam with intensities of > 1 x 10 to the 13th per pulse
	Approval	16 May, 77	Parasitic Running contingent on the target being prepared and provided by the experimenters
	Approved/Inactive	1 Oct, 78	1 Target Exposure(s) as of 1 Oct 1978
552	P-N SCATTERING #552	Felix Sannes	IMPERIAL COLLEGE (ENGLAND) UNIVERSITY OF ROCHESTER RUTGERS UNIVERSITY
	BEAM: Internal Target Area (C-0) A PROPOSAL TO STUDY P - P ELASTIC AND P - D COHERENT SCATTERING.		
	+-----+		
	Request	6 May, 77 900 Hours	
	Approval	25 Jun, 77 800 Hours	conditional on cryogenic operation of the Internal Target Area
	Completed	9 Apr, 78 950 Hours	
553	NEUTRINO #553	Paul F. Shepard	CORNELL UNIVERSITY UNIVERSITY OF LIBRE (BELGIUM) UNIVERSITY OF LUND (SWEDEN) UNIVERSITY OF OKLAHOMA UNIVERSITY OF PADOVA (ITALY) UNIVERSITY OF PITTSBURGH INFN, ROME (ITALY) UNIVERSITY OF SYDNEY (AUSTRALIA) UNIVERSITY OF TORINO (ITALY) YORK UNIVERSITY (CANADA)
	BEAM: Neutrino Area - Wide Band Horn A PROPOSAL TO SEARCH FOR SHORT-LIVED PARTICLES PRODUCED BY ANTINEUTRINOS AND NEUTRINOS (Using a hybrid emulsion-visual detector.)		
	+-----+		
	Request	6 May, 77 2,000 Hours	with a specific request for 4 x 10 to the 18th protons
		5 Mar, 79 2,500 Hours	total with an additional 1,000 hours for a run of at least 7 x 10 to the 18th protons with the broad band beam tuned for neutrinos
	Approval	24 Jun, 77	Parasitic Running conditional on review of detector tests
		16 Nov, 77	Parasitic Running conditional on review of detector tests in January 1978
		1 Jul, 79	Parasitic Running concurrent with the next 15-foot bubble chamber neutrino run with the Wide Band Horn
	Completed	1 Apr, 80 1,500 Hours	

555	NEUTRAL HYPERON #555	Thomas J. Devlin	UNIVERSITY OF MICHIGAN - ANN ARBOR UNIVERSITY OF MINNESOTA RUTGERS UNIVERSITY UNIVERSITY OF WISCONSIN - MADISON
	BEAM: Meson Area - M2 Beam A PROPOSAL TO STUDY CROSS SECTIONS AND POLARIZATION IN NEUTRAL STRANGE PARTICLE PRODUCTION AT HIGH TRANSVERSE MOMENTUM. (Using the neutral hyperon beam and associated experimental apparatus.)		
	+-----+		
	Request	6 May, 77 250 Hours for tuneup and data 19 May, 78 530 Hours for tuning and data at intensities of 1×10 to the 11th per pulse	
	Approval	15 Nov, 78 450 Hours	
	Completed	17 Feb, 82 650 Hours	
557	HADRON JETS #557	Ernest I. Malamud	UNIVERSITY OF ARIZONA CALIFORNIA INSTITUTE OF TECHNOLOGY FERMILAB FLORIDA STATE UNIVERSITY GEORGE MASON UNIVERSITY UNIV. OF ILLINOIS, CHICAGO CIRCLE INDIANA UNIVERSITY UNIVERSITY OF MARYLAND IHEP, PROTIVNO (SERPUKHOV) (RUSSIA) RUTGERS UNIVERSITY
	BEAM: Meson Area - Test Beam PROPOSAL TO STUDY HADRON JETS WITH THE CALORIMETER TRIGGERED MULTIPARTICLE SPECTROMETER. (Continuation of work begun in exp #260.)		
	+-----+		
	Request	9 May, 77 1,600 Hours for data with a suggested run plan as follows - 400 hours at 200 GeV, 800 hours with upgraded M6-beam at 300 GeV, and 400 hours at 400 GeV	
	Approval	24 Jun, 77 1,600 Hours conditional on a better understanding of beam requirements for the experiment after an upgrading of the M6 beam	
	Completed	14 Jul, 84 1,470 Hours	
564	15-FOOT & EMULSION/NEUTRINO#564	Louis Voyvodic	FERMILAB ILLINOIS INSTITUTE OF TECHNOLOGY JINR, DUBNA (RUSSIA) UNIVERSITY OF KANSAS INP, KRAKOW (POLAND) ITEP, MOSCOW (RUSSIA) IHEP, PROTIVNO (SERPUKHOV) (RUSSIA) INST. FOR NUCL. RESEARCH (BULGARIA) UNIVERSITY OF SYDNEY (AUSTRALIA) UNIVERSITY OF WASHINGTON
	BEAM: Neutrino Area - Wide Band Horn DIRECT DETECTION OF SHORT-LIVED PARTICLES FROM NEUTRINO INTERACTIONS IN NUCLEAR EMULSIONS INSIDE THE 15-FOOT BUBBLE CHAMBER.		
	+-----+		
	Request	11 May, 77 1,500 Hours with a specific request for neutrinos from a total proton flux of 3×10 to the 18th; running is proposed during the 15-foot running period with a deuterium fill planned for the spring of 1978	
		8 May, 79 1,100 Hours additional to be run parasitically in the 15-ft chamber. film from two auxiliary cameras is requested for the neutrino portion of the running	
	Approval	24 Jun, 77 Parasitic Running with the understanding that the experiment impose only a small impact on the 15-ft chamber operations	
		1 Jul, 79 Parasitic Running with the understanding that the experiment impose only a small impact on the 15-ft chamber operations	
	Completed	9 Mar, 81 277 K Pix	
565	30-INCH HYBRID #565	Irwin A. Pless	BROWN UNIVERSITY FERMILAB COLLEGE DE FRANCE (FRANCE) INDIANA UNIVERSITY MASSACHUSETTS INST. OF TECHNOLOGY NIJMEGEN UNIVERSITY (NETHERLANDS) OAK RIDGE NATIONAL LABORATORY RUTGERS UNIVERSITY STEVENS INSTITUTE OF TECHNOLOGY UNIVERSITY OF TEL-AVIV (ISRAEL) UNIVERSITY OF TENNESSEE, KNOXVILLE TOHOKU GAKUIN UNIVERSITY (JAPAN) TOHOKU UNIVERSITY (JAPAN) YALE UNIVERSITY
	BEAM: Neutrino Area - 30 in. Hadron Beam A STUDY OF THE DETAILED CHARACTERISTICS OF HADRON-NUCLEUS COLLISIONS USING THE FERMILAB HYBRID SPECTROMETER. (The experiment would be run with aluminum, silver, and gold foil targets mounted inside the 30-inch hydrogen-filled bubble chamber.)		
	+-----+		
	Request	2 Jun, 77 3,000 K Pix in a 400 GeV proton beam (400 hours, 1,000K pix) and a 200 GeV proton plus pion beam (800 hours, 2,000K pix)	
		7 Feb, 78 2,000 K Pix to be taken as follows- 500K pix with 200 GeV incident protons 500K pix with 200 GeV incident pi+ 800K pix with 200 GeV incident pi- 200K pix with 400 GeV incident protons	
	Approval	16 Mar, 78 Parasitic Running with exp #570	
	Completed	1 Jun, 82 1,068 K Pix total for E-565 and E-570	
567	PARTICLE SEARCH #567	Michael S. Witherell	BROOKHAVEN NATIONAL LABORATORY CEN-SACLAY (FRANCE) FERMILAB PRINCETON UNIVERSITY UNIVERSITY OF TORINO (ITALY)
	BEAM: Proton Area - West SEARCH FOR CHARM PRODUCTION IN 200 GEV/C HADRON INTERACTIONS. (Using the spectrometer for exp #302 with additions.)		
	+-----+		
	Request	13 Jun, 77 500 Hours	
	Approval	24 Jun, 77 500 Hours with 100 hours for checkout and 400 hours for data-taking	
	Completed	7 Nov, 79 1,650 Hours see exp #650	
568	EMULSION/PI- @ 300 #568	Jacques D. Hebert	UNIVERSITY OF BELGRADE (YUGOSLAVIA) CRN, STRASBOURG (FRANCE) FERMILAB UNIVERSITY OF LUND (SWEDEN) UNIVERSITY OF NANCY (FRANCE) UNIVERSITY OF OTTAWA (CANADA) UNIV. OF PARIS VI, LPG (FRANCE) LRC, LYON (FRANCE) UNIVERSITY OF SANTANDER (SPAIN) UNIVERSITY OF VALENCIA (SPAIN)
	BEAM: Neutrino Area - Miscellaneous 300 GEV PION INTERACTIONS IN NUCLEAR EMULSION.		
	+-----+		
	Request	8 Aug, 77 Emulsion Exposure of 3 stacks in a negative beam of about 30K particles per cm sq.	
	Approval	16 Sep, 77 Emulsion Exposure of 3 stacks in a 300 GeV negative beam with a flux of 30K particles per cm sq over an area of 3×3 cm sq	
	Completed	15 Jan, 78 3 Stack(s)	

570	30-INCH HYBRID #570	Irwin A. Pless	BROWN UNIVERSITY FERMILAB COLLEGE DE FRANCE (FRANCE) INDIANA UNIVERSITY MASSACHUSETTS INST. OF TECHNOLOGY NIJMEGEN UNIVERSITY (NETHERLANDS) OAK RIDGE NATIONAL LABORATORY RUTGERS UNIVERSITY STEVENS INSTITUTE OF TECHNOLOGY UNIVERSITY OF TEL-AVIV (ISRAEL) UNIVERSITY OF TENNESSEE, KNOXVILLE TOHOKU GAKUIN UNIVERSITY (JAPAN) TOHOKU UNIVERSITY (JAPAN) YALE UNIVERSITY
	BEAM: Neutrino Area - 30 in. Hadron Beam PROPOSAL FOR A STUDY OF PARTICLE PRODUCTION AND DYNAMICS FROM $X = 0$ TO $X = 1$ AND THE DEPENDENCE ON INCIDENT QUANTUM NUMBERS. (Supercedes proposal #488. Will use the forward gamma detector and the downstream ISIS system with the 30-inch hybrid spectrometer.)		
	Request	16 Sep, 77	2,000 K Pix to be taken with the 30-inch hybrid spectrometer exposed to two beams, 1,000K pix in a positive beam with 10% K+ and equal fractions of protons and pi+, and 1,000K pix in a negative beam with 20% pbars
	Approval	16 Mar, 78	1,500 Hours for a run of 15 weeks duration; combined with exp #565
	Completed	1 Jun, 82	1,068 K Pix total for E-565 and E-570
573	EMULSION/PI- @ 300 #573	Noriyuki Ushida	AICHI UNIV. OF EDUCATION (JAPAN) NAGOYA UNIVERSITY (JAPAN) YOKOHAMA NATIONAL UNIV. (JAPAN)
	BEAM: Neutrino Area - Miscellaneous A SEARCH FOR CHARMED PARTICLES PRODUCED BY 300 GEV/C NEGATIVE PIONS IN NUCLEAR EMULSION.		
	Request	29 Nov, 77	3 Stack(s) exposed in a negative pion beam to an integrated flux of 7.5×10 to the 3rd particles per cm sq
	Approval	29 Nov, 77	3 Stack(s)
	Completed	15 Jan, 78	3 Stack(s)
574	EMULSION/PI- @ 300 #574	Wladyslaw Wolter	INP, KRAKOW (POLAND)
	BEAM: Neutrino Area - Miscellaneous A STUDY OF THE MECHANISM FOR MULTIPLE PRODUCTION OF PARTICLES AT OR ABOVE 300 GEV PION INTERACTIONS IN NUCLEAR EMULSION.		
	Request	1 Dec, 77	3 Stack(s) exposed in a 300 GeV negative pion beam to an integrated intensity of 5×10 to the 4th particles per cm sq
	Approval	1 Dec, 77	3 Stack(s)
	Completed	18 Jan, 78	4 Stack(s)
575	EMULSION/PROTONS @ 400 #575	Jere J. Lord	UNIVERSITY OF WASHINGTON
	BEAM: Neutrino Area - Miscellaneous PROPOSAL TO STUDY 400 GEV PROTON INTERACTIONS IN NUCLEAR EMULSION.		
	Request	13 Dec, 77	2 Stack(s) to be exposed in a 400 GeV proton beam focused to a diameter of less than 5-10 mm. One stack to receive a total dose of 100K p/cm sq and the other 200K p/cm sq.
	Approval	13 Dec, 77	2 Stack(s)
	Completed	15 Jan, 78	2 Stack(s)
576	EMULSION/PROTONS @ 500 #576	Jacques D. Hebert	UNIVERSITY OF BELGRADE (YUGOSLAVIA) CRN, STRASBOURG (FRANCE) FERMILAB UNIVERSITY OF LUND (SWEDEN) UNIVERSITY OF LYON (FRANCE) UNIVERSITY OF NANCY (FRANCE) UNIVERSITY OF OTTAWA (CANADA) UNIV. OF PARIS VI, LPG (FRANCE) UNIVERSITY OF SANTANDER (SPAIN) UNIVERSITY OF VALENCIA (SPAIN)
	BEAM: Neutrino Area - Miscellaneous 500 GEV PROTON INTERACTIONS IN NUCLEAR EMULSION		
	Request	21 Dec, 77	Emulsion Exposure exposed in a 500 GeV proton beam to a total integrated flux of 3×10 to the 4th particles per cm sq
	Approval	20 Feb, 78	Emulsion Exposure
	Completed	11 Jul, 85	1 Emulsion Stack(s)
577	ELASTIC SCATTERING #577	Roy Rubinstein	UNIVERSITY OF ARIZONA UNIV. OF CALIFORNIA, SAN DIEGO CORNELL UNIVERSITY FERMILAB
	BEAM: Meson Area - M6 Beam PROPOSAL TO MEASURE PI P ELASTIC SCATTERING AT LARGE ANGLES.		
	Request	30 Jan, 78	1,000 Hours to be run in a 200 GeV incident beam with a beam flux between 5×10 to the 7th and 5×10 to the 8th pions per pulse
	Approval	29 Jun, 78	1,000 Hours
	Completed	16 Mar, 81	1,550 Hours
580	PARTICLE SEARCH #580	Daniel R. Green	UNIVERSITY OF ARIZONA FERMILAB FLORIDA STATE UNIVERSITY NOTRE DAME UNIVERSITY TUFTS UNIVERSITY VANDERBILT UNIVERSITY VIRGINIA TECH
	BEAM: Meson Area - M6 Beam A SEARCH FOR NARROW AND BROAD RESONANCES DECAYING INTO LAMBDA-LAMBDA BAR, LAMBDA-LAMBDA BAR-PI, K SHORT AND K SHORT-K SHORT-PI FROM PI- P INTERACTIONS AT 300 GEV USING THE FERMILAB MPS.		
	Request	31 Jan, 78	800 Hours to be run in a pion beam with an incident flux of 1.5×10 to the 6th pions per pulse at 300 GeV
	Approval	29 Jun, 78	800 Hours
	Completed	1 Jun, 81	800 Hours

581	POLARIZED SCATTERING #581	Akihiko Yokosawa	ARGONNE NATIONAL LABORATORY CEN-SACLAY (FRANCE) FERMILAB HIROSHIMA UNIVERSITY (JAPAN) UNIVERSITY OF IOWA KYOTO SANGYO UNIVERSITY (JAPAN) KYOTO UNIVERSITY (JAPAN) KYOTO UNIV. OF EDUCATION (JAPAN) LAPP, D'ANNECY-LE-VIEUX (FRANCE) LOS ALAMOS NATIONAL LABORATORY NORTHWESTERN UNIVERSITY UN. OF OCCUP. & ENV. HEALTH (JAPAN) IHEP, PROTIVNO (SERPUKHOV) (RUSSIA) RICE UNIVERSITY UNIVERSITY DI TRIESTE (ITALY) UNIVERSITY OF UDINE (ITALY)
	BEAM: Meson Area - Polarized Proton Beam CONSTRUCTION OF A POLARIZED BEAM FACILITY IN THE MESON LABORATORY AND EXPERIMENTS USING SUCH A FACILITY. (Using the M2-beam converted to a polarized proton/antiproton beam.)		
	Request	31 Jan, 78	1,200 Hours to include- 600 hours for total cross section difference measurements 600 hours for asymmetry measurements in inclusive pion production
		30 Jan, 79	1,670 Hours to include- 200 hours for beam measurements 1,000 hours for high p-transverse physics 220 hours for cross section measurements 250 hours for hadron production at large-x
	Approval	27 Nov, 79	Unspecified approval for the construction of a polarized beam only There is no approval yet for any experiment to use the beam.
	Approved/Inactive	10 Feb, 84	Unspecified
584	PARTICLE SEARCH #584	Bruce D. Winstein	UNIVERSITY OF CHICAGO STANFORD UNIVERSITY UNIVERSITY OF WISCONSIN - MADISON
	BEAM: Meson Area - M3 Beam PROPOSAL TO SEARCH FOR THE DECAY OF NEW LONG-LIVED NEUTRAL PARTICLES WITH A MASS AND LIFETIME EXCEEDING THAT OF THE K LONG.		
	Request	31 Jan, 78	300 Hours to be run in the M3 beam as modified for experiment #533
	Approval	29 Jun, 78	300 Hours with low priority
	Completed	22 Jan, 80	400 Hours
585	KAON CHARGE EXCHANGE #585	William R. Francis	UNIV. OF CALIFORNIA, DAVIS UNIV. OF CALIFORNIA, SAN DIEGO CARELTON UNIVERSITY (CANADA) MICHIGAN STATE UNIVERSITY
	BEAM: Meson Area - M4 Beam A PROPOSAL TO STUDY EXCLUSIVE KN CHARGE EXCHANGE AT FERMILAB. (The spectrometer from experiment #383 would be used.)		
	Request	31 Jan, 78	600 Hours to be run immediately following the conclusion of exp #383
		13 Nov, 78	2,700 Hours for 7 weeks of data to finish K- running and 9 weeks to repeat the experiment with a K+ beam and a deuterium target
	Approval	16 Mar, 78	600 Hours with conditions before the Meson Laboratory pause
		21 Dec, 78	1,800 Hours with the approval of an additional 7 weeks of running to finish K- data; no commitment is made to K+ running
	Completed	16 Mar, 81	3,150 Hours
591	PARTICLE SEARCH #591	Laszlo J. Gutay	FERMILAB PURDUE UNIVERSITY
	BEAM: Internal Target Area (C-0) BROAD SEARCH FOR NEW HADRONIC STATES VIA HIGH RESOLUTION CHARGE AND MASS DETERMINATION OF NUCLEAR FRAGMENTS.		
	Request	31 Jan, 78	800 Hours to include 200 hours for setup and 600 hours for data
	Approval	21 Apr, 78	800 Hours
	Completed	8 Feb, 81	1,950 Hours
592	NUCLEAR SCALING #592	Sherman Frankel	ITEP, MOSCOW (RUSSIA) UNIVERSITY OF PENNSYLVANIA COLLEGE OF WILLIAM AND MARY
	BEAM: Proton Area - West PROPOSAL FOR EXPERIMENTAL STUDY OF THE RELATIONSHIP BETWEEN HADRONIC AND NUCLEAR SCALING AT VERY HIGH ENERGIES.		
	Request	31 Jan, 78	300 Hours to be run in a 400 GeV proton beam at an upstream location in P-West
	Approval	17 Mar, 78	300 Hours to be run in such a manner as not to interfere with the installation of the P-West pion beam
	Completed	17 Jul, 78	500 Hours
594	NEUTRINO #594	James K. Walker	FERMILAB ILLINOIS INSTITUTE OF TECHNOLOGY MASSACHUSETTS INST. OF TECHNOLOGY MICHIGAN STATE UNIVERSITY NORTHERN ILLINOIS UNIVERSITY
	BEAM: Neutrino Area - Dichromatic PROPOSAL FOR A NEW NEUTRINO DETECTOR AT FERMILAB.		
	Request	1 Feb, 78	2,500 Hours for data to include: Experiment A (a study of semi-leptonic neutral current reactions) to require 6 x 10 to the 18th protons utilizing the narrow band beam at 250 GeV Experiment B (neutrino electron elastic scattering) to require 6 x 10 to the 18th protons utilizing the two-horn beam
	Approval	16 Mar, 78	Unspecified
	Completed	14 Jun, 82	4,400 Hours
595	PARTICLE SEARCH #595	Arie Bodek	CALIFORNIA INSTITUTE OF TECHNOLOGY UNIVERSITY OF CHICAGO FERMILAB UNIVERSITY OF ROCHESTER STANFORD UNIVERSITY
	BEAM: Neutrino Area - 15 ft. Hadron Beam A STUDY OF CHARM AND OTHER NEW FLAVORS PRODUCED IN PION-NUCLEON COLLISIONS. (Continuation of work begun in exp #379.)		
	Request	1 Feb, 78	1,000 Hours to include 400 hours at 300 GeV with an incident intensity of 10 to the 5th pi- per pulse and 400 hours at 250-300 GeV with incident intensity of 10 to the 6th pi- per pulse
	Approval	29 Jun, 78	600 Hours for the low-pt part of the experiment
	Completed	16 Jun, 80	1,450 Hours
596	PARTICLE SEARCH #596	Leon M. Lederman	COLUMBIA UNIVERSITY FERMILAB SUNY AT STONY BROOK
	BEAM: Neutrino Area - Muon/Hadron Beam ON SEARCHING FOR HEAVY STABLE PARTICLES (A continuation of work begun with exp #187.)		
	Request	3 Feb, 78	150 Hours to be run with the beam tuned to 75 GeV and assuming 10 to the 13th primary protons incident per pulse
	Approval	1 May, 78	150 Hours
	Completed	21 May, 78	200 Hours

597	30-INCH HYBRID #597	James J. Whitmore	UNIVERSITY OF CAMBRIDGE (ENGLAND) DUKE UNIVERSITY FERMILAB UNIVERSITY OF KANSAS MICHIGAN STATE UNIVERSITY NOTRE DAME UNIVERSITY
	BEAM: Neutrino Area - 30 in. Hadron Beam PROPOSAL FOR A HIGH STATISTICS STUDY OF PBAR-P ANNIHILATIONS AND A COMPARISON OF PBAR, P, PI+, AND K+ INTERACTIONS ON HYDROGEN, MAGNESIUM, AND GOLD AT 100 GEV/C UTILIZING THE FERMILAB 30-INCH HYDROGEN BUBBLE CHAMBER. (The use of thin metallic foil targets in the hydrogen is requested.)		
	Request	3 Feb, 78	1,450 K Pix to be taken as follows- 1,000K pix in negative beam @ 100 GeV 400K pix in positive beam @ 100 GeV 50K pix in negative beam @ 360 GeV
	Approval	16 Mar, 78	1,000 Hours for a run of 10 weeks duration
	Completed	3 May, 82	658 K Pix
605	HIGH MASS PAIRS #605	John P. Rutherford	CEN-SACLAY (FRANCE) CERN (SWITZERLAND) COLUMBIA UNIVERSITY FERMILAB KEK (JAPAN) KYOTO UNIVERSITY (JAPAN) SUNY AT STONY BROOK UNIVERSITY OF WASHINGTON
	BEAM: Meson Area - East A STUDY OF LEPTONS AND HADRONS NEAR THE KINEMATIC LIMITS. (Using an apparatus with higher luminosity and acceptance than experiment #288.)		
	Request	9 May, 78	4,000 Hours to be run with an incident intensity greater than 10 to the 13th protons/pulse at an energy of at least 400 GeV
		28 Nov, 78	4,000 Hours in the Phase I configuration. an incident beam of 400 GeV protons would be needed with an intensity of 3 x 10 to the 12th per pulse
	Approval	19 Mar, 79	1,000 Hours with the Phase I detector
	Completed	29 Aug, 85	3,970 Hours
608	PARTICLE SEARCH #608	Charles N. Brown	COLUMBIA UNIVERSITY FERMILAB SUNY AT STONY BROOK
	BEAM: Proton Area - Center A SEARCH FOR THE ETA SUB C IN HADRONIC INTERACTIONS. (Using the spectrometer from exp #288/494.)		
	Request	28 Sep, 78	100 Hours in the P-center proton beam at an incident intensity of 3 x 10 to the 9th protons per pulse
	Approval	25 Jan, 79	Parasitic Running
	Completed	7 Mar, 79	600 Hours
609	HADRON JETS #609	Walter Selove	ARGONNE NATIONAL LABORATORY FERMILAB LEHIGH UNIVERSITY UNIVERSITY OF PENNSYLVANIA RICE UNIVERSITY UNIVERSITY OF WISCONSIN - MADISON
	BEAM: Meson Area - M6 Beam A STUDY OF THE STRUCTURE OF HIGH P TRANSVERSE HADRONIC INTERACTIONS. (This proposal supersedes P-246.)		
	Request	2 Oct, 78	1,500 Hours for Phase 1 to be run in a beam with 400 GeV capability with at least 10 to the 8th protons per sec incident Phase 2 would include addition of a large aperture magnet, Cerenkov imaging device and PWC's; Phase 3 would include a request for a higher energy beam
	Approval	16 Nov, 78	Unspecified with conditions
		30 Jan, 80	1,500 Hours
	Completed	14 Feb, 84	620 Hours
610	PARTICLE SEARCH #610	Thomas B. W. Kirk	FERMILAB HOWARD UNIVERSITY UNIVERSITY OF ILLINOIS, CHAMPAIGN UNIVERSITY OF PENNSYLVANIA PURDUE UNIVERSITY TUFTS UNIVERSITY
	BEAM: Neutrino Area - Muon/Hadron Beam PION PRODUCTION OF HEAVY QUARK MESON STATES DECAYING INTO THE PSI/J (3097). (Continuation of work begun in exp #369 but with upgraded cyclotron spectrometer.)		
	Request	2 Oct, 78	1,000 Hours to be run with an incident intensity of 10 to the 13th protons per pulse on the production target
	Approval	21 Dec, 78	1,000 Hours with a schedule yet to be formally determined
	Completed	23 Jun, 80	1,250 Hours see proposal #673
612	PHOTON DISSOCIATION #612	Konstantin Goulianos	ROCKEFELLER UNIVERSITY
	BEAM: Proton Area - East A PROPOSAL TO MEASURE THE DIFFRACTIVE PHOTON DISSOCIATION ON HYDROGEN.		
	Request	2 Oct, 78	1,150 Hours to be run in the tagged photon beam with 10 to the 6th incident photons per pulse
	Approval	15 Nov, 78	1,150 Hours
	Completed	12 Apr, 82	1,850 Hours
613	BEAM DUMP #613	Byron P. Roe	UNIVERSITY OF FIRENZE (ITALY) UNIVERSITY OF MICHIGAN - ANN ARBOR OHIO STATE UNIVERSITY UNIVERSITY OF WISCONSIN - MADISON
	BEAM: Meson Area - M2 Beam PROPOSAL FOR A PROMPT NEUTRINO EXPERIMENT AT FERMILAB.		
	Request	2 Oct, 78	1,000 Hours to obtain an exposure of 1 - 2 x 10 to the 17th protons with an incident intensity of 1 x 10 to the 12th protons/pulse
	Approval	15 Nov, 78	1,000 Hours with an expected reassessment of physics priorities and possible implications for this experiment in the fall of 1979
	Completed	13 May, 82	1,800 Hours
615	FORWARD SEARCH #615	Kirk T. McDonald	UNIVERSITY OF CHICAGO FERMILAB IOWA STATE UNIVERSITY PRINCETON UNIVERSITY
	BEAM: Proton Area - West A STUDY OF THE FORWARD PRODUCTION OF MASSIVE PARTICLES. IN PHASE ONE THE FORWARD PRODUCTION OF MUON PAIRS WOULD BE STUDIED. (Using a forward spectrometer with mass selection.)		
	Request	28 Nov, 78	1,000 Hours to be run in a 50-GeV pion beam at an incident intensity of 10 to the 10th pions per pulse
		7 May, 79	1,000 Hours to include 600 hours of running with 250 GeV pions and 200 hours with 75 GeV pions. A primary proton intensity of 10 to the 13th per pulse on the P-West production target and 300 pulses per hour are assumed.
	Approval	1 Jul, 79	1,000 Hours
	Completed	14 Jul, 84	2,260 Hours

616	NEUTRINO #616 BEAM: Neutrino Area - Dichromatic PROPOSAL TO MEASURE NEUTRINO STRUCTURE FUNCTIONS. (Use of the Lab E neutrino detector to continue work begun in exp #356.)	Frank J. Sciulli	CALIFORNIA INSTITUTE OF TECHNOLOGY COLUMBIA UNIVERSITY FERMILAB UNIVERSITY OF ROCHESTER ROCKEFELLER UNIVERSITY
	Request	29 Jan, 79	3,200 Hours to include specifically 600 hours for checkout, calibration and background studies, and 2 x 10 to the 19th protons at 400 GeV for data
	Approval	19 Mar, 79	4,000 Hours approximately or 2 x 10 to the 19th protons to be combined with running for exp #356
	Completed	22 Jan, 80	2,900 Hours
617	CP VIOLATION #617 BEAM: Meson Area - M3 Beam A STUDY OF DIRECT CP VIOLATION IN THE DECAY OF THE NEUTRAL KAON VIA A PRECISION MEASUREMENT OF THE RATIO OF $\eta \rightarrow \pi^0 \pi^0$ TO $\eta \rightarrow \pi^+ \pi^-$.	Bruce D. Winstein	CEN-SACLAY (FRANCE) UNIVERSITY OF CHICAGO
	Request	30 Jan, 79	1,000 Hours for data
	Approval	19 Mar, 79	1,000 Hours
	Completed	14 Jun, 82	2,300 Hours
619	TRANSITION MAGNETIC MOMENT #619 BEAM: Proton Area - Center A MEASUREMENT OF THE SIGMA-ZERO TO LAMBDA TRANSITION MAGNETIC MOMENT.	Thomas J. Devlin	UNIVERSITY OF MICHIGAN - ANN ARBOR UNIVERSITY OF MINNESOTA RUTGERS UNIVERSITY UNIVERSITY OF WISCONSIN - MADISON
	Request	7 May, 79	250 Hours to be run in the diffracted proton beam (normally 400 GeV) at an intensity between 10 to the 8th and 10 to the 9th protons per pulse with a 1-sec spill
	Approval	1 Jul, 79	250 Hours
	Completed	14 Jun, 82	675 Hours
620	CHARGED HYPERON MAG MOMENT #620 BEAM: Meson Area - M2 Beam PROPOSAL TO MEASURE THE MAGNETIC MOMENTS OF THE SIGMA +, SIGMA -, XI -, AND OMEGA - HYPERONS USING THE FERMILAB NEUTRAL HYPERON BEAM.	Lee G. Pondrom	UNIVERSITY OF MICHIGAN - ANN ARBOR UNIVERSITY OF MINNESOTA RUTGERS UNIVERSITY UNIVERSITY OF WISCONSIN - MADISON
	Request	7 May, 79	300 Hours to be run in the diffracted proton beam (350 to 400 GeV) at an intensity of 10 to the 9th protons per pulse and a 1-sec spill
	Approval	1 Jul, 79	300 Hours
	Completed	22 Jan, 80	900 Hours
621	CP VIOLATION #621 BEAM: Proton Area - Center A MEASUREMENT OF THE CP VIOLATION PARAMETER $\eta \rightarrow \pi^0 \pi^0$. (Use of the neutral hyperon spectrometer is assumed.)	Gordon B. Thomson	UNIVERSITY OF MICHIGAN - ANN ARBOR UNIVERSITY OF MINNESOTA RUTGERS UNIVERSITY
	Request	7 May, 79	1,200 Hours to be run in 2 phases consisting of 200 hours for Phase 1 with some modifications to the present apparatus 1000 hours for Phase 2 at a later date after results from Phase 1 have been analyzed
	Approval	1 Jul, 81	Unspecified
	Completed	29 Aug, 85	2,470 Hours
622	QUARK #622 BEAM: Meson Area - M2 Beam PROPOSAL TO SEARCH FOR FRACTIONAL CHARGE PARTICLES FROM A MAGNETIZED BEAM DUMP.	H. Richard Gustafson	UNIVERSITY OF MICHIGAN - ANN ARBOR
	Request	7 May, 79	100 Hours to be run partially in conjunction with exp #361 using the beam dump from that experiment
	Approval	1 Jul, 79	Parasitic running in a mode that is not to interfere with the operation of exp #361
	Completed	23 Jun, 80	Unspecified
623	PARTICLE SEARCH #623 BEAM: Meson Area - M6 Beam PROPOSAL TO STUDY HIGH MASS STATES DECAYING INTO π^0 - π^0 AND π^0 - π^0 PAIRS PRODUCED CENTRALLY IN 300 GEV/C π^0 MINUS PROTON INTERACTIONS. (Use of the Fermilab multiparticle spectrometer facility is assumed.)	Daniel R. Green	UNIVERSITY OF ARIZONA FERMILAB FLORIDA STATE UNIVERSITY NOTRE DAME UNIVERSITY TUFTS UNIVERSITY VANDERBILT UNIVERSITY VIRGINIA TECH
	Request	7 May, 79	1,000 Hours to be run in a 300 GeV/c beam of negative pions at an intensity of a few times 10 to the 6th pions per pulse
	Approval	14 Nov, 80	500 Hours to be run before 1983
	Completed	14 Jun, 82	425 Hours
629	DIRECT PHOTON PRODUCTION #629 BEAM: Meson Area - M1 Beam DIRECT PHOTON PRODUCTION IN HADRON NUCLEUS COLLISIONS.	Charles A. Nelson, Jr.	FERMILAB MICHIGAN STATE UNIVERSITY UNIVERSITY OF MINNESOTA NORTHEASTERN UNIVERSITY UNIVERSITY OF ROCHESTER TEXAS A&M UNIVERSITY
	Request	25 Feb, 80	600 Hours to include 200 hrs for set up, 400 hrs for data
	Approval	7 Jul, 80	Unspecified approved as a test in the M-1 beam line in the fall of 1980
	Completed	9 Mar, 81	600 Hours
630	CHARM PARTICLE #630 BEAM: Proton Area - Center STUDY OF B PARTICLE AND CHARMED PARTICLE PRODUCTION AND DECAY USING A HIGH RESOLUTION STREAMER CHAMBER.	Jack Sandweiss	FERMILAB LAWRENCE BERKELEY LABORATORY YALE UNIVERSITY
	Request	26 Feb, 80	600 Hours
	Approval	15 Mar, 80	600 Hours
	Completed	15 Mar, 82	1,150 Hours
631	NUC CALIBRATION CROSS SECT #631 BEAM: Neutrino Area - Miscellaneous A MEASUREMENT OF NUCLEAR CALIBRATION CROSS SECTIONS FOR PROTONS BETWEEN 100 AND 1000 GEV.	Samuel I. Baker	BROOKHAVEN NATIONAL LABORATORY CERN (SWITZERLAND) FERMILAB
	Request	26 Feb, 80	25 Exposure(s)
	Approval	15 Dec, 80	Unspecified in neutrino area
	Completed	1 Jun, 81	41 Exposure(s)

632	15-FT NEUTRINO/H2 & NE #632	Douglas R. O. Morrison and Michael W. Peters	UNIVERSITY OF BIRMINGHAM (ENGLAND) UNIV. OF CALIFORNIA, BERKELEY CEN-SACLAY (FRANCE) CERN (SWITZERLAND) FERMILAB UNIVERSITY OF HAWAII AT MANOA ILLINOIS INSTITUTE OF TECHNOLOGY IMPERIAL COLLEGE (ENGLAND) JAMMU UNIVERSITY (INDIA) UNIVERSITY OF LIBRE (BELGIUM) MAX-PLANCK INSTITUTE (GERMANY) MOSCOW STATE UNIVERSITY (RUSSIA) ITEP, MOSCOW (RUSSIA) UNIVERSITY OF OXFORD (ENGLAND) PANJAB UNIVERSITY (INDIA) IHEP, PROTIVNO (SERPUKHOV) (RUSSIA) RUTGERS UNIVERSITY TUFTS UNIVERSITY
	BEAM: Neutrino Area - Center AN EXPOSURE OF THE 15-FOOT BUBBLE CHAMBER WITH A NEON-HYDROGEN MIXTURE TO A WIDEBAND NEUTRINO BEAM FROM THE TEVATRON.		
	+-----+		
	Request	25 Apr, 80	250 K Pix
	Approval	18 Jun, 82	1 E18th Protons Stage I approval
		15 Dec, 83	1 E18th Protons Stage II approval
	Completed	1 Feb, 88	446 K Pix
=====			
635	NEUTRINO #635	Luke W. Mo	FERMILAB VIRGINIA TECH
	BEAM: Neutrino Area - Prompt Beam PROPOSAL TO MEASURE MUON NEUTRINO ELECTRON AND MUON ANTI-NEUTRINO ELECTRON ELASTIC SCATTERING, NEUTRINO OSCILLATIONS, AND DECAYS OF LONG-LIVED NEUTRAL PARTICLES AT THE TEVATRON OF FERMILAB.		
	+-----+		
	Request	25 Apr, 80	... 3 x 10 to the 18th protons
		16 Mar, 83	Unspecified
	Approval	12 Nov, 83	Unspecified Stage I approval.
	Approved/Inactive	1 Feb, 88	Unspecified
=====			
636	BEAM DUMP #636	Toshio Kitagaki and Irwin A. Pless	IHEP, BEIJING (PRC) BROWN UNIVERSITY FERMILAB INDIANA UNIVERSITY MASSACHUSETTS INST. OF TECHNOLOGY OAK RIDGE NATIONAL LABORATORY TECHNION-ISRAEL INST (ISRAEL) UNIVERSITY OF TEL-AVIV (ISRAEL) UNIVERSITY OF TENNESSEE, KNOXVILLE TOHOKU GAKUIN UNIVERSITY (JAPAN) TOHOKU UNIVERSITY (JAPAN)
	BEAM: Neutrino Area - Prompt Beam NEUTRINO INTERACTION STUDIES WITH A HEAVY LIQUID BUBBLE CHAMBER AT TEVATRON ENERGIES USING A BEAM DUMP TECHNIQUE TO PRODUCE THE NEUTRINO BEAM.		
	+-----+		
	Request	25 Apr, 80	2.5 E18th Protons
	Approval	14 Nov, 80	Unspecified
	Approved/Inactive	1 Feb, 88	Unspecified
=====			
646	15-FT BEAM DUMP #646	Michael W. Peters	UNIV. OF CALIFORNIA, BERKELEY FERMILAB UNIVERSITY OF HAWAII AT MANOA ILLINOIS INSTITUTE OF TECHNOLOGY RUTGERS UNIVERSITY STEVENS INSTITUTE OF TECHNOLOGY TUFTS UNIVERSITY
	BEAM: Neutrino Area - Prompt Beam SEARCH FOR THE TAU NEUTRINO AND STUDY OF ELECTRON NEUTRINO AND ELECTRON ANTI-NEUTRINO INTERACTIONS.		
	+-----+		
	Request	25 Apr, 80	2 E18th Protons
	Approval	1 Jul, 81	Unspecified
	Approved/Inactive	1 Feb, 88	Unspecified
=====			
650	PARTICLE SEARCH #650	Robert C. Webb	BROOKHAVEN NATIONAL LABORATORY CEN-SACLAY (FRANCE) PRINCETON UNIVERSITY TEXAS A&M UNIVERSITY UNIVERSITY OF TORINO (ITALY)
	BEAM: Proton Area - West REQUEST FOR A CONTINUATION OF E-567.		
	+-----+		
	Request	29 Apr, 80	500 Hours
	Approval	7 Jul, 80	500 Hours expected to run in the spring 1981 running period.
	Completed	29 Dec, 80	550 Hours
=====			
653	PARTICLE SEARCH #653	Neville W. Reay	AICHI UNIV. OF EDUCATION (JAPAN) UNIV. OF CALIFORNIA, DAVIS CARNEGIE-MELLON UNIVERSITY CHONNAM NATIONAL UNIVERSITY (KOREA) FERMILAB GIFU UNIVERSITY (JAPAN) GYEONGSANG NATIONAL UNIV. (KOREA) KINKI UNIVERSITY (JAPAN) KOBE UNIVERSITY (JAPAN) KOREA UNIVERSITY, SEOUL (KOREA) NAGOYA INST. OF TECHNOLOGY (JAPAN) NAGOYA UNIVERSITY (JAPAN) OHIO STATE UNIVERSITY OKAYAMA UNIVERSITY (JAPAN) UNIVERSITY OF OKLAHOMA OSAKA CITY UNIVERSITY (JAPAN) OSAKA SCIENCE EDUC. INST. (JAPAN) TOHO UNIVERSITY (JAPAN) UTSUNOMIYA UNIVERSITY (JAPAN) WON KWANG UNIVERSITY, IRI (KOREA)
	BEAM: Neutrino Area - East A PROPOSAL TO MEASURE CHARM AND B DECAYS VIA HADRONIC PRODUCTION IN A HYBRID EMULSION SPECTROMETER.		
	+-----+		
	Request	1 May, 80	1,500 Hours
	Approval	1 Jul, 81	Unspecified
	Completed	15 Feb, 88	1,800 Hours
=====			
660	CHANNELING #660	Walter M. Gibson	CERN (SWITZERLAND) CHALK RIVER NUCLEAR LAB. (CANADA) FERMILAB JINR, DUBNA (RUSSIA) UNIVERSITY OF NEW MEXICO SUNY AT ALBANY UNIVERSITY OF STRASBOURG (FRANCE)
	BEAM: Meson Area - M4 Beam PROPOSAL TO STUDY THE EFFECT OF BENT CRYSTALS ON CHANNELING NEAR THE CRITICAL RADIUS OF BENDING.		
	+-----+		
	Request	10 Jun, 80	300 Hours
	Approval	14 Nov, 80	400 Hours
	Completed	13 Jun, 82	425 Hours
=====			
663	LAMBDA POLARIZATION #663	Hans G. E. Kobrak	UNIV. OF CALIFORNIA, DAVIS UNIV. OF CALIFORNIA, SAN DIEGO CARELTON UNIVERSITY (CANADA) FERMILAB MICHIGAN STATE UNIVERSITY
	BEAM: Meson Area - M4 Beam COMPARISON OF POLARIZATION OF INCLUSIVELY PRODUCED LAMBDA AND ANTILAMBDA BY PROTONS, ANTI-PROTONS, KAONS AND PIONS ON HYDROGEN.		
	+-----+		
	Request	29 Sep, 80	1,000 Hours
	Approval	14 Nov, 80	800 Hours must be completed by July 1, 1981
	Completed	1 Jun, 81	500 Hours

```

=====
665  TEVATRON MUON #665                      Heidi M. Schellman
      BEAM: Neutrino Area - Muon Beam
      MUON SCATTERING WITH HADRON DETECTION AT THE TEVATRON.
      +-----+
      Request      3 Oct, 80  3,000 Hours
      Approval     1 Jul, 81  1,000 Hours
                  30 Jan, 89  ... Tracking system upgrade
      Data Analysis 8 Jan, 92  Unspecified
      Completed    1 Mar, 99  Unspecified

      ARGONNE NATIONAL LABORATORY
      UNIV. OF CALIFORNIA, SAN DIEGO
      FERMILAB
      FREIBURG UNIVERSITY (GERMANY)
      HARVARD UNIVERSITY
      UNIV. OF ILLINOIS, CHICAGO CIRCLE
      INF, KRAKOW (POLAND)
      LAWRENCE LIVERMORE LABORATORY
      UNIVERSITY OF MARYLAND
      MASSACHUSETTS INST. OF TECHNOLOGY
      MAX-PLANCK INSTITUTE (GERMANY)
      NORTHWESTERN UNIVERSITY
      OHIO UNIVERSITY
      UNIVERSITY OF PENNSYLVANIA
      UNIVERSITY OF WASHINGTON
      UNIVERSITY OF WUPPERTAL (GERMANY)
      YALE UNIVERSITY
=====
666  EMULSION EXPOSURE #666                 Richard J. Wilkes
      BEAM: Proton Area - Center
      EMULSION EXPOSURE TO SIGMA MINUS BEAM AT FERMILAB.
      +-----+
      Request      2 Dec, 80  1 K Pix
      Approval     2 Dec, 80  Unspecified
      Completed    9 Mar, 81  6 Stack(s)

      INF, KRAKOW (POLAND)
      UNIVERSITY OF WASHINGTON
=====
667  EMULSION/PI- @ 500 #667                Wladyslaw Wolter
      BEAM: Proton Area - East
      STUDY OF PION-NUCLEUS INTERACTIONS IN PURE EMULSION STACKS AND EMULSION CHAMBERS AT
      ENERGY ABOVE 500 GEV.
      +-----+
      Request      2 Dec, 80  Emulsion Exposure
      Approval     28 Mar, 90  Unspecified
      Completed    27 Aug, 90  Unspecified

      INF, KRAKOW (POLAND)
      LEBEDEV PHYSICAL INST. (RUSSIA)
      LOUISIANA STATE UNIVERSITY
      TASHKENT, PHY.TEC.INS (UZBEKISTAN)
=====
668  EMULSION/PI- @ 800 #668                Wladyslaw Wolter
      BEAM: Unspecified Beam
      STUDY OF PION NUCLEUS INTERACTIONS IN PURE EMULSION STACKS AND EMULSION CHAMBERS AT ENERGY ABOVE 800 GEV.
      +-----+
      Request      2 Dec, 80  Emulsion Exposure
      Completed    26 Apr, 85  Emulsion Exposure

      INF, KRAKOW (POLAND)
=====
672A HADRON JETS #672A                      Andrzej Ziemiński
      BEAM: Meson Area - West
      A STUDY OF HADRONIC FINAL STATES PRODUCED IN ASSOCIATION WITH HIGH-PT JETS AND
      HIGH-MASS DIMUONS.
      +-----+
      Request      1 Feb, 81  2,000 Hours for data taking plus 500 hours for setup and testing
      Approval     1 Jul, 81  Unspecified
      Data Analysis 8 Jan, 92  Unspecified
      Completed    1 Mar, 99  Unspecified

      FERMILAB
      UNIV. OF ILLINOIS, CHICAGO CIRCLE
      INDIANA UNIVERSITY
      UNIVERSITY OF LOUISVILLE
      UNIVERSITY OF MICHIGAN - FLINT
      IHEP, PROTIVNO (SERPOKHOV) (RUSSIA)
=====
673  CHI MESON #673                         John W. Cooper
      BEAM: Neutrino Area - Muon/Hadron Beam
      CHI MESON PRODUCTION BY HADRONS.
      (E-610 extension.)
      +-----+
      Request      1 Feb, 81  1,500 Hours to be run with Dichromatic train during the fall 1981 period
      Approval     1 Jul, 81  Unspecified
      Completed    14 Apr, 82  1,100 Hours

      FERMILAB
      UNIVERSITY OF ILLINOIS, CHAMPAIGN
      UNIVERSITY OF PENNSYLVANIA
      PURDUE UNIVERSITY
      TUFTS UNIVERSITY
=====
683  PHOTOPRODUCTION OF JETS #683           Marjorie D. Corcoran
      BEAM: Proton Area - Broad Band
      PHOTOPRODUCTION OF HIGH PT JETS.
      +-----+
      Request      1 Feb, 81  1,200 Hours including 500 hours for tune-up, calibration and some hadron beam running
      Approval     15 Dec, 83  Unspecified Stage I approval.
                  4 Apr, 87  Unspecified Stage II approval.
      Data Analysis 8 Jan, 92  Unspecified
      Completed    1 Mar, 99  Unspecified

      BALL STATE UNIVERSITY
      FERMILAB
      UNIVERSITY OF IOWA
      UNIVERSITY OF MARYLAND
      UNIVERSITY OF MICHIGAN - ANN ARBOR
      RICE UNIVERSITY
      VANDERBILT UNIVERSITY
=====
687  PHOTOPRODUCTION OF CHARM AND B #687    Joel N. Butler and John P. Cumalat
      BEAM: Proton Area - Broad Band
      HIGH ENERGY PHOTOPRODUCTION OF STATES CONTAINING HEAVY QUARKS AND OTHER RARE
      PHENOMENA.
      +-----+
      Request      1 Feb, 81  2,000 Hours including a 500 hour run with a thick target and a beam dump and
                        another 1500 hour run with an open geometry
      Approval     1 Jul, 81  Unspecified Stage I approval.
                  15 Dec, 83  Unspecified Stage II approval.
      Data Analysis 8 Jan, 92  Unspecified
      Completed    1 Mar, 99  Unspecified

      UNIV. OF CALIFORNIA, DAVIS
      UNIVERSITY OF COLORADO AT BOULDER
      FERMILAB
      INFN, FRASCATI (ITALY)
      UNIVERSITY OF ILLINOIS, CHAMPAIGN
      INFN, MILANO (ITALY)
      UNIVERSITY OF MILANO (ITALY)
      UNIVERSITY OF NORTH CAROLINA
      NORTHWESTERN UNIVERSITY
      NOTRE DAME UNIVERSITY
      UNIVERSITY OF PAVIA (ITALY)
      UNIV. OF PUERTO RICO - RIO PIEDRAS
=====

```

690	PARTICLE SEARCH #690 BEAM: Neutrino Area - East STUDY OF HADRONIC PRODUCTION AND SPECTROSCOPY OF STRANGE, CHARM AND BOTTOM PARTICLES AT THE TEVATRON.	Bruce C. Knapp	COLUMBIA UNIVERSITY FERMILAB UNIVERSITY OF GUANAJUATO (MEXICO) UNIVERSITY OF MASSACHUSETTS TEXAS A&M UNIVERSITY
	+-----+ Request	1 Feb, 81	1,400 Hours including 400 hours of target fragmentation measurements during installation and 1000 hours with full detector
	Approval	1 Jul, 81	Unspecified
		12 Nov, 83	Unspecified Stage I approval.
		4 Apr, 87	Unspecified Stage II approval.
		8 Jan, 92	Unspecified
	Data Analysis	8 Jan, 92	Unspecified
	Completed	1 Mar, 99	Unspecified
691	TAGGED PHOTON #691 BEAM: Proton Area - East PROPOSAL TO DO PHOTON PHYSICS WITH THE TEVATRON AT THE TAGGED PHOTON SPECTROMETER.	Michael S. Witherell	UNIV. OF CALIFORNIA, SANTA BARBARA CARELTON UNIVERSITY (CANADA) CBPF (BRAZIL) UNIVERSITY OF COLORADO AT BOULDER FERMILAB NATIONAL RESEARCH COUNCIL (CANADA) UNIVERSITY OF OKLAHOMA UNIVERSITE OF SAO PAULO (BRAZIL) UNIVERSITY OF TORONTO (CANADA)
	+-----+ Request	1 Feb, 81	1,000 Hours
	Approval	12 Nov, 83	Unspecified Stage I approval
	Completed	29 Aug, 85	1,400 Hours
700	NEUTRINO OSCILLATION #700 BEAM: Neutrino Area - Prompt Beam STUDY OF NEUTRINO OSCILLATIONS AND SEARCH FOR THE TAU NEUTRINO.	David J. Miller	UNIVERSITY OF BARI (ITALY) ECOLE POLYTECH, PALAISEAU (FRANCE) ILLINOIS INSTITUTE OF TECHNOLOGY LONDON UNIVERSITY COLLEGE (ENGLAND) TUPTS UNIVERSITY
	+-----+ Request	10 Feb, 81	2.5 E18th Protons
	Inactive	1 Apr, 84	
701	NEUTRINO OSCILLATION #701 BEAM: Neutrino Area - Dichromatic A SEARCH FOR NEUTRINO OSCILLATIONS WITH DELTA-M-SQUARE GREATER THAN 10 EV-SQUARE.	Michael H. Shaevitz	UNIVERSITY OF CHICAGO COLUMBIA UNIVERSITY FERMILAB UNIVERSITY OF ROCHESTER
	+-----+ Request	12 Feb, 81	5.2 E18th Protons
	Approval	1 Jul, 81	Unspecified
	Completed	14 Jun, 82	2,250 Hours
702	PARTICLE SEARCH #702 BEAM: Internal Target Area (C-0) SEARCH FOR PARTICLES WITH ANOMALOUS VALUES OF M/Q AND EXTREMELY SHORT INTERACTION LENGTHS (A REVISION OF P-607). (To use recoil spectrometer with rotating be wire filament target.)	George Glass	IHEP, BEIJING (PRC) FERMILAB NORTHEASTERN UNIVERSITY TEXAS A&M UNIVERSITY
	+-----+ Request	12 Jun, 81	400 Hours for data and approximately 3 months to build and debug the apparatus
	Inactive	1 Apr, 84	
703	ELECTRON TARGET FACILITY #703 BEAM: Collision Area (D-0) ELECTRON-PROTON COLLISIONS AT FERMILAB (Electron-proton collisions using the canadian high energy electron ring cheer.)	William R. Frisken	CIPP (CANADA) CARELTON UNIVERSITY (CANADA) CEN-SACLAY (FRANCE) CHALK RIVER NUCLEAR LAB. (CANADA) UNIVERSITY OF CHICAGO CORNELL UNIVERSITY FERMILAB UNIVERSITY OF MARYLAND MCGILL UNIVERSITY (CANADA) NATIONAL RESEARCH COUNCIL (CANADA) UNIVERSITY OF SASKATCHEWAN (CANADA) UNIVERSITY OF TORONTO (CANADA) TRIUMF (CANADA) YORK UNIVERSITY (CANADA)
	+-----+ Request	6 Jul, 81	1,000 Hours initial run to obtain 1 x 10 to the 4th inverse nanobarns. plus several later runs totalling 10 to the 6th inverse nanobarns
	Inactive	23 Jun, 82	
704	POLARIZED BEAM #704 BEAM: Meson Area - Polarized Proton Beam INTEGRATED PROPOSAL ON FIRST ROUND EXPERIMENTS WITH THE POLARIZED BEAM FACILITY.	Akihiko Yokosawa	ARGONNE NATIONAL LABORATORY CEN-SACLAY (FRANCE) FERMILAB HIROSHIMA UNIVERSITY (JAPAN) UNIVERSITY OF IOWA KYOTO SANGYO UNIVERSITY (JAPAN) KYOTO UNIVERSITY (JAPAN) KYOTO UNIV. OF EDUCATION (JAPAN) LAPP, D'ANNECY-LE-VIEUX (FRANCE) LOS ALAMOS NATIONAL LABORATORY NORTHWESTERN UNIVERSITY UN. OF OCCUP. & ENV. HEALTH (JAPAN) IHEP, PROTIVNO (SERPUKHOV) (RUSSIA) RICE UNIVERSITY UNIVERSITY DI TRIESTE (ITALY) UNIVERSITY OF UDINE (ITALY)
	+-----+ Request	8 Sep, 81	1,200 Hours proposal to perform simultaneously substantial parts of experiments described in P676, P678, P674 and P677.
	Approval	14 Dec, 81	Unspecified Stage I approval.
		15 Dec, 83	1,200 Hours Stage II approval.
	Data Analysis	13 Aug, 90	Unspecified
	Completed	1 Mar, 99	Unspecified
705	CHI MESON #705 BEAM: Proton Area - West A STUDY OF CHARMONIUM AND DIRECT PHOTON PRODUCTION BY 300 GEV/C ANTIPROTON, PROTON, PI+ AND PI- BEAMS.	Bradley B. Cox	UNIVERSITY OF SOUTH ALABAMA UNIVERSITY OF ARIZONA UNIVERSITY OF ATHENS (GREECE) DUKE UNIVERSITY FERMILAB UNIVERSITY OF FIRENZE (ITALY) MCGILL UNIVERSITY (CANADA) NANJING UNIVERSITY (PRC) NORTHWESTERN UNIVERSITY PRAIRIE VIEW A&M UNIVERSITY SHANDONG UNIVERSITY (PRC) SSC LABORATORY UNIVERSITY OF VIRGINIA
	+-----+ Request	1 Oct, 81	1,500 Hours
	Approval	14 Dec, 81	1,500 Hours
	Completed	15 Feb, 88	3,600 Hours

706	DIRECT PHOTON PRODUCTION #706 BEAM: Meson Area - West A Comprehensive Study of Direct Photon Production in Hadron Induced Collisions	Paul F. Slattery	UNIV. OF CALIFORNIA, DAVIS DELHI UNIVERSITY (INDIA) FERMILAB MICHIGAN STATE UNIVERSITY NORTHEASTERN UNIVERSITY UNIVERSITY OF OKLAHOMA PENNSYLVANIA STATE UNIVERSITY UNIVERSITY OF PITTSBURGH UNIVERSITY OF ROCHESTER
	Request	26 Oct, 81	2,400 Hours
	Approval	14 Dec, 81	1,000 Hours
	Data Analysis	8 Jan, 92	Unspecified
	Completed	1 Mar, 99	Unspecified
707	SIGMA MINUS BETA DECAY #707 BEAM: Proton Area - Center MEASUREMENT OF THE ELECTRON ASYMMETRY PARAMETER IN SIGMA MINUS BETA DECAY.	Peter S. Cooper	UNIVERSITY OF CHICAGO FERMILAB IOWA STATE UNIVERSITY UNIVERSITY OF IOWA FNPI, ST. PETERSBURG (RUSSIA) YALE UNIVERSITY
	Request	24 Nov, 81	300 Hours
	Rejected	15 Dec, 81	
708	ELECTRON TARGET FACILITY #708 BEAM: Collision Area (D-0) ELECTRON-PROTON INTERACTION EXPERIMENT (Supercedes proposal #659.)	Wonyong Lee	ARGONNE NATIONAL LABORATORY BROOKHAVEN NATIONAL LABORATORY UNIVERSITY OF CHICAGO UNIVERSITY OF COLORADO AT BOULDER COLUMBIA UNIVERSITY FERMILAB HARVARD UNIVERSITY UNIVERSITY OF ILLINOIS, CHAMPAIGN UNIVERSITY OF MICHIGAN - ANN ARBOR NIKHEF-H (NETHERLANDS) UNIVERSITY OF PENNSYLVANIA PRINCETON UNIVERSITY ROCKEFELLER UNIVERSITY
	Request	25 Nov, 81	Unspecified
	Inactive	23 Jun, 82	
709	FORWARD DETECTOR #709 BEAM: Collision Area (D-0) PROPOSAL FOR A FORWARD DETECTOR FOR THE D0 AREA	Michael J. Longo	UNIV. OF ILLINOIS, CHICAGO CIRCLE UNIVERSITY OF MICHIGAN - ANN ARBOR
	Request	11 Jan, 82	Unspecified
	Rejected	23 Jun, 82	
710	TOTAL CROSS-SECTION #710 BEAM: Collision Area (E-0) MEASUREMENTS OF ELASTIC SCATTERING AND TOTAL CROSS SECTIONS AT THE FERMILAB PBAR-P COLLIDER.	Jay Orear and Roy Rubinstein	UNIVERSITY OF BOLOGNA (ITALY) CORNELL UNIVERSITY FERMILAB GEORGE MASON UNIVERSITY UNIVERSITY OF MARYLAND NORTHWESTERN UNIVERSITY
	Request	1 Feb, 82	Unspecified
	Approval	23 Jun, 82	Unspecified
	Completed	31 May, 89	Unspecified
711	CONSTITUENT SCATTERING #711 BEAM: Neutrino Area - East A PROPOSAL TO MEASURE THE ENERGY, ANGULAR, AND CHARGE DEPENDENCE OF MASSIVE DI-HADRON PRODUCTION OVER A LARGE SOLID ANGLE IN INTENSE PROTON AND PION BEAMS.	David A. Levinthal	ARGONNE NATIONAL LABORATORY FERMILAB FLORIDA STATE UNIVERSITY UNIVERSITY OF MICHIGAN - ANN ARBOR
	Request	28 Aug, 82	Unspecified
	Approval	1 Jul, 83	Unspecified
	Completed	15 Feb, 88	1,400 Hours
712	MUON PRODUCTION #712 BEAM: Collision Area (D-0) STUDY OF MUONS FROM PBAR-P COLLISIONS UP TO SQUARE ROOT OF S EQUAL TO 2 TEV.	Patrick D. Rapp	FERMILAB GEORGE MASON UNIVERSITY
	Request	1 Feb, 82	Unspecified
	Rejected	23 Jun, 82	
713	HIGHLY IONIZING PARTICLES #713 BEAM: Collision Area (D-0) PROPOSAL FOR A SEARCH FOR HIGHLY IONIZING PARTICLES FOR THE D0 AREA AT FERMILAB.	P. Buford Price	UNIV. OF CALIFORNIA, BERKELEY HARVARD UNIVERSITY
	Request	29 Jan, 82	Unspecified
	Approval	23 Jun, 82	Unspecified
	Completed	31 May, 89	Unspecified
714	LARGE ANGLE PARTICLE #714 BEAM: Collision Area (D-0) LARGE ANGLE PARTICLE D0 GROUP	Paul D. Grannis	BROOKHAVEN NATIONAL LABORATORY BROWN UNIVERSITY COLUMBIA UNIVERSITY FERMILAB MICHIGAN STATE UNIVERSITY SUNY AT STONY BROOK
	Request	5 Feb, 82	Unspecified
	Rejected	1 Jul, 83	
715	SIGMA BETA DECAY #715 BEAM: Proton Area - Center PRECISION MEASUREMENT OF THE DECAY SIGMA MINUS TO NEUTRON AND ELECTRON AND NEUTRINO.	Peter S. Cooper	UNIVERSITY OF CHICAGO ELMHURST COLLEGE FERMILAB IOWA STATE UNIVERSITY UNIVERSITY OF IOWA FNPI, ST. PETERSBURG (RUSSIA) YALE UNIVERSITY
	Request	19 Feb, 82	Unspecified
	Approval	23 Jun, 82	Unspecified for 3 months
	Completed	14 Feb, 84	820 Hours
716	BEAM DUMP #716 BEAM: Meson Area - M2 Beam PROPOSAL FOR FURTHER BEAM DUMP NEUTRINO RUNNING	Byron P. Roe	FERMILAB UNIVERSITY OF FIRENZE (ITALY) UNIVERSITY OF MICHIGAN - ANN ARBOR UNIVERSITY OF WISCONSIN - MADISON
	Request	9 Feb, 82	Unspecified
	Rejected	23 Jun, 82	
717	FORWARD DETECTOR #717 BEAM: Collision Area (D-0) A FORWARD LOOKING DETECTOR FOR THE D0 AREA.	Joseph Lach	FERMILAB
	Request	19 Mar, 82	Unspecified
	Rejected	23 Jun, 82	
718	CALORIMETERS AT D-0 #718 BEAM: Collision Area (D-0) STUDY OF PBAR-P INTERACTIONS USING CALORIMETERS AT D-0.	Albert R. Erwin	ARGONNE NATIONAL LABORATORY UNIVERSITY OF ARIZONA FERMILAB UNIVERSITY OF PENNSYLVANIA UNIVERSITY OF WISCONSIN - MADISON
	Request	1 Apr, 82	Unspecified
	Rejected	23 Jun, 82	

719	ELECTRON TARGET FACILITY #719 Wonyong Lee BEAM: Collision Area (D-0) ELECTRON-PROTON INTERACTION EXPERIMENT. (This proposal supercedes proposals #703 and #708.) -----+ Request 14 May, 82 Unspecified Not Approved 23 Jun, 82	ARGONNE NATIONAL LABORATORY CARELTON UNIVERSITY (CANADA) CEN-SACLAY (FRANCE) CHALK RIVER NUCLEAR LAB. (CANADA) UNIVERSITY OF COLORADO AT BOULDER COLUMBIA UNIVERSITY FERMILAB HARVARD UNIVERSITY UNIVERSITY OF ILLINOIS, CHAMPAIGN JOHNS HOPKINS UNIVERSITY UNIVERSITY OF MARYLAND MCGILL UNIVERSITY (CANADA) UNIVERSITY OF MICHIGAN - ANN ARBOR MICHIGAN STATE UNIVERSITY NIKHEF-H (NETHERLANDS) UNIVERSITY OF PENNSYLVANIA PRINCETON UNIVERSITY RICE UNIVERSITY ROCKEFELLER UNIVERSITY UNIVERSITY OF SASKATCHEWAN(CANADA) UNIVERSITY OF TORONTO (CANADA)
720	FREE QUARK SEARCH #720 John P. Schiffer BEAM: Miscellaneous Area PROPOSAL TO SEARCH FOR +1/3E STABLE PARTICLES USING CRYOGENIC SOURCES. -----+ Request 29 Jan, 82 Unspecified Approval 15 Mar, 82 Unspecified for 3 months 2 Jun, 82 Unspecified Completed 8 Oct, 82 Unspecified	ARGONNE NATIONAL LABORATORY FERMILAB
721	CP VIOLATION #721 Jerome L. Rosen BEAM: Proton Area - West AN EXPERIMENT TO STUDY CP VIOLATION IN THE DECAY OF K-LONG PRODUCED BY ANTI-PROTONS. -----+ Request 11 Jun, 82 Unspecified Approval 12 Mar, 84 Test Running Approved/Inactive 30 Jun, 87 Unspecified	UNIVERSITY OF ARIZONA UNIVERSITY OF ATHENS (GREECE) DUKE UNIVERSITY FERMILAB FLORIDA A&M UNIVERSITY MCGILL UNIVERSITY (CANADA) NORTHWESTERN UNIVERSITY SHANDONG UNIVERSITY (PRC)
722	D-0 STREAMER CHAMBER #722 V. Paul Kenney BEAM: Collision Area (D-0) STREAMER CHAMBER EXPERIMENT AT THE TEVATRON COLLIDER. -----+ Request 11 Oct, 82 Unspecified Inactive 18 Feb, 83	UNIVERSITY OF CAMBRIDGE (ENGLAND) NOTRE DAME UNIVERSITY
723	GRAVITATIONAL DETECTOR #723 Adrian Melissinos BEAM: Collision Area (C-0) TEST OF A GRAVITATIONAL DETECTOR AT THE TEVATRON COLLIDER. -----+ Request 21 Oct, 82 Unspecified Approval 12 Mar, 84 Test Running Completed 29 Aug, 85 Test Running	FERMILAB UNIVERSITY OF ROCHESTER
724	CALORIMETRIC DETECTOR #724 Michael J. Longo BEAM: Collision Area (D-0) COMPLETE CALORIMETRIC DETECTOR FOR THE D-0 AREA. -----+ Request 26 Oct, 82 Unspecified Rejected 1 Jul, 83	CALIFORNIA INSTITUTE OF TECHNOLOGY UNIV. OF ILLINOIS, CHICAGO CIRCLE MCGILL UNIVERSITY (CANADA) UNIVERSITY OF MICHIGAN - ANN ARBOR NOTRE DAME UNIVERSITY
725	DIFFRACTION DISSOCIATION #725 Konstantin Goulianos BEAM: Collision Area (D-0) A PROPOSAL TO MEASURE SINGLE AND DOUBLE DIFFRACTION DISSOCIATION AT THE FERMILAB PBAR-P COLLIDER. -----+ Request 1 Nov, 82 Unspecified Rejected 1 Jul, 83	ROCKEFELLER UNIVERSITY
726	CALORIMETRIC DETECTOR #726 Maris A. Abolins BEAM: Collision Area (D-0) PROPOSED CALORIMETRIC DETECTOR FOR THE D-0 AREA. -----+ Request 1 Nov, 82 Unspecified Rejected 1 Jul, 83	UNIVERSITY OF ARIZONA FERMILAB MICHIGAN STATE UNIVERSITY UNIVERSITY OF PENNSYLVANIA
727	FORWARD CALORIMETER #727 Jerome L. Rosen BEAM: Collision Area (D-0) SPLIT-FIELD MAGNET SPECTROMETER AND ELECTROMAGNETIC SHOWER DETECTOR FOR D-0. -----+ Request 2 Nov, 82 Unspecified Withdrawn 16 May, 83	NORTHWESTERN UNIVERSITY
728	MUON PRODUCTION #728 Daniel R. Green BEAM: Collision Area (D-0) STUDY OF MUONS FROM PBAR-P COLLISIONS UP TO SQUARE ROOT OF S EQUAL TO 2 TEV. (This proposal supercedes proposal #712.) -----+ Request 1 Nov, 82 Unspecified Rejected 1 Jul, 83	UNIVERSITY OF ARIZONA FERMILAB FLORIDA STATE UNIVERSITY UNIVERSITY OF MARYLAND VIRGINIA TECH
729	EMULSION/PROTONS @ 1 TEV #729 Atul Gurtu BEAM: Meson Area - Test Beam PROPOSAL TO STUDY CHARM AND MULTIPARTICLE PRODUCTION IN 1 TEV PROTON-EMULSION COLLISIONS -----+ Request 24 Nov, 82 Unspecified Approval 5 Dec, 83 Emulsion Exposure Completed 26 Apr, 85 2 Emulsion Stack(s)	TATA INSTITUTE (INDIA)
730	EMULSION/SIGMA-MINUS @ 250 #730 Richard J. Wilkes BEAM: Proton Area - Center EMULSION EXPOSURE TO 250 GEV SIGMA-MINUS. -----+ Request 5 Jan, 83 Unspecified Approval 10 Feb, 84 Unspecified Completed 10 Feb, 84 4 Hours	INP, KRAKOW (POLAND) INST. FOR NUCL. RESEARCH (BULGARIA) UNIVERSITY OF WASHINGTON

731	CP VIOLATION #731 BEAM: Meson Area - Center A MEASUREMENT OF THE MAGNITUDE OF (E'/E) IN THE NEUTRAL KAON SYSTEM TO A PRECISION OF .001.	Bruce D. Winstein	CEN-SACLAY (FRANCE) UNIVERSITY OF CHICAGO ELMHURST COLLEGE FERMILAB PRINCETON UNIVERSITY
	Request 1 Feb, 83 Unspecified Approval 1 Jul, 83 Unspecified Completed 15 Feb, 88 3,100 Hours		
732	XI-ZERO DECAY #732 BEAM: Proton Area - Center A SEARCH FOR THE DECAY NEUTRAL CASCADE TO PROTON AND NEGATIVE PION.	Marleigh C. Sheaff	UNIVERSITY OF MICHIGAN - ANN ARBOR UNIVERSITY OF MINNESOTA RUTGERS UNIVERSITY UNIVERSITY OF WISCONSIN - MADISON
	Request 1 Feb, 83 Unspecified Rejected 25 Jun, 85		
733	NEUTRINO INTERACTIONS #733 BEAM: Neutrino Area - Center PROPOSAL TO STUDY HIGH ENERGY NEUTRINO INTERACTIONS WITH THE TEVATRON QUADRUPOLE TRIPLET BEAM.	Raymond L. (Chip) Brock	FERMILAB UNIVERSITY OF FLORIDA MASSACHUSETTS INST. OF TECHNOLOGY MICHIGAN STATE UNIVERSITY
	Request 1 Feb, 83 Unspecified 16 Sep, 83 Unspecified Approval 12 Nov, 83 Unspecified Stage I approval. Completed 1 Feb, 88 4,100 Hours		
734	HYPERON PRODUCTION #734 BEAM: Proton Area - Center PRIMAKOFF PRODUCTION OF HYPERON EXCITED STATES.	Michael V. Hynes	UNIV. OF CALIFORNIA, LOS ANGELES LOS ALAMOS NATIONAL LABORATORY
	Request 1 Apr, 83 Unspecified Inactive 21 May, 86		
735	PARTICLE SEARCH #735 BEAM: Collision Area (C-0) SEARCH FOR A DECONFINED QUARK GLUON PHASE OF STRONGLY INTERACTING MATTER IN PBAR-P INTERACTIONS AT SQUARE ROOT OF S EQUAL TO 2 TEV.	Laszlo J. Gutay	DUKE UNIVERSITY FERMILAB IOWA STATE UNIVERSITY NOTRE DAME UNIVERSITY PURDUE UNIVERSITY UNIVERSITY OF WISCONSIN - MADISON
	Request 11 Apr, 83 Unspecified 16 Sep, 83 Unspecified Approval 15 Dec, 83 Unspecified Stage I approval. Completed 31 May, 89 Unspecified		
736	D-0 QUARK SEARCH #736 BEAM: Collision Area (D-0) A PROPOSAL TO CONDUCT A QUARK SEARCH AT THE FERMILAB COLLIDER.	Robert K. Adair	BROOKHAVEN NATIONAL LABORATORY YALE UNIVERSITY
	Request 11 Apr, 83 Unspecified Rejected 1 Jul, 83		
737	BATISS EXPERIMENT #737 BEAM: Unspecified Beam STUDY OF HIGH ENERGY NEUTRINOS WITH A DEEP UNDERWATER DETECTOR OF A MASS GREATER THAN 10 TO THE 6TH TONS.	Peter Kotzer	KAZAKH STATE UNIV., (KAZAKHSTAN) MOSCOW STATE UNIVERSITY (RUSSIA) UNIVERSITY OF WASHINGTON WESTERN WASHINGTON UNIVERSITY
	Request 25 Apr, 83 Unspecified Rejected 12 Nov, 83		
738	NARROW BAND #738 BEAM: Neutrino Area - Center LETTER OF INTENT TO RUN IN THE NARROW BAND AND BEAM AT TEVATRON II.	Charles Baltay	COLUMBIA UNIVERSITY
	Request 3 Jun, 83 Unspecified Withdrawn 26 Apr, 84		
739	ELECTRON-POSITRON #739 BEAM: Proton Area - East MEASUREMENTS OF CRYSTAL-ASSISTED ELECTRON-POSITRON PAIR CREATION.	Nelson Cue and Chih-Ree Sun	UNIV. OF CLAUDE BERNARD (FRANCE) FERMILAB LAPP, D'ANNEY-LE-VIEUX (FRANCE) SUNY AT ALBANY
	Request 9 Sep, 83 Unspecified Rejected 19 Apr, 85		

740	D-0 DETECTOR #740 BEAM: Collision Area (D-0) STUDY OF PROTON ANTI-PROTON COLLISIONS USING A LARGE DETECTOR AT D-0. +-----+ Request 9 Sep, 83 Unspecified Approval 10 Feb, 84 Unspecified Data Analysis 20 Feb, 96	Paul D. Grannis and Hugh Elliott Montgomery	UNIVERSIDAD DE LOS ANDES(COLOMBIA) UNIVERSITY OF ARIZONA BOSTON UNIVERSITY BROOKHAVEN NATIONAL LABORATORY BROWN UNIVERSITY UNIVERSIDAD DE BUENOS AIRES UNIV. OF CALIFORNIA, DAVIS UNIV. OF CALIFORNIA, IRVINE UNIV. OF CALIFORNIA, RIVERSIDE CBPF (BRAZIL) CEN-SACLAY (FRANCE) CINVESTAV-IPN (MEXICO) COLUMBIA UNIVERSITY DELHI UNIVERSITY (INDIA) FERMILAB FLORIDA STATE UNIVERSITY UNIVERSITY OF HAWAII AT MANOA UNIV. OF ILLINOIS, CHICAGO CIRCLE INDIANA UNIVERSITY IOWA STATE UNIVERSITY JINR, DUBNA (RUSSIA) KOREA UNIVERSITY, SEOUL (KOREA) INP, KRAKOW (POLAND) KYUNGSUNG UNIVERSITY, PUSAN(KOREA) LAWRENCE BERKELEY LABORATORY UNIVERSITY OF MARYLAND UNIVERSITY OF MICHIGAN - ANN ARBOR MICHIGAN STATE UNIVERSITY MOSCOW STATE UNIVERSITY (RUSSIA) UNIVERSITY OF NEBRASKA SUNY AT STONY BROOK NEW YORK UNIVERSITY NORTHEASTERN UNIVERSITY NORTHERN ILLINOIS UNIVERSITY NORTHWESTERN UNIVERSITY NOTRE DAME UNIVERSITY UNIVERSITY OF OKLAHOMA PANJAB UNIVERSITY (INDIA) PNPI, ST. PETERSBURG (RUSSIA) IHEP, PROTIVNO (SERPUKHOV) (RUSSIA) PURDUE UNIVERSITY RICE UNIVERSITY UNIV. FEDERAL DO RIO DE JANEIRO UNIVERSITY OF ROCHESTER SEOUL NATIONAL UNIVERSITY (KOREA) SSC LABORATORY TATA INSTITUTE (INDIA) TEXAS A&M UNIVERSITY UNIVERSITY OF TEXAS AT ARLINGTON
741	COLLIDER DETECTOR #741 BEAM: Collision Area (B-0) STUDY OF PROTON ANTI-PROTON COLLISIONS USING A LARGE DETECTOR AT B-0. +-----+ Request 1 Apr, 82 Unspecified Approval 1 Apr, 82 Unspecified Completed 31 May, 89 Unspecified	Melvyn Jay Shochet and Alvin V. Tollestrup	ARGONNE NATIONAL LABORATORY BRANDEIS UNIVERSITY UNIVERSITY OF CHICAGO FERMILAB INFN, FRASCATI (ITALY) HARVARD UNIVERSITY UNIVERSITY OF ILLINOIS, CHAMPAIGN KEK (JAPAN) LAWRENCE BERKELEY LABORATORY UNIVERSITY OF PENNSYLVANIA INFN, PISA (ITALY) PURDUE UNIVERSITY ROCKEFELLER UNIVERSITY RUTGERS UNIVERSITY TEXAS A&M UNIVERSITY UNIVERSITY OF TSUKUBA (JAPAN) UNIVERSITY OF WISCONSIN - MADISON
742	STRANGE QUARK #742 BEAM: Proton Area - Center LETTER OF INTENT TO MEASURE OMEGA MINUS POLARIZATION AND MAGNETIC MOMENT. +-----+ Request 13 Jun, 83 Unspecified Inactive 15 Jun, 85	Joseph Lach	UNIVERSITY OF CHICAGO ELMHURST COLLEGE FERMILAB IOWA STATE UNIVERSITY UNIVERSITY OF IOWA PNPI, ST. PETERSBURG (RUSSIA) YALE UNIVERSITY
743	CHARM PRODUCTION #743 BEAM: Meson Area - Test Beam PROPOSAL TO MEASURE OPEN CHARM PRODUCTION IN PROTON-PROTON COLLISIONS AT 1 TEV WITH LEBC-FMPS. +-----+ Request 16 Sep, 83 Unspecified Approval 16 Dec, 83 Unspecified Stage I approval Completed 29 Aug, 85 1,256 K Pix	Stephen Reucroft	ITP, AACHEN (GERMANY) CERN (SWITZERLAND) CRN, STRASBOURG (FRANCE) DUKE UNIVERSITY FERMILAB FLORIDA STATE UNIVERSITY IHEP, BERLIN-ZEUTHEN (GERMANY) UNIVERSITY OF KANSAS UNIVERSITY OF L'ETAT (BELGIUM) UNIVERSITY OF LIBRE (BELGIUM) LPNHE, UN. OF P & M CURIE (FRANCE) UNIVERSITY OF MICHIGAN - ANN ARBOR MICHIGAN STATE UNIVERSITY NORTHEASTERN UNIVERSITY NOTRE DAME UNIVERSITY TATA INSTITUTE (INDIA) VANDERBILT UNIVERSITY VIENNA INSTITUTE FOR HEP (AUSTRIA)
744	CHARGED INTERACTIONS #744 BEAM: Neutrino Area - Center HIGH STATISTICS STUDIES OF CHARGED CURRENT INTERACTIONS USING THE TEVATRON QUAD TRIPLET BEAM. +-----+ Request 16 Sep, 83 Unspecified Approval 17 Nov, 83 Unspecified Stage I approval. Completed 29 Aug, 85 1,900 Hours	Frank S. Merritt	UNIVERSITY OF CHICAGO COLUMBIA UNIVERSITY FERMILAB UNIVERSITY OF ROCHESTER

745	MUON NEUTRINO #745 BEAM: Neutrino Area - Center MUON NEUTRINO EXPERIMENT USING THE TOHOKU HIGH RESOLUTION ONE METER BUBBLE CHAMBER. +-----+ Request 10 Sep, 83 Unspecified Approval 16 Dec, 83 Parasitic Running Completed 1 Feb, 88 553 K Pix	Toshio Kitagaki	IHEP, BEIJING (PRC) BROWN UNIVERSITY FERMILAB INDIANA UNIVERSITY MASSACHUSETTS INST. OF TECHNOLOGY NAGOYA UNIVERSITY (JAPAN) OAK RIDGE NATIONAL LABORATORY UNIVERSITY OF TENNESSEE, KNOXVILLE TOHOKU GAKUIN UNIVERSITY (JAPAN) TOHOKU UNIVERSITY (JAPAN)
746	PROMPT BEAM FACILITY #746 BEAM: Neutrino Area - Prompt Beam LETTER OF INTENT TO SEARCH FOR NEW PARTICLES FROM THE PROMPT BEAM FACILITY. +-----+ Request 1 Sep, 83 Unspecified Withdrawn 2 Jun, 86	James K. Walker	FERMILAB MASSACHUSETTS INST. OF TECHNOLOGY MICHIGAN STATE UNIVERSITY
747	CHARGED PARTICLES #747 BEAM: Proton Area - Broad Band A SEARCH FOR FRACTIONALLY CHARGED PARTICLES AT THE TEVATRON. +-----+ Request 27 Feb, 84 Unspecified Approval 1 Apr, 85 Unspecified Completed 2 Aug, 85 Unspecified	Alan A. Hahn	CALIFORNIA INSTITUTE OF TECHNOLOGY UNIV. OF CALIFORNIA, IRVINE FERMILAB LAWRENCE BERKELEY LABORATORY LAWRENCE LIVERMORE LABORATORY LOS ALAMOS NATIONAL LABORATORY UNIVERSITY OF ROCHESTER SAN FRANCISCO STATE UNIVERSITY UNIVERSITY OF TORONTO (CANADA)
748	BEAUTY & CHARM PRODUCTION #748 BEAM: Unspecified Beam LETTER OF INTENT TO STUDY BEAUTY AND CHARM AT THE TEVATRON USING HIGH RESOLUTION STEAMER CHAMBER AND A DOWNSTREAM SPECTROMETER. +-----+ Request 7 May, 84 Unspecified Withdrawn 2 Oct, 84	Jack Sandweiss	FERMILAB NEW YORK UNIVERSITY UNIVERSITY OF VRIJE (BELGIUM) YALE UNIVERSITY
749	CHANNELING #749 BEAM: Meson Area - Bottom LETTER OF INTENT TO STUDY MATERIAL AND FABRICATION ASPECTS OF CRYSTALS USED FOR CHANNELING. +-----+ Request 19 Jul, 84 400 Hours Withdrawn 1 Oct, 84	James S. Forster	CHALK RIVER NUCLEAR LAB. (CANADA) FERMILAB UNIVERSITY OF NEW MEXICO SUNY AT ALBANY
750	MULTIPARTICLE PRODUCTION #750 BEAM: Neutrino Area - Miscellaneous A PROPOSAL TO STUDY MULTIPARTICLE PRODUCTION IN INTERACTIONS OF 1 TEV PROTONS WITH EMULSION NUCLEI. +-----+ Request 27 Jun, 84 Emulsion Exposure beam at or near 1 TeV protons of flux approximately 5 x 10 to the 4th protons/sq cm over an area of (8 x 3)sq cm Approval 23 Jul, 84 Emulsion Exposure Completed 11 Jul, 85 1 Emulsion Stack(s)	Ram K. Shivpuri	DELHI UNIVERSITY (INDIA)
751	EMULSION EXPOSURE @ 1 TEV #751 BEAM: Meson Area - Test Beam PROPOSAL TO STUDY 1 TEV PROTON INTERACTIONS IN EMULSION. +-----+ Request 27 Jun, 84 Emulsion Exposure Approval 2 Jul, 84 Emulsion Exposure Completed 26 Apr, 85 1 Emulsion Stack(s)	Piyare L. Jain	SUNY AT BUFFALO
752	PARTICLE COLLISIONS #752 BEAM: Unspecified Beam PROPOSAL TO SEARCH FOR ANOMALOUSLY LARGE HADRON CROSS SECTIONS AT SHORT DISTANCES. +-----+ Request 23 Oct, 84 200 Hours Withdrawn 8 Dec, 86	James W. Cronin	UNIVERSITY OF CHICAGO TECHNION-ISRAEL INST (ISRAEL)
753	CHANNELING STUDIES #753 BEAM: Meson Area - Bottom PROPOSAL TO IMPROVE THE DEFLECTION OF HIGH ENERGY PARTICLE BEAMS BY CHANNELING IN BENT CRYSTALS OF SI AND GE. +-----+ Request 28 Sep, 84 400 Hours Approval 20 Nov, 84 Unspecified Completed 5 Jul, 85 150 Hours	James S. Forster	BELL NORTHERN RESEARCH LAB (CANADA) CHALK RIVER NUCLEAR LAB. (CANADA) FERMILAB UNIVERSITY OF NEW MEXICO SUNY AT ALBANY
754	CHANNELING TESTS #754 BEAM: Meson Area - Bottom CRYSTAL CHANNELING TESTS IN M-BOTTOM INCLUDING FOCUSING WITH DEFORMED CRYSTALS AND STUDIES OF HIGH Z CRYSTALS. +-----+ Request 1 Oct, 84 300 Hours Approval 20 Nov, 84 Unspecified Approved/Inactive 24 Dec, 91	Chih-Ree Sun	FERMILAB GENERAL ELECTRIC R&D CENTER SUNY AT ALBANY SANDIA LABORATORIES SSC LABORATORY
755	BEAUTY & CHARM STUDY #755 BEAM: Meson Area - Test Beam A HIGH SENSITIVITY STUDY OF BEAUTY AND CHARM IN HADROPRODUCTION AT THE TEVATRON. +-----+ Request 2 Oct, 84 Unspecified Approval 25 Nov, 86 Unspecified Completed 15 Feb, 88 Unspecified	Richard D. Majka and Anna Jean Slaughter	FERMILAB YALE UNIVERSITY
756	MAGNETIC MOMENT #756 BEAM: Proton Area - Center MEASUREMENT OF THE MAGNETIC MOMENT OF THE OMEGA MINUS HYPERON. +-----+ Request 8 Oct, 84 1,000 Hours Approval 25 Jun, 85 1,000 Hours Stage I approval Completed 15 Feb, 88 1,700 Hours	Kam-Biu Luk	UNIVERSITY OF ARIZONA UNIV. OF CALIFORNIA, BERKELEY FERMILAB INDIANA UNIVERSITY LAWRENCE BERKELEY LABORATORY UNIVERSITY OF MICHIGAN - ANN ARBOR UNIVERSITY OF MINNESOTA RUTGERS UNIVERSITY

757	MUON DEFLECTION #757 BEAM: Neutrino Area - Muon Beam LETTER OF INTENT FOR A PROPOSAL TO STUDY MOMENTUM RESOLUTION FOR MUONS ABOVE 300 GEV IN MAGNETIZED IRON.	Jorge G. Morfin	FERMILAB UNIVERSITY OF ILLINOIS, CHAMPAIGN UNIVERSITY OF WASHINGTON UNIVERSITY OF WISCONSIN - MADISON
	Request	12 Dec, 84	Test Running
	Rejected	14 Dec, 85	
758	EMULSION EXPOSURE #758 BEAM: Meson Area - Test Beam STUDY OF THE MECHANISM OF MULTIPARTICLE PRODUCTION IN EMULSION NUCLEI @ 800 GEV PROTONS.	Mitsuko Kazuno and Hiroshi Shibuya	NAGOYA UNIVERSITY (JAPAN) TOHO UNIVERSITY (JAPAN)
	Request	11 Mar, 85	Unspecified
	Approval	11 Mar, 85	Unspecified
	Completed	26 Apr, 85	2 Emulsion Stack(s)
759	EMULSION EXPOSURE #759 BEAM: Meson Area - Test Beam A STUDY OF NUCLEAR INTERACTIONS OF 800 GEV PROTONS IN EMULSION.	Yoshihiro Tsuzuki	KOBE UNIVERSITY (JAPAN) OSAKA CITY UNIVERSITY (JAPAN) OSAKA SCIENCE EDUC. INST. (JAPAN)
	Request	11 Mar, 85	Unspecified
	Approval	11 Mar, 85	Unspecified
	Completed	26 Apr, 85	2 Emulsion Stack(s)
760	CHARMONIUM STATES #760 BEAM: Accumulator Ring A PROPOSAL TO INVESTIGATE THE FORMATION OF CHARMONIUM STATES USING THE PBAR ACCUMULATOR RING.	Rosanna Cester	UNIV. OF CALIFORNIA, IRVINE FERMILAB UNIVERSITY OF FERRARA (ITALY) INFN, GENOVA (ITALY) NORTHWESTERN UNIVERSITY PENNSYLVANIA STATE UNIVERSITY UNIVERSITY OF TORINO (ITALY)
	Request	29 Mar, 85	Unspecified
	Approval	25 Jun, 85	Unspecified
	Data Analysis	10 Jan, 92	Unspecified
	Completed	1 Mar, 99	Unspecified
761	HYPERON RADIATIVE DECAY #761 BEAM: Proton Area - Center PROPOSAL TO STUDY HYPERON RADIATIVE DECAY.	Alexei A. Vorobiev	IHEP, BEIJING (PRC) UNIVERSITY OF BRISTOL (ENGLAND) CBPF (BRAZIL) FERMILAB UNIVERSITY OF IOWA ITEP, MOSCOW (RUSSIA) PNPI, ST. PETERSBURG (RUSSIA) UNIV. FEDERAL DO RIO DE JANEIRO UNIVERSITE OF SAO PAULO (BRAZIL) YALE UNIVERSITY
	Request	3 Apr, 85	Unspecified
	Approval	25 Jun, 85	Unspecified Stage I approval
	Completed	27 Aug, 90	Unspecified
762	EMULSION/PROTONS @ 800 GEV #762 BEAM: Meson Area - Test Beam CASCADE SHOWERS ORIGINATING IN PROTON-NUCLEUS COLLISIONS.	Shoji Dake	AOYAMA GAKUIN UNIVERSITY (JAPAN) ICRR, UNIVERSITY OF TOKYO (JAPAN) KOBE UNIVERSITY (JAPAN) OKAYAMA UNIVERSITY (JAPAN) OSAKA SCIENCE EDUC. INST. (JAPAN)
	Request	11 Jun, 85	Unspecified
	Approval	21 Jun, 85	Unspecified
	Completed	11 Jul, 85	18 Emulsion Stack(s)
763	EMULSION/PROTONS @ 800 GEV #763 BEAM: Meson Area - Test Beam PROTON-NUCLEUS INTERACTIONS AT TEVATRON ENERGY.	Takeshi Ogata	ICRR, UNIVERSITY OF TOKYO (JAPAN) KOBE UNIVERSITY (JAPAN) OKAYAMA UNIVERSITY (JAPAN) OSAKA SCIENCE EDUC. INST. (JAPAN)
	Request	11 Jun, 85	Unspecified
	Approval	21 Jun, 85	Unspecified
	Completed	11 Jul, 85	2 Emulsion Stack(s)
764	EMULSION EXPOSURE #764 BEAM: Meson Area - Test Beam EXCLUSIVE INVESTIGATION OF MULTIPLE PRODUCTION IN RAPIDITY SPACE.	Hirofada Nanjo	HIROSAKI UNIVERSITY (JAPAN)
	Request	11 Jun, 85	Unspecified
	Approval	21 Jun, 85	Unspecified
	Completed	11 Jul, 85	1 Emulsion Stack(s)
765	EMULSION/PROTONS @ 800 GEV #765 BEAM: Meson Area - Test Beam TRANSVERSE MOMENTUM MEASUREMENT OF SECONDARY PARTICLES IN PROTON-EMULSION COLLISIONS AT 800 GEV.	K. Imaeda	OKAYAMA UNIVERSITY (JAPAN)
	Request	20 Jun, 85	Unspecified
	Approval	21 Jun, 85	Unspecified
	Completed	11 Jul, 85	7 Emulsion Stack(s)
766	MR TUNNEL NEUTRONS #766 BEAM: Collision Area (Miscellaneous) MEASUREMENTS OF THE NEUTRON SPECTRUM IN THE TEVATRON TUNNEL WITH APPLICATION TO THE SSC.	Joseph B. McCaslin	FERMILAB LAWRENCE BERKELEY LABORATORY
	Request	11 Jul, 85	Unspecified
	Approval	17 Jul, 85	Unspecified
	Completed	13 Oct, 85	Unspecified
767	MUON CALORIMETRY #767 BEAM: Neutrino Area - Muon Beam MEASUREMENT OF DIRECT ELECTRON PAIR PRODUCTION CROSS-SECTION IN THE TEVATRON MUON BEAM.	Yasushi Muraki	CHUO UNIVERSITY (JAPAN) ICRR, UNIVERSITY OF TOKYO (JAPAN) KEK (JAPAN) NAGOYA UNIVERSITY (JAPAN)
	Request	29 Aug, 85	Unspecified
	Rejected	1 Jul, 86	
768	POLARIZED SCATTERING #768 BEAM: Proton Area - West PROTON - PROTON ELASTIC SCATTERING WITH A POLARIZED TARGET.	Alan D. Krisch	BROOKHAVEN NATIONAL LABORATORY CERN (SWITZERLAND) FERMILAB LHE, ETH HONGGERBERG (SWITZERLAND) UNIVERSITY OF MARYLAND MASSACHUSETTS INST. OF TECHNOLOGY UNIVERSITY OF MICHIGAN - ANN ARBOR NOTRE DAME UNIVERSITY TEXAS A&M UNIVERSITY
	Request	12 Nov, 85	Unspecified
	Rejected	30 Jun, 87	

769	PION & KAON CHARM PROD. #769 BEAM: Proton Area - East PION AND KAON PRODUCTION OF CHARM AND CHARM-STRANGE STATE. +-----+ Request 14 Dec, 85 Unspecified Approval 14 Dec, 85 Unspecified Data Analysis 15 Feb, 88 1,900 Hours Completed 1 Mar, 99 Unspecified	Jeffrey A. Appel	CBPF (BRAZIL) FERMILAB UNIVERSITY OF MISSISSIPPI NORTHEASTERN UNIVERSITY UNIVERSITY OF TORONTO (CANADA) TUFTS UNIVERSITY UNIVERSITY OF WISCONSIN - MADISON YALE UNIVERSITY
770	QUAD TRIPLET NEUTRINO #770 BEAM: Neutrino Area - Center HIGH STATISTICS STUDIES OF CHARGED CURRENT INTERACTIONS USING THE TEVATRON QUAD TRIPLET BEAM. +-----+ Request 27 Dec, 85 Unspecified Approval 27 Dec, 85 Unspecified Stage I approval. Completed 1 Feb, 88 1,600 Hours	Wesley H. Smith	UNIVERSITY OF CHICAGO COLUMBIA UNIVERSITY FERMILAB UNIVERSITY OF ROCHESTER UNIVERSITY OF WISCONSIN - MADISON
771	BEAUTY PRODUCTION BY PROTONS #771 BEAM: Proton Area - West PROPOSAL TO STUDY BEAUTY PRODUCTION AND OTHER HEAVY QUARK PHYSICS ASSOCIATED WITH DIMUON PRODUCTION IN 800 (925) GEV/C PP INTERACTIONS. +-----+ Request 10 Dec, 86 Unspecified Approval 4 Apr, 87 Unspecified Data Analysis 8 Jan, 92 Unspecified Completed 1 Mar, 99 Unspecified	Bradley B. Cox	UNIVERSITY OF SOUTH ALABAMA UNIVERSITY OF ATHENS (GREECE) BROWN UNIVERSITY UNIV. OF CALIFORNIA, BERKELEY UNIV. OF CALIFORNIA, LOS ANGELES DUKE UNIVERSITY FERMILAB UNIVERSITY OF HOUSTON JINR, DUBNA (RUSSIA) UNIVERSITY OF LECCE (ITALY) MASSACHUSETTS INST. OF TECHNOLOGY MCGILL UNIVERSITY (CANADA) NANJING UNIVERSITY (PRC) NORTHWESTERN UNIVERSITY UNIVERSITY OF PAVIA (ITALY) UNIVERSITY OF PENNSYLVANIA PRAIRIE VIEW A&M UNIVERSITY SHANDONG UNIVERSITY (PRC) VANIER COLLEGE (CANADA) UNIVERSITY OF VIRGINIA UNIVERSITY OF WISCONSIN - MADISON
772	DIMUONS #772 BEAM: Meson Area - East STUDY OF THE NUCLEAR ANTIQUARK SEA VIA P+N -> DIMUONS. +-----+ Request 11 Mar, 86 Unspecified Approval 1 Jul, 86 Unspecified Completed 15 Feb, 88 1,700 Hours	Joel M. Moss	CASE WESTERN RESERVE UNIVERSITY FERMILAB UNIV. OF ILLINOIS, CHICAGO CIRCLE LOS ALAMOS NATIONAL LABORATORY SUNY AT STONY BROOK NORTHERN ILLINOIS UNIVERSITY RUTGERS UNIVERSITY UNIVERSITY OF SOUTH CAROLINA UNIVERSITY OF TEXAS AT AUSTIN UNIVERSITY OF WASHINGTON
773	ETA00 & ETA+- PHASE DIFFERENCE #773 BEAM: Meson Area - Center MEASUREMENT OF PHASE DIFFERENCE BETWEEN ETA 00 AND ETA +- TO A PRECISION OF 1/2 DEGREE. +-----+ Request 11 Mar, 86 Unspecified Approval 1 Jul, 86 Unspecified 29 Jun, 89 Unspecified Stage II approval. Completed 30 Sep, 91 Unspecified	George D. Gollin	UNIVERSITY OF CHICAGO ELMHURST COLLEGE FERMILAB UNIVERSITY OF ILLINOIS, CHAMPAIGN RUTGERS UNIVERSITY
774	ELECTRON BEAM DUMP #774 BEAM: Proton Area - Broad Band ELECTRON BEAM DUMP PARTICLE SEARCH IN THE WIDE BAND HALL. +-----+ Request 4 Apr, 86 Unspecified Approval 10 Dec, 86 Unspecified Completed 27 Aug, 90 Unspecified	Michael B. Crisler	FERMILAB UNIVERSITY OF ILLINOIS, CHAMPAIGN INP, KRAKOW (POLAND) NORTHEASTERN UNIVERSITY
775	CDF UPGRADE #775 BEAM: Collision Area (B-0) CDF UPGRADE (Level-3 Trigger; Silicon Vertex (#775A); and Muon System (#775B)) +-----+ Request 28 May, 86 Unspecified Approval 1 Jul, 86 Unspecified Phase I approval Data Analysis 20 Feb, 96	William C. Carithers, Jr. and Giorgio Bellettini	IHEP, ACADEMIA SINICA (TAIWAN) ARGONNE NATIONAL LABORATORY UNIVERSITY OF BOLOGNA (ITALY) BRANDEIS UNIVERSITY UNIV. OF CALIFORNIA, LOS ANGELES CIPP (CANADA) UNIVERSITY OF CHICAGO DUKE UNIVERSITY FERMILAB INFN, FRASCATI (ITALY) HARVARD UNIVERSITY HIROSHIMA UNIVERSITY (JAPAN) UNIVERSITY OF ILLINOIS, CHAMPAIGN JOHNS HOPKINS UNIVERSITY KEK (JAPAN) LAWRENCE BERKELEY LABORATORY MASSACHUSETTS INST. OF TECHNOLOGY UNIVERSITY OF MICHIGAN - ANN ARBOR MICHIGAN STATE UNIVERSITY UNIVERSITY OF NEW MEXICO OSAKA CITY UNIVERSITY (JAPAN) UNIVERSITY OF PADOVA (ITALY) UNIVERSITY OF PENNSYLVANIA INFN, PISA (ITALY) UNIVERSITY OF PITTSBURGH PURDUE UNIVERSITY UNIVERSITY OF ROCHESTER ROCKEFELLER UNIVERSITY RUTGERS UNIVERSITY TEXAS A&M UNIVERSITY TEXAS TECH UNIVERSITY UNIVERSITY OF TSUKUBA (JAPAN) TUFTS UNIVERSITY WASEDA UNIVERSITY (JAPAN) UNIVERSITY OF WISCONSIN - MADISON YALE UNIVERSITY

776	NUCLEAR CAL. CROSS SECTIONS#776 BEAM: Miscellaneous Area MEASUREMENT OF NUCLEAR CALIBRATION CROSS SECTIONS FOR PROTONS GREATER THAN 400 GEV.	Samuel I. Baker	BROOKHAVEN NATIONAL LABORATORY CERN (SWITZERLAND) FERMILAB
	Request	6 Aug, 86 Unspecified	
	Approval	7 Jan, 87 Unspecified	
	Completed	15 Feb, 88 Unspecified	
777	MR TUNNEL NEUTRONS #777 BEAM: Collision Area (Miscellaneous) NEUTRON FLUX MEASUREMENTS IN THE TEVATRON TUNNEL.	Joseph B. McCaslin	FERMILAB LAWRENCE BERKELEY LABORATORY SSC CENTRAL DESIGN GROUP
	Request	29 Oct, 86 Unspecified	
	Approval	7 Jan, 87 Unspecified	
	Completed	11 May, 87 Unspecified	
778	MAGNET APERTURE STUDIES #778 BEAM: Collision Area (Miscellaneous) STUDY OF THE SSC MAGNET APERTURE CRITERION.	Rodney E. Gerig and Richard Talman	CERN (SWITZERLAND) CORNELL UNIVERSITY FERMILAB UNIVERSITY OF HOUSTON SSC CENTRAL DESIGN GROUP SLAC
	Request	18 Oct, 86 Unspecified	
	Approval	10 Dec, 86 Unspecified	
	Completed	21 Jan, 91 Unspecified	
779	HIGH RATE CALORIMETER STUDY#779 BEAM: Meson Area - West PROPOSAL TO BUILD A VERY HIGH RATE CALORIMETER.	David F. Anderson	FERMILAB
	Request	29 Oct, 86 Unspecified	
	Rejected	10 Dec, 86	
780	CHARM PRODUCTION BY PROTONS#780 BEAM: Neutrino Area - East STUDY OF CHARM PRODUCED BY 850 GEV PROTONS.	Ronald J. Lipton and Douglas M. Potter	UNIV. OF CALIFORNIA, DAVIS CARNEGIE-MELLON UNIVERSITY UNIVERSITY OF OKLAHOMA
	Request	1 Mar, 87 Unspecified	
	Rejected	14 Dec, 87	
781	LARGE-X BARYON SPECTROMETER#781 BEAM: Proton Area - Center SEGMENTED LARGE-X BARYON SPECTROMETER (SELEX).	James S. Russ	IHEP, BEIJING (PRC) BOGAZICI UNIVERSITY (TURKEY) UNIVERSITY OF BRISTOL (ENGLAND) CARNEGIE-MELLON UNIVERSITY CBPF (BRAZIL) FERMILAB UNIVERSITY OF HAWAII AT MANOA UNIVERSITY OF IOWA MAX-PLANCK INSTITUTE (GERMANY) MOSCOW STATE UNIVERSITY (RUSSIA) ITEP, MOSCOW (RUSSIA) UNIV. FEDERAL DO PARAIBA (BRAZIL) PNPI, ST. PETERSBURG (RUSSIA) IHEP, PROTIVNO (SERPUKHOV) (RUSSIA) UNIVERSITY OF ROCHESTER INFN, ROME (ITALY) UN.AUTO.DE SAN LUIS POTOSI (MEXICO) UNIVERSITE OF SAO PAULO (BRAZIL) UNIVERSITY OF TEL-AVIV (ISRAEL) INFN, TRIESTE (ITALY)
	Request	4 Mar, 87 Unspecified	
	Approval	24 Oct, 88 Unspecified	
	In Progress	20 Feb, 97	
	Data Analysis	3 Sep, 97	
782	MUONS IN 1M BUBBLE CHAMBER #782 BEAM: Neutrino Area - NK Beam A MUON EXPOSURE IN THE TOHOKU HIGH RESOLUTION BUBBLE CHAMBER.	Toshio Kitagaki	IHEP, BEIJING (PRC) BROWN UNIVERSITY FERMILAB MASSACHUSETTS INST. OF TECHNOLOGY OAK RIDGE NATIONAL LABORATORY SENSYU UNIVERSITY (JAPAN) SUGIYAMA JOGAKUEN UNIV. (JAPAN) UNIVERSITY OF TENNESSEE, KNOXVILLE TOHOKU GAKUIN UNIVERSITY (JAPAN) TOHOKU UNIVERSITY (JAPAN)
	Request	4 Feb, 87 Unspecified	
	Approval	16 Jul, 87 Unspecified	
	Completed	21 Jul, 90 330 K Pix	
783	TEVATRON BEAUTY FACTORY #783 BEAM: Collision Area (C-0) LETTER OF INTENT FOR A TEVATRON COLLIDER BEAUTY FACTORY.	Neville W. Reay	UNIV. OF CALIFORNIA, DAVIS CARNEGIE-MELLON UNIVERSITY FERMILAB OHIO STATE UNIVERSITY UNIVERSITY OF OKLAHOMA
	Request	4 Mar, 87 Unspecified	
	Inactive	23 Dec, 92	
784	BOTTOM AT THE COLLIDER #784 BEAM: Unspecified Beam PROPOSAL FOR RESEARCH & DEVELOPMENT: VERTEXING, TRACKING AND DATA ACQUISITION FOR THE BOTTOM COLLIDER DETECTOR.	Nigel S. Lockyer	UNIVERSIDAD DE LOS ANDES (COLOMBIA) UNIV. OF CALIFORNIA, DAVIS FERMILAB UNIVERSITY OF FLORIDA UNIVERSITY OF HOUSTON ILLINOIS INSTITUTE OF TECHNOLOGY UNIVERSITY OF IOWA NORTHEASTERN UNIVERSITY NORTHERN ILLINOIS UNIVERSITY OHIO STATE UNIVERSITY UNIVERSITY OF OKLAHOMA UNIVERSITY OF PENNSYLVANIA PRAIRIE VIEW A&M UNIVERSITY PRINCETON UNIVERSITY UNIV. OF PUERTO RICO - RIO PIEDRAS UN.SAN FRANCISCO DE QUITO (ECUADOR) YALE UNIVERSITY
	Request	2 Jan, 89 Unspecified	
	Approval	30 Jan, 89 Unspecified	Approval of Phase I (bench tests) and Phase II (beam tests). Phase III (C0 run at the Tevatron Collider) deferred pending results of simulation studies.
	Completed	8 Jan, 92 Unspecified	
785	LOW ENERGY ANTIMATTER #785 BEAM: Miscellaneous Area ANTIMATTER PHYSICS AT LOW ENERGY (AMPLE)	Billy Bonner and Lawrence Pinsky	UNIVERSITY OF HOUSTON RICE UNIVERSITY
	Request	12 Mar, 87 Unspecified	
	Withdrawn	24 Oct, 88	

786	TEVATRON MUON #786 BEAM: Neutrino Area - Muon Beam WEAK INTERACTIONS AND HEAVY QUARK PHYSICS WITH THE TEVATRON MUON BEAM. +-----+ Request 10 May, 87 Unspecified Rejected 29 Jun, 88	Richard Wilson	ARGONNE NATIONAL LABORATORY UNIV. OF CALIFORNIA, SAN DIEGO FERMILAB FREIBURG UNIVERSITY (GERMANY) HARVARD UNIVERSITY UNIV. OF ILLINOIS, CHICAGO CIRCLE INF, KRAKOW (POLAND) UNIVERSITY OF MARYLAND MASSACHUSETTS INST. OF TECHNOLOGY MAX-PLANCK INSTITUTE (GERMANY) UNIVERSITY OF WASHINGTON UNIVERSITY OF WUPPERTAL (GERMANY) YALE UNIVERSITY
787	PARTICLE SEARCH #787 BEAM: Collision Area (C-0) PARTICLE SEARCH (PHASE II OF E-735). +-----+ Request 30 Jun, 87 Unspecified Rejected 1 May, 89	Alfred T. Goshaw	DEPAUM UNIVERSITY DUKE UNIVERSITY FERMILAB IOWA STATE UNIVERSITY NOTRE DAME UNIVERSITY PURDUE UNIVERSITY UNIVERSITY OF WISCONSIN - MADISON
788	NEUTRINO OSCILLATIONS #788 BEAM: Neutrino Area - Center NEUTRINO OSCILLATIONS AND CROSS-SECTIONS IN A TAGGED NEUTRINO LINE. +-----+ Request 11 Aug, 87 Unspecified Inactive 23 Dec, 92	Robert H. Bernstein	FERMILAB UNIV. OF PARIS VI, LPG (FRANCE)
789	B-QUARK MESONS & BARYONS #789 BEAM: Meson Area - East MEASUREMENT OF THE PRODUCTION AND DECAY INTO TWO-BODY MODES OF B-QUARK MESONS AND BARYONS. +-----+ Request 9 Nov, 87 Unspecified Approval 24 Oct, 88 Unspecified Data Analysis 8 Jan, 92 Unspecified Completed 1 Mar, 99 Unspecified	Daniel M. Kaplan and Jen-Chieh Peng	ABILENE CHRISTIAN UNIVERSITY IHEP, ACADEMIA SINICA (TAIWAN) UNIVERSITY OF CHICAGO FERMILAB LAWRENCE BERKELEY LABORATORY LOS ALAMOS NATIONAL LABORATORY NORTHERN ILLINOIS UNIVERSITY UNIVERSITY OF SOUTH CAROLINA
790	CALORIMETER FOR ZEUS #790 BEAM: Neutrino Area - Test Beam CALORIMETER MODULE CALIBRATION FOR ZEUS DETECTOR. +-----+ Request 5 Jun, 87 Unspecified Approval 17 Dec, 87 Unspecified Completed 27 Aug, 90 Unspecified	Frank J. Sciulli	ARGONNE NATIONAL LABORATORY COLUMBIA UNIVERSITY UNIVERSITY OF IOWA LOUISIANA STATE UNIVERSITY OHIO STATE UNIVERSITY PENNSYLVANIA STATE UNIVERSITY VIRGINIA TECH UNIVERSITY OF WISCONSIN - MADISON
791	HADROPRODUCTION HEAVY FLAVORS #791 BEAM: Meson Area - East Search for the Flavor-Changing Neutral-Current Decays +-----+ Request 10 Nov, 87 Unspecified Approval 29 Jun, 88 Unspecified Data Analysis 8 Jan, 92 Unspecified Completed 1 Mar, 99 Unspecified	Jeffrey A. Appel and Milind Vasant Purohit	UNIV. OF CALIFORNIA, SANTA CRUZ CBPF (BRAZIL) UNIVERSITY OF CINCINNATI CINVESTAV-IPN (MEXICO) FERMILAB ILLINOIS INSTITUTE OF TECHNOLOGY KANSAS STATE UNIVERSITY UNIVERSITY OF MISSISSIPPI OHIO STATE UNIVERSITY PRINCETON UNIVERSITY UN. AUTONOMA DE PUEBLA (MEXICO) UNIV. FEDERAL DO RIO DE JANEIRO UNIVERSITY OF SOUTH CAROLINA STANFORD UNIVERSITY UNIVERSITY OF TEL-AVIV (ISRAEL) TUFTS UNIVERSITY UNIVERSITY OF WISCONSIN - MADISON YALE UNIVERSITY
792	NUCLEAR FRAGMENTS #792 BEAM: Meson Area - East STUDY OF FRAGMENTATION PRODUCTS FROM THE REACTION 800 GEV P + 197 AU. +-----+ Request 15 Jan, 88 Unspecified Approval 15 Jan, 88 Unspecified Completed 15 Feb, 88 Unspecified	Kjell Aleklett and Lembit Sihver	LAL, ORSAY (FRANCE) UPPSALA UNIVERSITY (SWEDEN)
793	EMULSION EXPOSURE 1000 GeV #793 BEAM: Proton Area - Miscellaneous Emulsion Exposure to 1000 GeV, or highest energy protons. +-----+ Request 19 Feb, 88 Unspecified Approval 21 Sep, 88 Unspecified Approved/Inactive 13 Jan, 94	Jere J. Lord	KAZAKH STATE UNIV., (KAZAKHSTAN) WASHINGTON NATURAL PHILOSOPHY INS. UNIVERSITY OF WASHINGTON
794	AXION HELIOSCOPE #794 BEAM: Unspecified Beam CONSTRUCTION AND OPERATION OF AN AXION HELIOSCOPE. +-----+ Request 5 Mar, 88 Unspecified Inactive 23 Dec, 92	Karl Van Bibber	UNIV. OF CALIFORNIA, BERKELEY CERN (SWITZERLAND) LAWRENCE BERKELEY LABORATORY LAWRENCE LIVERMORE LABORATORY OHIO STATE UNIVERSITY TEXAS A&M UNIVERSITY TEXAS ACCELERATOR CENTER
795	WARM LIQUID CALORIMETRY TEST #795 BEAM: Meson Area - Test Beam TEST OF ELECTRON/HADRON COMPENSATION FOR WARM LIQUID CALORIMETRY. +-----+ Request 1 Mar, 88 Unspecified Approval 24 Oct, 88 Unspecified Completed 23 Dec, 91 Unspecified	Morris Pripstein	UNIVERSITY OF ALABAMA UNIV. OF CALIFORNIA, BERKELEY CEN-SACLAY (FRANCE) CERN (SWITZERLAND) FERMILAB COLLEGE DE FRANCE (FRANCE) HARVARD UNIVERSITY KYOTO UNIVERSITY (JAPAN) LAPP, D'ANNECY-LE-VIEUX (FRANCE) LAWRENCE BERKELEY LABORATORY
796	CP VIOLATION #796 BEAM: Proton Area - Center A MEASUREMENT OF THE CP VIOLATION PARAMETER N+-0 THE SON OF E621. +-----+ Request 1 Jun, 88 Unspecified Withdrawn 4 Jan, 94	Gordon B. Thomson	UNIVERSITY OF MINNESOTA RUTGERS UNIVERSITY

797	FINE-GRAINED ELECTROMAG. CAL. #T797	H. Richard Gustafson and Rudolf P. Thun	UNIVERSITY OF MICHIGAN - ANN ARBOR
	BEAM: Proton Area - East		
	FINE-GRAINED ELECTROMAGNETIC CALORIMETRY.		
	+-----+		
	Request	31 Aug, 88 Unspecified	
	Approval	1 Apr, 90 Unspecified	
	Completed	20 May, 90 Unspecified	
798	SSC DETECTOR TEST #T798	Priscilla Cushman and Roger W. Rusack	ROCKEFELLER UNIVERSITY YALE UNIVERSITY
	BEAM: Proton Area - East		
	PROPOSAL TO BUILD A SYNCHROTRON-RADIATION DETECTOR FOR TAGGING ELECTRONS AT THE SSC.		
	+-----+		
	Request	20 Jul, 88 Unspecified	
	Approval	30 Jan, 89 Unspecified Stage I approval.	
	Completed	2 May, 90 Unspecified	
799	CP VIOLATION #799	Anthony Barker	UNIVERSITY OF ARIZONA UNIV. OF CALIFORNIA, LOS ANGELES UNIV. OF CALIFORNIA, SAN DIEGO UNIV. ESTADUAL DE CAMPINAS (BRAZIL) UNIVERSITY OF CHICAGO UNIVERSITY OF COLORADO AT BOULDER ELMHURST COLLEGE FERMILAB OSAKA UNIVERSITY (JAPAN) RICE UNIVERSITY RUTGERS UNIVERSITY UNIVERSITE DE SAO PAULO (BRAZIL) UNIVERSITY OF VIRGINIA UNIVERSITY OF WISCONSIN - MADISON
	BEAM: Neutrino Area - Muon Beam		
	PROPOSAL TO SEARCH FOR RARE KAON DECAY.		
	+-----+		
	Request	2 Jan, 89 Unspecified	
	Approval	29 Jun, 89 Unspecified Stage I approval for phases 1 and 2 Jul, 91 Unspecified Stage II approval deferred	
	In Progress	1 Oct, 91	
	Data Analysis	17 Jan, 00	
800	MAGNETIC MOMENT #800	Kenneth A. Johns and Regina A. Rameika	UNIVERSITY OF ARIZONA DEPAUM UNIVERSITY FERMILAB UNIVERSITY OF MICHIGAN - ANN ARBOR UNIVERSITY OF MINNESOTA
	BEAM: Proton Area - Center		
	MEASUREMENT OF THE MAGNETIC MOMENT OF THE OMEGA MINUS HYPERON.		
	+-----+		
	Request	1 Mar, 88 Unspecified	
	Approval	5 Oct, 88 Unspecified	
	Completed	8 Jan, 92 Unspecified	
801	PHOTON TOTAL KSECTION-URANIUM #801	G. L. Bayatian	YEREVAN PHYSICS INST. (ARMENIA)
	BEAM: Proton Area - Broad Band		
	MEASUREMENT OF THE TOTAL CROSS SECTION OF REAL AND VIRTUAL PHOTON ABSORPTION ON URANIUM NUCLEI AT ENERGIES OF HUNDREDS OF GEV.		
	+-----+		
	Request	10 Oct, 88 Unspecified	
	Rejected	26 Dec, 89	
802	MUONS IN EMULSION #802	Lali Chatterjee and Dipak Ghosh	FERMILAB JADAVPUR UNIVERSITY (INDIA)
	BEAM: Neutrino Area - Muon Beam		
	DEEP INELASTIC MUON INTERACTION WITH NUCLEAR TARGETS USING EMULSION TELESCOPE TECHNIQUE.		
	+-----+		
	Request	12 Dec, 88 Emulsion Stack(s)	
	Approval	8 Feb, 89 Emulsion Stack(s) 1st stage approval - exposure of stacks of G5 nuclear emulsion plates to the main muon beam.	
	Completed	30 Dec, 91 Unspecified	
803	NEUTRINO OSCILLATIONS #803	Neville W. Reay	AICHI UNIV. OF EDUCATION (JAPAN) UNIVERSITY OF ATHENS (GREECE) UNIV. OF CALIFORNIA, DAVIS UNIV. OF CALIFORNIA, LOS ANGELES CHONNAM NATIONAL UNIVERSITY (KOREA) FERMILAB GIFU UNIVERSITY (JAPAN) GYBONGSANG NATIONAL UNIV. (KOREA) HIROSAKI UNIVERSITY (JAPAN) ILLINOIS INSTITUTE OF TECHNOLOGY INDIANA UNIVERSITY KANSAS STATE UNIVERSITY KINKI UNIVERSITY (JAPAN) KOBE UNIVERSITY (JAPAN) KOREA ADV. INST OF SCIENCE (KOREA) KOREA UNIVERSITY, SEOUL (KOREA) UNIVERSITY OF MICHIGAN - ANN ARBOR ITEP, MOSCOW (RUSSIA) NAGOYA INST. OF TECHNOLOGY (JAPAN) OKAYAMA UNIVERSITY (JAPAN) OSAKA CITY UNIVERSITY (JAPAN) OSAKA SCIENCE EDUC. INST. (JAPAN) OSAKA UNIV. OF COMMERCE (JAPAN) SEOUL NATIONAL UNIVERSITY (KOREA) SOAI UNIVERSITY (JAPAN) UNIVERSITY OF SOUTH CAROLINA TECHNION-ISRAEL INST (ISRAEL) TOHO UNIVERSITY (JAPAN) TUPTS UNIVERSITY UTSUNOMIYA UNIVERSITY (JAPAN) YOKOHAMA NATIONAL UNIV. (JAPAN)
	BEAM: Main Injector Area		
	Muon Neutrino to Tau Neutrino Oscillations		
	+-----+		
	Request	6 Apr, 89 Unspecified	
	Unscheduled	24 Nov, 93	
	Withdrawn	9 Mar, 98	
804	KAMI R&D #804	Ronald Ray	UNIVERSITY OF ARIZONA UNIV. OF CALIFORNIA, LOS ANGELES UNIV. ESTADUAL DE CAMPINAS (BRAZIL) UNIVERSITY OF CHICAGO UNIVERSITY OF COLORADO AT BOULDER FERMILAB OSAKA UNIVERSITY IHEP, PROTIVNO (SERPUKHOV) (RUSSIA) RICE UNIVERSITY UNIVERSITE DE SAO PAULO (BRAZIL) UNIVERSITY OF VIRGINIA
	BEAM: Main Injector Area		
	HIGH PRECISION, HIGH SENSITIVITY KAON PHYSICS AT THE MAIN INJECTOR		
	+-----+		
	Request	14 Jun, 88 Unspecified	
	Unconsidered	14 Jun, 88	
	Approval	7 Jul, 99	
	In Progress	17 Jan, 00	
	Completed	28 Jun, 01	

805	IMB NEUTRINO OSCILLATIONS #805 BEAM: Main Injector Area Long Baseline Oscillation Experiment using a High Intensity Neutrino Beam from the Fermilab Main Injector to the IMB Water Cerenkov Detector	Wojciech Gajewski	BOSTON UNIVERSITY BROOKHAVEN NATIONAL LABORATORY UNIV. OF CALIFORNIA, IRVINE CLEVELAND STATE UNIVERSITY UNIVERSITY OF HAWAII AT MANOA LONDON UNIVERSITY COLLEGE (ENGLAND) LOUISIANA STATE UNIVERSITY UNIVERSITY OF MARYLAND NOTRE DAME UNIVERSITY WARSAW UNIVERSITY, INP, (POLAND)
	Request	24 Aug, 89	Unspecified
	Inactive	23 Dec, 92	
806	MP BEAMLINE UPGRADE #806 BEAM: Meson Area - Polarized Proton Beam ENERGY UPGRADE OF THE MP BEAMLINE AND PROPOSED EXPERIMENTS	Akihiko Yokosawa	ARGONNE NATIONAL LABORATORY CEN-SACLAY (FRANCE) FERMILAB HIROSHIMA UNIVERSITY (JAPAN) UNIVERSITY OF IOWA KEK (JAPAN) KYOTO SANGYO UNIVERSITY (JAPAN) KYOTO UNIVERSITY (JAPAN) KYOTO UNIV. OF EDUCATION (JAPAN) LAPP, D'ANNECY-LE-VIEUX (FRANCE) LOS ALAMOS NATIONAL LABORATORY NORTHEASTERN UNIVERSITY NORTHWESTERN UNIVERSITY UN. OF OCCUP. & ENV. HEALTH (JAPAN) IHEP, PROTIVNO (SERPUKHOV) (RUSSIA) RICE UNIVERSITY UNIVERSITY DI TRIESTE (ITALY) UNIVERSITY OF UDINE (ITALY)
	Request	28 Sep, 89	Unspecified
	Withdrawn	7 Mar, 90	
807	WARM HEAVY LIQUID CALORIMETRY #T807 BEAM: Proton Area - East WARM HEAVY LIQUID CALORIMETRY: A PROPOSAL TO MEASURE PERFORMANCE OF CANDIDATE MATERIALS	Scott Teige	RUTGERS UNIVERSITY
	Request	26 Dec, 89	Unspecified
	Approval	9 Feb, 90	Unspecified
	Completed	1 May, 90	Unspecified
808	B-PHYSICS #T808 BEAM: Meson Area - West B-MESON HADROPRODUCTION, INCLUDING MEASUREMENTS OF CROSS-SECTIONS, LIFETIMES, AND MIXING.	Howard S. Goldberg	UNIV. OF ILLINOIS, CHICAGO CIRCLE UNIVERSITY OF LOUISVILLE UNIVERSITY OF MICHIGAN - ANN ARBOR UNIVERSITY OF PITTSBURGH IHEP, PROTIVNO (SERPUKHOV) (RUSSIA)
	Request	1 Mar, 90	Unspecified
	Inactive	23 Dec, 92	
809	DIRECT PHOTON SPIN DEPENDENCE #809 BEAM: Meson Area - Polarized Proton Beam STUDY OF THE SPIN DEPENDENCE OF DIRECT-GAMMA PRODUCTION AT HIGH P	Akira Msaake and Sandibek B. (Sergei) Nurushev	ARGONNE NATIONAL LABORATORY CEN-SACLAY (FRANCE) FERMILAB UNIVERSITY OF IOWA KEK (JAPAN) KYOTO SANGYO UNIVERSITY (JAPAN) KYOTO UNIVERSITY (JAPAN) KYOTO UNIV. OF EDUCATION (JAPAN) LAPP, D'ANNECY-LE-VIEUX (FRANCE) LOS ALAMOS NATIONAL LABORATORY INFN, MESSINA (ITALY) NEW MEXICO STATE UNIVERSITY NORTHWESTERN UNIVERSITY OKAYAMA UNIVERSITY (JAPAN) OSAKA CITY UNIVERSITY (JAPAN) IHEP, PROTIVNO (SERPUKHOV) (RUSSIA) RICE UNIVERSITY UNIVERSITY DI TRIESTE (ITALY) UNIVERSITY OF UDINE (ITALY)
	Request	7 Mar, 90	Unspecified
	Inactive	23 Dec, 92	
810	STRUCTURE FUNCTIONS #810 BEAM: Neutrino Area - Muon Beam MEASUREMENT OF NUCLEON STRUCTURE FUNCTIONS WITH HIGH STATISTICAL ACCURACY AND LOW SYSTEMATIC ERRORS, USING MUON BEAMS FROM THE TEVATRON.	Richard Wilson	UNIV. OF CALIFORNIA, SAN DIEGO FERMILAB HARVARD UNIVERSITY UNIV. OF ILLINOIS, CHICAGO CIRCLE UNIVERSITY OF WUPPERTAL (GERMANY)
	Request	5 Mar, 90	Unspecified
	Inactive	23 Dec, 92	
811	PBAR P ELASTIC SCATTERING #811 BEAM: Collision Area (E-0) PBAR P ELASTIC SCATTERING.	Jay Orear	CERN (SWITZERLAND) CORNELL UNIVERSITY FERMILAB
	Request	14 Mar, 90	Unspecified
	Approval	9 Jul, 92	Unspecified
	Data Analysis	20 Feb, 96	
	Completed	1 Mar, 01	
812	CPT AND GRAVITY TESTS #812 BEAM: Accumulator Ring PRECISION TESTS OF CPT AND GRAVITY USING LOW ENERGY ANTIMATTER AT FERMILAB.	Gerald A. Smith	UNIV. OF CALIFORNIA, IRVINE GSI, DARMSTADT (GERMANY) FERMILAB INTEGRATED ACCELERATOR TECHNOLOGY UNIVERSITY OF IOWA LOS ALAMOS NATIONAL LABORATORY MANNE SIEGBAHN INSTITUTE (SWEDEN) MAX-PLANCK INSTITUTE (GERMANY) UNIVERSITY OF MICHIGAN - ANN ARBOR UNIVERSITY OF NEW MEXICO PENNSYLVANIA STATE UNIVERSITY RUTGERS UNIVERSITY UNIVERSITY DI TRIESTE (ITALY)
	Request	19 Feb, 90	Unspecified
	Inactive	30 Jun, 94	
813	SMALL PHYSICS #813 BEAM: Unspecified Beam I. A QUANTITATIVE TEST OF THE LANDAU-MIGDAL-POMERANCHUK EFFECT; II. HADRON INCLUSIVE DISTRIBUTIONS AT HIGH X; III. NEUTRON POLARIZATION	Lawrence W. Jones	UNIVERSITY OF HAWAII AT MANOA LODE UNIVERSITY UNIVERSITY OF MICHIGAN - ANN ARBOR UNIVERSITY OF WASHINGTON
	Request	2 Mar, 90	Unspecified
	Rejected	5 May, 93	

```

=====
814 PRIMAKOFF PRODUCTION #814 Vladimir Chaloupka UNIVERSITY OF ROCHESTER
BEAM: Proton Area - Center UNIVERSITY OF WASHINGTON
SEARCH FOR PRIMAKOFF PRODUCTION OF HYBRID MESONS.
+-----+
Request 28 Feb, 90 Unspecified
Inactive 23 Dec, 92
=====
815 NEUTRINO #815 Michael H. Shaevitz and Robert H. Bernstein UNIVERSITY OF CINCINNATI
BEAM: Neutrino Area - Center COLUMBIA UNIVERSITY
Precision Measurements of Neutrino Neutral Current Interactions Using a Sign-Selected FERMILAB
Beam KANSAS STATE UNIVERSITY
NORTHWESTERN UNIVERSITY
UNIVERSITY OF OREGON
UNIVERSITY OF ROCHESTER
XAVIER UNIVERSITY
+-----+
Request 7 Mar, 90 Unspecified
9 Oct, 90 Unspecified
Approval 10 Jul, 91 Unspecified Stage I approval for Phase I granted.
9 Jul, 92 Unspecified Stage I approval for 10 E18th Protons on target
24 Jun, 94 Unspecified 1E18 protons on target at an intensity between 1 and 3 E13 protons /
pulse
In Progress 15 Jun, 96
Data Analysis 5 Sep, 97
=====
816 SSC DETECTOR MUON BEAM TESTS #T816 Henry J. Lubatti UNIVERSITY OF COLORADO AT BOULDER
BEAM: Neutrino Area - Muon Beam FERMILAB
SSC Detector Muon Sub-System Beam Tests UNIVERSITY OF ILLINOIS, CHAMPAIGN
UNIVERSITY OF MARYLAND
+-----+
Request 1 May, 90 Unspecified OSAKA CITY UNIVERSITY (JAPAN)
Approval 30 Oct, 90 Unspecified UNIVERSITY OF ROCHESTER
Completed 8 Jan, 92 Unspecified TEMPLE UNIVERSITY
TUFTS UNIVERSITY
UNIVERSITY OF WASHINGTON
UNIVERSITY OF WISCONSIN - MADISON
=====
817 SILICON STRIP DETECTOR TEST #817 James P. Alexander UNIV. OF CALIFORNIA, SANTA BARBARA
BEAM: Neutrino Area - Muon Beam CORNELL UNIVERSITY
Double-sided silicon strip detector prototype evaluation.
+-----+
Request 1 May, 90 Unspecified
Approval 9 Jul, 90 Unspecified
Completed 15 Aug, 90 Unspecified
=====
818 LEAD GLASS DETECTOR TEST #818 Scott Teige INDIANA UNIVERSITY
BEAM: Unspecified Beam UNIVERSITY OF LOUISVILLE
Proposal to use the NWA Electron Test Beam at Fermilab for Tests of a Lead Glass MOSCOW STATE UNIVERSITY (RUSSIA)
Calorimeter Prototype IHEP, PROTIVNO (SERPUKHOV) (RUSSIA)
+-----+
Request 26 Jun, 90 Unspecified
Withdrawn 30 Apr, 91
=====
819 EMPACT DETECTOR TEST FOR SSC #819 Louis S. Osborne UNIVERSITY OF HOUSTON
BEAM: Neutrino Area - Muon Beam INDIANA UNIVERSITY
EMPACT Muon Telescope Evaluation at Fermilab JINR, DUBNA (RUSSIA)
+-----+
Request 28 Jun, 90 Unspecified MASSACHUSETTS INST. OF TECHNOLOGY
Approval 15 Aug, 91 Unspecified
Completed 15 Oct, 91 Unspecified
=====
820 MUON NEUTRINO MAGNETIC MOMENT #820 Nikos D. Giokaris FERMILAB
BEAM: Miscellaneous Area UNIVERSITY OF MARYLAND
Search for the muon neutrino magnetic moment at the 10 to the -10 Bohr magneton level NORTHEASTERN UNIVERSITY
using the Booster at Fermilab NORTHERN ILLINOIS UNIVERSITY
UNIVERSITY OF ROCHESTER
+-----+
Request 13 Jul, 90 Unspecified ROCKEFELLER UNIVERSITY
Inactive 30 Jun, 94
=====
821 NEUTRON MEASUREMENTS AT NWA #T821 Kenneth A. Johns UNIVERSITY OF ARIZONA
BEAM: Neutrino Area - West BALL STATE UNIVERSITY
Neutron Measurements at NWA FERMILAB
+-----+
Request 14 Aug, 90 Unspecified UNIVERSITY OF MICHIGAN - ANN ARBOR
Approval 14 Aug, 90 Unspecified UNIVERSITY OF MINNESOTA
Completed 8 Jan, 92 Unspecified NORTHERN ILLINOIS UNIVERSITY
RICE UNIVERSITY
=====
822 NEUTRINO OSCILLATIONS #822 Maury C. Goodman ARGONNE NATIONAL LABORATORY
BEAM: Main Injector Area FERMILAB
A Long-Baseline Neutrino Oscillation Experiment from Fermilab to Soudan LEBEDEV PHYSICAL INST. (RUSSIA)
UNIVERSITY OF MINNESOTA
+-----+
Request 24 Aug, 90 Unspecified ITEP, MOSCOW (RUSSIA)
Withdrawn 24 Oct, 95 UNIVERSITY OF OXFORD (ENGLAND)
RUTHERFORD-APPLETON LABS. (ENGLAND)
SSC LABORATORY
TEXAS A&M UNIVERSITY
TUFTS UNIVERSITY
WESTERN WASHINGTON UNIVERSITY
=====

```

Proposal #	Proposal Title	PI Name	Status	Request Date	Approval Date	Notes	Participating Institutions
823	D-0 DETECTOR UPGRADE #823	Gerald Blazey and William J. Womersley	Unspecified	4 Oct, 90	11 Jul, 91	Stage I / Step 1 approval granted Stage I / Step 2 and 3 approval deferred	INST. OF PHYS. ACADEMY OF SCI (CZECH) UNIV. OF AMSTERDAM (NETHERLANDS) UNIVERSIDAD DE LOS ANDES (COLOMBIA) UNIVERSITY OF ARIZONA IHEP, BEIJING (PRC) UNIVERSITY OF BONN (GERMANY) BOSTON UNIVERSITY BROOKHAVEN NATIONAL LABORATORY BROWN UNIVERSITY UNIV. DE BUENOS AIRES (ARGENTINA) CALIFORNIA STATE UNIVERSITY UNIV. OF CALIFORNIA, RIVERSIDE CBPF (BRAZIL) CEA-SACLAY (FRANCE) CPM, MARSEILLE (FRANCE) CHARLES UNIVERSITY (CZECH) CINEVESTAV-IPN (MEXICO) COLUMBIA UNIVERSITY CZECH TECHNICAL UNIVERSITY (CZECH) DELHI UNIVERSITY (INDIA) UNIVERSITY COLLEGE DUBLIN (IRELAND) FERMI LAB FLORIDA STATE UNIVERSITY HO CHI MINH CITY IN. PHYS (VIET NAM) UNIV. OF ILLINOIS, CHICAGO CIRCLE IMPERIAL COLLEGE (ENGLAND) INDIANA UNIVERSITY INST DE RECHERCHES SUBATOM (FRANCE) ISN (GRENOBLE, FRANCE) IPNL (FRANCE) IOWA STATE UNIVERSITY JINR, DUBNA (RUSSIA) KANSAS STATE UNIVERSITY UNIVERSITY OF KANSAS KOREA UNIVERSITY, SEOUL (KOREA) LAL, ORSAY (FRANCE) LANCASTER UNIVERSITY (ENGLAND) LANGSTON UNIVERSITY LAWRENCE BERKELEY NATL. LABORATORY LOUISIANA TECH UNIVERSITY LPNHE, UN. OF P & M CURIE (FRANCE) LUDWIG MAXIMILIANS UNIV. (GERMANY) LUND, RIT, STOCKHOLM, UPPSALA (SWEDEN) MAINZ UNIVERSITY (GERMANY) UNIVERSITY OF MANCHESTER (ENGLAND) UNIVERSITY OF MARYLAND UNIVERSITY OF MICHIGAN - ANN ARBOR MICHIGAN STATE UNIVERSITY MOSCOW STATE UNIVERSITY (RUSSIA) ITEP, MOSCOW (RUSSIA) UNIVERSITY OF NEBRASKA SUNY AT STONY BROOK NIJMEGEN UNIVERSITY (NETHERLANDS) NIKHEP-H (NETHERLANDS) NORTHEASTERN UNIVERSITY NORTHERN ILLINOIS UNIVERSITY NORTHWESTERN UNIVERSITY NOTRE DAME UNIVERSITY UNIVERSITY OF OKLAHOMA PANJAB UNIVERSITY (INDIA) UNESP (BRAZIL) FNPI, ST. PETERSBURG (RUSSIA) PRINCETON UNIVERSITY IHEP, PROTIVNO (SERPUKHOV) (RUSSIA) RICE UNIVERSITY UNIV. ESTADO RIO DE JANEIRO (BRAZIL) UNIVERSITY OF ROCHESTER RWTH, AACHEN (GERMANY) UN. SAN FRANCISCO DE QUITO (ECUADOR) TATA INSTITUTE (INDIA) UNIVERSITY OF TEXAS AT ARLINGTON UNIVERSITY OF VIRGINIA UNIVERSITY OF WASHINGTON UNIVERSITY OF WUPPERTAL (GERMANY)
824	DUMAND NEUTRINO OSCILLATIONS #824	Medford S. Webster	Unspecified	4 Oct, 90	23 Dec, 92		RWTH, AACHEN (GERMANY) UNIVERSITY OF BERNE (SWITZERLAND) BOSTON UNIVERSITY UNIVERSITY OF HAWAII AT MANOA ICRR, UNIVERSITY OF TOKYO (JAPAN) UNIVERSITY OF KIEL (GERMANY) KINKI UNIVERSITY (JAPAN) KOBE UNIVERSITY (JAPAN) SCRIPPS INST. OF OCEANOGRAPHY/UCSD TOHOKU UNIVERSITY (JAPAN) VANDERBILT UNIVERSITY UNIVERSITY OF WASHINGTON UNIVERSITY OF WISCONSIN - MADISON

```

=====
825  SDC PROTOTYPE DETECTORS #825          James R. Bensinger
BEAM: Unspecified Beam
Testing of Prototype Detectors for the Solenoidal Detector Collaboration
+-----+
Request      1 Oct, 90   Unspecified
Inactive     23 Dec, 92

=====
ARGONNE NATIONAL LABORATORY
UNIVERSITY OF ARIZONA
BRANDEIS UNIVERSITY
BRATSLAVA STATE UNIVERSITY (CZECH)
UNIVERSITY OF BRISTOL (ENGLAND)
BROWN UNIVERSITY
UNIV. OF CALIFORNIA, DAVIS
UNIV. OF CALIFORNIA, LOS ANGELES
UNIV. OF CALIFORNIA, RIVERSIDE
UNIV. OF CALIFORNIA, SAN DIEGO
UNIV. OF CALIFORNIA, SANTA CRUZ
CHIBA UNIVERSITY (JAPAN)
UNIVERSITY OF CHICAGO
UNIVERSITY OF COLORADO AT BOULDER
DUKE UNIVERSITY
FERMILAB
FLORIDA STATE UNIVERSITY
UNIVERSITY OF FLORIDA
FUKUI UNIVERSITY (JAPAN)
GOMEL STATE UNIVERSITY (BYELARUS)
HARVARD UNIVERSITY
UNIVERSITY OF HAWAII AT MANOA
HIROSHIMA INST. OF TECH. (JAPAN)
HIROSHIMA UNIVERSITY (JAPAN)
IBARAKI COLLEGE OF TECH. (JAPAN)
UNIV. OF ILLINOIS, CHICAGO CIRCLE
UNIVERSITY OF ILLINOIS, CHAMPAIGN
INDIANA UNIVERSITY
IOWA STATE UNIVERSITY
JINR, DUBNA (RUSSIA)
JOHNS HOPKINS UNIVERSITY
KEK (JAPAN)
KYOTO UNIVERSITY (JAPAN)
LAWRENCE BERKELEY LABORATORY
UNIVERSITY OF LIVERPOOL (ENGLAND)
UNIVERSITY OF MARYLAND
UNIVERSITY OF MICHIGAN - ANN ARBOR
UNIVERSITY OF MINNESOTA
ACADEMY OF SCI. OF BSSR (BYELARUS)
UNIVERSITY OF MISSISSIPPI
MIYAZAKI UNIVERSITY (JAPAN)
NAGOYA UNIVERSITY (JAPAN)
NIIGATA UNIVERSITY (JAPAN)
NOTRE DAME UNIVERSITY
OAK RIDGE NATIONAL LABORATORY
OHIO STATE UNIVERSITY
OKAYAMA UNIVERSITY (JAPAN)
OSAKA CITY UNIVERSITY (JAPAN)
OSAKA UNIVERSITY (JAPAN)
UNIVERSITY OF OXFORD (ENGLAND)
PENNSYLVANIA STATE UNIVERSITY
UNIVERSITY OF PENNSYLVANIA
UNIVERSITY OF PISA (ITALY)
UNIVERSITY OF PITTSBURGH
PURDUE UNIVERSITY
RICE UNIVERSITY
UNIVERSITY OF ROCHESTER
ROCKEFELLER UNIVERSITY
RUTGERS UNIVERSITY
RUTHERFORD-APPLETON LABS. (ENGLAND)
SAGA UNIVERSITY (JAPAN)
SAITAMA COLLEGE OF HEALTH (JAPAN)
SLOVAK ACADEMY OF SCIENCE (CZECH)
SOFIA STATE UNIVERSITY (BULGARIA)
SSC LABORATORY
SLAC
TASHKENT, PHY.TEC.INS (UZBEKISTAN)
IHEP, TBILISI STATE UNIV (GEORGIA)
TEXAS A&M UNIVERSITY
UNIVERSITY OF TEXAS AT DALLAS
TOHOKU GAKUIN UNIVERSITY (JAPAN)
TOHOKU UNIVERSITY (JAPAN)
TOKYO INST. OF TECHNOLOGY (JAPAN)
TOKYO METROPOLITAN UNIV. (JAPAN)
TOKYO UNIV. OF AGR. & TECH. (JAPAN)
UNIVERSITY OF TOKYO (JAPAN)
UNIVERSITY OF TSUKUBA (JAPAN)
TUPTS UNIVERSITY
VIRGINIA TECH
WAKAYAMA MEDICAL COLLEGE (JAPAN)
UNIVERSITY OF WASHINGTON
UNIVERSITY OF WISCONSIN - MADISON
YEREVAN PHYSICS INST. (ARMENIA)

=====
826  HYPERON MEASUREMENTS #826          Kenneth A. Johns and Regina A. Rameika
BEAM: Proton Area - Center
An Expression of Interest to Continue Hyperon Measurements at Fermilab
+-----+
Request      8 Oct, 90   Unspecified
Inactive     23 Dec, 92

=====
UNIVERSITY OF ARIZONA
FERMILAB
UNIVERSITY OF MICHIGAN - ANN ARBOR
UNIVERSITY OF MINNESOTA
=====

```

827	MICRO-BCD #827 BEAM: Collision Area (C-0) B Physics at the TEV I; Micro-BCD +-----+ Request 8 Oct, 90 Unspecified Rejected 10 Jul, 91	Nigel S. Lockyer	UNIVERSIDAD DE LOS ANDES (COLOMBIA) UNIV. OF CALIFORNIA, DAVIS FERMILAB UNIVERSITY OF FLORIDA UNIV. OF ILLINOIS, CHICAGO CIRCLE ILLINOIS INSTITUTE OF TECHNOLOGY UNIVERSITY OF IOWA UNIVERSITY OF MONTREAL (CANADA) SUNY AT ALBANY OAK RIDGE NATIONAL LABORATORY UNIVERSITY OF OKLAHOMA UNIVERSITY OF PENNSYLVANIA PRAIRIE VIEW A&M UNIVERSITY PRINCETON UNIVERSITY UNIV. OF PUERTO RICO - RIO PIEDRAS UN. SAN FRANCISCO DE QUITO (ECUADOR) SPACE SCIENCE LAB., U.C., BERKELEY UNIVERSITY OF WISCONSIN - MADISON YALE UNIVERSITY
828	B-MESON CP VIOLATION #828 BEAM: Collision Area (Miscellaneous) Letter of Intent to Measure CP Violation in B Meson Decay at the Fermilab Collider +-----+ Request 26 Sep, 90 Unspecified Withdrawn 22 Jun, 91	Sheldon L. Stone	FERMILAB UNIVERSITY OF FLORIDA UNIVERSITY OF MICHIGAN - ANN ARBOR SYRACUSE UNIVERSITY
829	HEAVY FLAVORS AT TPL #829 BEAM: Proton Area - East Study of Heavy Flavors at TPL, Continuation of E-791 +-----+ Request 8 Oct, 90 Unspecified Rejected 28 Feb, 94	David C. Christian and Michael D. Sokoloff	UNIVERSITY OF CINCINNATI CINVESTAV-IPN (MEXICO) FERMILAB ILLINOIS INSTITUTE OF TECHNOLOGY UNIVERSITY OF MASSACHUSETTS PRINCETON UNIVERSITY UN. AUTONOMA DE PUEBLA (MEXICO) UNIVERSITY OF TEL-AVIV (ISRAEL) TUFTS UNIVERSITY UNIVERSITY OF WISCONSIN - MADISON YALE UNIVERSITY
830	CDF UPGRADE #830 BEAM: Collision Area (B-0) Proposal for an Upgraded CDF Detector +-----+ Request 9 Oct, 90 Unspecified Unscheduled 11 Jul, 91 Setup in a Year 1 Mar, 99 In Progress 1 Mar, 01	Alfred Goshaw and Nigel Lockyer	IHEP, ACADEMIA SINICA (TAIWAN) ARGONNE NATIONAL LABORATORY UNIVERSITY OF BOLOGNA (ITALY) BRANDEIS UNIVERSITY UNIV. OF CALIFORNIA, DAVIS UNIV. OF CALIFORNIA, LOS ANGELES UNIV. OF CALIFORNIA, SANTA BARBARA UNIVERSITY OF CANTABRIA (SPAIN) CARNEGIE-MELLON UNIVERSITY UNIVERSITY OF CHICAGO DUKE UNIVERSITY FERMILAB UNIVERSITY OF FLORIDA INFN, FRASCATI (ITALY) UNIVERSITY OF GENEVA (SWITZERLAND) GLASGOW UNIVERSITY (SCOTLAND) HARVARD UNIVERSITY UNIVERSITY OF HELSINKI (FINLAND) HIROSHIMA UNIVERSITY (JAPAN) UNIVERSITY OF ILLINOIS, CHAMPAIGN INFN, TRIESTE/UNIV. DI UDINE (ITALY) JINR, DUBNA (RUSSIA) JOHNS HOPKINS UNIVERSITY UNIVERSITY OF KARLSRUHNE (GERMANY) KEK (JAPAN) KOREA CENTER FOR HEP (KOREA) LAWRENCE BERKELEY NATL. LABORATORY UNIVERSITY OF LIVERPOOL (ENGLAND) UNIVERSITY COLLEGE LONDON (ENGLAND) MASSACHUSETTS INST. OF TECHNOLOGY UNIVERSITY OF MICHIGAN - ANN ARBOR MICHIGAN STATE UNIVERSITY ITEP, MOSCOW (RUSSIA) UNIVERSITY OF NEW MEXICO NORTHWESTERN UNIVERSITY OHIO STATE UNIVERSITY OKAYAMA UNIVERSITY (JAPAN) OSAKA CITY UNIVERSITY (JAPAN) UNIVERSITY OF OXFORD (ENGLAND) UNIVERSITY OF PADOVA (ITALY) UNIVERSITY OF PENNSYLVANIA INFN, PISA (ITALY) UNIVERSITY OF PITTSBURGH PURDUE UNIVERSITY UNIVERSITY OF ROCHESTER ROCKEFELLER UNIVERSITY UNIVERSITY OF ROME (ITALY) RUTGERS UNIVERSITY TEXAS A&M UNIVERSITY TEXAS TECH UNIVERSITY UNIVERSITY OF TORONTO (CANADA) UNIVERSITY OF TSUKUBA (JAPAN) TUFTS UNIVERSITY WASEDA UNIVERSITY (JAPAN) UNIVERSITY OF WISCONSIN - MADISON YALE UNIVERSITY

831	HEAVY QUARK PHOTOPRODUCTION #831 BEAM: Proton Area - Broad Band A High Statistics Study of States Containing Heavy Quarks Using the Wideband Photon Beam and the E687 Multiparticle Spectrometer	John P. Cumalat and Luigi Moroni	UNIV. OF CALIFORNIA, DAVIS CBPF (BRAZIL) CINVESTAV-IPN (MEXICO) UNIVERSITY OF COLORADO AT BOULDER FERMILAB INFN, FRASCATI (ITALY) UNIVERSITY OF ILLINOIS, CHAMPAIGN KOREA UNIVERSITY, SEOUL (KOREA) INFN, MILANO (ITALY) UNIVERSITY OF MILANO (ITALY) UNIVERSITY OF NORTH CAROLINA UNIVERSITY OF PAVIA (ITALY) UN. AUTONOMA DE PUEBLA (MEXICO) UNIV. OF PUERTO RICO - MAYAGUEZ UNIVERSITY OF SOUTH CAROLINA UNIVERSITY OF TENNESSEE, KNOXVILLE VANDERBILT UNIVERSITY UNIVERSITY OF WISCONSIN - MADISON YEONSEI UNIVERSITY (KOREA)
	Request	17 Oct, 90 Unspecified 1 Sep, 92 5,000 Hours 1000 hours for setup and 4000 hours for data taking	
	Approval	7 Dec, 92 Unspecified	
	In Progress	15 Sep, 96	
	Data Analysis	25 Aug, 97	
832	CP VIOLATION #832 BEAM: Neutrino Area - Muon Beam Proposal for a New Tevatron Search for Direct CP Violation in the 2pi decays of the Neutral Kaon	Edward C. Blucher	UNIVERSITY OF ARIZONA UNIV. OF CALIFORNIA, LOS ANGELES UNIV. OF CALIFORNIA, SAN DIEGO UNIV. ESTADUAL DE CAMPINAS (BRAZIL) UNIVERSITY OF CHICAGO UNIVERSITY OF COLORADO AT BOULDER ELMHURST COLLEGE FERMILAB OSAKA UNIVERSITY (JAPAN) RICE UNIVERSITY RUTGERS UNIVERSITY UNIVERSITE DE SAO PAULO (BRAZIL) UNIVERSITY OF VIRGINIA UNIVERSITY OF WISCONSIN - MADISON
	Request	18 Oct, 90 Unspecified	
	Approval	1 Jun, 92	
	In Progress	26 Oct, 96	
	Data Analysis	17 Jan, 00	
833	K-SHORT DECAYS #833 BEAM: Meson Area - Center Letter of Intent to Measure the Branching Ratio for the K-short Decay	Gordon B. Thomson	UNIV. OF CALIFORNIA, LOS ANGELES UNIVERSITY OF CHICAGO ELMHURST COLLEGE FERMILAB UNIVERSITY OF ILLINOIS, CHAMPAIGN RUTGERS UNIVERSITY
	Request	19 Oct, 90 Unspecified	
	Inactive	30 Aug, 95	
834	DIRECT PHOTON #834 BEAM: Meson Area - West Direct Photon Production #834	Paul F. Slattery	DELHI UNIVERSITY (INDIA) FERMILAB MICHIGAN STATE UNIVERSITY UNIVERSITY OF MINNESOTA NORTHEASTERN UNIVERSITY PENNSYLVANIA STATE UNIVERSITY UNIVERSITY OF PITTSBURGH RAJASTHAN UNIVERSITY (INDIA) UNIVERSITY OF ROCHESTER
	Request	19 Oct, 90 Unspecified	
	Inactive	23 Dec, 92	
835	CHARMONIUM STATES #835 BEAM: Accumulator Ring Study of Charmonium States formed in Antiproton-proton Annihilations MOU Executed.	Rosanna Cester and Stephen H. Pordes	UNIV. OF CALIFORNIA, IRVINE FERMILAB UNIVERSITY OF FERRARA (ITALY) INFN, GENOVA (ITALY) UNIVERSITY OF MINNESOTA NORTHWESTERN UNIVERSITY UNIVERSITY OF TORINO (ITALY)
	Request	16 Oct, 90 Unspecified	
	Approval	7 Dec, 92 Unspecified	
	In Progress	1 Oct, 96	
	Data Analysis	8 Nov, 00	
836	SUPERCONDUCTING DETECTOR TEST #836 BEAM: Unspecified Beam Proposal for a Beam Test of a Superconducting Thin Film Strip Particle Detector	Robert G. Wagner	ARGONNE NATIONAL LABORATORY
	Request	3 Oct, 90 24 Hours in three 8 hour shifts	
	Withdrawn	8 Jan, 92	
837	EMPACT/TEXAS TEST #837 BEAM: Unspecified Beam EMPACT/TEXAS Beam Test(s)	Michael D. Marx	SUNY AT STONY BROOK
	Request	12 Oct, 90 Unspecified	
	Inactive	23 Dec, 92	
838	POLARIZED BEAM #838 BEAM: Meson Area - Polarized Proton Beam Continuation of E-704 and Simultaneous Measurement of Chi-2 Production	Akihiko Yokosawa	ARGONNE NATIONAL LABORATORY CEN-SACLAY (FRANCE) FERMILAB UNIVERSITY OF IOWA KYOTO SANGYO UNIVERSITY (JAPAN) KYOTO UNIVERSITY (JAPAN) KYOTO UNIV. OF EDUCATION (JAPAN) LAPP, D'ANNECY-LE-VIEUX (FRANCE) LOS ALAMOS NATIONAL LABORATORY INFN, MESSINA (ITALY) NEW MEXICO STATE UNIVERSITY NORTHWESTERN UNIVERSITY UN. OF OCCUP. & ENV. HEALTH (JAPAN) OKAYAMA UNIVERSITY (JAPAN) OLD DOMINION UNIVERSITY OSAKA CITY UNIVERSITY (JAPAN) OSAKA UNIV. OF COMMERCE (JAPAN) IHEP, PROTIVNO (SERPUKHOV) (RUSSIA) RICE UNIVERSITY UNIVERSITY DI TRIESTE (ITALY) UNIVERSITY OF UDINE (ITALY)
	Request	1 Oct, 90 Unspecified	
	Rejected	19 Feb, 91	
839	FIBER TRACKING TEST #839 BEAM: Neutrino Area - Muon Beam Scintillating Fiber Tracker - Beam Test	Seymour Margulies	UNIV. OF CALIFORNIA, LOS ANGELES FERMILAB UNIV. OF ILLINOIS, CHICAGO CIRCLE NOTRE DAME UNIVERSITY OSAKA CITY UNIVERSITY (JAPAN) PENNSYLVANIA STATE UNIVERSITY PURDUE UNIVERSITY RICE UNIVERSITY UNIVERSITY OF TEXAS AT DALLAS UNIVERSITY OF TSUKUBA (JAPAN)
	Request	25 Sep, 90 Unspecified	
	Approval	15 Apr, 91 Unspecified	
	Completed	8 Jan, 92 Unspecified	

840	SPAGHETTI CALORIMETRY TEST #840	Adam Para	FERMILAB
	BEAM: Meson Area - Polarized Proton Beam Spaghetti calorimetry in '91 test beam cycle		
	-----+-----		
	Request	11 Oct, 90	592 Hours
			1. Systematic studies of the laminated prototype (160 hrs.)
			2. Studies of the RGB prototype (56 hrs.)
			3. Dichromatic calorimeter (80 hrs.)
			4. Liquid scintillator prototype (56 hrs.)
			5. Two-segment fiber prototype (240 hrs.)
	Approval	8 Aug, 91	Unspecified
	Completed	8 Jan, 92	Unspecified
841	CALORIMETER BEAM TEST #T841	Lawrence E. Price	ARGONNE NATIONAL LABORATORY CEN-SACLAY (FRANCE) FERMILAB IOWA STATE UNIVERSITY LAWRENCE BERKELEY LABORATORY NORTHEASTERN UNIVERSITY PURDUE UNIVERSITY UNIVERSITY OF ROCHESTER ROCKEFELLER UNIVERSITY UNIVERSITY OF SOUTH CAROLINA VIRGINIA TECH WESTINGHOUSE ELECTRIC CORPORATION UNIVERSITY OF WISCONSIN - MADISON YALE UNIVERSITY
	BEAM: Meson Area - Test Beam Proposal for Beam Test of Scintillator Calorimeter Prototypes at Fermilab during FY 1991		
	-----+-----		
	Request	8 Oct, 90	Unspecified
	Approval	28 Mar, 91	Unspecified
	Completed	8 Jan, 92	Unspecified
842	RADIATION EXPOSURE #842	David G. Underwood	ARGONNE NATIONAL LABORATORY
	BEAM: Proton Area - Broad Band Proposed Radiation Measurement in the Wideband Neutral Dump Area		
	-----+-----		
	Request	6 Nov, 90	Unspecified
	Approval	15 Aug, 91	Unspecified
	Completed	8 Jan, 92	Unspecified
843	EMULSION EXPOSURE 600 GeV #843	C. O. Kim	CHONNAM NATIONAL UNIVERSITY (KOREA) KOREA UNIVERSITY, SEOUL (KOREA)
	BEAM: Neutrino Area - Muon Beam Interactions of 600 GeV Muons with Emulsion Nuclei		
	-----+-----		
	Request	24 Oct, 90	Unspecified
	Approval	1 Jul, 91	Unspecified
	Completed	13 Jul, 91	Unspecified
844	TRD/SHOWER COUNTER TEST #844	Simon P. Swordy	UNIVERSITY OF CHICAGO
	BEAM: Meson Area - Polarized Proton Beam Transition Radiation Detector/EM Shower Counter Calibration		
	-----+-----		
	Request	28 Nov, 90	40 Hours
	Approval	11 Oct, 91	Unspecified
	Completed	26 Dec, 91	Unspecified
845	TEVATRON BEAUTY #845	Peter E. Schlein	UNIV. OF CALIFORNIA, LOS ANGELES CERN (SWITZERLAND) COLLEGE DE FRANCE (FRANCE) INP, KRAKOW (POLAND) MAX-PLANCK INSTITUTE (GERMANY) NANJING UNIVERSITY (PRC) IHEP, PROTIVINO (SERPUKHOV) (RUSSIA) YALE UNIVERSITY
	BEAM: Unspecified Beam A Dedicated Beauty Experiment for the Tevatron Collider		
	-----+-----		
	Request	7 Jan, 91	Unspecified
	Rejected	10 Jul, 91	
846	FRACTIONAL CHARGE IMPURITIES #846	Unil Perera	UNIVERSITY OF PITTSBURGH
	BEAM: Meson Area - West Search for Fractional Charge Impurities		
	-----+-----		
	Request	1 Feb, 91	Unspecified
	Inactive	23 Dec, 92	
847	CALORIMETER TEST #847	Lawrence R. Sulak	BOSTON UNIVERSITY
	BEAM: Unspecified Beam Beam Test for scintillating fiber / lead alloy calorimeter prototype		
	-----+-----		
	Request	13 Feb, 91	Unspecified
	Completed	8 Jan, 92	
848	GAS CALORIMETRY FOR SDC #848	Nikos D. Giokaris	ABILITY ENGINEERING TECHNOLOGY FERMILAB JINR, DUBNA (RUSSIA) UNIVERSITY OF ROCHESTER ROCKEFELLER UNIVERSITY UNIVERSITY OF WISCONSIN - MADISON YEREVAN PHYSICS INST. (ARMENIA)
	BEAM: Neutrino Area - Test Beam High Pressure Sampling Gas Calorimetry for the SDC Calorimeter		
	-----+-----		
	Request	29 Mar, 91	Unspecified
	Approval	29 Oct, 91	Unspecified
	Completed	23 Dec, 91	Unspecified
849	BIARIUM FLUORIDE CALORIMETER #849	Hans G. E. Kobrak	BROOKHAVEN NATIONAL LABORATORY CALIFORNIA INSTITUTE OF TECHNOLOGY UNIV. OF CALIFORNIA, SAN DIEGO CARNEGIE-MELLON UNIVERSITY OAK RIDGE NATIONAL LABORATORY PRINCETON UNIVERSITY TATA INSTITUTE (INDIA)
	BEAM: Neutrino Area - Test Beam Request for Test Beam Time for Barium Fluoride Calorimeter Development		
	-----+-----		
	Request	11 Apr, 91	Unspecified Two (2) "beam on" periods of about 1 month each, separated by a data analysis period of about 1 month
	Approval	18 Sep, 91	Unspecified
	Completed	8 Jan, 92	Unspecified
850	DIAMOND RADIATION DETECTOR TEST #850	Melissa Franklin	UNIV. OF CALIFORNIA, SANTA BARBARA HARVARD UNIVERSITY KEK (JAPAN) LAWRENCE LIVERMORE LABORATORY OHIO STATE UNIVERSITY PRINCETON UNIVERSITY UNIVERSITY OF ROCHESTER RUTGERS UNIVERSITY SSC LABORATORY STANFORD UNIVERSITY
	BEAM: Meson Area - Test Beam Fermilab Test Beam Time of Diamond Radiation Detectors		
	-----+-----		
	Request	1 May, 91	Unspecified
	Approval	8 Jan, 92	Unspecified
	Withdrawn	8 Jan, 92	Unspecified

851	FIBER IRRADIATION STUDIES #851	Seymour Margulies and Jadwiga Warchol	UNIV. OF CALIFORNIA, LOS ANGELES FERMILAB UNIV. OF ILLINOIS, CHICAGO CIRCLE NOTRE DAME UNIVERSITY OAK RIDGE NATIONAL LABORATORY OSAKA CITY UNIVERSITY (JAPAN) PENNSYLVANIA STATE UNIVERSITY PURDUE UNIVERSITY RICE UNIVERSITY UNIVERSITY OF TEXAS AT DALLAS UNIVERSITY OF TSUKUBA (JAPAN)
	BEAM: Collision Area (C-0) Fiber Irradiation Studies in the C0 Region		
	Request	1 May, 91 Unspecified	
	Approval	14 Aug, 91 Unspecified	
	Completed	8 Jan, 92 Unspecified	
852	PIXEL DETECTOR TEST #852	Eric Arens	FERMILAB LAWRENCE BERKELEY LABORATORY
	BEAM: Neutrino Area - Muon Beam Pixel Detector Test at NM		
	Request	8 May, 91 Unspecified	
	Approval	9 Sep, 91 Unspecified	
	Completed	23 Dec, 91 Unspecified	
853	TEVATRON CRYSTAL EXTRACTION #853	C. Thornton Murphy	ARGONNE NATIONAL LABORATORY UNIV. OF CALIFORNIA, LOS ANGELES FAIRFIELD UNIVERSITY FERMILAB JINR, DUBNA (RUSSIA) UNIVERSITY OF NEW MEXICO SUNY AT ALBANY FNPI, ST. PETERSBURG (RUSSIA) IHEP, PROTIVNO (SERPUKHOV) (RUSSIA) SOUTHWESTERN MEDICAL CENTER UNIVERSITY OF TEXAS AT AUSTIN VANDERBILT UNIVERSITY UNIVERSITY OF VIRGINIA
	BEAM: Collision Area (C-0) A Test of Low Intensity Extraction from the Tevatron Using Channeling in a Bent Crystal		
	Request	22 May, 91 100 Hours of dedicated Tevatron time, during which only protons need to be circulating	
		10 May, 93 72 Hours	
	Approval	10 May, 93 72 Hours	
	Data Analysis	20 Feb, 96	
	Completed	1 Mar, 01	
854	MUON FLUXES IN THE DEBUNCHER #854	Alan D. Bross	COLUMBIA UNIVERSITY FERMILAB
	BEAM: Debuncher Ring Proposal to Measure the Flux of Circulating Muons in the Debuncher.		
	Request	11 Jul, 91 Unspecified	
	Approval	8 Jan, 92 Unspecified	
	Completed	8 Jan, 92 Unspecified	
855	dE/dx MUONS #855	George R. Kalbfleisch	UNIVERSITY OF OKLAHOMA SSC LABORATORY
	BEAM: Neutrino Area - Muon Beam Test Beam Request to Directly Measure dE/dx of High Energy Muons from 150 to 650 GeV/c in Muon Laboratory		
	Request	3 Aug, 91 Unspecified	
	Approval	18 Nov, 91 Unspecified	
	Completed	8 Jan, 92 Unspecified	
856	INTEGRATED PIXEL DETECTOR TEST #856	Sherwood I. Parker	UNIVERSITY OF HAWAII AT MANOA LAWRENCE BERKELEY LABORATORY STANFORD UNIVERSITY
	BEAM: Neutrino Area - Muon Beam An Integrated Pixel Detector - Test Beam Request		
	Request	4 Oct, 91 Unspecified	
	Approval	11 Oct, 91 Unspecified	
	Completed	8 Jan, 92 Unspecified	
857	SPIN-TENSOR #857	L. I. Sarycheva	MOSCOW STATE UNIVERSITY (RUSSIA)
	BEAM: Unspecified Beam Proposal to measure all components of the depolarization tensor.		
	Request	10 Dec, 91 Unspecified	
	Inactive	23 Dec, 92	
858	ELASTIC SCATTERING SPIN EFFECTS #858	Alan D. Krisch	FERMILAB INDIANA UNIVERSITY JINR, DUBNA (RUSSIA) KEK (JAPAN) UNIVERSITY OF MICHIGAN - ANN ARBOR MOSCOW STATE UNIVERSITY (RUSSIA) UNIVERSITY OF NORTH CAROLINA IHEP, PROTIVNO (SERPUKHOV) (RUSSIA)
	BEAM: Unspecified Beam Spin Effects in High Proton-Proton Elastic Scattering		
	Request	6 Jan, 92 Unspecified	
	Rejected	30 Jul, 92	
859	CP VIOLATION IN HYPERON DECAY #859	Shao Yuan Hsueh	FERMILAB
	BEAM: Unspecified Beam CP Violations in Hyperon Decay		
	Request	2 Jan, 92 Unspecified	
	Withdrawn	13 Jan, 94	
860	SEARCH FOR NEUTRINO OSCILLATIONS #860	Wonyong Lee	BROOKHAVEN NATIONAL LABORATORY COLUMBIA UNIVERSITY FERMILAB KANGNUNG NATIONAL UNIV. (KOREA) KOREA UNIVERSITY, SEOUL (KOREA) SEOUL NATIONAL UNIVERSITY (KOREA)
	BEAM: Debuncher Ring A Search for Neutrino Oscillations using the Fermilab Debuncher.		
	Request	14 Jan, 92 Unspecified	
	Withdrawn	17 Jan, 96	
861	ANTI-PROTON DECAY #861	Steve Geer	UNIV. OF CALIFORNIA, LOS ANGELES FERMILAB PENNSYLVANIA STATE UNIVERSITY
	BEAM: Accumulator Ring Test of Backgrounds for an Antiproton Decay Search Experiment at the Antiproton Accumulator		
	Request	10 Feb, 92 24 Hours	
	Approval	16 Apr, 92	
	Completed	29 Oct, 92	
862	ANTI-HYDROGEN DETECTION #862	David C. Christian	UNIV. OF CALIFORNIA, IRVINE FERMILAB
	BEAM: Accumulator Ring Detection of Relativistic Anti-Hydrogen Atoms produced by Pair Production with Positron Capture		
	Request	27 Aug, 92 Unspecified	
	Approval	4 Mar, 93	
	In Progress	10 Nov, 96	
	Data Analysis	18 Sep, 97	
	Completed	1 Mar, 99	

863	NUCLEON SPIN #863 BEAM: Meson Area - Polarized Proton Beam Nucleon Spin Structure Studies with Polarized Proton and Antiproton Beams +-----+ Request 31 Aug, 92 7 Months Rejected 7 Dec, 92	Aldo Penzo	ARGONNE NATIONAL LABORATORY CEN-SACLAY (FRANCE) CNRS, MARSEILLE (FRANCE) UNIVERSITY OF IOWA KYOTO SANGYO UNIVERSITY (JAPAN) KYOTO UNIVERSITY (JAPAN) KYOTO UNIV. OF EDUCATION (JAPAN) LAPP, D'ANNECY-LE-VIEUX (FRANCE) INFN, MESSINA (ITALY) NEW MEXICO STATE UNIVERSITY UN. OF OCCUP. & ENV. HEALTH (JAPAN) OKAYAMA UNIVERSITY (JAPAN) OSAKA CITY UNIVERSITY (JAPAN) IHEP, PROTIVNO (SERPUKHOV) (RUSSIA) RICE UNIVERSITY UNIVERSITY DI TRIESTE (ITALY)
864	MAXIMUM ACCEPTANCE DETECTOR #T864 BEAM: Collision Area (C-0) Maximum Acceptance Detector for the Fermilab Collider (MAX) +-----+ Request 1 Sep, 92 Unspecified Approval 24 May, 93 Unspecified Completed 20 Dec, 95	James D. Bjorken and Cyrus C. Taylor	CASE WESTERN RESERVE UNIVERSITY DUKE UNIVERSITY FERMILAB LOS ALAMOS NATIONAL LABORATORY UNIVERSITY OF MICHIGAN - ANN ARBOR SLAC VIRGINIA TECH
865	CHARM AND BEAUTY DECAYS #865 BEAM: Meson Area - East High-Sensitivity Study of Charm and Beauty Decays. +-----+ Request 1 Sep, 92 Unspecified Withdrawn 4 Feb, 94	Daniel M. Kaplan	ABILENE CHRISTIAN UNIVERSITY UNIV. OF CALIFORNIA, LOS ANGELES CEN-SACLAY (FRANCE) CERN (SWITZERLAND) CINVESTAV-IPN (MEXICO) FERMILAB ILLINOIS INSTITUTE OF TECHNOLOGY IOWA STATE UNIVERSITY UNIVERSITE DE LAUSANNE NORTHERN ILLINOIS UNIVERSITY UNIVERSITY OF SOUTH CAROLINA UNIVERSITY OF TEXAS AT DALLAS
866	ANTI(U-QUARK)/ANTI(D-QUARK) DIST#866 BEAM: Meson Area - East Measurement of x distribution of the ratio of anti(u-quark) to anti(d-quark) in the proton +-----+ Request 2 Sep, 92 Unspecified Approval 7 Dec, 92 Unspecified In Progress 14 Sep, 96 Data Analysis 6 Aug, 97 Completed 6 Dec, 01	Michael J. Leitch	ABILENE CHRISTIAN UNIVERSITY ARGONNE NATIONAL LABORATORY FERMILAB GEORGIA STATE UNIVERSITY ILLINOIS INSTITUTE OF TECHNOLOGY LOS ALAMOS NATIONAL LABORATORY LOUISIANA STATE UNIVERSITY NEW MEXICO STATE UNIVERSITY OAK RIDGE NATIONAL LABORATORY TEXAS A&M UNIVERSITY VALPARAISO UNIVERSITY
867	HIDDEN CHARM AND BEAUTY #867 BEAM: Proton Area - West A Proposal to Continue the Study of Hidden Charm and Beauty States by Triggering on High Transverse Momentum Single Muons and High Mass Dimuons in 800 GeV/c pN Interactions +-----+ Request 3 Sep, 92 Unspecified Rejected 28 Feb, 94	Bradley B. Cox	UNIVERSITY OF SOUTH ALABAMA UNIV. OF CALIFORNIA, BERKELEY UNIV. OF CALIFORNIA, LOS ANGELES FERMILAB UNIVERSITY OF HOUSTON JINR, DUBNA (RUSSIA) UNIVERSITY OF LECCE (ITALY) MCGILL UNIVERSITY (CANADA) ACADEMY OF SCI. OF BSSR (BYELARUS) NANJING UNIVERSITY (PRC) NORTHWESTERN UNIVERSITY UNIVERSITY OF PAVIA (ITALY) UNIVERSITY OF PENNSYLVANIA PRAIRIE VIEW A&M UNIVERSITY SHANDONG UNIVERSITY (PRC) IHEP, TBILISI STATE UNIV (GEORGIA) VANIER COLLEGE (CANADA) UNIVERSITY OF VIRGINIA UNIVERSITY OF WISCONSIN - MADISON YEREVAN PHYSICS INST. (ARMENIA)
868	ANTI-PROTON DECAY #868 BEAM: Accumulator Ring Proposal to Search for Antiproton Decay at the Fermilab Antiproton Accumulator +-----+ Request 24 Sep, 92 Unspecified Approval 4 Mar, 93 Data Analysis 24 Jul, 95 Completed 1 Mar, 01	Steve Geer	UNIV. OF CALIFORNIA, LOS ANGELES FERMILAB UNIVERSITY OF MICHIGAN - ANN ARBOR UNIVERSITY OF NEBRASKA PENNSYLVANIA STATE UNIVERSITY
869	GEM DETECTOR AT THE SSC #869 BEAM: Meson Area - West Testing of Components for the GEM Detector at the Superconducting Super Collider Laboratory: A Proposal to the Fermi National Accelerator Laboratory +-----+ Request 11 Nov, 92 Unspecified Withdrawn 4 Jan, 94	Barry C. Barish and William J. Willis	FERMILAB SSC LABORATORY
870	PROTOTYPE DETECTORS FOR THE SDC #870 BEAM: Meson Area - Polarized Proton Beam PROTOTYPE DETECTORS FOR THE SDC #870 +-----+ Request 1 Jan, 93 Unspecified Withdrawn 4 Jan, 94	George H. Trilling	FERMILAB LAWRENCE BERKELEY LABORATORY SSC LABORATORY
871	CP VIOLATION #871 BEAM: Meson Area - Center A Search for CP Violation in the Decays of Cascade minus / Anti-Cascade plus and Neutral Lambda / Neutral Anti-Lambda Hyperons +-----+ Request 21 Mar, 93 Unspecified Approval 29 Jun, 94 Unspecified Stage I approval In Progress 20 Feb, 97 Data Analysis 21 Jan, 00	Kam-Biu Luk and Edmond Craig Dukes	IHEP, ACADEMIA SINICA (TAIWAN) UNIVERSITY OF SOUTH ALABAMA UNIV. OF CALIFORNIA, BERKELEY FERMILAB UNIVERSITY OF GUANAJUATO (MEXICO) ILLINOIS INSTITUTE OF TECHNOLOGY UNIVERSITE DE LAUSANNE LAWRENCE BERKELEY LABORATORY UNIVERSITY OF MICHIGAN - ANN ARBOR UNIVERSITY OF VIRGINIA

```

=====
872  TAU NEUTRINO #872                Vittorio Paolone and Byron G. Lundberg
BEAM: Proton Area - West
BEAM DUMP #872

AICHI UNIV. OF EDUCATION (JAPAN)
UNIVERSITY OF ATHENS (GREECE)
UNIV. OF CALIFORNIA, DAVIS
CHANGWON NATIONAL UNIV. (KOREA)
CHONNAM NATIONAL UNIVERSITY (KOREA)
FERMILAB
COLLEGE DE FRANCE (FRANCE)
GYEONGSANG NATIONAL UNIV. (KOREA)
KANSAS STATE UNIVERSITY
KOBE UNIVERSITY (JAPAN)
KON-KUK UNIVERSITY (KOREA)
KOREAN NTNL UN. OF EDUCATION (KOREA)
UNIVERSITY OF MINNESOTA
NAGOYA UNIVERSITY (JAPAN)
OSAKA SCIENCE EDUC. INST. (JAPAN)
UNIVERSITY OF SOUTH CAROLINA
TOHO UNIVERSITY (JAPAN)
TUPTS UNIVERSITY
UTSUNOMIYA UNIVERSITY (JAPAN)

+-----+
Request      26 Mar, 93  Unspecified
Approval     29 Jun, 94  Unspecified Stage I approval granted. 10 to the 18th protons-on-target minimum.
In Progress  20 Feb, 97
Data Analysis 3 Sep, 97
=====
873  BOOSTER NEUTRINOS #873          Fred J. Federspiel and H. White
BEAM: Booster Accelerator
Letter of Intent to Perform a Neutrino Experiment using the Fermilab 8 GEV Booster
LOS ALAMOS NATIONAL LABORATORY

+-----+
Request      21 Oct, 94  Unspecified
Unconsidered 21 Oct, 94
Inactive     3 Feb, 98
=====
874  CHARGED PION LIFETIME #874      Steve Geer
BEAM: Meson Area - West
Precision Measurement of the Lifetime of Charged Pions
DUKE UNIVERSITY
FERMILAB
UNIVERSITY OF NEBRASKA
ROCKEFELLER UNIVERSITY

+-----+
Request      9 Nov, 94  Unspecified
Withdrawn    16 Dec, 96
=====
875  NEUTRINO OSCILLATIONS #875      Doug Michael and Stanley G. Wojcicki
BEAM: Main Injector Area
A Long-baseline Neutrino Oscillation Experiment at Fermilab
ARGONNE NATIONAL LABORATORY
UNIVERSITY OF ATHENS (GREECE)
BROOKHAVEN NATIONAL LABORATORY
CALIFORNIA INSTITUTE OF TECHNOLOGY
UNIVERSITY OF CAMBRIDGE (ENGLAND)
UNIV. ESTADUAL DE CAMPINAS (BRAZIL)
FERMILAB
COLLEGE DE FRANCE (FRANCE)
HARVARD UNIVERSITY
ILLINOIS INSTITUTE OF TECHNOLOGY
INDIANA UNIVERSITY
LAWRENCE LIVERMORE NATL. LABORATORY
LEBEDEV PHYSICAL INST. (RUSSIA)
UNIVERSITY COLLEGE LONDON (ENGLAND)
MACALESTER COLLEGE
UNIVERSITY OF MINNESOTA - DULUTH
UNIVERSITY OF MINNESOTA
ITEP, MOSCOW (RUSSIA)
NORTHWESTERN UNIVERSITY
UNIVERSITY OF OXFORD (ENGLAND)
UNIVERSITY OF PITTSBURGH
IHEP, PROTIVNO (SERPUKHOV) (RUSSIA)
RUTHERFORD-APPLETON LABS. (ENGLAND)
UNIVERSITE DE SAO PAULO (BRAZIL)
UNIVERSITY OF SOUTH CAROLINA
STANFORD UNIVERSITY
SUSSEX UNIVERSITY (ENGLAND)
TEXAS A&M UNIVERSITY
UNIVERSITY OF TEXAS AT AUSTIN
TUPTS UNIVERSITY
WESTERN WASHINGTON UNIVERSITY
UNIVERSITY OF WISCONSIN - MADISON
=====
876  CDF HARD DIFFRACTION STUDIES #876 Mike G. Albrow
BEAM: Collision Area (B-0)
Proposal for Hard Diffraction Studies in CDF
IHEP, ACADEMIA SINICA (TAIWAN)
ARGONNE NATIONAL LABORATORY
UNIVERSITY OF BOLOGNA (ITALY)
BRANDEIS UNIVERSITY
UNIV. OF CALIFORNIA, LOS ANGELES
CIPP (CANADA)
UNIVERSITY OF CHICAGO
DUKE UNIVERSITY
FERMILAB
INFN, FRASCATI (ITALY)
HARVARD UNIVERSITY
HIROSHIMA UNIVERSITY (JAPAN)
UNIVERSITY OF ILLINOIS, CHAMPAIGN
JOHNS HOPKINS UNIVERSITY
KEK (JAPAN)
LAWRENCE BERKELEY LABORATORY
MASSACHUSETTS INST. OF TECHNOLOGY
UNIVERSITY OF MICHIGAN - ANN ARBOR
MICHIGAN STATE UNIVERSITY
UNIVERSITY OF NEW MEXICO
OSAKA CITY UNIVERSITY (JAPAN)
UNIVERSITY OF PADOVA (ITALY)
UNIVERSITY OF PENNSYLVANIA
INFN, PISA (ITALY)
UNIVERSITY OF PITTSBURGH
PURDUE UNIVERSITY
UNIVERSITY OF ROCHESTER
ROCKEFELLER UNIVERSITY
RUTGERS UNIVERSITY
TEXAS A&M UNIVERSITY
TEXAS TECH UNIVERSITY
UNIVERSITY OF TSUKUBA (JAPAN)
TUPTS UNIVERSITY
WASEDA UNIVERSITY (JAPAN)
UNIVERSITY OF WISCONSIN - MADISON
YALE UNIVERSITY
=====

```

877	AXION SEARCH #877	Siu Au Lee	COLORADO STATE UNIVERSITY FERMILAB JOINT INST. FOR LAB. ASTROPHYSICS SSC LABORATORY
	BEAM: Beam Not Applicable Measurement of the Magnetically-Induced QED Birefringence of the Vacuum and an Improved Laboratory Search for Axions		
	+-----+		
	Request	28 Mar, 95	Unspecified
	Unconsidered	28 Mar, 95	
	Rejected	14 Mar, 00	
878	SPIN STRUCTURE FUNCTION PHYSICS #878	Joel M. Moss	LOS ALAMOS NATIONAL LABORATORY
	BEAM: Main Injector Area Spin Structure Function Physics at Fermilab.		
	+-----+		
	Request	7 Nov, 95	Unspecified
	Unconsidered	7 Nov, 95	
	Inactive	3 Feb, 98	
879	B PHYSICS TEST BEAM PROGRAM #879	Joel N. Butler and Walter Selove	CARNEGIE-MELLON UNIVERSITY FERMILAB UNIVERSITY OF PENNSYLVANIA SYRACUSE UNIVERSITY
	BEAM: Meson Area - Test Beam A Test Beam Program for Future B Physics Experiments at Fermilab		
	+-----+		
	Request	16 Mar, 95	Unspecified
	Unconsidered	16 Mar, 95	
	Inactive	3 Feb, 98	
880	B PHYSICS TEST BEAM PROGRAM #880	Sheldon L. Stone	CARNEGIE-MELLON UNIVERSITY FERMILAB UNIVERSITY OF MINNESOTA SYRACUSE UNIVERSITY WAYNE STATE UNIVERSITY
	BEAM: Meson Area - Test Beam Proposal for Test Beam Running of the CLEO III RICH Detector		
	+-----+		
	Request	16 Mar, 95	Unspecified
	Unconsidered	16 Mar, 95	
	Approval	28 Feb, 96	
	Data Analysis	19 May, 97	
	Completed	1 Mar, 01	
881	AUGER PROJECT R&D #881	Paul M. Mantsch	FERMILAB
	BEAM: Beam Not Applicable A Request for Fermilab R&D Support for the Pierre Auger Project.		
	+-----+		
	Request	6 Nov, 95	Unspecified
	Approval	8 Oct, 96	
	Unscheduled	8 Oct, 96	
	In Progress	1 Jan, 02	
882	SEARCH FOR LOW MASS MONOPOLES #882	George R. Kalbfleisch	UNIVERSITY OF OKLAHOMA
	BEAM: Beam Not Applicable A Search for Low Mass Monopoles		
	+-----+		
	Request	15 Aug, 95	Unspecified
	Approval	23 Jul, 96	
	Unscheduled	23 Jul, 96	
	In Progress	23 Sep, 96	
	Data Analysis	1 Mar, 01	
883	COSMIC RAY CALORIMETER CALIB. #883	James H. Adams	LEBEDEV PHYSICAL INST. (RUSSIA) MOSCOW STATE UNIVERSITY (RUSSIA) NAVAL RESEARCH LABORATORY
	BEAM: Meson Area - West Calibration of Cosmic Ray "Thin Ionization Calorimeter"		
	+-----+		
	Request	26 Oct, 95	
	Unconsidered	26 Oct, 95	
	Approval	16 Jul, 97	
	Data Analysis	6 Aug, 97	
	Completed	1 Mar, 01	
884	COSMIC RAY DETECTOR TEST #884	Sun Kee Kim	LOUISIANA STATE UNIVERSITY UNIVERSITY OF MARYLAND MAX-PLANCK INSTITUTE (GERMANY) MOSCOW STATE UNIVERSITY (RUSSIA) NAVAL RESEARCH LABORATORY SEOUL NATIONAL UNIVERSITY (KOREA) SOUTHERN UNIVERSITY, BATON ROUGE
	BEAM: Meson Area - West A proposal for a Beam Test of the Advanced Thin Ionization Calorimeter Detector		
	+-----+		
	Request	1 Feb, 96	
	Unconsidered	1 Feb, 96	
	Inactive	15 Mar, 99	
885	SLOAN DIGITAL SKY SURVEY #885	Stephen M. Kent	FERMILAB
	BEAM: Beam Not Applicable SLOAN DIGITAL SKY SURVEY		
	+-----+		
	Approval	9 Feb, 96	
	Unscheduled	9 Feb, 96	
	In Progress	1 Jun, 98	
886	LASER DRIVEN ACCELERATOR #886	Adrian C. Melissinos	FERMILAB NORTHERN ILLINOIS UNIVERSITY UNIVERSITY OF ROCHESTER
	BEAM: A0 Facility Compton Scattering X-Ray Experiments at the Fermilab Electron Source Facility		
	+-----+		
	Request	14 May, 96	
	Approval	8 Oct, 96	
	Unscheduled	8 Oct, 96	
	In Progress	1 Mar, 99	
887	PET ACCELERATOR #887	Ralph Pasquinelli	FERMILAB
	BEAM: Beam Not Applicable A RFQ Linear Accelerator for PET Isotope Production		
	+-----+		
	Request	21 Jun, 95	
	Approval	21 Jun, 95	
	Unscheduled	21 Jun, 95	
	Completed	31 Aug, 98	
888	P-BAR+NUCLEI STUDIES #888	Vic. E. Viola	INDIANA UNIVERSITY
	BEAM: Main Injector Area P-Bar + A Studies of the Nuclear Equation-of-State		
	+-----+		
	Request	15 Jul, 96	
	Unconsidered	15 Jul, 96	
	Withdrawn	12 Dec, 02	

889	NEUTRINOS AT THE BOOSTER #889 BEAM: Booster Accelerator Letter of Intent to Study Neutrino Oscillations Using the Fermilab Booster Beam	Alexander Abashian	VIRGINIA TECH
	Request 6 Aug, 96 Unconsidered 6 Aug, 96 Inactive 15 Mar, 99		
890	PLASMA WAKE-FIELD ACCELERATOR #890 BEAM: A0 Facility Advanced Accelerator Test at the Fermilab Electron Source Facility	James R. Rosenzweig	UNIV. OF CALIFORNIA, LOS ANGELES FERMILAB
	Request 25 Sep, 96 Approval 8 Oct, 96 Unscheduled 8 Oct, 96 Setup in a Year 1 Mar, 99 In Progress 1 Jan, 00 Data Analysis 7 Jul, 02		
891	DARK MATTER SEARCH #891 BEAM: Beam Not Applicable The Cryogenic Dark Matter Search (CDMS)	Michael B. Crisler	FERMILAB
	Request 4 Mar, 96 Approval 4 Mar, 96 Unscheduled 4 Mar, 96 In Progress 1 Jan, 98		
892	CMS AT FERMILAB #892 BEAM: Beam Not Applicable The U.S. Compact Muon Solenoid (CMS) Collaboration at Fermilab	Daniel R. Green	FERMILAB
	Request 8 Oct, 96 Approval 8 Oct, 96 Unscheduled 8 Oct, 96		
893	LHC ACCELERATOR #893 BEAM: Beam Not Applicable Design and Construction of Interaction Regions at the CERN Large Hadron Collider (LHC)	James B. Strait	FERMILAB
	Request 8 Oct, 96 Approval 8 Oct, 96 Unscheduled 8 Oct, 96		
894	CPT TEST #894 BEAM: Main Injector Area An Experiment Studying K1 - Ks Interference to Test CPT Conservation at the Planck Scale	Gordon B. Thomson	RUTGERS UNIVERSITY TRIUMF (CANADA)
	Request 7 Oct, 96 Unconsidered 7 Oct, 96 Rejected 6 Jul, 99		
895	PIXEL DETECTOR TEST #895 BEAM: Meson Area - Test Pixel Detector Test	Simon Kwan	FERMILAB
	Request 17 Mar, 97 Withdrawn 28 Jan, 98		
896	RADIO COHERENCE TEST #896 BEAM: Main Injector Area Test of the Principle of Radio Coherence	David Besson	UNIVERSITY OF KANSAS
	Request 4 Nov, 96 Unconsidered 4 Nov, 96		
897	BTeV R&D #897 BEAM: Collision Area (C-0) BTeV: A Heavy Quark Program at C0	Joel N. Butler and Sheldon Stone	CARNEGIE-MELLON UNIVERSITY UNIVERSITY OF COLORADO AT BOULDER FERMILAB UNIVERSITY OF FLORIDA ILLINOIS INSTITUTE OF TECHNOLOGY UNIVERSITY OF ILLINOIS, CHAMPAIGN INDIANA UNIVERSITY UNIVERSITY OF IOWA INFN, MILANO (ITALY) UNIVERSITY OF MINNESOTA NANJING UNIVERSITY (PRC) NEW MEXICO STATE UNIVERSITY OHIO STATE UNIVERSITY INFN, PAVIA (ITALY) UNIVERSITY OF PENNSYLVANIA IHEP, PROTIVNO (SERPUKHOV) (RUSSIA) UNIV. OF PUERTO RICO - MAYAGUEZ UNIV. OF SCI & TECH., HEFEI (PRC) SHANDONG UNIVERSITY (PRC) SYRACUSE UNIVERSITY UNIVERSITY OF TENNESSEE, KNOXVILLE TUFTS UNIVERSITY VANDERBILT UNIVERSITY UNIVERSITY OF WISCONSIN - MADISON YALE UNIVERSITY YORK UNIVERSITY
	Request 18 May, 97 Unconsidered 18 May, 97 Approval 13 Jan, 98 Unscheduled 13 Jan, 98 In Progress 15 Jun, 99 Data Analysis 21 Jul, 00 Completed 1 Jan, 02		
898	MINIBOOM #898 BEAM: Booster Accelerator An Experiment to Measure nu-mu->nu-e Oscillations and nu-mu Disappearance at the Fermilab Booster	Janet M. Conrad and William Charles Louis	UNIVERSITY OF ALABAMA BUCKNELL UNIVERSITY UNIV. OF CALIFORNIA, RIVERSIDE UNIVERSITY OF CINCINNATI UNIVERSITY OF COLORADO AT BOULDER COLUMBIA UNIVERSITY EMBRY RIDDLE AERONAUTICAL UNIV. FERMILAB INDIANA UNIVERSITY LOS ALAMOS NATIONAL LABORATORY LOUISIANA STATE UNIVERSITY UNIVERSITY OF MICHIGAN - ANN ARBOR PRINCETON UNIVERSITY
	Request 16 May, 97 Unconsidered 16 May, 97 Approval 4 Jun, 98 Unscheduled 4 Jun, 98 Setup in a Year 1 Mar, 01 Being Installed 1 Jan, 02 In Progress 1 Sep, 02		

899	PARTICLE PRODUCTION #899 BEAM: Collision Area (C-0) Particle Production at Zero Degrees from the +-----+ Request 31 May, 97 Rejected 23 Oct, 97	Michael Longo	CASE WESTERN RESERVE UNIVERSITY LOUISIANA STATE UNIVERSITY UNIVERSITY OF MICHIGAN FERMILAB UNIVERSITY OF TENNESSEE
900	D-0 FORWARD PROTON DETECTOR #900 BEAM: Collision Area (D-0) A Forward Proton Detector at D-0 +-----+ Request 17 Sep, 97 Unconsidered 17 Sep, 97 Approval 29 May, 98 Unscheduled 29 May, 98 Setup in a Year 1 Mar, 99 In Progress 1 Mar, 01	Gerald Blazey and William J. Womersley	INST. OF PHYS. ACADEMY OF SCI (CZECH) UNIV. OF AMSTERDAM (NETHERLANDS) UNIVERSIDAD DE LOS ANDES (COLOMBIA) UNIVERSITY OF ARIZONA IHEP, BEIJING (PRC) UNIVERSITY OF BONN (GERMANY) BOSTON UNIVERSITY BROOKHAVEN NATIONAL LABORATORY BROWN UNIVERSITY UNIV. DE BUENOS AIRES (ARGENTINA) CALIFORNIA STATE UNIVERSITY UNIV. OF CALIFORNIA, RIVERSIDE CBPF (BRAZIL) CEA-SACLAY (FRANCE) CPFM, MARSEILLE (FRANCE) CHARLES UNIVERSITY (CZECH) CINVESTAV-IPN (MEXICO) COLUMBIA UNIVERSITY CZECH TECHNICAL UNIVERSITY (CZECH) DELHI UNIVERSITY (INDIA) UNIVERSITY COLLEGE DUBLIN (IRELAND) FERMILAB FLORIDA STATE UNIVERSITY HO CHI MINH CITY IN. PHYS (VIET NAM) UNIV. OF ILLINOIS, CHICAGO CIRCLE IMPERIAL COLLEGE (ENGLAND) INDIANA UNIVERSITY INST DE RECHERCHES SUBATOM (FRANCE) ISN (GRENOBLE, FRANCE) IPNL (FRANCE) IOWA STATE UNIVERSITY JINR, DUBNA (RUSSIA) KANSAS STATE UNIVERSITY UNIVERSITY OF KANSAS KOREA UNIVERSITY, SEOUL (KOREA) LAL, ORSAY (FRANCE) LANCASTER UNIVERSITY (ENGLAND) LANGSTON UNIVERSITY LAWRENCE BERKELEY NATL. LABORATORY LOUISIANA TECH UNIVERSITY LPNHE, UN. OF P & M CURIE (FRANCE) LUDWIG MAXIMILIANS UNIV. (GERMANY) LUND, RIT, STOCKHOLM, UPPSALA (SWEDEN) MAINZ UNIVERSITY (GERMANY) UNIVERSITY OF MANCHESTER (ENGLAND) UNIVERSITY OF MARYLAND UNIVERSITY OF MICHIGAN - ANN ARBOR MICHIGAN STATE UNIVERSITY MOSCOW STATE UNIVERSITY (RUSSIA) ITEP, MOSCOW (RUSSIA) UNIVERSITY OF NEBRASKA SUNY AT STONY BROOK NIJMEGEN UNIVERSITY (NETHERLANDS) NIKHEF-H (NETHERLANDS) NORTHEASTERN UNIVERSITY NORTHERN ILLINOIS UNIVERSITY NORTHWESTERN UNIVERSITY NOTRE DAME UNIVERSITY UNIVERSITY OF OKLAHOMA PANJAB UNIVERSITY (INDIA) UNESP (BRAZIL) PNPI, ST. PETERSBURG (RUSSIA) PRINCETON UNIVERSITY IHEP, PROTIVNO (SERPUKHOV) (RUSSIA) RICE UNIVERSITY UNIV. ESTADO RIO DE JANEIRO (BRAZIL) UNIVERSITY OF ROCHESTER RWTH, AACHEN (GERMANY) UN. SAN FRANCISCO DE QUITO (ECUADOR) TATA INSTITUTE (INDIA) UNIVERSITY OF TEXAS AT ARLINGTON UNIVERSITY OF VIRGINIA UNIVERSITY OF WASHINGTON UNIVERSITY OF WUPPERTAL (GERMANY)
901	RECYCLER ELECTRON COOLING #901 BEAM: Beam Not Applicable Recycler Medium Energy Electron Cooling Experiment +-----+ Request 14 Nov, 97 Approval 14 Nov, 97 Unscheduled 14 Nov, 97 Setup in a Year 1 Jan, 00 In Progress 1 Mar, 01	Sergei Nagaitsev	FERMILAB INDIANA UNIVERSITY JINR, DUBNA (RUSSIA) UNIVERSITY OF ROCHESTER
902	EXOTIC ATOMS #902 BEAM: Main Injector Area Particle Mass Measurement and Strong Interaction Studies with Exotic Atoms Using X-Ray Crystal Spectrometer +-----+ Request 24 Sep, 97 Unconsidered 24 Sep, 97 Deferred 29 Nov, 01	Yuri M. Ivanov	PNPI, ST. PETERSBURG (RUSSIA)
903	TEST FOR ANTIHYDROGEN SPECTROSCOPY #903 BEAM: Booster Accelerator A Test Experiment at the Fermilab Booster to Study the Feasibility of Fast Antihydrogen Spectroscopy +-----+ Request 20 Mar, 98 Unconsidered 20 Mar, 98 Withdrawn 18 Dec, 02	Mark A. Mandelkern	UNIV. OF CALIFORNIA, IRVINE FERMILAB UNIVERSITY OF ROCHESTER

=====			
904	MUON COLLIDING R&D #904	Steve Geer	CEBAF - THOMAS JEFFERSON LAB.
	BEAM: Unspecified Beam		ARGONNE NATIONAL LABORATORY
	Ionization Cooling Research and Development Program for a High Luminosity Muon Collider		BROOKHAVEN NATIONAL LABORATORY
	+-----+		BUDKER INS.NUCLEAR PHYSICS(RUSSIA)
	Request	15 Apr, 98	UNIV. OF CALIFORNIA, BERKELEY
	Unconsidered	15 Apr, 98	UNIV. OF CALIFORNIA, LOS ANGELES
			FAIRFIELD UNIVERSITY
			FERMILAB
			INDIANA UNIVERSITY
			UNIVERSITY OF IOWA
			JOSEPH HENRY LABORATORIES
			LAWRENCE BERKELEY NTL. LABORATORY
			UNIVERSITY OF MISSISSIPPI
			ROCKEFELLER UNIVERSITY
=====			
905	CKM R&D #905	Peter S. Cooper	BROOKHAVEN NATIONAL LABORATORY
	BEAM: Main Injector Area		FERMILAB
	A Proposal for a Precision Measurement of the Decay K^+ to $\pi^+\nu$ -nubar and Other Rare K^+ Processes at Fermilab Using the Main Injector		UNIVERSITY OF MICHIGAN - ANN ARBOR
	+-----+		IHEP, PROTIVNO (SERPUKHOV) (RUSSIA)
	Request	15 Apr, 98	UN.AUTO.DE SAN LUIS POTOSI (MEXICO)
	Unconsidered	15 Apr, 98	UNIVERSITY OF TEXAS AT AUSTIN
	Approval	6 Jul, 99	UNIVERSITY OF VIRGINIA
	In Progress	6 Jul, 99	
	Completed	28 Jun, 01	
=====			
906	ANTI(D-QUARK)/ANTI(U-QUARK) DIST #906	Donald Geesaman and Paul E. Reimer	ABILENE CHRISTIAN UNIVERSITY
	BEAM: Main Injector Area		ARGONNE NATIONAL LABORATORY
	Letter of Intent for Drell-Yan Measurements of Nucleon and Nuclear Structure with The FNAL Main Injector		UNIVERSITY OF COLORADO AT BOULDER
	+-----+		FERMILAB
	Request	15 Apr, 98	UNIVERSITY OF ILLINOIS, CHAMPAIGN
	Unconsidered	2 Apr, 01	LOS ALAMOS NATIONAL LABORATORY
	Approval	26 Nov, 01	RUTGERS UNIVERSITY
	Unscheduled	26 Nov, 01	TEXAS A&M UNIVERSITY
			VALPARAISO UNIVERSITY
=====			
907	PARTICLE PRODUCTION #907	Rajendran Raja	BROOKHAVEN NATIONAL LABORATORY
	BEAM: Main Injector Area		UNIVERSITY OF COLORADO AT BOULDER
	Proposal to Measure Particle Production in the Meson Area Using Main Injector Primary and Secondary Beams		ELMHURST COLLEGE
	+-----+		ENRICO FERMI INSTITUTE
	Request	21 Jul, 97	FERMILAB
	Unconsidered	15 Apr, 98	HARVARD UNIVERSITY
	Deferred	8 Nov, 00	ILLINOIS INSTITUTE OF TECHNOLOGY
	Approval	8 Nov, 01	INDIANA UNIVERSITY
	Unscheduled	8 Nov, 01	LAWRENCE LIVERMORE NTL. LABORATORY
	Being Installed	1 Dec, 02	UNIVERSITY OF MICHIGAN - ANN ARBOR
			PURDUE UNIVERSITY
			UNIVERSITY OF SOUTH CAROLINA
			UNIVERSITY OF VIRGINIA
=====			

```

=====
908  D-0 SILICON TRACK TRIGGER #908      Gerald Blazey and William J. Womersley
BEAM: Collision Area (D-0)
A Silicon Track Trigger for the D0 Experiment in Run II
+-----+
Request      21 Sep, 98
Unconsidered 21 Sep, 98
Approval     29 Jan, 99   Stage I
              15 Nov, 99   Stage II
Setup in a Year  1 Jan, 00
In Progress    1 Mar, 01

=====
INST. OF PHYS. ACADEMY OF SCI (CZECH)
UNIV. OF AMSTERDAM (NETHERLANDS)
UNIVERSIDAD DE LOS ANDES (COLOMBIA)
UNIVERSITY OF ARIZONA
IHEP, BEIJING (PRC)
UNIVERSITY OF BONN (GERMANY)
BOSTON UNIVERSITY
BROOKHAVEN NATIONAL LABORATORY
BROWN UNIVERSITY
UNIV. DE BUENOS AIRES (ARGENTINA)
CALIFORNIA STATE UNIVERSITY
UNIV. OF CALIFORNIA, RIVERSIDE
CBPF (BRAZIL)
CEA-SACLAY (FRANCE)
CPPM, MARSEILLE (FRANCE)
CHARLES UNIVERSITY (CZECH)
CINVESTAV-IPN (MEXICO)
COLUMBIA UNIVERSITY
CZECH TECHNICAL UNIVERSITY (CZECH)
DELHI UNIVERSITY (INDIA)
UNIVERSITY COLLEGE DUBLIN (IRELAND)
FERMILAB
FLORIDA STATE UNIVERSITY
HO CHI MINH CITY IN. PHYS (VIET NAM)
UNIV. OF ILLINOIS, CHICAGO CIRCLE
IMPERIAL COLLEGE (ENGLAND)
INDIANA UNIVERSITY
INST DE RECHERCHES SUBATOM (FRANCE)
ISN (GRENOBLE, FRANCE)
IPNL (FRANCE)
IOWA STATE UNIVERSITY
JINR, DUBNA (RUSSIA)
KANSAS STATE UNIVERSITY
UNIVERSITY OF KANSAS
KOREA UNIVERSITY, SEOUL (KOREA)
LAL, ORSAY (FRANCE)
LANCASTER UNIVERSITY (ENGLAND)
LANGSTON UNIVERSITY
LAWRENCE BERKELEY NATL. LABORATORY
LOUISIANA TECH UNIVERSITY
LPNHE, UN. OF P & M CURIE (FRANCE)
LUDWIG MAXIMILIANS UNIV. (GERMANY)
LUND, RIT, STOCKHOLM, UPPSALA (SWEDEN)
MAINZ UNIVERSITY (GERMANY)
UNIVERSITY OF MANCHESTER (ENGLAND)
UNIVERSITY OF MARYLAND
UNIVERSITY OF MICHIGAN - ANN ARBOR
MICHIGAN STATE UNIVERSITY
MOSCOW STATE UNIVERSITY (RUSSIA)
ITEP, MOSCOW (RUSSIA)
UNIVERSITY OF NEBRASKA
SUNY AT STONY BROOK
NIJMEGEN UNIVERSITY (NETHERLANDS)
NIKHEF-H (NETHERLANDS)
NORTHEASTERN UNIVERSITY
NORTHERN ILLINOIS UNIVERSITY
NORTHWESTERN UNIVERSITY
NOTRE DAME UNIVERSITY
UNIVERSITY OF OKLAHOMA
PANJAB UNIVERSITY (INDIA)
UNESP (BRAZIL)
PNPI, ST. PETERSBURG (RUSSIA)
PRINCETON UNIVERSITY
IHEP, PROTIVNO (SERPUKHOV) (RUSSIA)
RICE UNIVERSITY
UNIV. ESTADO RIO DE JANEIRO (BRAZIL)
UNIVERSITY OF ROCHESTER
RWTH, AACHEN (GERMANY)
UN. SAN FRANCISCO DE QUITO (ECUADOR)
TATA INSTITUTE (INDIA)
UNIVERSITY OF TEXAS AT ARLINGTON
UNIVERSITY OF VIRGINIA
UNIVERSITY OF WASHINGTON
UNIVERSITY OF WUPPERTAL (GERMANY)
=====

```

909	CDF INNER SILICON AND TOP #909 BEAM: Collision Area (E-0) Proposal for Enhancement of the CDF II Detector: An Inner Silicon Layer and a Time of Flight Detector	Alfred Goshaw and Nigel Lockyer	IHEP, ACADEMIA SINICA (TAIWAN) ARGONNE NATIONAL LABORATORY UNIVERSITY OF BOLOGNA (ITALY) BRANDEIS UNIVERSITY UNIV. OF CALIFORNIA, DAVIS UNIV. OF CALIFORNIA, LOS ANGELES UNIV. OF CALIFORNIA, SANTA BARBARA UNIVERSITY OF CANTABRIA (SPAIN) CARNEGIE-MELLON UNIVERSITY UNIVERSITY OF CHICAGO DUKE UNIVERSITY FERMILAB UNIVERSITY OF FLORIDA INFN, FRASCATI (ITALY) UNIVERSITY OF GENEVA (SWITZERLAND) GLASGOW UNIVERSITY (SCOTLAND) HARVARD UNIVERSITY UNIVERSITY OF HELSINKI (FINLAND) HIROSHIMA UNIVERSITY (JAPAN) UNIVERSITY OF ILLINOIS, CHAMPAIGN INFN, TRIESTE/UNIV. DI UDINE (ITALY) JINR, DUBNA (RUSSIA) JOHNS HOPKINS UNIVERSITY UNIVERSITY OF KARLSRUHNE (GERMANY) KEK (JAPAN) KOREA CENTER FOR HEP (KOREA) LAWRENCE BERKELEY NATL. LABORATORY UNIVERSITY OF LIVERPOOL (ENGLAND) UNIVERSITY COLLEGE LONDON (ENGLAND) MASSACHUSETTS INST. OF TECHNOLOGY UNIVERSITY OF MICHIGAN - ANN ARBOR MICHIGAN STATE UNIVERSITY ITEP, MOSCOW (RUSSIA) UNIVERSITY OF NEW MEXICO NORTHWESTERN UNIVERSITY OHIO STATE UNIVERSITY OKAYAMA UNIVERSITY (JAPAN) OSAKA CITY UNIVERSITY (JAPAN) UNIVERSITY OF OXFORD (ENGLAND) UNIVERSITY OF PADOVA (ITALY) UNIVERSITY OF PENNSYLVANIA INFN, PISA (ITALY) UNIVERSITY OF PITTSBURGH PURDUE UNIVERSITY UNIVERSITY OF ROCHESTER ROCKEFELLER UNIVERSITY UNIVERSITY OF ROME (ITALY) RUTGERS UNIVERSITY TEXAS A&M UNIVERSITY TEXAS TECH UNIVERSITY UNIVERSITY OF TORONTO (CANADA) UNIVERSITY OF TSUKUBA (JAPAN) TUFTS UNIVERSITY WASEDA UNIVERSITY (JAPAN) UNIVERSITY OF WISCONSIN - MADISON YALE UNIVERSITY
910	SPINFERMI #910 BEAM: Main Injector Area SPINFERMI Proposal - Analyzing Power A _{nin} High P-Transverse Squared Proton-Proton Elastic Scattering	Alan D. Krisch	INST. NUCL. RESEARCH, TROITSK (RUSSIA) JINR, DUBNA (RUSSIA) UNIVERSITY OF MICHIGAN - ANN ARBOR IHEP, PROTIVNO (SERPUKHOV) (RUSSIA) TRIUMF (CANADA) UNIVERSITY OF VIRGINIA
911	DIAMOND DETECTOR TEST #911 BEAM: Meson Area - Test Beam Fermilab Test Beam Proposal for Diamond Tracking Detectors	Robert L. Stone	FERMILAB OHIO STATE UNIVERSITY RUTGERS UNIVERSITY UNIVERSITY OF TORONTO (CANADA)
912	HADRON CALORIMETER TEST #912 BEAM: Meson Area - Test Beam Beam Test of High-Performance Hadron Calorimeter for Future Linear Colliders	Tohru Takeshita and Teruki Kamon	UNIV. OF CALIFORNIA, LOS ANGELES KEK (JAPAN) KOBE UNIVERSITY (JAPAN) KONAN UNIVERSITY (JAPAN) SHINSHU UNIVERSITY (JAPAN) TEXAS A&M UNIVERSITY UNIVERSITY OF TSUKUBA (JAPAN)
913	TRD TEST #913 BEAM: Meson Area - Test Beam Proposal for Calibration and Testing of a Transition Radiation Detector for Space Applications	Simon P. Swordy	UNIVERSITY OF CHICAGO
914	ANTI-PROTON TRAPPING #914 BEAM: Beam Not Applicable A Magnetic Degrading Spectrometer for Trapping of Low-Energy Antiprotons at Fermilab	Gerald A. Smith	PENNSYLVANIA STATE UNIVERSITY SYNERGISTIC TECHNOLOGIES, INC.

915 MINOS EMULSION DETECTOR #915

Stanley G. Wojcicki

BEAM: Main Injector Area
The Hybrid Emulsion Detector for MINOS - R&D Proposal

Request	19 Apr, 99
Unconsidered	22 Jul, 99
Rejected	15 Nov, 99

ARGONNE NATIONAL LABORATORY
UNIVERSITY OF ATHENS (GREECE)
IHEP, BEIJING (PRC)
BROOKHAVEN NATIONAL LABORATORY
CALIFORNIA INSTITUTE OF TECHNOLOGY
UNIVERSITY OF CHICAGO
ELMHURST COLLEGE
FERMILAB
HARVARD UNIVERSITY
INDIANA UNIVERSITY
JAMES MADISON UNIVERSITY
JINR, DUBNA (RUSSIA)
LAWRENCE LIVERMORE LABORATORY
LEBEDEV PHYSICAL INST. (RUSSIA)
UNIVERSITY COLLEGE LONDON (ENGLAND)
UNIVERSITY OF MINNESOTA
ITEP, MOSCOW (RUSSIA)
NORTHWESTERN UNIVERSITY
UNIVERSITY OF OXFORD (ENGLAND)
UNIVERSITY OF PITTSBURGH
IHEP, PROTVINO (SERPUKHOV) (RUSSIA)
RUTHERFORD-APPLETON LABS. (ENGLAND)
UNIVERSITY OF SOUTH CAROLINA
STANFORD UNIVERSITY
SUSSEX UNIVERSITY (ENGLAND)
TEXAS A&M UNIVERSITY
UNIVERSITY OF TEXAS AT AUSTIN
TUFTS UNIVERSITY
WESTERN WASHINGTON UNIVERSITY
UNIVERSITY OF WISCONSIN - MADISON

916 CDF MINIPLUGS #916

Alfred Goshaw and Nigel Lockyer

BEAM: Collision Area (B-0)
Further Studies in Hard Diffraction and Very Forward Physics

Request	4 Oct, 99
Deferred	15 Nov, 99
Being Installed	1 Mar, 01
In Progress	1 Mar, 01

IHEP, ACADEMIA SINICA (TAIWAN)
ARGONNE NATIONAL LABORATORY
UNIVERSITY OF BOLOGNA (ITALY)
BRANDEIS UNIVERSITY
UNIV. OF CALIFORNIA, DAVIS
UNIV. OF CALIFORNIA, LOS ANGELES
UNIV. OF CALIFORNIA, SANTA BARBARA
UNIVERSITY OF CANTABRIA (SPAIN)
CARNEGIE-MELLON UNIVERSITY
UNIVERSITY OF CHICAGO
DUKE UNIVERSITY
FERMILAB
UNIVERSITY OF FLORIDA
INFN, FRASCATI (ITALY)
UNIVERSITY OF GENEVA (SWITZERLAND)
GLASGOW UNIVERSITY (SCOTLAND)
HARVARD UNIVERSITY
UNIVERSITY OF HELSINKI (FINLAND)
HIROSHIMA UNIVERSITY (JAPAN)
UNIVERSITY OF ILLINOIS, CHAMPAIGN
INFN, TRIESTE/UNIV. DI UDINE (ITALY)
JINR, DUBNA (RUSSIA)
JOHNS HOPKINS UNIVERSITY
UNIVERSITY OF KARLSRUHNE (GERMANY)
KEK (JAPAN)
KOREA CENTER FOR HEP (KOREA)
LAWRENCE BERKELEY NATL. LABORATORY
UNIVERSITY OF LIVERPOOL (ENGLAND)
UNIVERSITY COLLEGE LONDON (ENGLAND)
MASSACHUSETTS INST. OF TECHNOLOGY
UNIVERSITY OF MICHIGAN - ANN ARBOR
MICHIGAN STATE UNIVERSITY
ITEP, MOSCOW (RUSSIA)
UNIVERSITY OF NEW MEXICO
NORTHWESTERN UNIVERSITY
OHIO STATE UNIVERSITY
OKAYAMA UNIVERSITY (JAPAN)
OSAKA CITY UNIVERSITY (JAPAN)
UNIVERSITY OF OXFORD (ENGLAND)
UNIVERSITY OF PADOVA (ITALY)
UNIVERSITY OF PENNSYLVANIA
INFN, PISA (ITALY)
UNIVERSITY OF PITTSBURGH
PURDUE UNIVERSITY
UNIVERSITY OF ROCHESTER
ROCKEFELLER UNIVERSITY
UNIVERSITY OF ROME (ITALY)
RUTGERS UNIVERSITY
TEXAS A&M UNIVERSITY
TEXAS TECH UNIVERSITY
UNIVERSITY OF TORONTO (CANADA)
UNIVERSITY OF TSUKUBA (JAPAN)
TUFTS UNIVERSITY
WASEDA UNIVERSITY (JAPAN)
UNIVERSITY OF WISCONSIN - MADISON
YALE UNIVERSITY

917 HYPERCP PARTICLE MEASUREMENT #917

Richard H. Gustafson

BEAM: Meson Area - Center
Test to Parasitically Measure the Charge of Muon-Like Particles Emerging from
the HYPERCP Beam Dump

Request	30 Nov, 99
Approval	20 Dec, 99
Data Analysis	17 Jan, 00
Completed	1 Mar, 01

FERMILAB
UNIVERSITY OF MICHIGAN - ANN ARBOR

```

=====
918  B PHYSICS AT THE TEVATRON #918      Joel N. Butler and Sheldon Stone
BEAM: Collision Area (C-0)
Proposal for an Experiment to Measure Mixing, CP Violation and Rare Decays
in Charm and Beauty Particle Decays at the Fermilab Collider - BTeV
+-----+
Request      15 May, 00
Approval    21 Jul, 00
Unscheduled  21 Jul, 00
=====
BYELORUSSIAN ST UN-MINSK (BYELARUS)
UNIV. OF CALIFORNIA, DAVIS
UNIVERSITY OF COLORADO AT BOULDER
FERMILAB
UNIVERSITY OF FLORIDA
INFN, FRASCATI (ITALY)
UNIVERSITY OF HOUSTON
ILLINOIS INSTITUTE OF TECHNOLOGY
UNIVERSITY OF ILLINOIS, CHAMPAIGN
UNIVERSITY OF INSUBRIA-COMO (ITALY)
UNIVERSITY OF IOWA
INFN, MILANO (ITALY)
UNIVERSITY OF MINNESOTA
NANJING UNIVERSITY (PRC)
NEW MEXICO STATE UNIVERSITY
SUNY AT ALBANY
NORTHWESTERN UNIVERSITY
OHIO STATE UNIVERSITY
INFN, PAVIA (ITALY)
UNIVERSITY OF PENNSYLVANIA
IHEP, PROTIVNO (SERPUKHOV) (RUSSIA)
UNIV. OF PUERTO RICO - MAYAGUEZ
UNIV. OF SCI & TECH., HEFEI (PRC)
SHANDONG UNIVERSITY (PRC)
SOUTHERN METHODIST UNIVERSITY
SYRACUSE UNIVERSITY
UNIVERSITY OF TENNESSEE, KNOXVILLE
VANDERBILT UNIVERSITY
UNIVERSITY OF VIRGINIA
WAYNE STATE UNIVERSITY
UNIVERSITY OF WISCONSIN - MADISON
YORK UNIVERSITY (CANADA)
=====
919  US CMS SILICON TRACKER #919        Daniel R. Green
BEAM: Beam Not Applicable
US CMS Silicon Tracker
+-----+
Request      7 Jun, 00
Approval    13 Nov, 00
Unscheduled  13 Nov, 00
=====
FERMILAB
=====
920  CDF FORWARD DETECTORS #920        Mike G. Albrow
BEAM: Collision Area (B-0)
Letter of Intent - A Search for the Higgs Boson Using Very Forward Tracking Detectors
with CDF
+-----+
Request      26 Mar, 01
Unconsidered 26 Mar, 01
=====
FERMILAB
ITEP, MOSCOW (RUSSIA)
UNIVERSITY OF LIVERPOOL (ENGLAND)
UNIVERSITY COLLEGE LONDON (ENGLAND)
UNIVERSITY OF HELSINKI (FINLAND)
HELSINKI INST. OF PHYSICS (FINLAND)
=====
921  CKM #921                          Peter S. Cooper
BEAM: Main Injector
A Proposal for a Precision Measurement of the Decay K+ to pi+nu-nubar and
Other Rare K+ Processes at Fermilab Using the Main Injector
+-----+
Request      2 Apr, 01
Approval    28 Jun, 01
Unscheduled  28 Jun, 01
=====
UNIVERSITY OF SOUTH ALABAMA
BROOKHAVEN NATIONAL LABORATORY
UNIVERSITY OF COLORADO AT BOULDER
FERMILAB
INST NUCL RESEARCH TROITSK (RUSSIA)
UNIVERSITY OF MICHIGAN - ANN ARBOR
IHEP, PROTIVNO (SERPUKHOV) (RUSSIA)
UN. AUTO. DE SAN LUIS POTOSI (MEXICO)
UNIVERSITY OF TEXAS AT AUSTIN
UNIVERSITY OF VIRGINIA
=====
922  KAMI #922                        Ronal Ray and Yau Wah
BEAM: Main Injector
A Proposal for a Precision Measurement of the Decay KL to pi0-nu-nubar and
Other Rare Processes at Fermilab Using the Main Injector - KAMI
+-----+
Request      2 Apr, 01
Rejected    28 Jun, 01
=====
UNIV. OF CALIFORNIA, LOS ANGELES
UNIVERSITY OF COLORADO AT BOULDER
FERMILAB
UNIVERSITY OF CHICAGO
RICE UNIVERSITY
UNIVERSITY OF VIRGINIA
IHEP, PROTIVNO (SERPUKHOV) (RUSSIA)
UNIVERSITE OF SAO PAULO (BRAZIL)
UNIV. ESTADUAL DE CAMPINAS (BRAZIL)
OSAKA UNIVERSITY (JAPAN)
NATIONAL TECH UN OF ATHENS (GREECE)
=====
923  PRIME #923                       Stephen M. Kent
BEAM: Beam Not Applicable
The PRIME Project: A Proposal for Fermilab to Join a NASA Small Explorer Program
+-----+
Request      8 Oct, 01
Unconsidered 8 Oct, 01
Withdrawn    13 Dec, 02
=====
FERMILAB
=====

```

```

=====
924  CDF RUN IIB UPGRADE #924      Alfred Goshaw and Nigel Lockyer
      BEAM: Collision Area (B-0)
      The CDF IIB Detector Technical Design Report
      +-----+
      Request          9 Oct, 01
      Unconsidered     9 Oct, 01
      Approved         11 Jul, 02   Stage I
      Unscheduled      11 Jul, 02

      IHEP, ACADEMIA SINICA (TAINAN)
      ARGONNE NATIONAL LABORATORY
      UNIVERSITY OF BOLOGNA (ITALY)
      BRANDEIS UNIVERSITY
      UNIV. OF CALIFORNIA, DAVIS
      UNIV. OF CALIFORNIA, LOS ANGELES
      UNIV. OF CALIFORNIA, SANTA BARBARA
      UNIVERSITY OF CANTABRIA (SPAIN)
      CARNEGIE-MELLON UNIVERSITY
      UNIVERSITY OF CHICAGO
      DUKE UNIVERSITY
      FERMILAB
      UNIVERSITY OF FLORIDA
      INFN, FRASCATI (ITALY)
      UNIVERSITY OF GENEVA (SWITZERLAND)
      GLASGOW UNIVERSITY (SCOTLAND)
      HARVARD UNIVERSITY
      UNIVERSITY OF HELSINKI (FINLAND)
      HIROSHIMA UNIVERSITY (JAPAN)
      UNIVERSITY OF ILLINOIS, CHAMPAIGN
      INFN, TRIESTE/UNIV. DI UDINE (ITALY)
      JINR, DUBNA (RUSSIA)
      JOHNS HOPKINS UNIVERSITY
      UNIVERSITY OF KARLSRUHNE (GERMANY)
      KEK (JAPAN)
      KOREA CENTER FOR HEP (KOREA)
      LAWRENCE BERKELEY NATL. LABORATORY
      UNIVERSITY OF LIVERPOOL (ENGLAND)
      UNIVERSITY COLLEGE LONDON (ENGLAND)
      MASSACHUSETTS INST. OF TECHNOLOGY
      UNIVERSITY OF MICHIGAN - ANN ARBOR
      MICHIGAN STATE UNIVERSITY
      ITEP, MOSCOW (RUSSIA)
      UNIVERSITY OF NEW MEXICO
      NORTHWESTERN UNIVERSITY
      OHIO STATE UNIVERSITY
      OKAYAMA UNIVERSITY (JAPAN)
      OSAKA CITY UNIVERSITY (JAPAN)
      UNIVERSITY OF OXFORD (ENGLAND)
      UNIVERSITY OF PADOVA (ITALY)
      UNIVERSITY OF PENNSYLVANIA
      INFN, PISA (ITALY)
      UNIVERSITY OF PITTSBURGH
      PURDUE UNIVERSITY
      UNIVERSITY OF ROCHESTER
      ROCKEFELLER UNIVERSITY
      UNIVERSITY OF ROME (ITALY)
      RUTGERS UNIVERSITY
      TEXAS A&M UNIVERSITY
      TEXAS TECH UNIVERSITY
      UNIVERSITY OF TORONTO (CANADA)
      UNIVERSITY OF TSUKUBA (JAPAN)
      TUFTS UNIVERSITY
      WASEDA UNIVERSITY (JAPAN)
      UNIVERSITY OF WISCONSIN - MADISON
      YALE UNIVERSITY
=====

```

Proposal ID	Proposal Title	PI Name	Request Date	Approval Date	Notes	Institution
925	D-0 RUN IIB UPGRADE #925 BEAM: Collision Area (D-0) D0 Run IIB Upgrade	Gerald Blazey and William J. Womersley	11 Oct, 01	11 Jul, 02	Stage I	INST. OF PHYS. ACADEMY OF SCI (CZECH) UNIV. OF AMSTERDAM (NETHERLANDS) UNIVERSIDAD DE LOS ANDES (COLOMBIA) UNIVERSITY OF ARIZONA IHEP, BEIJING (PRC) UNIVERSITY OF BONN (GERMANY) BOSTON UNIVERSITY BROOKHAVEN NATIONAL LABORATORY BROWN UNIVERSITY UNIV. DE BUENOS AIRES (ARGENTINA) CALIFORNIA STATE UNIVERSITY UNIV. OF CALIFORNIA, RIVERSIDE CBPF (BRAZIL) CEA-SACLAY (FRANCE) CPPM, MARSEILLE (FRANCE) CHARLES UNIVERSITY (CZECH) CINVESTAV-IPN (MEXICO) COLUMBIA UNIVERSITY CZECH TECHNICAL UNIVERSITY (CZECH) DELHI UNIVERSITY (INDIA) UNIVERSITY COLLEGE DUBLIN (IRELAND) FERMILAB FLORIDA STATE UNIVERSITY HO CHI MINH CITY IN. PHYS (VIET NAM) UNIV. OF ILLINOIS, CHICAGO CIRCLE IMPERIAL COLLEGE (ENGLAND) INDIANA UNIVERSITY INST DE RECHERCHES SUBATOM (FRANCE) ISN (GRENOBLE, FRANCE) IPNL (FRANCE) IOWA STATE UNIVERSITY JINR, DUBNA (RUSSIA) KANSAS STATE UNIVERSITY UNIVERSITY OF KANSAS KOREA UNIVERSITY, SEOUL (KOREA) LAL, ORSAY (FRANCE) LANCASTER UNIVERSITY (ENGLAND) LANGSTON UNIVERSITY LAWRENCE BERKELEY NATL. LABORATORY LOUISIANA TECH UNIVERSITY LPNHE, UN. OF P & M CURIE (FRANCE) LUDWIG MAXIMILIANS UNIV. (GERMANY) LUND, RIT, STOCKHOLM, UPPSALA (SWEDEN) MAINZ UNIVERSITY (GERMANY) UNIVERSITY OF MANCHESTER (ENGLAND) UNIVERSITY OF MARYLAND UNIVERSITY OF MICHIGAN - ANN ARBOR MICHIGAN STATE UNIVERSITY MOSCOW STATE UNIVERSITY (RUSSIA) ITEP, MOSCOW (RUSSIA) UNIVERSITY OF NEBRASKA SUNY AT STONY BROOK NIJMEGEN UNIVERSITY (NETHERLANDS) NIKHEF-H (NETHERLANDS) NORTHEASTERN UNIVERSITY NORTHERN ILLINOIS UNIVERSITY NORTHWESTERN UNIVERSITY NOTRE DAME UNIVERSITY UNIVERSITY OF OKLAHOMA PANJAB UNIVERSITY (INDIA) UNESP (BRAZIL) FNPI, ST. PETERSBURG (RUSSIA) PRINCETON UNIVERSITY IHEP, PROTIVINO (SERPUKHOV) (RUSSIA) RICE UNIVERSITY UNIV. ESTADO RIO DE JANEIRO (BRAZIL) UNIVERSITY OF ROCHESTER RWTH, AACHEN (GERMANY) UN. SAN FRANCISCO DE QUITO (ECUADOR) TATA INSTITUTE (INDIA) UNIVERSITY OF TEXAS AT ARLINGTON UNIVERSITY OF VIRGINIA UNIVERSITY OF WASHINGTON UNIVERSITY OF WUPPERTAL (GERMANY)
926	RICE TEST #T926 BEAM: Meson Area - Test Beam Radio Ice Cerenkov Experiment (RICE) Test	Alice Bean	26 Jun, 02	11 Jul, 02		BARTOL RESEARCH INSTITUTE FLORIDA STATE UNIVERSITY UNIVERSITY OF KANSAS MASSACHUSETTS INST. OF TECHNOLOGY NORTHERN ILLINOIS UNIVERSITY UNIVERSITY OF CANTERBURY
927	BTeV PIXEL DETECTOR TEST #T927 BEAM: Meson Area - Test Beam BTeV Pixel Detector Test Beam Run	Joel N. Butler and Sheldon Stone	13 Jun, 01	6 Jun, 02		FERMILAB UNIVERSITY OF IOWA INFN, MILANO (ITALY) SYRACUSE UNIVERSITY WAYNE STATE UNIVERSITY UNIVERSITY OF WISCONSIN - MADISON

928	MINOS VETO SHIELD PROTOTYPE #T928 BEAM: Main Injector Area Proposal for Tests of a Prototype Veto Shield for MINOS -----+----- Request 15 Apr, 02 Approved 29 May, 02 Being Installed 29 May, 02	Doug Michael and Stanley G. Wojcicki	ARGONNE NATIONAL LABORATORY UNIVERSITY OF ATHENS (GREECE) BROOKHAVEN NATIONAL LABORATORY CALIFORNIA INSTITUTE OF TECHNOLOGY UNIVERSITY OF CAMBRIDGE (ENGLAND) UNIV. ESTADUAL DE CAMPINAS (BRAZIL) FERMILAB COLLEGE DE FRANCE (FRANCE) HARVARD UNIVERSITY ILLINOIS INSTITUTE OF TECHNOLOGY INDIANA UNIVERSITY LAWRENCE LIVERMORE NATL. LABORATORY LEBEDEV PHYSICAL INST. (RUSSIA) UNIVERSITY COLLEGE LONDON (ENGLAND) MACALESTER COLLEGE UNIVERSITY OF MINNESOTA - DULUTH UNIVERSITY OF MINNESOTA ITEP, MOSCOW (RUSSIA) NORTHWESTERN UNIVERSITY UNIVERSITY OF OXFORD (ENGLAND) UNIVERSITY OF PITTSBURGH IHEP, PROTIVNO (SERPUKHOV) (RUSSIA) RUTHERFORD-APPLETON LABS. (ENGLAND) UNIVERSITE DE SAO PAULO (BRAZIL) UNIVERSITY OF SOUTH CAROLINA STANFORD UNIVERSITY SUSSEX UNIVERSITY (ENGLAND) TEXAS A&M UNIVERSITY UNIVERSITY OF TEXAS AT AUSTIN TUFTS UNIVERSITY WESTERN WASHINGTON UNIVERSITY UNIVERSITY OF WISCONSIN - MADISON
929	NUMI OFF-AXIS DETECTOR #929 BEAM: Main Injector Area Letter of Intent to Build an Off-Axis Detector to Study ν_{μ} \rightarrow ν_{e} Oscillations with the NuMI Neutrino Beam -----+----- Request 10 Jun, 02 Unconsidered 10 Jun, 02	Adam Para	ARGONNE NATIONAL LABORATORY UNIVERSITY OF ATHENS (GREECE) BOSTON UNIVERSITY CALIFORNIA INSTITUTE OF TECHNOLOGY UNIVERSITY OF CHICAGO FERMILAB HARVARD UNIVERSITY UNIVERSITY COLLEGE LONDON (ENGLAND) LOUISIANA STATE UNIVERSITY MASSACHUSETTS INST. OF TECHNOLOGY MICHIGAN STATE UNIVERSITY UNIVERSITY OF MINNESOTA - DULUTH UNIVERSITY OF MINNESOTA NORTHERN ILLINOIS UNIVERSITY OHIO UNIVERSITY UNIVERSITY OF OXFORD (ENGLAND) UNESP (BRAZIL) UNIVERSITY OF PITTSBURGH PRINCETON UNIVERSITY UNIVERSITY OF ROCHESTER RUTHERFORD-APPLETON LABS. (ENGLAND) STANFORD UNIVERSITY SUSSEX UNIVERSITY (ENGLAND) TECHNISCHE UNIVERSITAT MUNCHEN (GERMANY) UNIVERSITY OF TEXAS AT AUSTIN TOKYO METROPOLITAN UNIV. (JAPAN) TUFTS UNIVERSITY
930	BTeV STRAW TESTS #T930 BEAM: Meson Area - Test Beam BTeV Straw Prototype Detector Test -----+----- Request 13 Jun, 01 Unconsidered 13 Jun, 01	Joel N. Butler and Sheldon Stone	UNIV. OF CALIFORNIA, DAVIS FERMILAB INFN, FRASCATI (ITALY) UNIVERSITY OF HOUSTON SOUTHERN METHODIST UNIVERSITY SYRACUSE UNIVERSITY UNIVERSITY OF VIRGINIA
931	BTeV MUON DETECTOR TEST #T931 BEAM: Meson Area - Test Beam BTeV Muon Detector Test -----+----- Request 14 Nov, 02 Unconsidered 14 Nov, 02	Will E. Johns	UNIVERSITY OF ILLINOIS, CHAMPAIGN UNIV. OF PUERTO RICO - MAYAGUEZ VANDERBILT UNIVERSITY
932	DIAMOND DETECTOR TEST #T932 BEAM: Meson Area - Test Beam Diamond Detector Test -----+----- Request 14 Nov, 02 Unconsidered 14 Nov, 02	Steven Worm	PURDUE UNIVERSITY RUTGERS UNIVERSITY
933	DIAMOND DETECTOR TEST #T933 BEAM: Meson Area - Test Beam BTeV Electromagnetic Calorimeter Test -----+----- Request 14 Nov, 02 Unconsidered 14 Nov, 02	Pavel A. Semenov	FERMILAB UNIVERSITY OF MINNESOTA IHEP, PROTIVNO (SERPUKHOV) (RUSSIA) SYRACUSE UNIVERSITY

```

=====
934  MINOS VETO SHIELD #934          Doug Michael and Stanley G. Wojcicki
     BEAM: Main Injector Area
     Proposal for Cosmic Ray Veto Shield for the MINOS Far Detector
     +-----+
     Request          1 Jun, 02
     Unconsidered    1 Jun, 02

     ARGONNE NATIONAL LABORATORY
     UNIVERSITY OF ATHENS (GREECE)
     BROOKHAVEN NATIONAL LABORATORY
     CALIFORNIA INSTITUTE OF TECHNOLOGY
     UNIVERSITY OF CAMBRIDGE (ENGLAND)
     UNIV. ESTADUAL DE CAMPINAS (BRAZIL)
     FERMILAB
     COLLEGE DE FRANCE (FRANCE)
     HARVARD UNIVERSITY
     ILLINOIS INSTITUTE OF TECHNOLOGY
     INDIANA UNIVERSITY
     LAWRENCE LIVERMORE NATL. LABORATORY
     LEBEDEV PHYSICAL INST. (RUSSIA)
     UNIVERSITY COLLEGE LONDON (ENGLAND)
     MACALESTER COLLEGE
     UNIVERSITY OF MINNESOTA - DULUTH
     UNIVERSITY OF MINNESOTA
     ITEP, MOSCOW (RUSSIA)
     NORTHWESTERN UNIVERSITY
     UNIVERSITY OF OXFORD (ENGLAND)
     UNIVERSITY OF PITTSBURGH
     IHEP, PROTIVNO (SERPUKHOV) (RUSSIA)
     RUTHERFORD-APPLETON LABS. (ENGLAND)
     UNIVERSITE DE SAO PAULO (BRAZIL)
     UNIVERSITY OF SOUTH CAROLINA
     STANFORD UNIVERSITY
     SUSSEX UNIVERSITY (ENGLAND)
     TEXAS A&M UNIVERSITY
     UNIVERSITY OF TEXAS AT AUSTIN
     TUFTS UNIVERSITY
     WESTERN WASHINGTON UNIVERSITY
     UNIVERSITY OF WISCONSIN - MADISON
=====

```

*** End of Report ***