Fermilab

Highly Excited Electron Cyclotron for QCD Axion and Dark-Photon Detection

FERMILAB-PUB-24-0893-SQMS-V

arXiv:2410.05549

This manuscript has been authored by Fermi Research Alliance, LLC under Contract No. DE-AC02-07CH11359 with the U.S. Department of Energy, Office of Science, Office of High Energy Physics.

Highly Excited Electron Cyclotron for QCD Axion and Dark-Photon Detection

Xing Fan, Gerald Gabrielse, Peter W. Graham, Harikrishnan Ramani, Samuel S. Y. Wong, Mark and Yawen Xiao $^{2,\,\dagger}$

¹Center for Fundamental Physics, Department of Physics and Astronomy,
Northwestern University, Evanston, Illinois 60208, USA

²Stanford Institute for Theoretical Physics, Department of Physics,
Stanford University, Stanford, California 94305, USA

³Kavli Institute for Particle Astrophysics & Cosmology,
Department of Physics, Stanford University, Stanford, California 94305, USA

⁴Department of Physics and Astronomy, University of Delaware, Newark, Delaware 19716, USA

(Dated: October 7, 2024)

We propose using highly excited cyclotron states of a trapped electron to detect meV axion and dark photon dark matter, marking a significant improvement over our previous proposal and demonstration [Phys. Rev. Lett. 129, 261801]. When the axion mass matches the cyclotron frequency ω_c , the cyclotron state is resonantly excited, with a transition probability proportional to its initial quantum number, n_c . The sensitivity is enhanced by taking $n_c \sim 10^6 \left(\frac{0.1 \text{ meV}}{\omega_c}\right)^2$. By optimizing key experimental parameters, we minimize the required averaging time for cyclotron detection to $t_{\rm ave} \sim 10^{-6}$ seconds, permitting detection of such a highly excited state before its decay. An openendcap trap design enables the external photon signal to be directed into the trap, rendering our background-free detector compatible with large focusing cavities, such as the BREAD proposal, while capitalizing on their strong magnetic fields. Furthermore, the axion conversion rate can be coherently enhanced by incorporating layers of dielectrics with alternating refractive indices within the cavity. Collectively, these optimizations enable us to probe the QCD axion parameter space from 0.1 meV to 2.3 meV (25–560 GHz), covering a substantial portion of the predicted post-inflationary QCD axion mass range. This sensitivity corresponds to probing the kinetic mixing parameter of the dark photon down to $\epsilon \approx 2 \times 10^{-16}$.

CONTENTS

I. Introduction	2
A. Outline and Summary	3
II. Electron Cyclotron as a Dark Matter Detector	4
A. Electron Cyclotron Detector	4
B. Simultaneous Dark Photon and Axion Detection	8
C. Cyclotron Transition Rate	9
III. Electron in a Highly Excited State	9
A. Excited State and Averaging Time	9
1. Signal Formation Time	10
2. Detection Time	11
3. SNR Time	12
4. Maximum Cyclotron Number	12
5. Preparing a High n_c State	13
B. Cyclotron Bandwidth and Scanning	13
C. More Electrons?	14
IV. Electron in a Cavity	15
A. Ray Optics	15
1. Point-Like Nature of Electrons	16
2 Limit on Focuser Size	17

^{*} samswong@stanford.edu

[†] ywxiao@stanford.edu

	B. Wave OpticsC. Open Trap with Large Conversion CavityD. Dielectric Layers	17 19 20
V.	Projections	22
VI.	Conclusion	22
	Acknowledgments	23
Α.	Cyclotron Transition Rate 1. Perturbation Hamiltonian by Dark Photon 2. Rabi's Formula and Selection Rule 3. Memory-Loss Model of Frequency Width 4. Sub-Coherence Time Transition Rate 5. Transition Probability 6. Transition Rate for Axion	23 23 24 25 26 27 28
В.	Backreaction: Fundamental Limit to Dish-Type Experiments	28
С.	Details of Achieving Large Cyclotron Number 1. Signal Formation Time 2. Minimum Averaging Time a. Constraints on z_{max} b. Reducing t_{ave} 3. Consistency Checks	29 29 30 30 30 31
D.	Cavity Mode Calculation 1. Spherical Cavity a. Only $m=0$ Modes b. Only TM Modes c. Only $n=1$ Modes d. Final Expression of $\kappa_{\rm sphere}^2$ 2. Cylindrical Cavity a. Only $n=1$ Modes b. Only TE Modes c. Final Expression of $\kappa_{\rm cylinder}^2$	32 32 33 33 34 35 36 36 37
E.	Linear Focusing of a Cylindrical Cavity	38
F.	Fixed Polarization Scenario 1. Transition Probability 2. Long Time Limit a. Experiment in Chicago b. Optimal Angle 3. Short Time Limit	40 40 41 42 42 42
G.	Experimental Parameters	44
	References	44

I. INTRODUCTION

The particle nature of dark matter is one of the major open problems in fundamental physics [1–6]. Since the dark matter mass is unknown, dark matter candidates can be categorized by their mass and spin. Ultralight bosons are a broad class of dark matter candidates for which the dark matter has a mass much lighter than 1 eV and has a macroscopically large occupation number, manifesting as a coherent classical wave [7–12]. In most models, no symmetry forbids their coupling to Standard Model photons, giving rise to the exciting prospect of detecting them

in the form of precision measurements of electromagnetic waves [13–22]. In this paper, we propose a new detection scheme for such dark matter models in the 0.1-2.3 meV mass range using a trapped electron in a highly excited state, as a vastly improved version of our previous proposal [23]. Related ion trap technologies have also been proposed to search for millicharged particles [24], and superconducting qubits have been proposed for lower frequencies [25, 26].

Among various kinds of ultralight bosons, the most well-motivated model is the QCD axion [27, 28] that could potentially explain dark matter and also solve the strong CP problem [29, 30]. The QCD axion is a pseudo-Goldstone boson associated with the breaking of the hypothetical global $U(1)_{PQ}$ symmetry at an unknown high energy scale f_a [31, 32]. Due to its coupling with QCD, the axion has a mass of $m_a \approx 0.6$ meV $\left(\frac{10^{10} \text{ GeV}}{f_a}\right)$ [33]. Its mixing with pions generates a photon coupling given by the Lagrangian [33]

$$\mathcal{L} \supset -\frac{g_{a\gamma\gamma}}{4} a F_{\mu\nu} \tilde{F}^{\mu\nu} + \frac{1}{2} m_a a^2 \tag{1}$$

$$= g_{a\gamma\gamma} a \mathbf{E} \cdot \mathbf{B} + \frac{1}{2} m_a a^2 , \qquad (2)$$

where a is the axion field and the axion-photon coupling constant $g_{a\gamma\gamma} = C_{a\gamma\gamma}\alpha/(2\pi f_a)$ is proportional to its mass m_a , due to their mutual dependence on f_a . $C_{a\gamma\gamma}$ is an $\mathcal{O}(1)$ model-dependent parameter [33]; for KSVZ model, $C_{a\gamma\gamma} \sim -1.92$ [34, 35]; for DFSZ model, $C_{a\gamma\gamma} \sim 0.75$ [32, 36]. More generally, axion-like-particles (ALPs) [37–50] are a broader class of dark matter candidates that do not solve the strong CP problem [51], so that m_a and $g_{a\gamma\gamma}$ need not be related. The specified Lagrangian implies that axions can be converted to photons in a background magnetic field.

The post-inflationary QCD axion [52–54] is of particular interest. If the $U(1)_{PQ}$ symmetry is broken after inflation, then the observed dark matter relic density predicts a unique axion mass, which was recently estimated to be in the range $m_a \in (0.04 \text{ meV}, 0.18 \text{ meV})$ [55]. As we shall see, the proposed new detection scheme probes a large region of axion parameter space and, in the most powerful incarnation, reaches down to the QCD axion line in the 0.1-2.3 meV mass range, thus covering a significant fraction of this particularly well-motivated region.

Another ultralight bosonic dark matter candidate is the dark photon [56–65], a massive vector boson associated with a dark U(1)' gauge symmetry. This can be considered a minimal extension of the Standard Model, with the dark photon kinetically mixed with the Standard Model photon via the Lagrangian

$$\mathcal{L} \supset -\frac{1}{4} F'_{\mu\nu} F'^{\mu\nu} + \frac{\epsilon}{2} F^{\mu\nu} F'_{\mu\nu} + \frac{1}{2} m_{A'}^2 A'_{\mu} A'^{\mu}. \tag{3}$$

Here, A'_{μ} and $F'_{\mu\nu}$ denote the dark photon and the dark photon field strength, respectively; $m_{A'}$ is the dark photon mass; and ϵ is the kinetic mixing parameter. Its phenomenology is similar to that of the axion, but its detection does not require a strong magnetic field since no such field is required for dark-photon-to-photon conversion.

A. Outline and Summary

In Ref. [23], we proposed and demonstrated that a single electron suspended in a Penning trap could be a novel quantum detector with the potential for very sensitive searches for ultralight dark matter. A 75-times higher detection sensitivity for dark photons at a frequency of 148 GHz (0.6 meV) was established. Section II reviews the novel method that can be used to search for ground-state-to-first-excited-state transitions of the electron cyclotron motion that are resonantly driven by a dark photon dark matter, when its mass matches the cyclotron frequency. Details are provided in Appendix A. The cyclotron state of the electron was monitored in real-time via a quantum non-demolition measurement [66]. The electron cyclotron could be so well isolated from Standard Model photons from all other sources that no background was anticipated. Indeed, the demonstration measurement was completely background-free over a 7-day measurement time. By tuning the trap magnetic field, the cyclotron frequency ω_c could be scanned across the 0.1-2.3 meV mass range. The demonstration measurement was not sensitive to axions because the magnetic field of the Penning trap unavoidably converts axions to an electric field oriented perpendicular to the cyclotron plane—the one field direction that the one-electron detector cannot detect.

This paper proposes the addition of three new methods to enable vastly more sensitive dark photon searches, and to add high sensitivity to the most well-motivated QCD axions with masses between 0.1 to 2.3 meV, a challenging range for current technologies.

1. Section III shows how detection sensitivity will be greatly increased by performing rapid measurements on a highly excited cyclotron state. The large cyclotron quantum number enhances photon absorption, thereby increasing the dark matter signal size. The rapid measurement enables the observation of a dark-matter-induced excitation before the decay of the highly excited state erases the signal.

- 2. Section IV shows how high axion sensitivity can be achieved by using a large cavity that is optimally designed to convert ultralight dark matter to signal photons, as illustrated in a different context by BREAD [67]. Our cavity can be designed to efficiently focus and rotate the polarization of the signal photons for efficient, background-free detection by a trapped-electron detector.
- 3. Dielectric layers [68], also discussed in Section IV, will be used to further enhance the conversion of ultralight dark matter to signal photons.

The basic idea of the sensitive measurement incorporating the new methods is represented in a simplified way in Figure 1a. A coherent state of the electron's cyclotron oscillator, with an average quantum number of about $10^6 \left(\frac{0.1 \text{ meV}}{\omega_c}\right)^2$, is generated using a short driving pulse. Nearly continuous detection of the cyclotron energy will cause the electron to reveal its cyclotron quantum state. The detection will be provided by monitoring the frequency of the electron's axial oscillation along the magnetic field direction, which is coupled to the cyclotron energy by a strong magnetic bottle gradient. A series of quantum jumps will be observed as the electron radiates its cyclotron energy into synchrotron radiation one quantum at a time. The signature of dark matter will be any one-quantum increases in cyclotron energy that are caused by either a photon dynamically coupled to a dark photon, or by a photon produced by an axion in a magnetic field.

Sensitivity projections are presented in Section V and Section VI is a conclusion. In Appendix A, we provide a rigorous derivation of the sensitivity of our electron cyclotron detection scheme using Rabi flopping and a "memory-loss model" to account for frequency width. In Appendix B, we estimate the backreaction limit, which is a fundamental limit to all dish-type experiments, and compute the photon detection efficiency. In Appendix C, we provide details on how to achieve a large cyclotron number. Appendix D and E provide details of the cavity modes calculation and focusing. In Appendix F, we have worked out the consequence of a fixed dark photon polarization scenario for our experiment, which is representative of a class of experiments not addressed in Ref. [13]: a directionally sensitive quantum sensor with discrete signals. We also provide a table of all required experimental parameters in Appendix G.

II. ELECTRON CYCLOTRON AS A DARK MATTER DETECTOR

A. Electron Cyclotron Detector

An electron suspended in a Penning trap was recently used to measure the electron magnetic moment [75] at an unusual precision, approaching 1 part in 10¹³, to test the most precise prediction of the Standard Model [76, 77]. There is a long history of such measurements [75, 78–80]. The key advance that enabled the great precision of the measurements was the realization of a "one-electron quantum cyclotron" [66]. The cyclotron motion of one suspended electron was cooled below 100 mK, whereupon the electron occupied only the ground state of this motion. Sensitive quantum non-demotion (QND) detection was then employed to detect driven, single quantum transitions to the first excited cyclotron state. This was the detector that we recently demonstrated could be used to detect meV dark photons with greatly improved sensitivity [23].

In a Penning trap [81], an electron is effectively confined in three dimensions using a combination of a spatially uniform magnetic field $\mathbf{B} = B_0 \hat{z}$ in the axial direction and a static quadrupole potential


$$V(\mathbf{r}) = \frac{1}{2} m_e \omega_z^2 \left(z^2 - \frac{x^2 + y^2}{2} \right). \tag{4}$$

In this expression we neglect small, higher order anharmonic terms (e.g. x^4 , y^4 , z^4) and the effects of trap electrode imperfections. The magnetic field in a symmetric gauge is given by the vector potential $\mathbf{A} = \frac{1}{2}\mathbf{B} \times \mathbf{r}$. In V, the single constant $m_e\omega_z^2$ is written as the product of the electron mass and the square of an axial angular frequency, for convenience. The B-field produces radial cyclotron motion at a cyclotron frequency modified slightly by V. The potential $V(\mathbf{r})$ traps the electron in the axial direction in a harmonic axial motion with axial frequency ω_z .

For most of the measurements mentioned above, including the dark photon demonstration measurement, the potential was produced using cylindrical Penning trap electrodes [82], with electrodes on the surface of a cylinder and on flat ends. For this proposal, an open-endcap electrode geometry [83] is considered instead, with trap electrodes that are coaxial cylinders. This choice makes it possible to couple the signal photons from the conversion cavity into the Penning trap within which the electron is centered.

Neglecting relativistic effects, the Hamiltonian for an electron in an ideal Penning trap is

$$H_0 = \frac{(\mathbf{p} - e\mathbf{A})^2}{2m_e} + eV. \tag{5}$$



(a) Schematic diagram of the proposed experimental design.




FIG. 1: (a) A BREAD-like cylindrical barrel of radius R=1 m in a $B_{\rm ext}=10$ T external magnetic field filled with dielectric layers of alternating refractive indices (not shown) resonantly converts axions into photons (yellow lines) that are subsequently focused into a single point. The focused signal is rotated and directed by a waveguide through the opening of an open-endcap Penning trap to a trapped electron, prepared at a highly excited cyclotron state of $n_c \sim 10^6 \left(\frac{0.1~{\rm meV}}{\omega_c}\right)^2$. In the figure, we showed the largest value at cyclotron frequency $\omega_c=0.1~{\rm meV}$ for concreteness. Figure of BREAD adapted from Ref. [67]. (b) The signal is recognized as a cyclotron jump amid many decays. To prevent loss of sensitivity, the cyclotron state is never permitted to drop below 90% of its maximum value by applying a periodic driving pulse with period $\Delta t_{\rm pulse}=0.34~{\rm s}\times\left(\frac{0.1~{\rm meV}}{\omega_c}\right)^2$.




FIG. 2: Projected sensitivity to axion dark matter. The blue dash-dotted line represents the projected reach incorporating only a conversion cavity of radius R=1 m in a $B_{\rm ext}=10$ T external magnetic field, while retaining the previous detection scheme of starting at the cyclotron ground state $n_c=0$ and trapping $n_e=10$ electrons. The blue solid line incorporates the same conversion cavity but starts from an initial $n_c\sim 10^6\left(\frac{0.1~{\rm meV}}{\omega_c}\right)^2$ excited states, which is only possible with one electron, as explained in Section III C. The blue dashed line additionally includes dielectric layers that enhance axion conversion. The dielectrics are swapped out once a month to make this method compatible with frequency scanning. In all cases, we assume a 1000-day search per decade in frequency. The "kinks" near 0.5 meV are due to the saturation of the focusing limit. The dark red lines are the prediction of the KSVZ [34, 35] and DFSZ [32, 36] axion models. Shaded in gray are nearby bounds from stellar cooling [69] and the ORGAN experiment [70].

The axial motion separates naturally from the radial motion. The axial part of H_0 is that of a simple harmonic oscillator with angular axial frequency $\omega_z = \frac{\sqrt{eV_0/m_e}}{D}$,

$$H_z = \frac{p_z^2}{2m_e} + \frac{1}{2}\omega_z^2 z^2 \tag{6}$$

$$=\hbar\omega_z\left(a_z^{\dagger}a_z + \frac{1}{2}\right) , \qquad (7)$$

where the effective trap dimension is given by $D^2 = R_{\rm trap}^2 + \frac{1}{2}d^2$, and $R_{\rm trap}$ and d are the radius and height of the cylindrical trap, respectively. The second expression uses harmonic oscillator lowering and raising operators, a_z and a_z^{\dagger} , that are familiar functions of z and p_z .

The radial motions and Hamiltonian are more complicated because the vector and scalar potentials both depend upon x and y. However, Ref. [81] introduced two sets of harmonic oscillator raising and lowering operators that




FIG. 3: Projected sensitivity to dark photon dark matter. The three blue projection lines are based on the same setup as those in Figure 2. The red vertical line represents the limit set by our proof-of-principle measurement [23]. Shaded in gray are nearby bounds from the DOSUE [71], MADMAX [72], and XENON1T [73] experiments. The regions below $\epsilon \sim 10^{-13}$, as indicated by the arrows, may be induced by gravity alone [74].

separate the radial Hamiltonian into uncoupled cyclotron and magnetron terms,

$$H_r = \hbar\omega_{c'}\left(a_c^{\dagger}a_c + \frac{1}{2}\right) - \hbar\omega_m\left(a_m^{\dagger}a_m + \frac{1}{2}\right). \tag{8}$$

To an approximation that suffices for our purposes, the angular cyclotron frequency modified by the electrostatic quadrupole, $\omega_{c'} \approx \omega_c$, where $\omega_c = eB_0/m_e$ is the free-space cyclotron frequency. Also to an approximation that suffices for our purposes, the magnetron frequency is $\omega_m \approx \omega_z^2/(2\omega_c)$. Both the cyclotron lowering and raising operators $(a_c$ and $a_c^{\dagger})$ and the magnetron lowering and raising operators $(a_m$ and $a_m^{\dagger})$ are complicated but manageable functions of x, y, p_x , and p_y . The raising and lowering operators for each of the separated motions satisfy the same commutator relations as those for a harmonic oscillator. For example, $[a_c, a_c^{\dagger}] = 1$.

The energy eigenstates of $H_0 = H_z + H_r$ are direct products of oscillator eigenstates, $|n_c, n_z, n_m\rangle$. The lowering and raising operators each operate on their respective oscillator states. For example,

$$a_c |n_c, n_z, n_m\rangle = \sqrt{n_c} |n_c - 1, n_z, n_m\rangle \tag{9}$$

$$a_c^{\dagger} | n_c, n_z, n_m \rangle = \sqrt{n_c + 1} | n_c + 1, n_z, n_m \rangle .$$
 (10)

The energy eigenvalues are

$$E_0(n_c, n_z, n_m) = \left(n_c + \frac{1}{2}\right)\hbar\omega_c + \left(n_z + \frac{1}{2}\right)\hbar\omega_z - \left(n_m + \frac{1}{2}\right)\hbar\omega_m. \tag{11}$$

The angular cyclotron frequency ω_c is much greater than the angular axial frequency ω_z , which in turn is much greater than the magnetron frequency, ω_m . For this work, the small difference between the trap-modified cyclotron frequency and the free-space cyclotron frequency is neglected, and the magnetron is ignored.

Consider detecting one-quantum transitions from the cyclotron state n_c to $n_c + 1$. The cyclotron energy and state are difficult to detect directly because the cyclotron frequency is in the mm microwave regime. The thousand times lower frequency of the axial oscillation can be much more easily measured. To couple this frequency to the cyclotron energy, a magnetic ring that encircles the cylindrical trap electrodes is added [84, 85] to make a small magnetic gradient, $B_2 z^2 \hat{z}$, for an electron on the trap axis (with x = 0 and y = 0). This adds

$$E_{cz} = \hbar\delta \left(n_c + \frac{1}{2} \right) \left(n_z + \frac{1}{2} \right) \tag{12}$$

to the energy eigenvalues, with

$$\delta = \frac{eB_2}{m_e^2 \omega_z} \ . \tag{13}$$

The axial frequency then effectively gains a small dependence on the quantum number n_c , and this effect is proportional to δ . In effect, whenever the cyclotron state makes a transition from n_c to n_c+1 , the axial frequency shifts accordingly

$$\omega_z \to \omega_z + \delta$$
 . (14)

This shift, typically only 1 part in 10^8 of the axial frequency, is large enough with current experimental methods so that the quantum state of the cyclotron motion can be unambiguously determined within a fraction of a second. This way of detecting the cyclotron energy as a shift of the axial frequency is a quantum nondemolition (QND) measurement, insofar as the addition to the Hamiltonian that produces E_{cz} commutes with H_0 . The important consequence is that repeated measurements of the cyclotron energy do not change the cyclotron quantum state [85].

The axial frequency is measured by Fourier transforming the oscillating image current generated in the wall of the trap due to the axial motion. By monitoring this axial frequency, the cyclotron quantum number n_c , and hence the quantum state, is continuously monitored. The "continuous" axial detection has an unavoidable averaging time $t_{\rm ave}$ that is needed to distinguish a cyclotron transition signal from Johnson noise. A measured axial frequency shift, $\Delta \omega_z$, could be caused by some combination of a cyclotron energy shift and noise in the detection electronics. For a given averaging time, we identify a $\Delta \omega_z$ as a cyclotron excitation if $\Delta \omega_z$ is larger than δ by 5 standard deviations of the signal during this averaging time.

A dilution refrigerator keeps the trap electrodes at a temperature that we will assume is $T=10~\mathrm{mK}\approx 10^{-3}~\mathrm{meV}$ so that black body photons do not have enough energy to excite the cyclotron motion, which has an energy threshold of $\hbar\omega_c=0.1$ –2.3 meV for our search. The theoretical black body excitation rate is

$$\Gamma_{\rm BB} = n_c \gamma_{c,0} \frac{1}{\exp\left(\frac{\omega_c}{T}\right) - 1} \approx n_c \times 10^{-51} \text{ s}^{-1}, \tag{15}$$

where $\gamma_{c,0} = 4\alpha\omega_c^2/(3m_e) \approx 0.3-100~{\rm s}^{-1}$ is the ground state cyclotron damping rate in the trap. Even for cyclotron states as high as $n_c \sim 10^6$ that we will consider in this paper, the Boltzmann suppression makes the background rate negligible. In the demonstration dark photon measurement [23], we observed no cyclotron excitations for 7 days for a temperature of 30 mK [23]. The measurement was thus background-free for 7 days.

B. Simultaneous Dark Photon and Axion Detection

The basic idea of these measurements [23] is to search for one-quantum cyclotron transitions caused by dark matter with mass m that is resonant with the cyclotron frequency ω_c insofar as $mc^2 = \hbar\omega_c$. A search for dark matter over the largest mass range is done by sweeping the magnetic field to vary the cyclotron frequency over the largest range. In the demonstration apparatus, the magnetic field could likely be reduced so the minimum frequency and energy for the search range is $\omega_c/(2\pi) = 25$ GHz ≈ 0.1 meV/ $(2\pi\hbar)$. The lowest possible limit depends upon the temperature (to keep the measurement free of background), the relative size of the trap and the cyclotron orbit, and keeping the cyclotron frequency well above the axial frequency. In the demonstration apparatus, a maximum frequency $\omega_c/(2\pi) = 180$ GHz ≈ 0.75 meV/ $(2\pi\hbar)$ would be accessible. With a 20 T superconducting solenoid, the maximum could be increased to $\omega_c/(2\pi) = 560$ GHz ≈ 2.3 meV/ $(2\pi\hbar)$ for the frequency/mass of the dark matter¹.

¹ For convenience, we will adopt natural units where $\hbar=c=1$ throughout the remainder of this paper, except in numerical results where we explicitly show the dimensional factors. The conversion between mass and frequency will follow the conventions shown here. In particular, we will give numbers and label plots by mass in meV and frequency in GHz with this $2\pi\hbar$ conversion factor between them. So, for example, a 2.3 meV mass corresponds to a 560 GHz frequency.

Introducing sensitivity to the axion, in addition to dark photons, requires converting the axion to a photon in a magnetic field away from the Penning trap of the quantum cyclotron. The field converts the axion to a photon polarized along the magnetic field direction. This polarization must be rotated so as to be perpendicular to the magnetic field within the trap in order to produce cyclotron excitation. The separated conversion and detection volumes has two additional advantages. (1) A larger and more efficient conversion "antenna" can be used (Section IV C). (2) The conversion field, and hence the conversion efficiency, can be left fixed at the largest possible value while the field of the one-electron quantum cyclotron is swept over the widest possible range of possible axion masses.

C. Cyclotron Transition Rate

The rates at which dark photons and axions produce cyclotron excitations are summarized here, as is the constraint that comes from observing no excitation in a given observation time. The detailed derivation on which this is based is summarized in Appendix A.

A dark photon would excite a cyclotron state with quantum number n_c at a rate

$$\Gamma_{c,\text{free}} = \frac{\epsilon^2 e^2 \pi (n_c + 1)}{2 m_e m_{A'}} \frac{\rho_{\text{DM}}}{\Delta \omega} \langle \sin^2 \theta \rangle , \qquad (16)$$

depending upon a frequency width, $\Delta\omega$. This width is approximately the larger of the cyclotron decay of the state via synchrotron radiation, $\Delta\omega_c$, and the anticipated width of the dark matter, $\Delta\omega_{A'}=10^{-6}m_{A'}$. $\langle\sin^2\theta\rangle=\frac{2}{3}$ is the average dark photon polarization. This equation holds true only in free space; the boundary condition of the surrounding conductor gives rise to a cavity factor κ^2 , to be discussed in Section IV:

$$\Gamma_{c,\text{cavity}} = \kappa^2 \frac{\epsilon^2 e^2 \pi (n_c + 1)}{2 m_e m_{A'}} \frac{\rho_{\text{DM}}}{\Delta \omega} \langle \sin^2 \theta \rangle . \tag{17}$$

If no excitation is observed over an observation time of $t_{\rm obs}$, the inequality

$$\Gamma_{c,\text{cavity}} < -\frac{1}{\zeta t_{\text{obs}}} \log(1 - CL) .$$
(18)

expresses a constraint at confidence level CL = 0.9, where ζ is the detection efficiency.

For the axion, we have an analogous formula,

$$\Gamma_{c,\text{cavity}} = \kappa^2 \frac{g_{a\gamma\gamma}^2}{m_a^3} B_{\text{ext}}^2 \frac{e^2 \pi (n_c + 1)}{2m_e} \frac{\rho_{\text{DM}}}{\Delta \omega} , \qquad (19)$$

where B_{ext} is the external magnetic field that converts axions to photons. The same inequality pertains to the confidence limit.

III. ELECTRON IN A HIGHLY EXCITED STATE

Our earlier proposal and demonstration was sensitive to any dark matter that was able to excite the cyclotron ground state of one trapped electron into its first excited state. QND detection revealed no background transitions at all for at least days. With no background, the sensitivity was high enough to realize a 75-times higher dark photon sensitivity at 148 GHz.

The cyclotron excitation rate in eq. (17) increases linearly as n_c when the electron cyclotron detector is a highly excited cyclotron state rather than its ground state. The higher the cyclotron state, however, the more rapid the decay of the state. This section explores what is required to realize an enormous sensitivity gain without introducing background.

A. Excited State and Averaging Time

The main obstacle to realizing the enhanced sensitivity of a highly excited state is that the decay rate increases with increasing n_c . The electric dipole approximation is valid because the largest electron wave function we consider has a size of 0.2 mm (eq. (41)), which is still much smaller than the shortest relevant wavelength of a signal photon,

 $\lambda_{A'} = 1.2$ mm. The selection rules allow for decay only from n_c to $n_c - 1$. The free-space decay time for a cyclotron energy eigenstate with quantum number n_c ,

$$\tau_c = \frac{1}{n_c} \frac{3m_e c^2}{4\alpha(\hbar\omega_c)^2} = 3.4 \text{ s} \left(\frac{1}{n_c}\right) \left(\frac{0.1 \text{ meV}}{\hbar\omega_c}\right)^2 = 3.4 \text{ s} \left(\frac{1}{n_c}\right) \left(\frac{24 \text{ GHz}}{\omega_c/2\pi}\right)^2 , \qquad (20)$$

is given by Fermi's Golden Rule. The 0.1 s decay time² of the first excited state in a 6 T magnetic field decreases inversely with n_c . The lifetime also falls inversely as B^2 if the field is increased because of the ω_c^2 dependence. This will be important when the magnetic field is swept to vary the dark matter energy to which the one-electron detector is sensitive to. Reducing the resonant frequency of the detector by a factor of 10 increases the excited state lifetime by a factor of 100.

To avoid missing the signal, the averaging time t_{ave} required to detect a one-quantum transition must be shorter than the cyclotron lifetime τ_c . Therefore, the shortest averaging time we can achieve sets the highest possible n_c . However, t_{ave} must be at least as large as the following three time scales.

- 1. t_{signal} , the minimum time it takes a signal to form;
- 2. t_{det} , the time it takes the detector to read out the signal;
- 3. $t_{\rm SNR}$, the integration time needed to achieve a desired signal-to-noise ratio of SNR=5 over Johnson noise.

Thus, we require

$$\tau_c \ge t_{\text{ave}} \ge \max(t_{\text{signal}}, t_{\text{SNR}}, t_{\text{det}})$$
 (21)

We determine these timescales next to ascertain the largest feasible n_c .

1. Signal Formation Time

When a jump occurs in the cyclotron mode, it takes some time for this change to be reflected in the electron's axial motion and the detected axial image current. The axial oscillation is driven to an amplitude that can be detected, z_{max} , by applying an RF drive to one of the endcap electrodes. An axial frequency shift of δ signals a one-quantum cyclotron transition. The uncertainty principle requires a detection time of at least $1/\delta$ to detect this shift. This signal settling time,

$$t_{\text{signal}} = \frac{1}{\delta} , \qquad (22)$$

can be realized using the beat between the axial signal and a reference close to ω_z , as detailed in Appendix C1.

Achieving the smallest possible signal settling time requires the largest possible magnetic bottle gradient strength, B_2 , to couple the cyclotron and axial motions, and the lowest possible axial frequency ω_z , because

$$\delta = \frac{eB_2}{m_e^2 \omega_z} \ . \tag{23}$$

The large B_2 that is desired increases in proportion to the saturation magnetization of a ferromagnetic ring of radius R_{bot} that encircles the trap, and the smaller possible R_{bot} is thus desired. For a cobalt-iron bottle ring with the proposed 0.5 mm radius, the saturation is reached at B = 0.1 T. The maximum value is then

$$B_{2,\text{max}} = 3 \times 10^6 \text{ T/m}^2 \left(\frac{0.3 \text{ mm}}{R_{\text{bot}}}\right)^2 \equiv \frac{\tilde{B}_{2,\text{max}}}{R_{\text{bot}}^2}$$
 (24)

The axial oscillation frequency is given by the expression

$$\omega_z = \sqrt{\frac{eV_0}{m_e D^2}} \,, \tag{25}$$

² Much longer decay times pertained for the demonstration experiment. There, the lifetime of excited cyclotron states was dramatically increased by the microwave cavity deliberately formed by the trap electrodes [82, 86]. When all resonant cavity modes had frequencies far from resonance with the TE and TM modes of the trap cavity, this cavity inhibited spontaneous emission by a factor of 200 or more compared to free space [80]. For the measurement in the open Penning trap proposed here, however, inhibited spontaneous emission is not a major factor.

where the effective trap dimension is given by $D^2 = R_{\rm trap}^2 + \frac{1}{2}d^2$. The trap height is fixed at $d \approx 2R_{\rm trap}$ due to an anharmonicity constraint [83]. This specific geometry ensures that a signal photon is not significantly suppressed when reaching the center of the trap, where the electron is located, even if the longest photon wavelength considered, $\lambda_{A'} = 2\pi/\omega_c = 12$ mm exceeds the trap aperture [87, 88]. Consequently, the minimum achievable trap and bottle sizes are only constrained by current fabrication limitations, allowing for radii as small as $R_{\rm trap} = R_{\rm bot} = 0.5$ mm, with the encircling magnetic bottle ring integrated onto the surface of the open trap (see Figure 1a).

Furthermore, the voltage V_0 can be easily varied between 0 and 100 V, enabling a wide range of possible values for ω_z . While, in principle, ω_z can be minimized to reduce $t_{\rm signal}$, it should be noted that the detection time, to be discussed next, exhibits an inverse dependence on ω_z , ultimately leading us to select $\omega_z \sim 2\pi \times 10$ MHz as the optimal operating frequency.

Using the maximum achievable B_2 for the selected small bottle size and axial frequency, we obtain a remarkably short signal formation time of:

$$t_{\text{signal}} = \frac{1}{\delta} = 2.9 \times 10^{-6} \text{ s} \left(\frac{\omega_z/2\pi}{10 \text{ MHz}}\right) \left(\frac{R_{\text{bot}}}{0.5 \text{ mm}}\right)^2 . \tag{26}$$

2. Detection Time

The detector used to monitor the axial image current is a resonant RLC circuit [89] with a bandwidth defined as

$$\gamma_{\rm det} = \frac{\omega_z}{Q_{\rm det}} \,\,, \tag{27}$$

where the maximum detector quality factor is empirically determined as³

$$Q_{\text{det}} = 2.8 \times 10^5 \left(\frac{1 \text{ MHz}}{\omega_z/2\pi}\right) . \tag{28}$$

The resonant circuit requires a time equal to the inverse of the bandwidth to fully build up a detectable signal:

$$t_{\text{det}} = \frac{1}{\gamma_{\text{det}}} = \frac{Q_{\text{det}}}{\omega_z} = 4.46 \times 10^{-4} \text{ s} \left(\frac{10 \text{ MHz}}{\omega_z / 2\pi}\right)^2$$
 (29)

As a result, while lowering ω_z can decrease t_{signal} , it cannot be done indefinitely, since it will simultaneously increase t_{det} . Moreover, for an axial frequency shift δ to be detectable, it must remain smaller than the detector bandwidth, imposing an additional constraint⁴,

$$\delta \le \gamma_{\text{det}} \implies t_{\text{signal}} \ge t_{\text{det}} ,$$
 (30)

which must be satisfied by the chosen value of ω_z .

However, the constraint in eq. (30) can also be satisfied by using a smaller effective quality factor, $Q_{\text{det,eff}} < Q_{\text{det}}$. This adjustment can be achieved by analyzing the resonator's output outside its bandwidth without altering the physical quality factor Q_{det} [90]. Let q denote the ratio between $Q_{\text{det,eff}}$ and Q_{det} ,

$$Q_{\text{det,eff}} \equiv q \times Q_{\text{det}} ,$$
 (31)

which can be varied during data analysis. Under these conditions, the detection time is reduced to:

$$t_{\text{det}}(q) = \frac{1}{\gamma_{\text{det,eff}}} = \frac{Q_{\text{det,eff}}}{\omega_z} = 2.72 \times 10^{-6} \text{ s} \left(\frac{q}{0.0061}\right) \left(\frac{10 \text{ MHz}}{\omega_z/2\pi}\right)^2$$
 (32)

This approach allows flexibility in optimizing the detection time without compromising the overall quality factor of the system.

³ This formula assumes a factor of 2 improvement than currently available by using superconducting wire made of Nb-Ti, since it is in a high magnetic field.

⁴ This condition can be relaxed if we use more than one drive.

3. SNR Time

Another limit on the averaging time is set by $t_{\rm SNR}$, the duration required to achieve the minimum signal-to-noise ratio above Johnson noise, chosen here as SNR = 5. This value can be estimated from the ratio of the signal energy to the noise energy:

$$SNR^2 = \frac{E_{\text{signal}}}{E_{\text{noise}}} \tag{33}$$

$$= \frac{P_{\text{signal}}t_{\text{SNR}}}{T_R/2} \tag{34}$$

$$=\frac{E_z \gamma_z t_{\rm SNR}}{T_R/2} , \qquad (35)$$

where the noise energy is defined as half of the temperature of the SQUID detector's resistor, $T_R = 0.01$ K. The signal power is determined by the dissipation of the axial motion, $P_{\text{signal}} = E_z \gamma_z$, with $E_z = \frac{1}{2} m_e \omega_z^2 z_{\text{max}}^2$ representing the energy of the axial motion and γ_z denoting the axial damping rate. This derivation is consistent⁵ with the result obtained in Ref. [91].

The axial damping rate is given by the expression [92]

$$\gamma_z = \frac{1}{m_e} \left(\frac{ed_1}{d}\right)^2 \mathcal{R}_{\text{eff}},\tag{36}$$

where d is the height of the trap, $d_1 = 0.9$ is the image charge parameter [82, 83], and the effective resistance \mathcal{R}_{eff} is modeled using the empirical formula [92]

$$\mathcal{R}_{\text{eff}} = q \times 6000 \text{ M}\Omega \left(\frac{1 \text{ MHz}}{\omega_z/2\pi}\right)^2 . \tag{37}$$

Substituting these expressions into eq. (35), the averaging time required to achieve the desired SNR is calculated as

$$t_{\rm SNR} = \frac{\rm SNR^2 T_R}{2E_z \gamma_z} \tag{38}$$

$$= \frac{\text{SNR}^2 T_R}{q \times 6000 \text{ M}\Omega \left(2\pi \text{ MHz}\right)^2} \left(\frac{d}{e d_1 z_{\text{max}}}\right)^2$$
(39)

$$= 2.85 \times 10^{-6} \text{ s} \left(\frac{0.0061}{q}\right) \left(\frac{R_{\text{trap}}}{2.5 z_{\text{max}}}\right)^{2} , \tag{40}$$

where we have used $d = 2R_{\text{trap}}$. The maximum axial amplitude,

$$z_{\text{max}} = \frac{R_{\text{trap}}}{2.5} = 0.2 \text{ mm} ,$$
 (41)

is set by the axial anharmonicity constraint discussed in Appendix C2.

4. Maximum Cyclotron Number

We optimized the three time scales ($t_{\rm signal}$, $t_{\rm det}$, and $t_{\rm SNR}$) with respect to the independent variables q and ω_z , subject to both the axial anharmonicity constraint and the band width constraint eq. (30). The detailed calculations are provided in Appendix C 2. The resulting optimal values are q=0.0061 and $\omega_z/2\pi=9.8$ MHz, yielding a lower bound on the averaging time:

$$t_{\text{ave}} = 2.85 \times 10^{-6} \text{ s} \le \tau_c = 3.4 \text{ s} \left(\frac{1}{n_c}\right) \left(\frac{24 \text{ GHz}}{\omega_c/2\pi}\right)^2 = 3.4 \text{ s} \left(\frac{1}{n_c}\right) \left(\frac{0.1 \text{ meV}}{m_{A'}}\right)^2 ,$$
 (42)

⁵ There appears to be a discrepancy by a factor of $\left(\frac{\delta}{\gamma_z/2}\right)^2$. This factor arises because the amplitude of the electron's Lorentzian response is proportional to $z_{\text{max}} \propto \min\left(\frac{\delta}{\gamma_z/2}, 1\right)$. Ref. [91] addresses the regime $\delta \ll \gamma_z$, while our work focuses on the opposite limit, $\delta \gg \gamma_z$.

with the corresponding optimal cyclotron number

$$n_{c,\text{max}} = 1.2 \times 10^6 \left(\frac{24 \text{ GHz}}{\omega_c/2\pi}\right)^2 = 1.2 \times 10^6 \left(\frac{0.1 \text{ meV}}{m_{A'}}\right)^2$$
 (43)

We conduct several consistency checks in Appendix C 3 to ensure that such a large cyclotron quantum number, $n_{c,\text{max}}$, does not introduce additional complications (e.g., an excessively large radial wave function size). All relevant experimental parameters are summarized in Table I in Appendix G. Notably, every parameter used in our analysis is either compatible with current technology or anticipated to be achievable in the near future.

5. Preparing a High n_c State

To prepare the highly excited state $|n_{c,\text{max}}\rangle$, we periodically apply a resonant external cyclotron drive to the trapped electron. As the wave function expands, the resulting frequency shift in the cyclotron mode is approximately 0.045 GHz, which remains insignificant compared to the axial bottle broadening of $\Delta\omega_c/2\pi=1.21$ GHz (see eq. (50)). The required driving power is on the order of 10^{-10} mW, which is far lower than the typical 10 mW output of commercially available sources.

Such a classical driving procedure typically produces coherent states rather than pure cyclotron eigenstates. However, the nearly continuous QND measurements of axial frequency rapidly collapse the coherent state into a definite cyclotron number state, $|n_c\rangle$. Mathematically, a coherent state is represented as a superposition of infinitely many energy eigenstates, parameterized by a complex number α :

$$|\alpha\rangle = e^{-|\alpha|^2/2} \sum_{n_c=0}^{\infty} \frac{\alpha^{n_c}}{\sqrt{n_c!}} |n_c\rangle .$$
 (44)

We employ a resonant drive to generate a coherent state with $|\alpha|^2 = n_{c,\text{max}}$. The resulting distribution of cyclotron states follows a Poisson distribution with mean value $|\alpha|^2 = n_{c,\text{max}}$ [93]:

$$|\langle n_c | \alpha \rangle|^2 = \frac{|\alpha|^{2n_c}}{n_c!} e^{-|\alpha|^2} . \tag{45}$$

Thus, up to a minor quantum fluctuation, this approach yields the desired state, $|n_c\rangle$, where $n_c \approx n_{c,\text{max}} \pm \sqrt{n_{c,\text{max}}}$. Given the known initial value of ω_z , along with the corresponding frequency shift δ , we can precisely determine the specific cyclotron number of the system.

Since the observation time per frequency bin, $t_{\rm obs}$ (see next subsection), is significantly longer than a typical cyclotron lifetime, τ_c , the cyclotron state will inevitably undergo numerous decays during the course of the experiment. Selection rules permit only the transitions $n_c \to n_c - 1$, which manifest as a frequency shift $\omega_z \to \omega_z - \delta$. This decayinduced frequency shift is clearly distinguishable from the opposite shift $\omega_z \to \omega_z + \delta$ that would result from a dark matter interaction (see Figure 1b). Therefore, we can continue searching for a dark matter signal uninterrupted, even while observing multiple decays.

To prevent a significant reduction in sensitivity due to cyclotron decay, we periodically reinitialize the state to $|n_{c,\text{max}}\rangle$, a process that takes negligible time. By reapplying the preparation when n_c decreases to 90% of its initial value, the time interval between successive preparation pulses can be estimated using eq. (20) as:

$$\Delta t_{\text{pulse}} = \sum_{n_c = 0.9n_{c,\text{max}}}^{n_{c,\text{max}}} \tau_c(n_c, \omega_c) = 0.34 \text{ s} \left(\frac{24 \text{ GHz}}{\omega_c/2\pi}\right)^2 = 0.34 \text{ s} \left(\frac{0.1 \text{ meV}}{m_{A'}}\right)^2 . \tag{46}$$

The shortest required pulse time is approximately a millisecond, which is entirely feasible for implementation in our experimental setup.

B. Cyclotron Bandwidth and Scanning

The frequency width appearing in the transition rate formula eq. (17) is defined as the larger of two widths: $\Delta\omega = \max(\Delta\omega_{A'}, \Delta\omega_c)$, as detailed in Appendix A. Here, $\Delta\omega_{A'} = \frac{m_{A'}}{Q_{\rm DM}} \approx 10^{-6} m_{A'}$ represents the intrinsic dark matter width, and $\Delta\omega_c = \frac{\omega_c}{Q_c}$ is the cyclotron line width. The dark matter quality factor, $Q_{\rm DM}$, is determined by

its virial velocity, while Q_c is the cyclotron quality factor, which depends on specific properties of the experimental apparatus.

It is crucial to scan the cyclotron frequency across bins of width $\Delta\omega$ without leaving gaps in between. For frequencies outside the bandwidth, a detuning parameter $D > \Delta\omega_c$ results in a quadratic loss of sensitivity in D, as predicted by Rabi's formula eq. (A24). This sensitivity loss cannot be compensated by simply increasing the observation time per bin (which would only provide a linear gain), contrasting with the behavior in a thermal-noise-limited experiment [90].

As we elaborate below, the value of Q_c does not impact the reach of our experiment, provided that the experiment remains background-free. This behavior also contrasts with that of a thermal-noise-limited experiment [90], where operating in the resonant limit is always advantageous.

When Q_c exceeds $Q_{\rm DM}$, the transition rate is governed by $\Delta\omega = \Delta\omega_{A'}$ and thus becomes independent of Q_c . The widely adopted strategy in this resonant regime is to allocate an observation time of approximately $t_{\rm obs} \approx t_{\rm total}/Q_{\rm DM}$ per bin to maintain comparable sensitivity over an entire decade of dark matter mass. Conversely, when Q_c falls below $Q_{\rm DM}$, the experiment enters the broadband regime. Here, the transition rate is determined by $\Delta\omega = \Delta\omega_c$, resulting in a linear decrease of the transition rate with Q_c , as shown in eq. (17). However, the increased signal width in the broadband regime allows for longer observation times per bin, approximately $t_{\rm obs} \approx t_{\rm total}/Q_c$. Consequently, these effects cancel out, leaving the experimental reach nearly unchanged⁶.

Nonetheless, determining Q_c is still essential for calculating the appropriate value of $t_{\rm obs}$ for the experiment. In our previous work [23], the electron cyclotron was characterized as a high-Q resonator with a quality factor of $Q_c = 10^7$. However, this characterization changes significantly due to the need to increase B_2 to a much larger value in order to reduce the signal formation time (see Section III A 1).

The cyclotron linewidth, $\Delta\omega_c$, is given by the sum of two terms: the damping rate $\gamma_c = \tau_c^{-1}$ and a bottle broadening term $\omega_c \frac{B_2}{B_0} z_{\max}^2$ [92], which captures the cyclotron frequency uncertainty induced by the magnetic gradient $B_2 z^2$. Thus, the effective cyclotron linewidth is given by:

$$\Delta\omega_c = \omega_c \frac{B_2}{B_0} z_{\text{max}}^2 + \gamma_c \tag{47}$$

$$= \frac{e}{m_e} \tilde{B}_2 \frac{z_{\text{max}}^2}{R_{\text{bot}}^2} + n_c \frac{4\alpha\omega_c^2}{3m_e}$$

$$\tag{48}$$

$$= 5 \times 10^{-3} \text{ meV} + 2 \times 10^{-7} \text{ meV} \left(\frac{n_c}{10^6}\right) \left(\frac{\omega_c}{0.1 \text{ meV}}\right)^2$$
 (49)

$$\Delta\omega_c/2\pi = 1.2 \text{ GHz} + 4.8 \times 10^{-5} \text{ GHz} \left(\frac{n_c}{10^6}\right) \left(\frac{\omega_c/2\pi}{24 \text{ GHz}}\right)^2$$
 (50)

Even for the maximum achievable cyclotron number, n_c , the linewidth is dominated by the bottle broadening term. As a result, the quality factor gets degraded to $Q_c = \frac{\omega_c}{\Delta \omega_c} = 20 \times \left(\frac{\omega_c}{0.1 \text{ meV}}\right) = 20 \times \left(\frac{\omega_c/2\pi}{24 \text{ GHz}}\right)$, which is much wider than the dark matter width $Q_{\rm DM} = 10^6$ across the entire frequency range of interest. Consequently, the experiment operates in the broadband regime, where the observation time per frequency bin is determined by:

$$t_{\rm obs} = t_{\rm total} \frac{\Delta \omega_c}{m_{A',\rm max} - m_{A',\rm min}} \tag{51}$$

$$= 1000 \text{ days } \frac{5 \times 10^{-3} \text{ meV}}{1 \text{ meV} - 0.1 \text{ meV}}$$
 (52)

$$\approx 5.5 \text{ days}$$
, (53)

assuming a total observation time of 1000 days per decade in frequency.

C. More Electrons?

If we trap n_e electrons, the cyclotron transition rate scales linearly: $\Gamma_{c,\text{cavity}} \to n_e \Gamma_{c,\text{cavity}}$. Intuitively, this would suggest an improvement in sensitivity. This reasoning holds true in the low cyclotron number regime, and in our previous work [23], a configuration with $n_e = 10$ electrons was proposed. However, as we demonstrate below, in the optimized regime explored here, trapping more than a single electron ceases to provide a sensitivity advantage.

⁶ Note that $Q_c = \omega_c/\Delta\omega_c$ varies with ω_c , while $Q_{\rm DM} = 10^{-6}$ is a constant. This difference causes the resonant and broadband regimes to exhibit distinct scaling behaviors in sensitivity to ϵ (or $g_{a\gamma\gamma}$) as a function of $m_{A'}$ (or m_a), differing by a factor of $\sqrt{m_{A'}}$.

We experimentally found that only the average axial image current of all n_e electrons can be measured, and the signal shift, δ , scales as $1/n_e$. If a cyclotron transition occurs for one of the electrons, it becomes impossible to identify which specific electron underwent the transition. This introduces the risk that the signal could be canceled by a subsequent decay of another electron before a detection can be made. As a result, the effective cyclotron lifetime is reduced by a factor of n_e , $\tau_{c,\text{eff}} = \tau_c/n_e$. This reduction also lowers the optimal cyclotron number by a factor of n_e (eq. (42)). Since the transition rate is proportional to $n_c n_e$, these two effects cancel out, eliminating any net gain in sensitivity from trapping multiple electrons.

However, during the R&D phase of the experiment, achieving the optimal parameters may not be feasible in the initial iterations. Under these conditions, trapping multiple electrons could temporarily enhance sensitivity. Nevertheless, it is evident that increasing the number of trapped electrons does not contribute to the ultimate sensitivity in the fully optimized regime.

IV. ELECTRON IN A CAVITY

The cyclotron transition rate, as given in eq. (16), only holds when the electron trap is in free space. In reality, the electron is surrounded by metallic conducting surfaces, which ground any electric fields parallel to their surfaces. This presence of conductors can significantly modify the expected transition rate. Counterintuitively, an appropriately chosen geometry of conducting shield can even enhance our sensitivity to dark matter due to a "focusing"-like phenomenon. We begin by providing an intuitive physical explanation of this effect before proceeding with a detailed mathematical derivation.

The concept of using dish antennas to focus dark-photon- and axion-induced electromagnetic radiation was first introduced in Ref. [94]. The core idea is as follows: as discussed below, a metallic surface exposed to dark photon or axion dark matter generates Standard Model electromagnetic radiation normal to the surface. In the ray optics approximation, a spherical surface would emit rays that converge at the center, thereby concentrating all the radiated power at that focal point. This effect arises under the assumption that the Standard Model radiation is purely outgoing from the conductor's surface. Such an assumption is valid when a good absorber is positioned at the center of the spherical surface.

In contrast, our setup involves a single electron located at the center of the cavity, which absorbs only a negligible fraction of the available energy. Therefore, both outgoing and incoming modes (or equivalently, standing wave modes) must be considered to accurately describe the focusing effect in an absorber-less cavity, as opposed to purely outgoing modes. We begin by providing an intuitive explanation based on ray optics in Section IV A. This is followed by a rigorous derivation of the radiation pattern inside the cavity, without relying on the ray optics approximation, in Section IV B, demonstrating that the focusing effect still persists.

A. Ray Optics

We start by estimating the focusing effects with the ray optics intuition here and provide the rigorous justification in the next subsection. Consider an infinite conducting plate immersed in a dark photon dark matter (DPDM) background (everything below is the same for the axion as long as there is an external magnetic field). As long as the electric field sourced by dark photon has a parallel component $E_{DM}^{||}$, the electrons in the conductor will be accelerated and start oscillating. This process must generate radiation in a way that cancels $E_{DM}^{||}$ at the conductor surface in order to satisfy the conductor boundary condition (assuming the wavelength of the dark photon is much larger than the skin depth of the conductor). By planar symmetry, the radiation must be in the form of a plane wave, as shown in Figure 4a. In equations,

$$E_{\rm DM}^{||}\cos(m_{A'}t + m_{A'}vx) + E_{\rm PW}^{||}\cos(\omega t - kx)$$
 (54)

Here x is a space coordinate with x = 0 defining the metal plate. Let us start by ignoring the term proportional to $v \approx 10^{-3}$ for now. Requiring that $E^{||} = 0$ at x = 0 gives

$$E_{\rm PW}^{\parallel} = -E_{\rm DM}^{\parallel} = \epsilon \sqrt{\rho_{\rm DM}}$$

$$\omega = m_{A'} . \tag{55}$$

So, metal plates generically source ϵ -suppressed plane waves with frequency given by the DPDM mass, $m_{A'}$, as a characteristic signal of dark photon dark matter [94].




FIG. 4: (a) An infinite metal plate sources plane wave. (b) Cylindrical focusing provides a linear enhancement in power. (c) Spherical focusing provides a quadratic enhancement in power. (d) For an effective current pointing in a generic direction, portions of the cavity do not experience a parallel electric field.

Now, suppose we wrap the conducting sheet around to form a cylinder. All radiation sourced by the boundary conductor will go through the central axis, enhancing the energy density there: the incoming power is proportional to the cylinder circumference $2\pi R$, which is concentrated into a region of size the dark photon wavelength $m_{A'}^{-1}$; see Figure 4b. Therefore, the enhancement is captured by the factor

$$\kappa^2 \sim \frac{R}{m_{A'}^{-1}}$$
 (cylindrical focusing) . (56)

Here, we define κ^2 to be the enhancement in power, such that κ is the enhancement in the fields. We just need to multiply our free-space transition rate by a cavity factor κ^2 to incorporate cavity effects:

$$\Gamma_{c,\text{cavity}} = \kappa^2 \Gamma_{c,\text{free}} \ .$$
 (57)

This effect is known as "focusing." It was first proposed in the context of dish antenna [94], and a similar technique was recently proposed by BREAD for a paraboloid geometry [67]. Cylindrical focusing was employed in our proof-of-principle measurement [23], with the cylindrical trap cavity naturally playing the role of the focusing apparatus, and with an enhancement factor of $\kappa^2 = 2.37$ at the chosen frequency.

A spherical geometry would give rise to a more powerful focusing effect. By the same argument as above, the incoming power is proportional to the surface area $4\pi R^2$, giving rise to a quadratic enhancement

$$\kappa^2 \sim \left(\frac{R}{m_{A'}^{-1}}\right)^2 \qquad \text{(spherical focusing)} .$$
(58)

See Figure 4c. Therefore, in order to maximize the sensitivity to dark photons, we want a large, spherical cavity. In Ref. [23], we proposed a spherical trap cavity with $\kappa^2 \approx 4000$.

The electron cyclotron is only sensitive to electric fields in the xy-plane, perpendicular to the magnetic field. Let the x-direction be the dark photon polarization projected onto the plane. Then the portions of the cavity near the intersections with the x-axis do not experience a parallel electric field. For example, in the cylinder, not the entire circle contributes to the focusing; see Figure 4d. However, this minor effect does not change the scaling of κ^2 .

1. Point-Like Nature of Electrons

We have assumed the electron is point-like, which is valid as long as the dark photon (or axion) Compton wavelength

$$\lambda_{A'} = \frac{2\pi}{m_{A'}} = 12 \text{ mm} \left(\frac{0.1 \text{ meV}}{m_{A'}} \right) = 12 \text{ mm} \left(\frac{24 \text{ GHz}}{\omega_c / 2\pi} \right)$$
 (59)

is much larger than the size of the electron wave function. The cyclotron, magnetron, and axial radii are given by [95]

$$r_c \approx \sqrt{n_c \frac{2}{m_e \omega_c}} = 3.9 \times 10^{-5} \text{ mm } (n_c)^{1/2} \left(\frac{24 \text{ GHz}}{\omega_c/2\pi}\right)^{1/2} = 3.9 \times 10^{-5} \text{ mm } (n_c)^{1/2} \left(\frac{0.1 \text{ meV}}{m_{A'}}\right)^{1/2}$$
 (60)

$$r_m \approx \sqrt{n_m \frac{2}{m_e \omega_c}} = 3.9 \times 10^{-5} \text{ mm } (n_c)^{1/2} \left(\frac{24 \text{ GHz}}{\omega_c/2\pi}\right)^{1/2} = 3.9 \times 10^{-5} \text{ mm } (n_m)^{1/2} \left(\frac{0.1 \text{ meV}}{m_{A'}}\right)^{1/2} \tag{61}$$

$$r_z \approx \sqrt{n_z \frac{2}{m_e \omega_z}} = 6.0 \times 10^{-3} \text{ mm } (n_z)^{1/2} \left(\frac{1 \text{ MHz}}{\omega_z / 2\pi}\right)^{1/2}$$
 (62)

The conditions $r_c, r_m, r_z \ll \lambda_{A'}$ are always satisfied for all relevant quantum numbers.

2. Limit on Focuser Size

We cannot arbitrarily increase the size of the cavity to indefinitely enhance focusing. When the radius of the cavity R gets larger than the de Broglie wavelength (i.e. coherence length) of dark photon,

$$\lambda_{\text{coherence}} = \lambda_{\text{dB}} = \frac{2\pi}{m_{A'}v} = 12 \text{ mm} \left(\frac{0.1 \text{ meV}}{m_{A'}}\right) = 12 \text{ mm} \left(\frac{24 \text{ GHz}}{\omega_c/2\pi}\right) , \tag{63}$$

the hitherto-ignored phase $m_{A'}vx$ in eq. (54) becomes significant and smears out the focal region [96]. Once this limit is reached, any additional signal power from focusing is spread to a larger volume, but the local power density the electron feels is constant. Therefore, the maximum cavity factor for a spherical cavity is

$$\kappa_{\text{max,sph}}^2 \sim \left(\frac{2\pi}{v}\right)^2 \approx 4 \times 10^7 ,$$
(64)

and the maximum cavity radius at which this limit is reached is $R_{\text{max}} = \lambda_{\text{dB}}$. The argument holds for the axion as well.

B. Wave Optics

In this section, we derive the enhancement factor κ using first principles from wave optics, focusing on cylindrical and spherical trap cavities as dark photon converters. As mentioned, since the axion is a scalar with no intrinsic polarization, the electric field produced by its conversion aligns entirely with the direction of the applied magnetic field, rendering it undetectable by our cyclotron sensor, which is sensitive only to fields in the plane perpendicular to this direction. We will address the resolution to this problem using a more complicated focuser geometry in the next subsection.

The key quantity of interest is the observed electric field 7 $E^{\rm obs}_{\rm cavity,x}(\mathbf{0})$ at the center of the cavity, in the x-direction, defined as the projection of the dark photon polarization in the plane perpendicular to the trap's magnetic field (\hat{z} direction). In a generic cavity, the electric field resulting from the interaction of the dark photon with the cavity needs not align with the x-direction. However, this alignment holds for cavities with at least cylindrical symmetry. For such geometries, we define the enhancement factor κ in terms of $E^{\rm obs}_{\rm cavity,x}(\mathbf{0})$ and the free-space electric field $E^{\rm obs}_{\rm free,x}$ as:

$$\kappa^2 \equiv \left| \frac{E_{\text{cavity},x}^{\text{obs}}(\mathbf{0})}{E_{\text{free},x}^{\text{obs}}} \right|^2 . \tag{65}$$

We begin by solving Maxwell's equations for the electromagnetic fields inside the cavity. The dark photon induces an effective current [97],

$$\mathbf{J}_{\text{eff}} = -\epsilon m_{A'}^2 A' \hat{\mathbf{A}}' , \qquad (66)$$

⁷ The observed field is defined as the sum of the Standard Model electric field and the ϵ -suppressed dark photon field: $\mathbf{E}^{\text{obs}} = \mathbf{E} + \epsilon \mathbf{E}'$.

that acts as a source term, while the fields themselves must satisfy the cavity's boundary conditions. Neglecting velocity-suppressed terms and assuming harmonic time dependence of the fields, the general solution can be written as a sum over the cavity's modes $\mathbf{E}_n(\mathbf{x})$ [97, 98]:

$$\mathbf{E}_{\text{cavity}}^{\text{obs}}(\mathbf{x}) = \sum_{n} c_n \mathbf{E}_n(\mathbf{x}) + \mathcal{O}(v) , \qquad (67)$$

where n is a set of discrete indices labeling the vacuum cavity modes with resonant frequencies ω_n , and the coefficients c_n are determined by the overlap of the dark photon current with each mode:

$$c_n = \frac{-i\omega}{\omega_n^2 - \omega^2} \frac{\int d^3 x \mathbf{E}_n^*(\mathbf{x}) \cdot \mathbf{J}_{\text{eff}}}{\int d^3 x |\mathbf{E}_n(\mathbf{x})|^2} . \tag{68}$$

Here, the driving frequency is the dark photon mass $\omega = m_{A'}$, and the integral is over the interior of the cavity. The enhancement factor κ becomes:

$$\kappa^2 = \left| \sum_n \frac{c_n}{i\omega \epsilon A_x'} E_{n,x}(\mathbf{0}) \right|^2 \tag{69}$$

$$= \left| \sum_{n} \frac{-i\omega}{\omega_n^2 - \omega^2} \frac{\int d^3 x \mathbf{E}_n^*(\mathbf{x}) \cdot \left[-\epsilon \omega^2 (A_x' \hat{x} + A_z' \hat{z}) \right]}{\int d^3 x |\mathbf{E}_n(\mathbf{x})|^2} \frac{1}{i\omega \epsilon A_x'} E_{n,x}(\mathbf{0}) \right|^2 , \tag{70}$$

where we used $\mathbf{E}_{\text{free}}^{\text{obs}} = \epsilon \mathbf{E}'_{\text{free}} = i m_{A'} \epsilon \mathbf{A}'_{\text{free}}$. For a cavity with cylindrical symmetry, the dark photon component A'_z cannot generate an x-directed field at the origin. Therefore, only the A'_x term contributes:

$$\kappa^{2}(\omega) = \left| \sum_{n} \frac{\omega^{2}}{\omega_{n}^{2} (1 - \frac{2i}{Q_{n}}) - \omega^{2}} \underbrace{\frac{\int d^{3}x \mathbf{E}_{n}^{*}(\mathbf{x}) \cdot \hat{x}}{\int d^{3}x |\mathbf{E}_{n}(\mathbf{x})|^{2}} \mathbf{E}_{n}(\mathbf{0}) \cdot \hat{x}}_{\equiv G_{n}} \right|^{2} . \tag{71}$$

Roughly speaking, the factor G_n encapsulates the overlap of the cavity mode with the dark photon current, while the factor $\frac{\omega^2}{\omega_n^2 - \omega^2}$ counts the number of resonances less than ω . For more complex geometries without cylindrical symmetry, G_n would include contributions from multiple components of \mathbf{J}_{eff} , making the enhancement $\kappa = \kappa(\theta)$ dependent on the dark photon angle.

The final expression for the cyclotron transition rate in cavity with at least cylindrical symmetry is thus given by:

$$\Gamma_{c,\text{cavity}} = \kappa^2 \frac{\epsilon^2 e^2 \pi \sin^2 \theta (n_c + 1)}{2m_e m_{A'}} \frac{\rho_{\text{DM}}}{\Delta \omega} , \qquad (72)$$

where κ^2 depends on the detailed geometry of the cavity.

We now apply the above general formalism to specific cases of spherical and cylindrical cavities. This will allow us to illustrate how focusing works quantitatively and justify the ray-optics argument given earlier.

As derived in Appendix D 1, for a spherical cavity of radius R, the cavity factor is expressed as a sum over a discrete index p:

$$\kappa_{\text{sphere}}^2(\omega) = \left| \sum_{p=1}^{\infty} \frac{\omega^2}{\omega_p^2 - \omega^2} G_p^{\text{sphere}} \right|^2 , \qquad (73)$$

with G_p^{sphere} defined as:

$$G_p^{\text{sphere}} = -\frac{8}{3}j_1(u'_{1p}) \left[\frac{u'_{1p}^5}{2 + 2u'_{1p}^2 - 2u'_{1p}^4 + 2(-1 + u'_{1p}^2)\cos(2u'_{1p}) + u'_{1p}(-4 + u'_{1p}^2)\sin(2u'_{1p})} \right] . \tag{74}$$

⁸ The addition of an imaginary part to the resonant frequencies ω_n , given by the cavity quality factor Q_n , renormalizes divergences of c_n by taking into account wall losses [98]. These quality factors will be suppressed when they are not relevant.

Here, $j_n(x)$ are the spherical Bessel functions, $\hat{J}_n(x) \equiv x j_n(x)$ are Harrington's spherical Bessel functions, u'_{np} is the p-th zero of the derivative $\hat{J}_n'(x)$, and $\omega_p = u'_{1p}/R$ are the resonant frequencies.

For typical dark photon masses that do not coincide with resonances, the sum is dominated by the nearest mode ω_{p_*} among all the ω_p , giving:

$$\kappa_{\text{sphere}}^2(\omega) \approx \left| \frac{\omega^2}{(\omega_{p_*} + \omega)(\omega_{p_*} - \omega)} G_{p_*}^{\text{sphere}} \right|^2 .$$
(75)

We can approximate $\omega_{p_*} + \omega \approx 2\omega$. Since $\omega_p = u'_{1p}/R \approx \omega_{p-1} + \pi/R$ for large p, the typical difference is $\omega_{p_*} - \omega \approx \frac{\pi}{4R}$. So we have

$$\kappa_{\rm sphere}^2(\omega) \approx \left| \frac{2\omega R}{\pi} G_{p_*}^{\rm sphere} \right|^2 .$$
(76)

In eq. (74), the $u_{1p}^{\prime 4}$ term dominates the denominator for large p, so G_p^{sphere} scales as

$$|G_p^{\text{sphere}}| \approx \frac{4}{3} |j_1(u'_{1p}) \ u'_{1p}| \approx \frac{4}{3} ,$$
 (77)

which is a constant. Finally, we conclude that the cavity factor for sphere scales quadratically:

$$\kappa_{\text{sphere}}^2(\omega) = \left| \frac{8\omega R}{3\pi} \right|^2 \propto (\omega R)^2 = \left(\frac{R}{m_{A'}^{-1}} \right)^2,$$
(78)

which matches the ray optics prediction of area-focusing.

In Figure 5, we show that our estimate eq. (77) closely matches the exact expression eq. (74), up to the cavity modes that we have averaged over. The behavior near the resonance is sensitive to the quality factor of the cavity.

We can also show that a cylindrical cavity has a linear focusing. The calculation is more involved, and we relegate it to Appendix E.




FIG. 5: The cavity factor κ_{sphere}^2 for a sphere. Exact expression (shown in black; eq. (74)) versus our scaling estimate (shown in red; eq. (78)). We have restored the quality factors and set all $Q_p = 3000$.

C. Open Trap with Large Conversion Cavity

Having established the validity of the geometric ray optics argument, we now apply it to our experiment. In our earlier work [23], we proposed a spherical trap of radius $R_{\rm trap}=25$ mm, which served as both the trapping and focusing apparatus. This configuration provided a cavity factor of $\kappa^2 \approx (m_{A'}R_{\rm trap})^2 \approx 4000 \left(\frac{m_{A'}}{0.5~{\rm meV}}\right)^2 =$

 $4000 \left(\frac{\omega_c/2\pi}{120~\mathrm{GHz}}\right)^2$. Although significant, this enhancement remains far below the theoretical maximum for a spherical geometry, $\kappa_{\mathrm{max,sph}}^2 \approx 10^7$ (see eq. (64)).

The limitation arises because the trap must fit inside the magnetic bottle ring, which requires a small size to generate a large signal (see Section III A). This size constraint conflicts with the need for a larger focusing area. Furthermore, this design is insensitive to axions since the signal photon has an axial polarization. Additionally, using the same magnetic field for both trapping the electron and axion conversion reduces sensitivity at lower frequencies due to the need for scanning the B_0 field.

We solve these issues by decoupling the trapping apparatus (radius $R_{\rm trap}$) from the focusing apparatus (radius $R \gg R_{\rm trap}$). Using an open-endcap Penning trap [83], which is a hollow cylinder with both ends open, signal photons can enter through one end and interact with the electron positioned at the center. The signal can originate from a separate axion conversion region and be directed into the trap via a waveguide, effectively separating the detection and conversion regions.

For efficient axion conversion and focusing, we adopt a large cylindrical cavity design similar to that proposed by BREAD [67]. This setup uses a metal barrel of radius R = 1 m and height $L = 2\sqrt{2}R$ within a solenoid providing a strong external magnetic field, $B_{\rm ext} = 10$ T (see Figure 1a). Axions are converted into photons at the inner surface and radiate toward the central axis. A parabolic reflector at the center redirects these photons, focusing them to a single point. A waveguide then channels the signal to a photosensor.

The BREAD collaboration plans to use kinetic inductance detectors (KID) and transition-edge sensors (TES) as photosensors. In contrast, we propose using the electron Penning trap, which resolves the polarization issue by designing the waveguide to produce an electric field in the xy-plane. This setup also separates the trapping field B_0 from the external magnetic field B_{ext} , addressing the scanning issue.

Despite its cylindrical shape, BREAD's parabolic reflector focuses power from the entire surface area of $A_{\text{BREAD}} = 2\pi R \times L$, resulting in an area focusing factor of $\kappa^2 \sim (m_{A'}R)^2$, similar to the spherical focusing discussed earlier. The cavity factor is then:

$$\kappa_{\rm BREAD}^2 \approx \frac{A_{\rm BREAD,eff}}{4\pi \ m_{A'}^{-2}}$$
(79)

$$= \frac{m_{A'}^2}{4\pi} 2\pi \min(R, \lambda_{\text{dB}}) \times \min(L, \lambda_{\text{dB}})$$
(80)

$$=\frac{1}{2}m_{A'}^2\min\left(R,\frac{2\pi}{m_{A'}v}\right)\times\min\left(2\sqrt{2}R,\frac{2\pi}{m_{A'}v}\right) \tag{81}$$

$$= \frac{1}{2} m_{A'}^2 \min \left[1 \text{ m}, 12.4 \text{ m} \left(\frac{0.1 \text{ meV}}{m_{A'}} \right) \right] \times \min \left[2.8 \text{ m}, 12.4 \text{ m} \left(\frac{0.1 \text{ meV}}{m_{A'}} \right) \right]$$
(82)

$$= \frac{1}{2} m_{A'}^2 \min \left[1 \text{ m}, 12.4 \text{ m} \left(\frac{24 \text{ GHz}}{\omega_c / 2\pi} \right) \right] \times \min \left[2.8 \text{ m}, 12.4 \text{ m} \left(\frac{24 \text{ GHz}}{\omega_c / 2\pi} \right) \right] , \tag{83}$$

where $\lambda_{\text{dB}} = 2\pi/(m_{A'}v)$ is the de Broglie wavelength and $v = 10^{-3}$ is the dark matter velocity. At higher frequencies, the focusing limit is saturated (see Section IV A 2), which causes the kinks in the constraint curves (Figures 2 and 3).

Compared to KID/TES sensors, the electron trap has competitive sensitivity and offers two additional advantages. First, it can access lower frequencies ($m_{A'} \sim 0.1 \text{ meV}$), covering parts of the predicted mass range of post-inflationary QCD axions ($m_a \in (0.04 \text{ meV}, 0.18 \text{ meV})$) [55], while KID/TES are only sensitive to $m_{A'} > 0.2 \text{ meV}$ [67]. Second, the Penning trap is compatible with strong magnetic fields, allowing it to operate directly above the axion-conversion magnet, unlike superconducting KID/TES sensors, which require extensive shielding from high fields.

D. Dielectric Layers

Ref. [68] demonstrated that axion or dark photon conversion experiments can be enhanced by increasing the conversion volume using a stack of dielectric layers, with layer spacing set to match the dark matter Compton wavelength. We point out that this strategy can be integrated with the BREAD setup by adding concentric dielectric cylinders inside the BREAD cavity. It is also compatible with any photosensor and can accommodate frequency scans by periodically switching the dielectric stacks. Although a detailed implementation is beyond the scope of this work, we provide a rough estimate of the potential enhancement below, based heavily on Ref. [68].

Suppose we have N_s dielectric stacks, each with N_l layers. Layers within a stack have identical thicknesses, but different stacks can vary slightly to cover a broader frequency range. The total number of layers is limited by the cavity size, $N_s N_l = N_{\text{max}}$. For a single stack, the conversion power P is enhanced by a factor of N_l^2 relative to the

vacuum power P_0 :

$$\frac{P}{P_0} = \frac{1}{2}N_l^2 \ . \tag{84}$$

However, the bandwidth decreases by a factor of $1/N_l$, and with N_s neighboring-frequency stacks, the fractional frequency coverage is:

$$\frac{\Delta\omega}{\omega} = \frac{N_s}{N_l} \ . \tag{85}$$

The integrated power across the entire covered frequency range remains constant:

$$\frac{P}{P_0} \frac{\Delta \omega}{\omega} = \frac{1}{2} N_l N_s = \frac{1}{2} N_{\text{max}} . \tag{86}$$

However, fractional coverage exceeding $\sim 30\%$ would reduce transparency to propagating signal photons, requiring periodic switching of dielectric stacks with different layer thicknesses to facilitate frequency scan. More frequent switching of the stacks reduces the frequency range per set, thereby allowing for a smaller N_s and a correspondingly larger N_l . If we switch stacks $N_{\rm switch} = 40$ times over a 1000-day scan (one switch per month) for a decade in frequency, the fractional frequency per set is:

$$\frac{\Delta\omega}{\omega} = 10^{1/N_{\text{switch}}} - 1 \approx \frac{\log 10}{N_{\text{switch}}} \ll 30\% . \tag{87}$$

Substituting this into eq. (85) and eq. (86), we find

$$N_l = \sqrt{\frac{N_{\text{switch}}}{\log 10} N_{\text{max}}} \tag{88}$$

$$N_s = \sqrt{\frac{\log 10}{N_{\text{switch}}} N_{\text{max}}} \ . \tag{89}$$

The corresponding enhancement in power is:

$$\frac{P}{P_0} = \frac{1}{2} \frac{N_{\text{switch}}}{\log 10} N_{\text{max}}.$$
(90)

Although the ultimate number of layers is limited by the dark matter coherence length, which sets $N_{\rm max} = v^{-1}N_s = 1000N_s$ for each frequency, where $v \approx 10^{-3}$ is the dark matter velocity, a more stringent constraint arises from fitting the layers within a R=1 m cavity. For instance, at $m_{A'}=0.1$ meV, the Compton wavelength is $\lambda_{A'}=\frac{2\pi}{m_{A'}}=12$ mm, so at most $\frac{R}{\lambda_{A'}}\approx 83$ layers fit within a R=1 m cavity. Accounting for reduced surface area near the center, we take an effective radius of R/2, giving:

$$N_{\text{max}} = \frac{R/2}{2\pi/\omega_c} \ . \tag{91}$$

Thus, the values of N_l and N_s become:

$$N_l = \sqrt{\frac{N_{\text{switch}}}{\log 10} \frac{0.5 \text{ m}}{2\pi/\omega_c}} = 84 \left(\frac{\omega_c/2\pi}{242 \text{ GHz}}\right)^{1/2} = 84 \left(\frac{m_{A'}}{1 \text{ meV}}\right)^{1/2}$$
(92)

$$N_s = \sqrt{\frac{\log 10}{N_{\text{switch}}} \frac{0.5 \text{ m}}{2\pi/\omega_c}} = 5 \left(\frac{\omega_c/2\pi}{242 \text{ GHz}}\right)^{1/2} = 5 \left(\frac{m_{A'}}{1 \text{ meV}}\right)^{1/2} . \tag{93}$$

The corresponding enhancement in power is:

$$\frac{P}{P_0} = \frac{1}{2} \frac{N_{\text{switch}}}{\log 10} \frac{0.5 \text{ m}}{2\pi/\omega_c} = 3.5 \times 10^3 \left(\frac{\omega_c/2\pi}{242 \text{ GHz}}\right) \left(\frac{N_{\text{switch}}}{40}\right) = 3.5 \times 10^3 \left(\frac{m_{A'}}{1 \text{ meV}}\right) \left(\frac{N_{\text{switch}}}{40}\right) . \tag{94}$$

The cyclotron transition rate is then enhanced by this factor:

$$\Gamma_{c,\text{cavity}} \to \frac{1}{2} N_l^2 \Gamma_{c,\text{cavity}} \ .$$
 (95)

This enhancement is not exclusive to the electron trap detector and can be applied to other sensors in the BREAD experiment as well.

V. PROJECTIONS

For the dark photon, we derive the constraint on the kinetic mixing parameter, ϵ , using eq. (17) and eq. (18) in the broadband regime, where $\Delta\omega = \Delta\omega_c > \Delta\omega_{A'}$. Using eq. (51) for the observation time per bin, the BREAD cavity factor κ_{BREAD}^2 (eq. (82)), the maximum cyclotron number $n_{c,\text{max}} = 1.2 \times 10^6 \left(\frac{24 \text{ GHz}}{\omega_c/2\pi}\right)^2 = 1.2 \times 10^6 \left(\frac{0.1 \text{ meV}}{m_{A'}}\right)^2$, and adding the dielectric enhancement factor for N_l layers of dielectric per stack (eq. (95)), we get

$$\epsilon^2 = \frac{-\log(1 - CL)}{\zeta t_{\text{total}}} \frac{m_{A',\text{max}} - m_{A',\text{min}}}{\rho_{\text{DM}}} \frac{2m_e m_{A'}}{e^2 \pi n_{c,\text{max}} \langle \sin^2 \theta \rangle} \frac{1}{\kappa_{\text{BREAD}}^2} \frac{1}{N_l^2/2} . \tag{96}$$

The value of N_l is set by assuming switching dielectric layers $N_{\rm switch}=40$ times over $t_{\rm total}=1000$ days, corresponding to roughly once a month (see Section IV D). Note that we follow the convention of allocating $t_{\rm total}=1000$ days to scan one order of magnitude in frequency but will proportionally spend extra time to cover from 0.1 to 2.3 meV. The detection efficiency⁹ from eq. (A43) is simply $\zeta=e^{-1}$ since we have saturated the limit $t_{\rm ave}=\tau_c$ and $\delta=5\sigma$ for an SNR of 5. Using $\rho_{\rm DM}=0.45~{\rm GeV/cm^3}$ and a confidence level CL=0.9, we can probe down to $\epsilon\approx2\times10^{-16}$ at $m_{A'}=0.1~{\rm meV}$.

This result is shown in Figure 3, which also shows the sensitivity projections incorporating only the BREAD experiment and those including BREAD along with excited cyclotron states. The final reach, combining all three designs, is shown in a dotted line as we consider the idea of dielectric layers more futuristic and uncertain in terms of cost. In contrast, the BREAD experiment is already under construction, and our modifications to the electron Penning trap are straightforward and cost-effective using existing technology. The sensitivity gets weaker for $m_{A'} \gtrsim 0.5$ meV, as evident by the kinks in the constraint curves, which are due to the saturation of the limit of focusing (see Section IV C). Finally, we note that this setup allows us to meaningfully probe purely gravity-induced kinetic mixing $(\epsilon < 10^{-13})$ in the so-called dark matter nightmare scenario [74].

A similar calculation for the axion can be done using eq. (19):

$$g_{a\gamma\gamma}^{2} = \frac{-\log(1 - CL)}{\zeta t_{\text{total}}} \frac{m_{a,\text{max}} - m_{a,\text{min}}}{\rho_{\text{DM}}} \frac{2m_{e}m_{a}^{3}}{e^{2}\pi n_{c,\text{max}} B_{\text{ext}}^{2}} \frac{1}{\kappa_{\text{BREAD}}^{2}} \frac{1}{N_{l}^{2}/2} .$$
 (97)

As shown in Figure 2, incorporating all three proposed designs allows us to reach down to

$$g_{a\gamma\gamma} \approx 9 \times 10^{-15} \text{ GeV}^{-1} \left(\frac{\omega_c/2\pi}{24 \text{ GHz}} \right) = 9 \times 10^{-15} \text{ GeV}^{-1} \left(\frac{m_a}{0.1 \text{ meV}} \right) ,$$
 (98)

enabling us to probe the QCD axion parameter space. This setup covers the entirety of KSVZ model from 0.1 meV to 2.3 meV and the DFSZ model up to about 1 meV (due to the "kink" from saturation of focusing limit). This is a particularly well-motivated region of the parameter space because a post-inflationary QCD axion was predicted [55] to have a mass $m_a \in (0.04 \text{ meV}, 0.18 \text{ meV})$. Our proposed experiment will be able to explore the mass range from 0.1 meV to 0.18 meV, covering over half of the predicted parameter space.

VI. CONCLUSION

We have introduced a novel method for detecting QCD axion and dark photon dark matter utilizing highly excited cyclotron states of a trapped electron, significantly improving our previous work [23]. By optimizing key experimental parameters, we have reduced the averaging time required to detect a cyclotron excitation to $t_{\text{ave}} = 2.9 \times 10^{-6} \text{ s}$, allowing us to observe the excitation of a cyclotron state with $n_c = 1.2 \times 10^6 \left(\frac{0.1 \text{ meV}}{m_{A'}}\right)^2$ before its decay. Since the transition probability scales with the initial quantum number n_c , this greatly enhances its sensitivity.

We propose an open-endcap Penning trap design that facilitates the coupling of external photon signals into the trap, leveraging the large focusing power and strong magnetic field of a large conversion cavity (e.g. the BREAD experiment [67]). Additionally, we propose filling the cavity with dielectric layers of alternating refractive indices to increase the conversion volume. This method is compatible with scanning by periodically switching the dielectric layers, conservatively assumed to be once a month.

⁹ Here e is Euler's constant, not to be confused with electric charge e = 0.303 used elsewhere in this equation.

These strategies, depicted schematically in Figure 1a, enable the exploration of the QCD axion parameter space from 0.1 meV to 2.3 meV in a 1000-day-per-decade scan (Figure 2), covering a significant portion of the predicted post-inflationary QCD axion mass range $m_a \in (0.04 \text{ meV}, 0.18 \text{ meV})$ [55]. The experiment also probes the kinetic mixing parameter of the dark photon down to $\epsilon \approx 2 \times 10^{-16}$ (Figure 3).

To achieve the required averaging time, we need to lower the cyclotron quality factor to $Q_c = \frac{\omega_c}{\Delta \omega_c} = 20 \left(\frac{m_{A'}}{0.1 \text{ meV}}\right)$, which is much broader than the dark matter quality factor $Q_{\rm DM} = 10^6$. However, this does not diminish sensitivity because it allows for a longer observation time per frequency bin, $t_{\rm obs} \approx 5.5$ days. We have also shown that when the averaging time is minimized, trapping more than one electron does not improve sensitivity. Our design is advantageous because it is background-free, as demonstrated in [23], and B-field compatible, allowing it to operate conveniently above the BREAD magnet.

Moreover, this paper has contributed to the literature by rigorously deriving the focusing effect and justifying the ray-optics approximation in the case of cylindrical and spherical cavity geometries without a perfect absorber. We have also worked out the consequence of a fixed dark photon polarization scenario for our experiment (Appendix F), which is representative of a class of experiments not addressed by Ref. [13]: a directionally sensitive quantum sensor (with discrete signals).

Our sensitivity remains well below the ultimate backreaction limit common to all dish-type experiments (Appendix B), so there is significant room for improvement. For instance, further lowering the averaging time could allow for an even higher cyclotron state n_c . This work thus opens up a "rapid measurement frontier" in the search for axions. In conclusion, this work provides a clear path to searching the well-motivated yet challenging meV QCD axion parameter space.

ACKNOWLEDGMENTS

We would like to thank David E. Kaplan and Junwu Huang for discussions and useful suggestions.

This work was supported by the U.S. DOE, Office of Science, National QIS Research Centers, Superconducting Quantum Materials and Systems Center (SQMS) under Contract No. DE-AC02-07CH11359. Additional support was provided by NSF Grants No. PHY-1903756, No. PHY-2110565, and No. PHY-2310429; by the John Templeton Foundation Grants No. 61906 and No. 61039; by the Simons Investigator Award No. 824870; by the DOE HEP QuantISED Award No. 100495; by the Gordon and Betty Moore Foundation Grant No. GBMF7946; and by the Masason Foundation. S.W. was supported in part by the J.J., L.P., and A.J. Smortchevsky Fellowship and the Clark Fellowship. Y.X. was supported in part by the Stanford Graduate Fellowship and the Vincent and Lily Woo Fellowship.

Appendix A: Cyclotron Transition Rate

1. Perturbation Hamiltonian by Dark Photon

The Hamiltonian H_0 gets altered by a perturbation due to dark photon dark matter (DPDM). Working in the mass basis, the dark photon Lagrangian contains the term [97]

$$\mathcal{L} \supset -eJ_{\rm EM}^{\mu}(A_{\mu} + \epsilon A_{\mu}') \ . \tag{A1}$$

So, we simply need to replace $A_{\mu} \to A_{\mu} + \epsilon A'_{\mu}$ in the unperturbed Hamiltonian, only keeping terms up to first order in ϵ :

$$H = \frac{(\mathbf{p} - e\mathbf{A} - \epsilon e\mathbf{A}')^2}{2m_e} + eV(\mathbf{r}) + \epsilon eV'$$
(A2)

$$= H_0 + \epsilon e \left[V' - \frac{(\mathbf{p} - e\mathbf{A}) \cdot \mathbf{A}'}{m_e} \right] . \tag{A3}$$

We can ignore the ordering of the **p** and $\mathbf{A}'(\mathbf{x},t)$ operators since we will take the zeroth-order approximation of \mathbf{A}' , which has no position dependence.

Since there is negligible standard model source, A'_{μ} satisfies the vacuum Proca equation

$$\left(\partial^2 + m_{A'}^2\right) A'_{\mu} = \epsilon e J^{\mu}_{\rm EM} = 0 \ .$$
 (A4)

The most general solution is of the form

$$\mathbf{A}'(\mathbf{x},t) = A' \int d^3k \ \psi(\mathbf{k}) e^{i(\omega t - \mathbf{k} \cdot \mathbf{x})} \ , \tag{A5}$$

where $\omega = \sqrt{\mathbf{k}^2 + m_{A'}^2}$ and A' is a constant. In the non-relativistic limit, this simplifies to [97]

$$\mathbf{A}'(\mathbf{x},t) = A'e^{im_{A'}t} \int d^3v \ \psi(\mathbf{v})e^{im_{A'}(\frac{1}{2}v^2t - \mathbf{v} \cdot \mathbf{x})}$$
(A6)

$$= A' e^{im_{A'}t} \hat{\mathbf{A}}'(\mathbf{x}, t) e^{i\varphi(\mathbf{x}, t)} \tag{A7}$$

where $\hat{\mathbf{A}}'$ is a unit vector. The small but non-zero dark matter velocity $v \sim 10^{-3}$ makes \mathbf{A}' an oscillating field with mean frequency $\omega_{A'} = m_{A'}$ and a small frequency spread $\Delta \omega_{A'} \approx \frac{1}{2} m_{A'} v^2 \approx 10^{-6} m_{A'}$. For now, we will assume \mathbf{A}' has a monochromatic frequency; in Appendix A 3, we will take into account $\Delta \omega_{A'}$ using a memory-loss argument.

The coherence length of \mathbf{A}' is large, given by $\lambda_{\text{coherence}} = \frac{2\pi}{m_{A'}v}$. The direction $\hat{\mathbf{A}}'(\mathbf{x},t)$ has coherence length and time that are at least as large as the phase [97]. So we can take

$$\mathbf{A}'(\mathbf{x},t) = A'e^{im_{A'}t}\hat{\mathbf{A}}' = A'e^{im_{A'}t}\left[\sin\theta\hat{x} + \cos\theta\hat{z}\right] , \tag{A8}$$

where θ is the polar angle with respect to the magnetic field direction \hat{z} , and we define the projection of $\hat{\mathbf{A}}'$ onto the plane as the x-direction without loss of generality.

Charge conservation implies that A'^{μ} also needs to satisfy the Lorenz gauge-like constraint $\partial_{\mu}A'^{\mu} = 0$. This means $\partial_{t}V' = -\nabla \cdot \mathbf{A}'$ which implies that $V' \propto \mathbf{v} \cdot \mathbf{A}'$. Since $v \sim 10^{-3}$ is small, the V' term can be safely ignored [97]. Finally, substituting

$$\mathbf{A}(\mathbf{r}) = \frac{1}{2}\mathbf{B} \times \mathbf{r} = \frac{B_0}{2}(-y\hat{x} + x\hat{y}) \tag{A9}$$

and eq. (A8) into the Hamiltonian, we arrive at

$$H = H_0 - \epsilon e \frac{A'}{m_e} \sin(m_{A'}t) \left[\sin \theta \left(p_x + e \frac{B_0}{2} y \right) + \cos \theta p_z \right] , \qquad (A10)$$

where we have taken the imaginary part of the phase to make the Hamiltonian Hermitian. Since p_z can only create and annihilate axial modes $(p_z = iz_0 m_e \omega_z (a_z^{\dagger} - a_z))$, it cannot drive the transition of cyclotron state. Therefore, for the purpose of calculating cyclotron transitions, we can simply take the x-component of the dark photon field \mathbf{A}'_x , effectively dropping the p_z term:

$$H_{c,\text{free}}(t) = H_0 - \epsilon e \frac{(\mathbf{p} - e\mathbf{A}) \cdot \mathbf{A}_x'(t)}{m_e}$$
(A11)

$$= H_0 - \frac{\epsilon e A' \sin \theta}{m_e} \sin(m_{A'} t) \left(p_x + e \frac{B_0}{2} y \right)$$
(A12)

$$\equiv H_0 + W(t) \tag{A13}$$

$$\equiv H_0 + W \sin(m_{A'}t) , \qquad (A14)$$

where we defined the perturbation Hamiltonian W(t) and its time-independent part W. We also added subscripts to emphasize this Hamiltonian only applies to the cyclotron mode in free space.

2. Rabi's Formula and Selection Rule

Next, consider the cyclotron transition with the initial and final states, $|i\rangle = |i_c, i_m, i_z\rangle$ and $|f\rangle = |f_c, i_m, i_z\rangle$. The corresponding Bohr frequency is $\omega_{fi} = \omega_c |\Delta_c|$, where $\Delta_c \equiv f_c - i_c$. If the perturbing frequency matches this Bohr frequency, $m_{A'} \approx \omega_{fi}$, or, in other words, the detuning parameter $D \equiv m_{A'} - \omega_{fi}$ is small compared to $m_{A'}$, then only this particular transition will be resonantly driven. We can then apply the secular approximation, in which we solve the Schrodinger equation by discarding all non-resonant terms. The resulting transition probability is given by the Rabi's formula [99]:

$$\mathscr{P}_{if}(t) = \frac{|W_{fi}|^2}{|W_{fi}|^2 + D^2} \sin^2 \left[\sqrt{|W_{fi}|^2 + D^2} \frac{t}{2} \right] , \qquad (A15)$$

where $W_{fi} \equiv \langle f | W | i \rangle$ is the transition matrix element, with W defined in eq. (A14). It remains to compute the matrix element

$$W_{fi} = \frac{-\epsilon e A' \sin \theta}{m_e} \langle f | \left(p_x + e \frac{B_0}{2} y \right) | i \rangle . \tag{A16}$$

Writing p_x and y in terms of the cyclotron creation and annihilation operators and dropping the magnetron operators as the magnetron state is assumed to be unchanged,

$$p_x + e\frac{B_0}{2}y \to i\sqrt{\frac{m_e\omega_c}{2}}(a_c^{\dagger} - a_c) , \qquad (A17)$$

the matrix element evaluates to

$$|W_{fi}|^2 = (\epsilon e A' \sin \theta)^2 \frac{\omega_c}{2m_e} \left[(i_c + 1)\delta_{f_c, i_c + 1} - i_c \delta_{f_c, i_c - 1} \right] . \tag{A18}$$

We see that to leading order in ϵ , a selection rule enforces $|\Delta_c| = 1$ and $\omega_{fi} = \omega_c$. This implies we only need to consider one jump at a time. Since de-excitation is indistinguishable from radiative decay, we henceforth only consider the $n_c \to n_c + 1$ transition. We will also use the symbol n_c instead of i_c .

3. Memory-Loss Model of Frequency Width

The Rabi's formula, eq. (A15), with $|W_{fi}|^2$ given by eq. (A18), is the expression for the transition probability of a monochromatic perturbation. We need to modify this result for two reasons: the dark photon has a frequency width $\Delta \omega_{A'} = 10^{-6} m_{A'}$, and the cyclotron also has a line width $\Delta \omega_c$. In particular, the monochromatic approximation only holds until a time at which the frequency width leads to a phase shift of 2π . This time is known as the coherence time $t_{\text{coherence}}$. Since we are only sensitive to the overlap of the two sinusoids (the cyclotron and the dark photon), the coherence time is set by the larger of the two widths i.e. the smaller of the two independent coherence times:

$$t_{\text{coherence}} = \frac{2\pi}{\max(\Delta\omega_{A'}, \Delta\omega_c)} \equiv \frac{2\pi}{\Delta\omega}$$
 (A19)

We will model this frequency width by using Rabi's formula only from t = 0 to $t = t_{\text{coherence}}$. If the averaging time, the duration over which measurements are averaged, is longer than the coherence time, we assume the sinusoid loses its memory of the phase and starts over discontinuously, but the probabilities add up between successive periods.

For averaging time longer than a coherence time, we can write it as

$$t_{\rm ave} \approx N \frac{2\pi}{\Delta \omega}$$
 (A20)

where $N \geq 1$ is an integer. Adding up the successive probabilities from N time intervals, we have

$$\mathscr{P}_{if}(t) = N \frac{|W_{fi}|^2}{|W_{fi}|^2 + D^2} \sin^2 \left[\sqrt{|W_{fi}|^2 + D^2} \frac{1}{2} \frac{2\pi}{\Delta \omega} \right] . \tag{A21}$$

The cyclotron transition rate is given by

$$\Gamma_{c,\text{free}} = \frac{d\mathscr{P}_{if}(t)}{dt}$$
(A22)

$$=\frac{d\mathscr{P}_{if}}{dN}\frac{dN}{dt} \tag{A23}$$

$$= \frac{|W_{fi}|^2}{|W_{fi}|^2 + D^2} \sin^2 \left[\sqrt{|W_{fi}|^2 + D^2} \frac{\pi}{\Delta \omega} \right] \frac{\Delta \omega}{2\pi} , \qquad (A24)$$

where the subscript emphasizes that this formula only applies in free space (i.e. ignoring the cavity).

To cover one order in the dark photon mass range, we need to scan the cyclotron frequency using a frequency bin size¹⁰ of $\Delta\omega$. Now, define a dimensionless detuning parameter $\tilde{D} \equiv \frac{D}{\Delta\omega} = \frac{m_{A'} - \omega_c}{\Delta\omega}$, where ω_c is the center of a given

¹⁰ Note that when $\Delta \omega = \Delta \omega_{A'} = 10^{-6} m_{A'}$, the bin size is a function of $m_{A'}$, but when $\Delta \omega = \Delta \omega_c$, it is a constant.

frequency bin. The maximum relevant \tilde{D} is 1/2, since a dark photon further away than this would be discovered at the neighboring bin. The average "distance" to dark photon is then $\tilde{D} = 1/4$. So we can take the approximation that $\tilde{D} \ll 1$ and $|W_{fi}| \ll \Delta \omega$, since W_{fi} contains a factor of ϵ . Taylor expanding, we get a version of Fermi's golden rule

$$\Gamma_{c,\text{free}} \approx \frac{|W_{fi}|^2}{|W_{fi}|^2 + D^2} \left[\sqrt{|W_{fi}|^2 + D^2} \frac{\pi}{\Delta \omega} \right]^2 \frac{\Delta \omega}{2\pi} = \frac{\pi |W_{fi}|^2}{2\Delta \omega} . \tag{A25}$$

If the averaging time is shorter than a coherence time $t_{\text{ave}} < t_{\text{coherence}}$, we show in Appendix A 4 that a similar calculation implies the transition probability is Zeno-suppressed. In principle, this would hurt the sensitivity and set a limit to this detection method, but it is so far from the leading limit that we will not discuss it here.

Substituting eq. (A18), we get the cyclotron absorption rate in free space:

$$\Gamma_{c,\text{free}} \approx \frac{\left(\epsilon e A' \sin \theta\right)^2 \left(n_c + 1\right)}{2m_e} \frac{\pi \omega_c}{2\Delta \omega}$$
(A26)

$$\approx \frac{\epsilon^2 e^2 \pi \sin^2 \theta (n_c + 1)}{2m_e m_{A'}} \frac{1}{\Delta \omega} \left(\frac{1}{2} A'^2 m_{A'}^2 \right) \tag{A27}$$

$$= \frac{\epsilon^2 e^2 \pi \sin^2 \theta (n_c + 1)}{2 m_e m_{A'}} \frac{\rho_{\rm DM}}{\Delta \omega} , \qquad (A28)$$

where in the second line, we used the resonance condition $\omega_c \approx m_{A'}$; and in the last line, we used the fact that the dark matter density is $\rho_{\rm DM} = \frac{1}{2} A'^2 m_{A'}^2$ [97]. As we will show in Section IV, the effects of a cavity (with at least a cylindrical symmetry) can be incorporated by an overall cavity factor κ^2 :

$$\Gamma_{c,\text{cavity}} = \kappa^2 \Gamma_{c,\text{free}} \ .$$
 (A29)

The value of the $\sin^2 \theta$ factor in $\Gamma_{c,\text{free}}$ depends on the polarization of A', which, depending on the production mechanism, can be anywhere from fixed to rapidly oscillating in random directions [13]. We will assume the random polarization scenario (discussed in Appendix A 5) and address the fixed case in Appendix F.

4. Sub-Coherence Time Transition Rate

We continue the calculation of the transition rate from above for the case of $t_{\text{ave}} \leq t_{\text{coherence}}$. Then, we have $N \leq 1$, which is no longer required to be an integer. We can get the transition rate simply by differentiating the Rabi's formula eq. (A15)

$$\Gamma_{c,\text{free}}(t) = \frac{d\mathscr{P}_{if}(t)}{dt}$$
(A30)

$$= \frac{|W_{fi}|^2}{|W_{fi}|^2 + D^2} \sin\left[\sqrt{|W_{fi}|^2 + D^2} \frac{t}{2}\right] \cos\left[\sqrt{|W_{fi}|^2 + D^2} \frac{t}{2}\right] \sqrt{|W_{fi}|^2 + D^2} . \tag{A31}$$

Because for $t \in (0, t_{\text{ave}})$, $\sqrt{|W_{fi}|^2 + D^2} \frac{1}{2} t \leq N \pi \tilde{D} \lesssim \pi \tilde{D}$, we can still Taylor expand, which gives

$$\Gamma_{c,\text{free}}(t) \approx \frac{|W_{fi}|^2}{|W_{fi}|^2 + D^2} \sqrt{|W_{fi}|^2 + D^2} \frac{t}{2} \sqrt{|W_{fi}|^2 + D^2} = \frac{t}{2} |W_{fi}|^2 .$$
(A32)

Naively substituting $t=t_{\rm ave}=N\frac{2\pi}{\Delta\omega}$ with N=1 into this result and comparing with eq. (A25), we will see the two limits differ by a factor of 2. This is because in the regime $t_{\rm ave}<\frac{2\pi}{\Delta\omega}$, the transition rate cannot be approximated as a constant. Instead, it should be considered as a function that increases linearly with time with an average of

$$\Gamma_{c,\text{free,average}} = \frac{\Gamma_{c,\text{free}}(0) + \Gamma_{c,\text{free}}(t_{\text{ave}})}{2} = \frac{\pi |W_{fi}|^2}{2\Delta\omega} , \qquad (A33)$$

which agrees with the other approximation at N=1.

Notice eq. (A32) implies that if the averaging time is shorter than the coherence time, the transition probability is Zeno-suppressed by a factor of $\frac{t_{\text{ave}}}{t_{\text{coherence}}}$. In principle, this would be a limiting factor to our experiment. However, the coherence time is very short for our parameters:

$$t_{\text{coherence}} = \frac{2\pi}{\Delta\omega_c} = 8 \times 10^{-10} \text{ s} . \tag{A34}$$

This is much shorter than the leading limit from the SNR time (eq. (38)), $t_{\rm SNR} \sim 10^{-6}$ s. Furthermore, if the cyclotron width were to be a limit, there is some freedom to adjust $\Delta\omega_c$ by adjusting B_2 (eq. (47)).

Finally, recall in Appendix A 3, we took the coherence time to be the smaller between that of dark matter coherence time and cyclotron coherence time (eq. (A19)):

$$t_{\text{coherence}} = \min\left(\frac{2\pi}{\Delta\omega_{A'}}, \frac{2\pi}{\Delta\omega_{c}}\right). \tag{A35}$$

When $\Delta\omega_c > \Delta\omega_{A'}$, this causes a suppression in cyclotron transition rate Γ_c (see eq. (A25)): $\Gamma_c \to \frac{\Delta\omega_{A'}}{\Delta\omega_c}\Gamma_c$. The discussion of this appendix gives another perspective to this phenomenon: we can interpret the cyclotron motion as a measurement of the dark photon motion, and the suppression of cyclotron transition rate is just a Zeno suppression.

5. Transition Probability

Write the cyclotron transition rate as

$$\Gamma_{c,\text{cavity}} = \Gamma_0 \sin^2 \theta(t) ,$$
(A36)

where we have isolated the time-dependent polarization angle, $\theta(t)$, which is rapidly oscillating with a dark photon coherence time $\frac{2\pi}{\Delta\omega_{A'}}\sim 10^{-5}$ s.

Next, let the transition probability from the cyclotron initial state to the excited state at time t be $P_1(t)$. With a decay rate γ_c , the probability satisfies the differential equation

$$\frac{dP_1}{dt} = \Gamma_0 \sin^2 \theta(t) - \gamma_c P_1 , \qquad (A37)$$

until the next averaging time when it is interrupted by measurement.

Since this polarization is random and unknown, and it is independent of the system, we can take its average value:

$$\sin^2 \theta(t) \to \langle \sin^2 \theta(t) \rangle$$
 (A38)

To find this average, first note that the area element on a unit sphere is proportional to $d(\cos \theta)$. For \mathbf{A}' to be pointing in a random direction in the unit sphere, $\cos \theta$ must have a uniform probability density $P(\cos \theta) = \frac{1}{2}$. Then we can take the expected value under this distribution:

$$\langle \sin^2 \theta \rangle = \int_{-1}^{1} d(\cos \theta) \sin^2 \theta P(\cos \theta) = \frac{2}{3} . \tag{A39}$$

Imposing the initial condition $P_1(0) = 0$, the solution to the differential equation is

$$P_1(t) = \frac{(2/3)\Gamma_0}{\gamma_c} \left(1 - \exp(-\gamma_c t)\right) . \tag{A40}$$

This formula only applies within one averaging time, after which the probability gets reset to $P_1 = 0$. The observation time $t_{\rm obs}$ available at a given frequency bin satisfies $t_{\rm obs} \gg t_{\rm ave}$ (see Table I). And since the measurement time $t_{\rm ave}$ must be shorter than the lifetime of the excited state for the detection to be possible, we take $\gamma_c t_{\rm ave} \ll 1$. Then, the probability of detecting no transition in an observation time $t_{\rm obs}$ is given by the Poisson formula

$$P_0(t_{\text{obs}}) = (1 - P_1(t_{\text{ave}}))^{t_{\text{obs}}/t_{\text{ave}}}$$
(A41)

$$\approx \exp(-\Gamma_{c,\text{cavity}} t_{\text{obs}})$$
 (A42)

Since it takes an averaging time $t_{\rm ave}$ to resolve a signal, and a detection threshold of $\Delta\omega_z > 5\sigma$ is chosen, an excitation that decays in a time less than $\frac{5\sigma}{\delta}t_{\rm ave}$ will not be detected, resulting in a detection efficiency [23]

$$\zeta = \int_{(5\sigma/\delta)t_{\text{ave}}}^{\infty} dt \frac{1}{\tau_c} e^{-t/\tau_c} = \exp\left(-\frac{5\sigma}{\delta} \frac{t_{\text{ave}}}{\tau_c}\right). \tag{A43}$$

The effective observation time is thus $\zeta t_{\rm obs}$. We can then set the 90% confidence level limit (CL = 0.9) on DPDM as

$$P_0(\zeta t_{\text{obs}}) = 1 - CL,\tag{A44}$$

and the corresponding relation on $\Gamma_{c,\text{cavity}}$ becomes [23, 100]

$$\Gamma_{c,\text{cavity}} = \kappa^2 \frac{\epsilon^2 e^2 \pi (n_c + 1)}{2m_e m_{A'}} \frac{\rho_{\text{DM}}}{\Delta \omega} \langle \sin^2 \theta \rangle < -\frac{1}{\zeta t_{\text{obs}}} \log(1 - CL) . \tag{A45}$$

The observation time available per bin $t_{\rm obs}$ will be discussed in Section III B.

6. Transition Rate for Axion

To detect axion, we need a strong external magnetic field $B_{\rm ext}$, which generates an effective vector potential due to axion

$$\mathbf{A}_a = -g_{a\gamma\gamma} \frac{\sqrt{2\rho_{\rm DM}}}{m_a^2} e^{im_a t} \mathbf{B}_{\rm ext} . \tag{A46}$$

To find the sensitivity to axion, we can just make the replacement $\epsilon \mathbf{A}' \to \mathbf{A}_a$ in the perturbation Hamiltonian eq. (A2). In the free cyclotron transition rate eq. (A28), we make the replacement

$$\left(\epsilon \mathbf{A}' \langle \sin \theta \rangle\right)^2 \to A_a^2 \tag{A47}$$

since the axion electric field has a fixed, rather than random, polarization given by the constant $\mathbf{B}_{\mathrm{ext}}$, which we assume can be engineered to point in the xy-plane (see Section IV C). The free transition rate for axion eq. (A28) then reads

$$\Gamma_{c,\text{free}} = \frac{g_{a\gamma\gamma}^2}{m_a^3} B_{\text{ext}}^2 \frac{e^2 \pi (n_c + 1)}{2m_e} \frac{\rho_{\text{DM}}}{\Delta \omega} , \qquad (A48)$$

where $m_a = \omega_c$.

Appendix B: Backreaction: Fundamental Limit to Dish-Type Experiments

In this appendix, we point out that all dish-type experiments for axion or dark photon dark matter search, including our electron-trap proposal as well as other photosensors considered in BREAD [67], have the same fundamental limit due to backreaction. This is the point at which the detector absorbs all available signal photons. We compute this limit by comparing the signal power with the heating rate of a perfect absorber.

For dark photon dark matter, the focused signal-photon energy density is $\rho_{\text{signal}} = \kappa^2 \epsilon^2 \rho_{\text{DM}}$. The focal volume is set by the dark photon Compton (rather than de-Broglie) wavelength $\lambda_{A'} = \frac{2\pi}{m_{A'}}$ since the dark photon is converted to a photon¹¹. The time scale at which the cavity converts dark photon to photon is also set by the inverse dark photon Compton frequency $T = \frac{2\pi}{m_{A'}} = \lambda_{A'}$. In the ideal focusing scenario, κ^2 is the ratio of the cavity area to an area of size the photon wavelength, $\kappa^2 \sim \frac{A_{\text{cavity}}}{\lambda_{A'}^2}$. Finally, including the dielectric enhancement factor $\frac{1}{2}N_l^2$ (eq. (94)), the available signal power is

$$P_{\text{signal}} \sim \frac{\rho_{\text{signal}} \lambda_{A'}^3}{T} \times \frac{1}{2} N_l^2 = \epsilon^2 \rho_{\text{DM}} A_{\text{cavity}} \times \frac{1}{2} N_l^2 . \tag{B1}$$

In the limiting scenario, a perfect detector absorbs a single photon in the available observation time per bin, $t_{\rm obs} \approx t_{\rm total}/Q$, where Q is the detector quality factor (analogous to the cyclotron quality factor Q_c above; not to be confused with the quality factor of our detection circuit $Q_{\rm det}$). As long as the detector bandwidth is broader than

¹¹ This is true even if the detector is much smaller than the volume occupied by the photon, which is the case for our electron wave function. This counter-intuitive fact is a consequence of quantum mechanics, as demonstrated by the familiar atomic (of size $\sim 10^{-10}$ m) absorption of optical photons (of size $\sim 10^{-6}$ m).

that of dark matter $Q < Q_{\rm DM} = 10^6$, which is the case for us and all BREAD sensors, all of the available energy can be absorbed. The absorbed power is then

$$P_{\rm absorb} = \frac{m_{A'}}{t_{\rm total}/Q} \ . \tag{B2}$$

The backreaction limit is reached when $P_{\text{signal}} = P_{\text{absorb}}$.

Notice that, unlike the situation for our experiment, the dependence on Q is not canceled here. Recall from Section IIIB that as we lower Q, the transition rate decreases while the available observation time increases and the two effects cancel out to the first order. For a perfect detector, however, as Q gets lowered, other parts of the experiment can be improved to keep the transition rate at its maximum value, by definition of a perfect detector. So, decreasing Q strictly improves the sensitivity, and a strictly backreaction-limited detector should be a broadband detector (Q=1).

Putting these together, the backreaction limit for dark photon is

$$\epsilon \approx \left(\frac{2m_{A'}Q}{t_{\text{total}}\rho_{\text{DM}}A_{\text{cavity}}N_l^2}\right)^{1/2} \tag{B3}$$

$$\sim 10^{-19} \left(\frac{40}{N_{\text{switch}}}\right)^{-1/2} \left(\frac{1000 \text{ days}}{t_{\text{total}}}\right)^{1/2} \left(\frac{1 \text{ meter}^2}{A_{\text{cavity}}}\right)^{1/2}$$
 (B4)

Since the backreaction limit corresponds to a 100% efficient detector, by comparing it with our projected reach, we can calculate the photon detection efficiency of our electron Penning trap. The only caveat is we need to use the same cyclotron quality factor $Q_c = 20 \left(\frac{\omega_c}{0.1 \text{ meV}} \right)$ for this comparison. Comparing with the result in Section V, we get an efficiency of

efficiency =
$$\left(\frac{\epsilon_{\text{Penning}}}{\epsilon_{\text{backreaction}}}\right)^2 \sim \left(\frac{10^{-16}}{10^{-19}\sqrt{Q_c}}\right)^2 \sim 10^{-6} \frac{1}{Q_c}$$
 (B5)

The calculation for axion is identical as long as we make the substitution

$$\epsilon \to \frac{g_{a\gamma\gamma}B_{\rm ext}}{m_a}$$
 (B6)

The backreaction limit for axion is therefore

$$g_{a\gamma\gamma} \approx \frac{m_a}{B_{\rm ext}} \left(\frac{2m_a Q}{t_{\rm total} \rho_{\rm DM} A_{\rm cavity} N_l^2} \right)^{1/2}$$
 (B7)

$$\sim 5 \times 10^{-18} \text{ GeV}^{-1} \left(\frac{m_a}{0.1 \text{ meV}}\right) \left(\frac{40}{N_{\text{switch}}}\right)^{-1/2} \left(\frac{10 \text{ T}}{B_{\text{ext}}}\right) \left(\frac{1000 \text{ days}}{t_{\text{total}}}\right)^{1/2} \left(\frac{1 \text{ meter}^2}{A_{\text{cavity}}}\right)^{1/2} . \tag{B8}$$

Appendix C: Details of Achieving Large Cyclotron Number

This appendix collects various supporting arguments for how to achieve a large cyclotron number n_c .

1. Signal Formation Time

When the cyclotron state makes a transition $|n_c\rangle \to |n_c+1\rangle$, the axial frequency shifts $\omega_z \to \omega_z + \delta$ immediately. However, there exists a minimum time t_{signal} for this change to be reflected in the signal. We will show that $t_{\text{signal}} = \frac{1}{\delta}$. The electron's classical axial motion z(t) is essentially a driven, damped harmonic oscillator. With a driving term $F_0 \cos \omega_d t$ of drive frequency ω_d , the equation of motion for the electron axial mode can be written in the form

$$\ddot{z} + \gamma_z \dot{z} + \omega_0^2 z = \frac{F_0}{m_e} \cos \omega_d t, \tag{C1}$$

where the initial natural frequency of the axial motion is the axial frequency $\omega_0 = \omega_z$, and the drive frequency is chosen to match it $\omega_d = \omega_0$. In practice, the drive can be taken to have zero width. γ_z is the axial damping rate. We will consider the limit $\omega_z \gg \delta \gg \gamma_z$. To get a signal, we monitor the electron's axial current, which is proportional to the rate of change \dot{z} of the electron's axial position z [81].

(C3)

Suppose a cyclotron transition occurs at some time t=0. We get the current signal:

$$\dot{z}(t<0) = \frac{F_0}{m_e} \omega_d (S_{ip}^0 \cos(\omega_d t + \alpha) - S_Q^0 \sin(\omega_d t + \alpha))$$

$$\dot{z}(t>0) = \frac{F_0}{m_e} \omega_d (S_{ip}' \cos(\omega_d t + \alpha) - S_Q' \sin(\omega_d t + \alpha))$$

$$+ e^{-\frac{\gamma_z}{2}t} (-A\sin(\omega_d + \delta)t + B\cos(\omega_d + \delta)t),$$
(C3)

where α is an unknown phase, S_{ip}^0 and S_Q^0 are the initial in-phase and quadrature amplitudes, and S_{ip}' and S_Q' are the corresponding amplitudes after the cyclotron jump, and A and B are some $\mathcal{O}(1)$ constants determined by initial conditions [101].

If we were directly measuring for changes in S_{ip} or S_Q , it takes a time $t \sim \frac{1}{\gamma_z}$ for the transients to get damped. However, we can integrate the signal against another known sinusoid with the same phase $\sin(\omega_d t + \alpha)$ over several periods of $\frac{2\pi}{\omega_d}$. After some uses of trig identities, it can be shown that the only surviving term is proportional to $\sin{(\delta t)}$. This means a frequency-shift signal can be measured after a time $t_{\text{signal}} \sim \frac{1}{\delta}$. In other words, since our signal is a small frequency shift, we can measure the beat at the corresponding time scale, which is much faster than the naive damping time.

Minimum Averaging Time

a. Constraints on z_{max}

Eq. (40) suggests that we can lower $t_{\rm SNR}$ by decreasing $R_{\rm trap}$ and increasing $z_{\rm max}$. However, a larger $z_{\rm max}$ corresponds to a larger wave function in the axial direction, and this exposes the electron wave function to the inevitable anharmonicity of the static potential V_0 [81]. The magnitude of this axial anharmonicity is set by the size of the trap R_{trap} . In particular, the axial frequency gains a dependence on axial position. For a realistic trap, this constraint has a phenomenological formula [102]

$$\Delta\omega_z|_{\text{max}} = |\omega_z(z) - \omega_z(0)|_{\text{max}} < \gamma_z , \qquad (C4)$$

where

$$\omega_z(z) = \omega_z \left(1 + \frac{3C_4}{4C_2} \left(\frac{2z}{D_{\text{trap}}} \right)^2 + \frac{15C_6}{16C_2} \left(\frac{2z}{D_{\text{trap}}} \right)^4 + \frac{35C_8}{32C_2} \left(\frac{2z}{D_{\text{trap}}} \right)^6 + \frac{5C_{10}}{4C_2} \left(\frac{2z}{D_{\text{trap}}} \right)^8 + \dots \right) . \tag{C5}$$

Recalling $D_{\text{trap}} = \sqrt{\frac{1}{2}d^2 + R_{\text{trap}}^2}$ and $d = 2.0478 \ R_{\text{trap}}$ [83], we have

$$\Delta\omega_z \approx \omega_z \left| \frac{15C_6}{16C_2} \left(\frac{2z_{\text{max}}}{\sqrt{3}R_{\text{trap}}} \right)^4 + \frac{35C_8}{32C_2} \left(\frac{2z_{\text{max}}}{\sqrt{3}R_{\text{trap}}} \right)^6 + \frac{5C_{10}}{4C_2} \left(\frac{2z_{\text{max}}}{\sqrt{3}R_{\text{trap}}} \right)^8 \right|.$$
 (C6)

Equation (C5) only considers the first few terms of a Taylor expansion, which is adequate as long as $C_{12} \ll C_{10}$. These parameters can be found in Table 1 of [83]. While C_4 can be experimentally set to zero, we take $C_6 \approx 5 \times 10^{-3}$ for a 10 μ m machine tolerance [102]. (We consider higher-order terms because $C_8 \gg C_6$ and $C_{10} \approx C_8$.)

Figures 6a and 6b show the relationship between γ_z and $\Delta\omega_z$ for different sets of ω_z and q. As we can see, before $z=z_{\rm max}$, the brown line must remain above the red line, indicating that the maximum allowable value of $z_{\rm max}$ varies depending on the choice of ω_z and q.

b. Reducing t_{ave}

As $t_{\text{ave}} = \max(t_{\text{signal}}, t_{\text{det}}, t_{\text{SNR}})$, we aim to reduce these three times simultaneously. Indeed, the detailed optimization process is highly nonlinear, but we found the optimal parameters to be $q=0.0061, \frac{\omega_z}{2\pi}=9.8$ MHz, and $z_{\rm max}=0.2$ mm by trial and error. As shown in Figure 6d, the three times converge at $\omega_z=9.8$ MHz, yielding a minimal averaging time of $t_{\text{ave}} \approx 2.85 \times 10^{-6} \text{ s.}$

¹² The corresponding radial anharmonicity merely shifts the axial frequency, which can be easily taken into account and does not set a new experimental constraint [81].




FIG. 6: The first row describes the constraint that determines $z_{\rm max}$, while the second row incorporates this $z_{\rm max}$ into $t_{\rm SNR}$ to obtain the three times related to $t_{\rm ave}$. The left column uses random parameters, whereas the right column uses optimized parameters. The crossing point in (d) indicates the minimal averaging time. Indeed, the crossing point $t_{\rm ave} = 2.85 \times 10^{-6}$ s is determined with higher precision by the chosen ω_z and q. Consequently, in our final result (Table I), the parameters may vary slightly without affecting the outcome due to the precise selection of ω_z and q.

3. Consistency Checks

We make some consistency checks to show that the large cyclotron number $n_c \sim 10^6$ does not violate other experimental constraints.

The electron's radial wave function size is given by eq. (60)

$$r_c \approx \sqrt{n_c \frac{2}{m_e \omega_c}} \lesssim 0.04 \text{ mm} .$$
 (C7)

This is still far smaller than the trap size $R_{\text{trap}} = 0.5 \text{ mm}$.

We should also calculate the fractional relativistic correction to the cyclotron frequency, arising from an effective shift in electron's mass:

$$\Delta m_e|_{\rm rel} = \left(\frac{1}{2} + n_c\right)\omega_c$$
 (C8)

Substitute this into

$$\omega_c = \frac{eB_0}{m_e},\tag{C9}$$

the relativistic frequency shift $\Delta \omega_c|_{\rm rel}$ is given by [103, 104]

$$\Delta\omega_c|_{\rm rel} = \frac{eB_0}{m_e + \Delta m_e|_{\rm rel}} - \frac{eB_0}{m_e} \tag{C10}$$

$$\approx -eB_0 \frac{\Delta m_e|_{\rm rel}}{m_e^2} \tag{C11}$$

$$\approx -\frac{\omega_c^2 n_c}{m_e}.\tag{C12}$$

For $\omega_c = 0.1 - 1$ meV and $n_c \sim 10^6$, we get

$$\left| \frac{\Delta \omega_c|_{\text{rel}}}{\omega_c} \right| \approx \frac{\omega_c}{m_e} n_c \lesssim 2 \times 10^{-3} , \qquad (C13)$$

which is negligible.

Despite the fact that our optimization pushes for a much larger δ than conventional Penning trap experiment, we can see from Table I that we still respect $\delta \ll \omega_z$, a requirement for many perturbation expansion.

Appendix D: Cavity Mode Calculation

Spherical Cavity

We will calculate κ_{sphere}^2 for a spherical cavity of radius R. For convenience, we temporarily set up a new set of coordinates, used only in this section. Let the original coordinate system be Σ , used everywhere else in this paper, in which the z-direction aligns with the magnetic field, and the dark photon's component in the xy-plane points purely in the x-direction (i.e. $A'_y = 0$). Now, define a new coordinate system Σ' , in which the new z'-axis aligns with the old x-axis; the new x'-axis aligns with the old z-axis; to maintain a right-handed system, $\hat{y}' = -\hat{y}$, but we still have $A_{y'}^{\prime}=0.$ We begin with the general equation eq. (71),

$$\kappa_{\text{sphere}}^2 = \left| \sum_{l} \frac{\omega^2}{\omega_l^2 - \omega^2} \frac{\int d^3 x' \mathbf{E}_l^*(\mathbf{x}') \cdot \hat{z}'}{\int d^3 x' |\mathbf{E}_l(\mathbf{x}')|^2} \mathbf{E}_l(\mathbf{0}) \cdot \hat{z}' \right|^2$$
(D1)

$$\equiv \left| \sum_{l} \frac{\omega^2}{\omega_l^2 - \omega^2} G_l^{\text{sphere}} \right|^2 , \tag{D2}$$

where $\omega = m_{A'}$ is the driving frequency, l is a generic index running over all cavity modes, and we have omitted the quality factors. Using spherical coordinates (r, θ', ϕ') of the Σ' system,

$$\hat{z}' = \cos \theta' \hat{r} - \sin \theta' \hat{\theta}' \ . \tag{D3}$$

The empty cavity modes of a spherical cavity can be divided into TE and TM modes (transverse electric and magnetic, respectively) with respect to the radial direction. There are three discrete indices $m=0,1,2,\ldots;n=1$ $0,1,2,\ldots$; and $p=1,2,3,\ldots$, corresponding to the quantization of momentum in the ϕ' , θ' , and r directions, respectively. The exact expressions of these cavity modes can be found in [98]. For brevity, instead of explicitly writing them all out, we will start by listing their key properties and using them to argue only a small subset of the cavity modes contribute. Then, we will work directly with the full expressions of those relevant modes.

As we will see shortly, the azimuthal symmetry (in the ϕ' direction) collapses the sum over m into m=0 modes only and picks out only the TM modes; the polar symmetry (in the θ' direction) collapses the sum over n into only the n=1 modes. So, the summation is only over TM_{01p} modes.

a. Only
$$m = 0$$
 Modes

All modes of the spherical cavity only depend on the coordinate ϕ' via a factor of $\cos(m\phi')$ or $\sin(m\phi')$ [98]. By eq. (D3), ϕ' also doesn't appear in \hat{z}' . This azimuthal symmetry makes the ϕ' integral in $\int d^3x' \mathbf{E}_i^*(\mathbf{x}') \cdot \hat{z}'$ trivial, with the result proportional to

$$\int_0^{2\pi} d\phi' \cos(m\phi') = 2\pi \delta_{m0} \tag{D4}$$

or

$$\int_0^{2\pi} d\phi' \sin(m\phi') = 0 . \tag{D5}$$

Hence, only m = 0 modes contribute.

b. Only TM Modes

Next, we argue that the TE modes do not contribute. First, $E^{\rm TE}_{\tau,mnp}=0$ by definition of "transverse electric." And $E^{\rm TE}_{\theta',mnp}$ is proportional to m [98], which vanishes when m=0. We are then left with $E^{\rm TE}_{\phi',mnp}$. But it appears in the dot product $\mathbf{E}^*_l(\mathbf{x}') \cdot \hat{z}'$ via $E^{\rm TE}_{\phi',mnp} \hat{z}'_{\phi'}$ and $\hat{z}'_{\phi'}=0$, by eq. (D3). Therefore, it suffices to consider only the m=0 TM modes.

These modes can, up to some irrelevant constants, be taken to be [98]

$$E_{r,0np}^{\text{TM}} = \frac{n(n+1)}{i\omega k_{0np}^{\text{TM}} r^2} \hat{J}_n \left(u'_{np} \frac{r}{R} \right) P_n(\cos \theta') , \qquad (D6)$$

$$E_{\theta',0np}^{\rm TM} = \frac{1}{i\omega r} \hat{J}_n' \left(u'_{np} \frac{r}{R} \right) \frac{d}{d\theta'} P_n(\cos \theta') , \qquad (D7)$$

where $P_n(x)$ are the Legendre polynomials, $\hat{J}_n(x) \equiv x j_n(x)$ are Harrington's spherical Bessel functions, $j_n(x)$ are the normal spherical Bessel functions, u'_{np} is the p-th zero of the derivative $\hat{J}_n'(x)$, and the wave number is $k_{0np}^{\rm TM} = u'_{np}/R$. The last component $E_{\phi',mnp}^{\rm TM}$ is proportional to m and, hence, can be taken to be zero for our purpose.

$$c.$$
 Only $n = 1$ Modes

To show that only n = 1 modes contribute, consider the numerator in eq. (D1):

$$\int d^3x' \mathbf{E}_l^*(\mathbf{x}') \cdot \hat{z}' = \int d^3x' \left(E_{r,0np}^{\text{TM}*} \, \hat{z}_r' + E_{\theta',0np}^{\text{TM}*} \, \hat{z}_{\theta'}' \right) . \tag{D8}$$

We will consider these two terms separately.

For the r term, using $\hat{z}'_r = \cos \theta' = P_1(\cos \theta')$, the θ' integral evaluates to

$$\int d^3x' E_{r,0np}^{\text{TM*}} \, \hat{z}_r' \propto \int_{-1}^1 d\left(\cos\theta'\right) P_n\left(\cos\theta'\right) P_1\left(\cos\theta'\right) = \frac{2}{3} \delta_{n1} \,\,, \tag{D9}$$

where we used the orthogonality of the Legendre polynomials, $\int_{-1}^{1} dx P_k(x) P_l(x) = \frac{2}{(2l+1)} \delta_{kl}$.

The θ' term also picks out the n=1 modes. We first introduce the associated Legendre polynomials $P_n^j(x)$ given by

$$P_n^j(u) = (-1)^j (1 - u^2)^{j/2} \frac{d^j}{du^j} P_n(u) . {D10}$$

Note that $P_n^0(u) = P_n(u)$. The definition implies two useful identities:

$$\frac{d}{d\theta'}P_n^0(\cos\theta') = P_n^1(\cos\theta') \tag{D11}$$

and

$$\hat{z}'_{\theta'} = -\sin\theta' = P_1^1(\cos\theta') \ . \tag{D12}$$

Using eq. (D7), (D11), and (D12), the θ' integral evaluates to

$$\int d^3x' E_{\theta',0np}^{\text{TM*}} \hat{z}'_{\theta'} \propto \int_{-1}^1 d(\cos\theta') P_n^1(\cos\theta') P_1^1(\cos\theta') = \frac{4}{3} \delta_{n1} , \qquad (D13)$$

where we used the orthogonality of the associated Legendre polynomials, $\int_{-1}^{1} dx P_k^j(x) P_l^j(x) = \frac{2(l+j)!}{(2l+1)(l-j)!} \delta_{kl}$. We have thus shown that only TM01p modes contribute.

d. Final Expression of κ_{sphere}^2

We now compute

$$G_p^{\text{sphere}} = \frac{\int d^3 x' \mathbf{E}_{01p}^{\text{TM}*}(\mathbf{x}') \cdot \hat{z}'}{\int d^3 x' |\mathbf{E}_{01p}^{\text{TM}}(\mathbf{x}')|^2} \mathbf{E}_{01p}^{\text{TM}}(\mathbf{0}) \cdot \hat{z}' . \tag{D14}$$

We first evaluate $\mathbf{E}_{01p}^{\mathrm{TM}}(\mathbf{0}) \cdot \hat{z}'$, the electric field at the center of the cavity. Approaching the origin from the $\theta' = 0$ direction, the θ' term vanishes, and the radial direction is equivalent to the z' direction, $\hat{r} = \hat{z}'$. So, the only relevant component is $E_{r,0np}^{\mathrm{TM}}$, given by eq. (D6). Substituting n = 1, $P_1(\cos 0) = 1$, and the Taylor expansion $\hat{J}_1(x) = \frac{x^2}{3} + O(x^4)$, we have

$$\mathbf{E}_{01p}^{\text{TM}}(\mathbf{0}) \cdot \hat{z}' = \frac{1}{i\omega} \frac{2}{3} \frac{u'_{1p}}{R} . \tag{D15}$$

Using our earlier results, the numerator of the coefficient can be written as

$$\int d^3x' \mathbf{E}_{01p}^{\text{TM*}}(\mathbf{x}') \cdot \hat{z}' = \int d^3x' \left[E_{r,01p}^{\text{TM*}} \cos \theta' - E_{\theta',01p}^{\text{TM*}} \sin \theta' \right]$$
(D16)

$$= \frac{i}{\omega} (2\pi) \left[\left(\frac{2}{3} \right) \int_0^R dr \frac{2}{k_{01p}^{\text{TM}}} \hat{J}_1 \left(u'_{1p} \frac{r}{R} \right) + \left(\frac{4}{3} \right) \int_0^R dr \ r \hat{J}_1' \left(u'_{1p} \frac{r}{R} \right) \right]$$
 (D17)

$$= \frac{i}{\omega} (2\pi) \left(\frac{4}{3}\right) \frac{1}{u'_{1p}/R} \int_0^R dr \left[\hat{J}_1 \left(u'_{1p} \frac{r}{R} \right) + \left(u'_{1p} \frac{r}{R} \right) \hat{J}_1' \left(u'_{1p} \frac{r}{R} \right) \right] . \tag{D18}$$

Integrating by parts, the radial integral can be evaluated trivially

$$\int d^3x' \mathbf{E}_{01p}^{\mathrm{TM}*}(\mathbf{x}') \cdot \hat{z}' = \frac{i}{\omega} (2\pi) \left(\frac{4}{3}\right) \frac{1}{u'_{1p}/R} \int_0^R dr \frac{d}{dr} \left[r \hat{J}_1 \left(u'_{1p} \frac{r}{R} \right) \right]$$
(D19)

$$= \frac{i}{\omega} (2\pi) \left(\frac{4}{3}\right) R^2 j_1(u'_{1p}) . \tag{D20}$$

Using the orthogonality of the Legendre and associated Legendre polynomials again, the denominator can be written as:

$$\int d^3x |\mathbf{E}_{01p}^{\mathrm{TM}}(\mathbf{x})|^2 \tag{D21}$$

$$= \int d^3x \left[|E_{r,01p}^{\text{TM}}|^2 + |E_{\theta,01p}^{\text{TM}}|^2 \right]$$
 (D22)

$$= \frac{1}{\omega^{2}} (2\pi) \int_{0}^{R} dr \ r^{2} \left[\left(\frac{2}{k_{01p}^{\text{TM}} r^{2}} \hat{J}_{1} \left(u_{1p}' \frac{r}{R} \right) \right)^{2} \int_{-1}^{1} d(\cos \theta) \left(P_{1}(\cos \theta) \right)^{2} + \left(\frac{1}{r} \hat{J}_{1}' \left(u_{1p}' \frac{r}{R} \right) \right)^{2} \int_{-1}^{1} d(\cos \theta) \left(P_{1}(\cos \theta) \right)^{2} \right]$$
(D23)

$$= \frac{1}{\omega^2} (2\pi) \left[\left(\frac{2}{3} \right) \frac{4}{(u'_{1p}/R)^2} \int_0^R dr \frac{1}{r^2} \left(\hat{J}_1 \left(u'_{1p} \frac{r}{R} \right) \right)^2 + \left(\frac{4}{3} \right) \int_0^R dr \left(\hat{J}_1' \left(u'_{1p} \frac{r}{R} \right) \right)^2 \right]$$
 (D24)

$$= \frac{1}{\omega^2} (2\pi) \left(\frac{R}{u'_{1p}} \right) \left(\frac{4}{3} \right) I(u'_{1p}) , \qquad (D25)$$

where

$$I(u'_{1p}) = 2 \int_0^{u'_{1p}} dx \left(j_1(x)\right)^2 + \int_0^{u'_{1p}} dx \left(\hat{J}_1'(x)\right)^2 , \qquad (D26)$$

with the change of variables $x = u'_{1p}r/R$. Using the analytic form of the spherical Bessel function

$$j_1(x) = -\frac{\cos(x)}{x} + \frac{\sin(x)}{x^2} ,$$
 (D27)

the integral can be easily evaluated as

$$I(u'_{1p}) = \frac{2 + 2u'_{1p}^2 - 2u'_{1p}^4 + 2(-1 + u'_{1p}^2)\cos(2u'_{1p}) + u'_{1p}(-4 + u'_{1p}^2)\sin(2u'_{1p})}{-4u'_{1p}^3} .$$
(D28)

Putting everything together, we have

$$G_p^{\text{sphere}} = \frac{2}{3} j_1(u'_{1p}) \left[\frac{u'_{1p}^2}{I(u'_{1p})} \right]$$
 (D29)

$$= -\frac{8}{3}j_1(u'_{1p}) \left[\frac{u'_{1p}^5}{2 + 2u'_{1p}^2 - 2u'_{1p}^4 + 2(-1 + u'_{1p}^2)\cos(2u'_{1p}) + u'_{1p}(-4 + u'_{1p}^2)\sin(2u'_{1p})} \right],$$
 (D30)

and, using $\omega_p = k_{01p}^{\rm TM} = u'_{1p}/R$, we finally arrive at the cavity factor for the sphere

$$\kappa_{\text{sphere}}^2(\omega) = \left| \sum_{p=1}^{\infty} \frac{(\omega R)^2}{u_{1p}'^2 - (\omega R)^2} G_p^{\text{sphere}} \right|^2 . \tag{D31}$$

2. Cylindrical Cavity

We will calculate $\kappa_{\text{cylinder}}^2$ for a cylindrical cavity of radius R and height d. We orient the cylinder's central axis to be parallel to the magnetic field direction \hat{z} , as was the case in the proof-of-principle experiment [23]. As before, the \hat{x} direction is taken to be the component of the dark photon field in the plane perpendicular to the magnetic field. We will use the cylindrical coordinates (ρ, ϕ, z) , with the center of the cylinder located at $\mathbf{0}' \equiv (0, 0, \frac{d}{2})$.

Then we can start with the general equation eq. (71),

$$\kappa_{\text{cylinder}}^2 = \left| \sum_{l} \frac{\omega^2}{\omega_l^2 - \omega^2} \frac{\int d^3 x' \mathbf{E}_l^*(\mathbf{x}') \cdot \hat{x}}{\int d^3 x' |\mathbf{E}_l(\mathbf{x}')|^2} \mathbf{E}_l(\mathbf{0}') \cdot \hat{x} \right|^2$$
(D32)

$$\equiv \left| \sum_{l} \frac{\omega^2}{\omega_l^2 - \omega^2} G_l^{\text{cylinder}} \right|^2 , \qquad (D33)$$

where $\omega = m_{A'}$ is the driving frequency, l is a generic index running over all cavity modes, and we have omitted the quality factors. In cylindrical coordinates,

$$\hat{x} = \cos(\phi)\hat{\rho} - \sin(\phi)\hat{\phi} . \tag{D34}$$

The empty cavity modes of a cylindrical cavity can be divided into TE and TM modes (transverse electric and magnetic, respectively) with respect to the z-direction. There are three discrete indices $n=0,1,2,\ldots; p=1,2,3,\ldots;$ and $q=0,1,2,\ldots$, corresponding to the quantization of momentum in the ϕ , ρ , and z directions, respectively. These

modes can, up to some irrelevant constants, be taken to be [98]:

$$E_{z,npq}^{\text{TM}} = J_n \left(\frac{x_{np}}{R} \rho \right) \left\{ \frac{\sin(n\phi)}{\cos(n\phi)} \right\} \cos\left(\frac{q\pi}{d} z \right)$$
 (D35)

$$E_{\rho,npq}^{\text{TM}} = \frac{-1}{\frac{x_{np}}{R}} \frac{q\pi}{d} J_n' \left(\frac{x_{np}}{R} \rho \right) \begin{Bmatrix} \sin(n\phi) \\ \cos(n\phi) \end{Bmatrix} \sin\left(\frac{q\pi}{d} z \right)$$
(D36)

$$E_{\phi,npq}^{\text{TM}} = \frac{-1}{(\frac{x_{np}}{P})^2} \frac{nq\pi}{d} \frac{J_n(\frac{x_{np}}{R}\rho)}{\rho} \begin{Bmatrix} \cos(n\phi) \\ -\sin(n\phi) \end{Bmatrix} \sin\left(\frac{q\pi}{d}z\right)$$
(D37)

$$E_{z,npq}^{\rm TE} = 0 \tag{D38}$$

$$E_{\rho,npq}^{\text{TE}} = i \frac{1}{\left(\frac{x'_{np}}{P}\right)^2} n \frac{J_n\left(\frac{x'_{np}}{R}\rho\right)}{\rho} \left\{ \frac{\cos(n\phi)}{-\sin(n\phi)} \right\} \sin\left(\frac{q\pi}{d}z\right)$$
(D39)

$$E_{\phi,npq}^{\rm TE} = -i\frac{1}{\frac{x'_{np}}{R}}J'_n\left(\frac{x'_{np}}{R}\rho\right)\left\{\frac{\sin(n\phi)}{\cos(n\phi)}\right\}\sin\left(\frac{q\pi}{d}z\right)\,,\tag{D40}$$

where J_n is the n-th Bessel function, x_{np} is the p-th zero of $J_n(x)$, and x'_{np} is the p-th zero of the derivative $J'_n(x)$. As we shall see, only the TE_{1pq} modes with odd q contribute to κ^2 . The resonant frequencies are

$$(\omega_{npq}^{\text{TM}})^2 = \left(\frac{x_{np}}{R}\right)^2 + \left(\frac{q\pi}{d}\right)^2 \tag{D41}$$

$$(\omega_{npq}^{\rm TE})^2 = \left(\frac{x'_{np}}{R}\right)^2 + \left(\frac{q\pi}{d}\right)^2 . \tag{D42}$$

a. Only n = 1 Modes

In the numerator of eq. (D32), we have

$$\int d^3x' \mathbf{E}_l^*(\mathbf{x}') \cdot \hat{x} \propto \int_0^{2\pi} d\phi \left(E_{\rho,npq}^{\mathrm{TM}} \cos \phi - E_{\phi,npq}^{\mathrm{TM}} \sin \phi \right) . \tag{D43}$$

Unless we choose the matching sinusoidal function with n=1, the integral vanishes:

$$\int_0^{2\pi} d\phi \sin\phi \sin(n\phi) = \int_0^{2\pi} d\phi \cos\phi \cos(n\phi) = \pi \delta_{n1} . \tag{D44}$$

So only n=1 modes contribute to κ^2 .

b. Only TE Modes

Consider a term involving a TM n=1 mode. The integral in the numerator of eq. (D32) is proportional to

$$\int d^3x' \mathbf{E}_l^*(\mathbf{x}') \cdot \hat{x} \propto \int_0^R d\rho \rho \left[J_1' \left(\frac{x_{1p}}{R} \rho \right) + \left(\frac{x_{1p}}{R} \right)^{-1} \frac{J_1 \left(\frac{x_{1p}}{R} \rho \right)}{\rho} \right]$$
(D45)

$$\propto \int_0^R d\rho \left[\rho \left(\frac{x_{1p}}{R} \right) J_1' \left(\frac{x_{1p}}{R} \rho \right) + J_1 \left(\frac{x_{1p}}{R} \rho \right) \right] \tag{D46}$$

$$\propto \left. \rho J_1 \left(\frac{x_{1p}}{R} \rho \right) \right|_0^R \tag{D47}$$

$$=0$$
, (D48)

where we used integration by parts in the third line, and in the last step, we used the property of the Bessel function $J_1(0) = 0$ and $J_1(x_{1p}) = 0$, by definition. Hence, the TM modes do not contribute. We will henceforth only use TE modes and drop the superscript in the resonant frequencies.

c. Final Expression of $\kappa_{cylinder}^2$

We now compute

$$G_{pq}^{\text{cylinder}} = \frac{\int d^3 x \mathbf{E}_{1pq}^{\text{TE}*}(\mathbf{x}') \cdot \hat{x}}{\int d^3 x |\mathbf{E}_{1pq}^{\text{TE}}(\mathbf{x})|^2} \mathbf{E}_{1pq}^{\text{TE}}(\mathbf{0}') \cdot \hat{x} . \tag{D49}$$

We first evaluate $\mathbf{E}_{1pq}^{\mathrm{TE}}(\mathbf{0}')\cdot\hat{x}$, the electric field at the center of the cavity. Approaching the origin from the $\phi=0$ direction, the ϕ term vanishes, and the radial direction is equivalent to the x direction, $\hat{\rho}=\hat{x}$. So, the only relevant component is $E_{\rho,1pq}^{\mathrm{TM}}$, given by eq. (D39),

$$\mathbf{E}_{1pq}^{\mathrm{TE}}(\mathbf{0}') \cdot \hat{x} = i \left(\frac{x'_{1p}}{R}\right)^{-2} \lim_{\rho \to 0} \frac{J_1\left(\frac{x'_{1p}}{R}\rho\right)}{\rho} \lim_{\phi \to 0} \cos(\phi) \lim_{z \to d/2} \sin\left(\frac{q\pi}{d}z\right) \tag{D50}$$

$$=\frac{i}{2}\left(\frac{x_{1p}'}{R}\right)^{-1}\sin\left(\frac{q\pi}{2}\right). \tag{D51}$$

We see that only modes with odd q contribute.

The integral in the numerator is given by

$$\int d^3x \mathbf{E}_{1pq}^{\mathrm{TE}*}(\mathbf{x}') \cdot \hat{x} = -i\pi \left(\frac{x'_{1p}}{R}\right)^{-2} \int_0^R d\rho \ \rho \left[\frac{J_1\left(\frac{x'_{1p}}{R}\rho\right)}{\rho} + \left(\frac{x'_{1p}}{R}\right) J'_1\left(\frac{x'_{1p}}{R}\rho\right) \right] \int_0^d dz \ \sin\left(\frac{q\pi}{d}z\right) \tag{D52}$$

$$= -i\pi \left(\frac{x_{1p}'}{R}\right)^{-2} \left[\rho J_1 \left(\frac{x_{1p}'}{R}\rho\right)\right]_0^R \frac{2d}{q\pi} \tag{D53}$$

$$=-i\left(\frac{x'_{1p}}{R}\right)^{-2}\left(R\frac{2d}{q}\right)J_1\left(x'_{1p}\right) , \qquad (D54)$$

where we integrated parts in the second step. A similar calculation shows that the denominator is

$$\int d^3x |\mathbf{E}_{1pq}^{\mathrm{TE}}(\mathbf{x})|^2 = \left(\frac{x'_{1p}}{R}\right)^{-4} \frac{1}{2} \left[x'_{1p}^2 J_0^2(x'_{1p}) + (x'_{1p}^2 - 2)J_1^2(x'_{1p})\right] (\pi) \left(\frac{d}{2}\right) . \tag{D55}$$

Putting everything together, we have

$$G_{pq}^{\text{cylinder}} = \frac{4x'_{1p}J_1\left(x'_{1p}\right)}{\left[x'_{1p}J_0^2(x'_{1p}) + (x'_{1p}^2 - 2)J_1^2(x'_{1p})\right](q\pi)}$$
(D56)

$$= \frac{4x'_{1p}}{(x'_{1p}^2 - 1)J_1(x'_{1p})} \frac{1}{q\pi} \qquad (q \text{ odd}) ,$$
 (D57)

where, in the second line, we used the identity $x'_{1p}J_0(x'_{1p})=J_1(x'_{1p})$, which can be easily derived from differentiating the relation between the Bessel functions $\int dx \ x J_0(x)=xJ_1(x)$. The cavity factor is then

$$\kappa_{\text{cylinder}}^2 = \left| \sum_{p=1}^{\infty} \sum_{q \text{ odd}} \frac{\omega^2}{\left(\frac{x'_{1p}}{R}\right)^2 + \left(\frac{q\pi}{d}\right)^2 - \omega^2} G_{pq}^{\text{cylinder}} \right|^2 . \tag{D58}$$

Appendix E: Linear Focusing of a Cylindrical Cavity

As derived in Appendix D 2, the cavity factor for a cylinder of radius R and height d is given by a sum over two discrete indices, p and odd integers q:

$$\kappa_{\text{cylinder}}^{2}(\omega) = \left| \sum_{p=1}^{\infty} \sum_{q \text{ odd}} \frac{\omega^{2}}{\omega_{1pq}^{2} - \omega^{2}} G_{pq}^{\text{cylinder}} \right|^{2}$$
(E1)

$$= \left| \sum_{p=1}^{\infty} \sum_{q \text{ odd}} \frac{\omega^2}{\left(\frac{x'_{1p}}{R}\right)^2 + \left(\frac{q\pi}{d}\right)^2 - \omega^2} G_{pq}^{\text{cylinder}} \right|^2 , \tag{E2}$$

where

$$G_{pq}^{\text{cylinder}} = \frac{4x'_{1p}}{(x'_{1p}^2 - 1)J_1(x'_{1p})} \frac{1}{q\pi} \qquad (q \text{ odd}) ,$$
 (E3)

 J_n is the n-th Bessel function, and x'_{np} is the p-th zero of the derivative $J'_n(x)$.

Now, let ω_N be the N-th smallest resonant frequency among all ω_{1pq} , i.e. we re-index the frequencies using a single number N. For a generic ω , the sum is always dominated by the closest resonant mode ω_{N_*} among all the ω_N :

$$\kappa_{\text{cylinder}}^2(\omega) \approx \left| \frac{\omega^2}{\omega_{N_*}^2 - \omega^2} G_{N_*}^{\text{cylinder}} \right|^2$$
(E4)

$$\approx \left| \frac{\omega^2}{2\omega(\omega_{N_*} - \omega)} G_{N_*}^{\text{cylinder}} \right|^2 . \tag{E5}$$

To understand the term $1/(\omega_{N_*}-\omega)$, consider the local density of resonance near a particular ω . Note that, unlike the case of the sphere, which has one index, the density is not constant for the cylinder due to having two indices p and q. If the local density gets larger, the typical distance between ω and ω_{N_*} gets smaller. This quantity is of order the distance between neighbouring resonant frequencies:

$$\omega_{N_*} - \omega \lesssim \omega_{N_*} - \omega_{N_*-1} . \tag{E6}$$

This, in turn, is of order the "inverse local density of resonance":

$$\omega_{N_*} - \omega_{N_*-1} \sim \frac{\delta\omega}{\delta N} ,$$
 (E7)

where there are δN resonant frequencies between ω and $\omega + \delta \omega$.

Next, we argue that δN is proportional to $\omega \delta \omega$ for a two-index family of resonant frequencies. First, consider the following relation between the frequencies:

$$\omega_N^2 = \omega_{1pq}^2 = \left(\frac{x_{1p}'}{R}\right)^2 + \left(\frac{q\pi}{d}\right)^2 \equiv \omega_p^2 + \omega_q^2 \ . \tag{E8}$$

Notice that this describes a circle of radius ω_N in $\omega_p\omega_q$ -space. N, the number of resonant frequencies less than ω_N , is proportional to (one quarter of) the area of the circle. If we increase the radius of the circle by $\delta\omega$, the additional ring has an area $2\pi\omega_N\delta\omega$, which is proportional to δN , as shown in Figure 7a. So we have the relation

$$\frac{\delta N}{N} = \frac{2\pi\omega_N \delta\omega}{\pi\omega_N^2} \tag{E9}$$

$$\frac{\delta\omega}{\delta N} = \frac{\omega_N}{2N} \ . \tag{E10}$$

Substituting into eq. (E7) and eq. (E5), we get

$$\kappa_{\text{cylinder}}^2(\omega) \approx \left| NG_{N_*}^{\text{cylinder}} \right|^2 ,$$
(E11)

justifying the aforementioned name.

To find the value of N, we need to go to pq-space. By eq. (E8), we have an ellipse in pq-space, with semi-major and semi-minor axes $\omega_N R/\pi$ and $\omega_N d/\pi$:

$$1 = \left(\frac{p}{\omega_N R/\pi}\right)^2 + \left(\frac{q}{\omega_N d/\pi}\right)^2 , \qquad (E12)$$

where we used $x'_{1p} \approx \pi p$ for large p.

Now, consider the integer lattice of pq-space. Every point in this lattice with positive p and positive odd q corresponds to a unique resonant frequency, as shown in Fig. 7(b). So, the area of the ellipse is 8N:

$$8N = \pi \left(\frac{\omega_N R}{\pi}\right) \left(\frac{\omega_N d}{\pi}\right) . \tag{E13}$$




FIG. 7: (a) The shaded area of the ring is proportional to the incremental number of resonant frequencies δN . (b) The shaded area of the ellipse is approximately equal to the number of resonant frequencies N.

Using $\omega_N \approx \omega$, we now have

$$\kappa_{\text{cylinder}}^2(\omega) \approx \left| \frac{\omega^2 Rd}{8\pi} G_{p_*q_*}^{\text{cylinder}} \right|^2 .$$
(E14)

Finally, for large p, we have the scaling

$$\left| G_{pq}^{\text{cylinder}} \right| = \left| \frac{4x'_{1p}}{(x'_{1p}^{2} - 1)J_{1}(x'_{1p})} \frac{1}{q\pi} \right| \approx \left| \frac{4}{\sqrt{x'_{1p}}\sqrt{2/\pi}} \frac{1}{q\pi} \right| .$$
 (E15)

Using $\omega_q \approx \omega_p \approx \omega/\sqrt{2}$, this yields

$$\kappa_{\text{cylinder}}^2(\omega) \approx \left| \sqrt{\frac{1}{8\pi}} \frac{\omega^2 R}{\sqrt{x_{1p}'}} \frac{d}{q\pi} \right|^2 = \left| \sqrt{\frac{1}{8\pi}} \frac{\omega^2 \sqrt{R}}{\sqrt{\omega_p}} \frac{1}{\omega_q} \right|^2 \approx \frac{1}{2\sqrt{2\pi}} \omega R ,$$
(E16)

verifying our prediction of linear focusing for a cylindrical cavity in Section IV A.

Appendix F: Fixed Polarization Scenario

Several cosmological generation mechanisms of dark photon dark matter (DPDM) result in a fixed polarization scenario. This has a nontrivial interplay with the rotation of the Earth, modifying our dark photon limits. [13] systematically studied this effect on experiments, but that paper assumes continuous observables. Since our observable is discrete (quantum transitions), we need a different treatment.

1. Transition Probability

We first define a coordinate system with the center of Earth as the origin and the Earth rotation axis as \hat{z} (leaving \hat{x} and \hat{y} arbitrary for now). At the location of the experiment, define the unit vector pointing in the direction of the magnetic field of the Penning trap to be $\hat{B}(t)$, which is changing due to the rotation of the Earth. For our experiment, this happens to point straight up toward the zenith, making the calculation a bit simpler, although we will show that the result can be easily generalized.

Writing $\hat{B}(t)$ in spherical polar coordinate, the polar angle θ is fixed and is determined by the latitude of the location, while the azimuthal angle is rotating along with the Earth, $\varphi(t) = \omega_{\oplus} t + \varphi_0$. Here, ω_{\oplus} is the angular velocity of Earth rotation, given by one cycle per sidereal day: $\omega_{\oplus} = \frac{2\pi}{23.93 \text{ hour}}$. We can write this vector as

$$\hat{B}(t) = \begin{pmatrix} \sin \theta \cos \varphi(t) \\ \sin \theta \sin \varphi(t) \\ \cos \theta \end{pmatrix} . \tag{F1}$$

Next, let the unit vector along the direction of the fixed DPDM be \hat{A}' . Without loss of generality, we can choose \hat{x} and \hat{y} such that its azimuthal angle $\varphi_A = 0$. Then the unknown cosmological polarization of DPDM can be entirely parameterized by the polar angle θ_A :

$$\hat{A}' = \begin{pmatrix} \sin \theta_A \\ 0 \\ \cos \theta_A \end{pmatrix} . \tag{F2}$$

Finally, define the angle between $\hat{B}(t)$ and \hat{A}' to be $\alpha(t)$. The quantity we are interested in is their dot product:

$$\cos \alpha(t) = \hat{A}' \cdot \hat{B}(t) \tag{F3}$$

$$= \sin \theta \sin \theta_A \cos(\omega_{\oplus} t + \varphi_0) + \cos \theta \cos \theta_A . \tag{F4}$$

It is easy to get θ and φ_0 for an arbitrary experimental orientation. Suppose the direction of the Penning trap magnetic field \hat{B} does not point to the Zenith, but instead has both a North-South tilt $\Delta\theta_{NS}$ and an East-West tilt γ_{EW} . The North-South tilt can be accounted for by our previous formalism by modifying the definition of polar angle: $\theta \equiv \theta_{\text{location}} + \Delta\theta_{NS}$. Having a γ_{EW} amounts to shifting $\varphi \to \varphi + \Delta\varphi_{EW}$. This is degenerate with φ_0 and hence makes no difference.

Now, consider the probability of observing no cyclotron excitation in the presence of DPDM, which follows a Poisson distribution. Consider the infinitesimal time interval between t and t + dt. Let the average number of excitations during this time be

$$d\lambda = \Gamma_c dt , \qquad (F5)$$

where the cyclotron transition rate Γ_c is given by eq. (72). We will separate out its angular dependence by

$$\Gamma_c \equiv \Gamma_0 \sin^2 \alpha(t) = \Gamma_0 \left[1 - \cos^2 \alpha(t) \right] ,$$
 (F6)

which is always possible for a cavity with azimuthal symmetry (see the discussion around eq. (71)). Notice that this quantity depends on $\cos(\theta_A)$ and φ_0 , which are both drawn from uniform distributions.

The conditional probability of observing no excitation during the time interval dt conditioned on a polarization angle θ_A and initial azimuthal phase φ_0 is:

$$dP_0(\cos\theta_A, \varphi_0) = e^{-d\lambda(\cos\theta_A, \varphi_0)} , \qquad (F7)$$

where we have made explicit the dependence of $d\lambda$. To convert the conditional probability to total probability, we marginalize over the distribution of the two uncorrelated conditions:

$$dP_0 = \int_{-1}^{1} d(\cos \theta_A) P(\cos \theta_A) \int_{0}^{2\pi} d\varphi_0 P(\varphi_0) dP_0(\cos \theta_A, \varphi_0)$$
 (F8)

$$= \int_{-1}^{1} \frac{d(\cos \theta_A)}{2} \int_{0}^{2\pi} \frac{d\varphi_0}{2\pi} dP_0(\cos \theta_A, \varphi_0) .$$
 (F9)

Since we have no prior knowledge of the DPDM polarization angle and the initial azimuthal phase, we have taken both to be uniform distributions: $P(\cos\theta_A) = \frac{1}{2}$ and $P(\varphi_0) = \frac{1}{2\pi}$. Notice that since the area element is proportional to $\sin(\theta_A)d\theta_A = d(\cos\theta_A)$, this is the correct quantity to have a uniform distribution, not θ_A itself.

Finally, the total probability of detecting nothing over the entire run time of the experiment at a given frequency bin from t = 0 to $t = t_{obs}$ is the successive product of the instantaneous probabilities:

$$P_0 = \prod_{dt} dP_0 \tag{F10}$$

$$= \int_{-1}^{1} \frac{d(\cos \theta_A)}{2} \int_{0}^{2\pi} \frac{d\varphi_0}{2\pi} \prod_{dt} dP_0(\cos \theta_A, \varphi_0)$$
 (F11)

$$= \int_{-1}^{1} \frac{d(\cos \theta_A)}{2} \int_{0}^{2\pi} \frac{d\varphi_0}{2\pi} \prod_{dt} \exp[-d\lambda]$$
 (F12)

$$= \int_{-1}^{1} \frac{d(\cos \theta_A)}{2} \int_{0}^{2\pi} \frac{d\varphi_0}{2\pi} \exp\left[-\int d\lambda\right]$$
 (F13)

$$= \int_{-1}^{1} \frac{d(\cos \theta_A)}{2} \int_{0}^{2\pi} \frac{d\varphi_0}{2\pi} \exp\left\{-\Gamma_0 \int_{0}^{t_{\text{obs}}} dt \left[1 - \cos^2 \alpha(t)\right]\right\}. \tag{F14}$$

Substituting eq. (F4) and incorporating the probability of fast decay $\Gamma_c \to \zeta \Gamma_c$, where ζ is the detection efficiency given by eq. (A43), we can finally find the CL=90% confidence level limit by solving the following equation for $\Gamma_{0,\text{fixed}}$:

$$1 - CL = P_0(\zeta t_{\text{obs}}, \theta) = \int_{-1}^{1} \frac{d(\cos \theta_A)}{2} \int_{0}^{2\pi} \frac{d\varphi_0}{2\pi} \exp\left\{-\zeta \Gamma_{0, \text{fixed}} \int_{0}^{t_{\text{obs}}} dt \left[1 - \left[\sin \theta \sin \theta_A \cos(\omega_{\bigoplus} t + \varphi_0) + \cos \theta \cos \theta_A\right]^2\right]\right\}.$$
(F15)

2. Long Time Limit

Although our current proposed parameters and the previous proof-of-principle experiment [23] both have observation times $t_{\rm obs}$ of several days, it is easy to adjust our quality factor Q_c to achieve a much shorter $t_{\rm obs}$. Therefore, we will discuss both the long and short observation time limits (defined relative to a Sidereal day) and show that they, in fact, share the same result.

Eq. (F15) tells us that the solution of $\Gamma_{0,\text{fixed}}$ depends on t_{obs} via an integration limit. Consider the case that

$$T = t_{\rm obs} \gg 1 \, \text{day} = \frac{2\pi}{\omega_{\oplus}}.$$
 (F16)

In this limit, we can write the time integral in terms of time average

$$\langle f(t) \rangle_T = \lim_{T \to \infty} \frac{\int_0^T dt f(t)}{T} \ .$$
 (F17)

Therefore, in the long time limit, the time integral of eq. (F15) becomes

$$\int_{0}^{T} dt \left[1 - \left[\sin \theta \sin \theta_{A} \cos(\omega_{\oplus} t + \varphi_{0}) + \cos \theta \cos \theta_{A} \right]^{2} \right] \approx T \times \left(1 - \left\langle \left[\sin \theta \sin \theta_{A} \cos(\omega_{\oplus} t + \varphi_{0}) + \cos \theta \cos \theta_{A} \right]^{2} \right\rangle_{T} \right). \tag{F18}$$

Using $\langle \cos(\omega_{\oplus}t + \varphi_0)\rangle_T = 0$ and $\langle \cos^2(\omega_{\oplus}t + \varphi_0)\rangle_T = 1/2$, we can then write the integral as

$$T \times \left(1 - \frac{1}{2}\sin^2\theta\sin^2\theta_A - \cos^2\theta\cos^2\theta_A\right). \tag{F19}$$

Now we are able to rewrite eq. (F15) and simplify it,

$$1 - CL = P_0(\zeta t_{\text{obs}}, \theta) = \int_{-1}^{1} \frac{d(\cos \theta_A)}{2} \int_{0}^{2\pi} \frac{d\varphi_0}{2\pi} \exp\left\{-\zeta \Gamma_{0,\text{fixed}} t_{\text{obs}} \times \left(1 - \frac{1}{2}\sin^2 \theta \sin^2 \theta_A - \cos^2 \theta \cos^2 \theta_A\right)\right\}$$
(F20)
$$= \exp\left\{-\zeta \Gamma_{0,\text{fixed}} t_{\text{obs}} \left(1 - \frac{1}{2}\sin^2 \theta\right)\right\} \int_{-1}^{1} \frac{dx}{2} \exp\left\{\zeta \Gamma_{0,\text{fixed}} t_{\text{obs}} \left(1 - \frac{3}{2}\sin^2 \theta\right) x^2\right\}.$$
(F21)

For comparison, we also recall the random polarization case from Appendix A 5:

$$1 - CL = P_0(\zeta t_{\text{obs}}) = \exp\{-\zeta \Gamma_{c,\text{random}} t_{\text{obs}}\} = \exp\{-\zeta \Gamma_{0,\text{random}} \langle \sin^2 \theta_A \rangle t_{\text{obs}}\} = \exp\{-\frac{2}{3} \zeta \Gamma_{0,\text{random}} t_{\text{obs}}\} . \quad (F22)$$

a. Experiment in Chicago

The θ in eq. (F20) is a parameter that depends on the location of the experiment. In our previous work [92], we did a multi-day proof-of-principle experiment in Chicago, which satisfies the long time limit requirement $t_{\rm obs} \gg 1$ day. Therefore, we can use eq. (F20) to calculate $\Gamma_{0,\rm fixed}$.

That experiment was located at Evanston, Illinois, which has a latitude of 42.05° N, corresponding to a polar angle of $\theta_{\text{Chicago}} = 90^{\circ} - 42.05^{\circ} = 0.837$. The total run time was $t_{\text{obs}} = 638870$ seconds. Substituting these two numbers, we numerically found a limit of

$$\Gamma_{0,\text{fixed}} < 6.55 \times 10^{-6} \text{ s}^{-1}$$
 (F23)

By comparison, the limit from eq. (F22) is equivalent to

$$\Gamma_{0,\text{random}} < \frac{3}{2} \times 4.33 \times 10^{-6} \text{ s}^{-1} = 6.50 \times 10^{-6} \text{ s}^{-1}.$$
(F24)

We see that the fixed polarization limit on ϵ is only a little bit weaker than that of random polarization, and we will see below this is due to $\theta_{\text{Chicago}} = 0.837$ being not too far from the optimal angle $\theta_* = 0.955$.

b. Optimal Angle

In Figure 8, we plot the numerical result from eq. (F20) and eq. (F22), and it shows that the fixed polarization scenario, in general, sets a worse limit than the random polarization case. However, there is an optimal angle where they are equal. By comparing eq. (F20) and eq. (F22), it is obvious that this optimal polar angle occurs exactly at $\sin^2(\theta_*) = \frac{2}{3}$, with $\theta_* = 0.955$.

3. Short Time Limit

For short observation time where $t_{\rm obs} \ll 1$ day, eq. (F15) can be simplified as,

$$1 - CL = P_0(\zeta t_{\text{obs}}, \theta, t_0) = \int_{-1}^{1} \frac{d(\cos \theta_A)}{2} \int_{0}^{2\pi} \frac{d\varphi_0}{2\pi} \exp\left\{-\zeta \Gamma_{0, \text{fixed}} \int_{t_0}^{t_0 + t_{\text{obs}}} dt \left[1 - \left[\sin \theta \sin \theta_A \cos(\omega_{\oplus} t + \varphi_0) + \cos \theta \cos \theta_A\right]^2\right]\right\}$$

$$\approx \int_{-1}^{1} \frac{d(\cos \theta_A)}{2} \int_{0}^{2\pi} \frac{d\varphi_0}{2\pi} \exp\left\{-\zeta \Gamma_{0, \text{fixed}} t_{\text{obs}} \left[1 - \left[\sin \theta \sin \theta_A \cos(\omega_{\oplus} t_0 + \varphi_0) + \cos \theta \cos \theta_A\right]^2\right]\right\}.$$
(F26)




FIG. 8: Transition rate vs polar angle of the Penning trap magnetic field. The purple curve corresponds to the fixed polarization case, while the green line is the random polarization case.

Here, t_0 represents the initial time of each observation. Since we are scanning in frequency continuously, different values of t_0 can be regarded as representing an average value over the long observation period. Averaging $P_0(\zeta t_{\text{obs}}, \theta, t_0)$ over one day gives the expected value of $P_0(\zeta t_{\text{obs}}, \theta)$:

$$\langle P_0(\zeta t_{\rm obs}, \theta) \rangle = \int_{-1}^1 \frac{d(\cos \theta_A)}{2} \int_0^{2\pi} \frac{d\varphi_0}{2\pi} \exp\left\{ -\zeta \Gamma_{0, \rm fixed} t_{\rm obs} \langle \left[1 - \left[\sin \theta \sin \theta_A \cos(\omega_{\bigoplus} t_0 + \varphi_0) + \cos \theta \cos \theta_A \right]^2 \right] \rangle_{T=1 \rm day} \right\}.$$
(F27)

Comparing this expression of $\langle P_0(\zeta t_{\rm obs}, \theta) \rangle$ with eq. (F18), it turns out that we get the same answer for these two limits.

Appendix G: Experimental Parameters

parameter	symbol	optimal	lower limit	upper limit
external magnetic field	B_{ext}	10 T	N/A	BREAD experiment
cavity size	R	1 m	BREAD experiment	
bottle ring magnetic field perturbation	$\tilde{B_2}$	0.27 T	N/A	maximum magnetic field
bottle size	$R_{ m bot}$	0.5 mm	fabrication technique	N/A
magnetic field gradient	B_2	$1.08 \times 10^6 \text{ T/m}^2$	$B_2 = rac{ec{B}_2}{R_{ m bot}^2}$	
cyclotron radii	r_c	$< 3.9 \times 10^{-2} \text{ mm}$	$r_c = \sqrt{n_c \frac{2}{m_e \omega_c}}$	
effective magnetic field perturbation	$\tilde{B}_{2, ext{eff}}$	$< 1.6 \times 10^{-3} \text{ T}$	$ ilde{B}_{2, ext{eff}} = B_2 imes r_c^2$	
axial amplitude	$z_{ m max}$	0.2 mm	N/A	$R_{\rm bot}$ (diffraction & B_2 anharmonicity)
trap radius and height	R_{trap}	0.5 mm	axial anharmonicty	$R_{ m bot}$
trap height	d	1.02 mm	$d = 2.0478R_{\rm traj}$	p (axial anharmonicity [83])
static trapping potential	V_0	4 mV	trapping in axial direction	power supply
axial frequency	$\frac{\omega_z}{2\pi}$	9.8 MHz	$\omega_z = \sqrt{rac{4eV_0}{m_e(R_{ ext{trap}}^2 + rac{1}{2}d^2)}}$ $\delta = rac{eB_2}{m_e^2\omega_z}$	
axial frequency shift	$\frac{\delta}{2\pi}$	56.9 kHz	$\delta = rac{eB_2}{m_s^2 \omega_z}$	
signal formation time	$t_{ m signal}$	$2.8 \times 10^{-6} \text{ s}$	$t_{ m signal} = rac{1}{\delta}$	
detector quality factor	$Q_{ m det}$	2.9×10^{4}	$Q_{\rm det} \le 2.8 \times 10^5 \left(\frac{1 \mathrm{MHz}}{\omega_z/2\pi}\right)$	
quality factor efficiency	q	0.0061	$q = rac{Q_{ m det,eff}}{Q_{ m det}}$	
detector damping rate	$\frac{\gamma_{\text{det}}}{2\pi}$	56.2 kHz	$q = rac{Q_{ m obs, eff}}{Q_{ m det}}$ $\gamma_{ m det} = rac{\omega_z}{Q_{ m det, eff}}$	
detection time	$t_{ m det}$	$2.8 \times 10^{-6} \text{ s}$	$t_{ m det} = rac{1}{\gamma_{ m det}}$	
circuit effective resistance	$\mathscr{R}_{ ext{eff}}$	$380 \mathrm{k}\Omega$	$t_{\text{det}} = \frac{1}{\gamma_{\text{det}}}$ $\mathscr{R}_{\text{eff}} = q \times 6000 \text{ M}\Omega \left(\frac{1 \text{ MHz}}{\omega_z/2\pi}\right)^2$	
image charge parameter	d_1	0.9	depends on the aspect ratio $\frac{d}{R_{\text{trap}}}$ [83]	
axial damping rate	$\frac{\gamma_z}{2\pi}$	1.4 kHz	$\gamma_z = rac{1}{m_e} \left(rac{ed_1}{d} ight)^2 \mathscr{R}_{ ext{eff}}$	
circuit temperature	T_R	0.01K	cryogenic technology	N/A
axial energy	E_z	$0.43~\mathrm{meV}$	E_z	$a = \frac{1}{2}m_e\omega_z^2 z_{\max}^2$
signal to noise ratio	SNR	5	background	N/A
SNR time	$t_{ m SNR}$	$2.87 \times 10^{-6} \text{ s}$	t_{s}	$E_{ m NR} = rac{{ m SNR}^2 T_R}{2E_z \gamma_z}$
averaging time	$t_{ m ave}$	$2.87 \times 10^{-6} \text{ s}$	$\max(t_{\text{signal}}, t_{\text{det}}, t_{\text{SNR}})$	$ au_c$
cyclotron lifetime	$ au_c$	$2.87 \times 10^{-6} \text{ s} \left(\frac{1.2 \times 10^6}{n_c}\right) \left(\frac{0.1 \text{ meV}}{\omega_c}\right)^2$	$ au_c = rac{1}{n_c} rac{3m_e}{4lpha\omega_c^2}$	
cyclotron number	n_c	$\frac{2.87 \times 10^{-6} \text{ s} \left(\frac{1.2 \times 10^{6}}{n_{c}}\right) \left(\frac{0.1 \text{ meV}}{\omega_{c}}\right)^{2}}{1.2 \times 10^{6} \left(\frac{0.1 \text{ meV}}{\omega_{c}}\right)^{2}}$	N/A	
cyclotron linewidth	$\Delta\omega_c$	$5 \times 10^{-3} \text{ meV}$	$\Delta \omega_c = \omega_c rac{B_2}{B_0} z_{ m max}^2 + rac{1}{ au_c}$	
cyclotron quality factor	Q_c	$20 \sim 200$	$Q_c = rac{\omega_c}{\Delta \omega_c}$	
total detection time	$t_{ m total}$	1000 days	N/A	N/A
detection time per frequency bin	$t_{ m obs}$	5.5 days	$t_{ m obs} = t_{ m total} rac{\Delta \omega_c}{m_{A', m max} - m_{A', m min}}$	

TABLE I: Optimal experimental parameters chosen to maximize cyclotron number n_c and satisfy all other experimental constraints. Independent variables' lower and upper limits are listed, while dependent variables' formulas are given.

^[1] F. Zwicky, Die Rotverschiebung von extragalaktischen Nebeln, Helv. Phys. Acta 6, 110 (1933).

^[2] V. C. Rubin, W. K. Ford Jr., and N. Thonnard, Rotational properties of 21 SC galaxies with a large range of luminosities and radii, from NGC 4605 (R=4kpc) to UGC 2885 (R=122kpc)., Astrophys. J. 238, 471 (1980).

^[3] D. Clowe, M. Bradač, A. H. Gonzalez, M. Markevitch, S. W. Randall, C. Jones, and D. Zaritsky, A direct empirical proof of the existence of dark matter, Astrophys. J. **648**, L109 (2006).

^[4] D. N. Spergel and P. J. Steinhardt, Observational evidence for self-interacting cold dark matter, Phys. Rev. Lett. 84, 3760 (2000).

^[5] D. Hooper, D. P. Finkbeiner, and G. Dobler, Possible evidence for dark matter annihilations from the excess microwave emission around the center of the galaxy seen by the wilkinson microwave anisotropy probe, Phys. Rev. D 76, 083012 (2007).

^[6] Planck Collaboration, Planck 2018 results - i. overview and the cosmological legacy of planck, Astron. Astrophys. **641**, A1 (2020).

- [7] W. Hu, R. Barkana, and A. Gruzinov, Fuzzy cold dark matter: The wave properties of ultralight particles, Phys. Rev. Lett. 85, 1158 (2000).
- [8] A. E. Nelson and J. Scholtz, Dark light, dark matter, and the misalignment mechanism, Phys. Rev. D 84, 103501 (2011).
- [9] N. Arkani-Hamed, D. P. Finkbeiner, T. R. Slatyer, and N. Weiner, A theory of dark matter, Phys. Rev. D 79, 015014 (2009).
- [10] P. Arias, D. Cadamuro, M. Goodsell, J. Jaeckel, J. Redondo, and A. Ringwald, WISPy cold dark matter, J. Cosmol. Astropart. Phys. (06), 013.
- [11] J. Magaña and T. Matos, A brief review of the scalar field dark matter model, J. Phys. Conf. Ser. 378, 012012 (2012).
- [12] L. Hui, J. P. Ostriker, S. Tremaine, and E. Witten, Ultralight scalars as cosmological dark matter, Phys. Rev. D 95, 043541 (2017).
- [13] A. Caputo, A. J. Millar, C. A. J. O'Hare, and E. Vitagliano, Dark photon limits: A handbook, Phys. Rev. D 104, 095029 (2021).
- [14] A. Filippi and M. De Napoli, Searching in the dark: the hunt for the dark photon, Rev. Phys. 5, 100042 (2020).
- [15] C. Boutan, M. Jones, B. H. LaRoque, N. S. Oblath, R. Cervantes, N. Du, N. Force, S. Kimes, R. Ottens, L. J. Rosenberg, G. Rybka, J. Yang, G. Carosi, N. Woollett, D. Bowring, A. S. Chou, R. Khatiwada, A. Sonnenschein, W. Wester, R. Bradley, E. J. Daw, A. Agrawal, A. V. Dixit, J. Clarke, S. R. O'Kelley, N. Crisosto, J. R. Gleason, S. Jois, P. Sikivie, I. Stern, N. S. Sullivan, D. B. Tanner, P. M. Harrington, and E. Lentz (ADMX Collaboration), Piezoelectrically tuned multimode cavity search for axion dark matter, Phys. Rev. Lett. 121, 261302 (2018).
- [16] R. Khatiwada, D. Bowring, A. S. Chou, A. Sonnenschein, W. Wester, D. V. Mitchell, T. Braine, C. Bartram, R. Cervantes, N. Crisosto, N. Du, L. J. Rosenberg, G. Rybka, J. Yang, D. Will, S. Kimes, G. Carosi, N. Woollett, S. Durham, L. D. Duffy, R. Bradley, C. Boutan, M. Jones, B. H. LaRoque, N. S. Oblath, M. S. Taubman, J. Tedeschi, J. Clarke, A. Dove, A. Hashim, I. Siddiqi, N. Stevenson, A. Eddins, S. R. O'Kelley, S. Nawaz, A. Agrawal, A. V. Dixit, J. R. Gleason, S. Jois, P. Sikivie, N. S. Sullivan, D. B. Tanner, J. A. Solomon, E. Lentz, E. J. Daw, M. G. Perry, J. H. Buckley, P. M. Harrington, E. A. Henriksen, K. W. Murch, and G. C. Hilton, Axion dark matter experiment: Detailed design and operations, Rev. Sci. Instrum. 92, 124502 (2021), https://doi.org/10.1063/5.0037857.
- [17] S. Lee, S. Ahn, J. Choi, B. R. Ko, and Y. K. Semertzidis, Axion dark matter search around 6.7 μ eV, Phys. Rev. Lett. 124, 101802 (2020).
- [18] J. Jeong, S. W. Youn, S. Bae, J. Kim, T. Seong, J. E. Kim, and Y. K. Semertzidis, Search for invisible axion dark matter with a multiple-cell haloscope, Phys. Rev. Lett. 125, 221302 (2020).
- [19] O. Kwon, D. Lee, W. Chung, D. Ahn, H. Byun, F. Caspers, H. Choi, J. Choi, Y. Chong, H. Jeong, J. Jeong, J. E. Kim, J. Kim, i. m. c. b. u. Kutlu, J. Lee, M. Lee, S. Lee, A. Matlashov, S. Oh, S. Park, S. Uchaikin, S. Youn, and Y. K. Semertzidis, First results from an axion haloscope at capp around 10.7 μeV, Phys. Rev. Lett. 126, 191802 (2021).
- [20] J. Chiles et al., New Constraints on Dark Photon Dark Matter with Superconducting Nanowire Detectors in an Optical Haloscope, Phys. Rev. Lett. 128, 231802 (2022), arXiv:2110.01582 [hep-ex].
- [21] Y. Hochberg, B. V. Lehmann, I. Charaev, J. Chiles, M. Colangelo, S. W. Nam, and K. K. Berggren, New Constraints on Dark Matter from Superconducting Nanowires, arXiv:2110.01586.
- [22] M. D. Eisaman, J. Fan, A. Migdall, and S. V. Polyakov, Invited review article: Single-photon sources and detectors, Rev. Sci. Instrum. 82, 071101 (2011), https://doi.org/10.1063/1.3610677.
- [23] X. Fan, G. Gabrielse, P. W. Graham, R. Harnik, T. G. Myers, H. Ramani, B. A. D. Sukra, S. S. Y. Wong, and Y. Xiao, One-electron quantum cyclotron as a milli-ev dark-photon detector, Physical Review Letters 129, 10.1103/phys-revlett.129.261801 (2022).
- [24] D. Budker, P. W. Graham, H. Ramani, F. Schmidt-Kaler, C. Smorra, and S. Ulmer, Millicharged Dark Matter Detection with Ion Traps, PRX Quantum 3, 010330 (2022), arXiv:2108.05283 [hep-ph].
- [25] S. Chen, H. Fukuda, T. Inada, T. Moroi, T. Nitta, and T. Sichanugrist, Detecting hidden photon dark matter using the direct excitation of transmon qubits, Phys. Rev. Lett. 131, 211001 (2023).
- [26] S. Chen, H. Fukuda, T. Inada, T. Moroi, T. Nitta, and T. Sichanugrist, Search for QCD axion dark matter with transmon qubits and quantum circuit, (2024), arXiv:2407.19755 [hep-ph].
- [27] P. W. Graham, I. G. Irastorza, S. K. Lamoreaux, A. Lindner, and K. A. van Bibber, Experimental Searches for the Axion and Axion-Like Particles, Ann. Rev. Nucl. Part. Sci. 65, 485 (2015), arXiv:1602.00039 [hep-ex].
- [28] J. E. Kim and G. Carosi, Axions and the Strong CP Problem, Rev. Mod. Phys. 82, 557 (2010), [Erratum: Rev.Mod.Phys. 91, 049902 (2019)], arXiv:0807.3125 [hep-ph].
- [29] R. D. Peccei and H. R. Quinn, CP Conservation in the Presence of Instantons, Phys. Rev. Lett. 38, 1440 (1977).
- [30] R. D. Peccei and H. R. Quinn, Constraints Imposed by CP Conservation in the Presence of Instantons, Phys. Rev. D 16, 1791 (1977).
- [31] S. Weinberg, A New Light Boson?, Phys. Rev. Lett. 40, 223 (1978).
- [32] M. Dine, W. Fischler, and M. Srednicki, A Simple Solution to the Strong CP Problem with a Harmless Axion, Phys. Lett. B 104, 199 (1981).
- [33] L. Brouwer et al. (DMRadio), Proposal for a definitive search for GUT-scale QCD axions, Phys. Rev. D 106, 112003 (2022), arXiv:2203.11246 [hep-ex].
- [34] J. E. Kim, Weak Interaction Singlet and Strong CP Invariance, Phys. Rev. Lett. 43, 103 (1979).
- [35] M. A. Shifman, A. I. Vainshtein, and V. I. Zakharov, Can Confinement Ensure Natural CP Invariance of Strong Interactions?, Nucl. Phys. B 166, 493 (1980).
- [36] A. R. Zhitnitsky, On Possible Suppression of the Axion Hadron Interactions. (In Russian), Sov. J. Nucl. Phys. 31, 260 (1980).

- [37] P. W. Graham and S. Rajendran, New Observables for Direct Detection of Axion Dark Matter, Phys. Rev. D 88, 035023 (2013), arXiv:1306.6088 [hep-ph].
- [38] J. L. Hewett, H. Weerts, R. Brock, J. N. Butler, B. C. K. Casey, J. Collar, A. de Gouvêa, R. Essig, and etc., Fundamental Physics at the Intensity Frontier, (2012), arXiv:1205.2671 [hep-ex].
- [39] A. Ringwald, Searching for axions and ALPs from string theory, (2012), arXiv:1209.2299 [hep-ph].
- [40] A. Ringwald, Exploring the Role of Axions and Other WISPs in the Dark Universe, (2012), arXiv:1210.5081 [hep-ph].
- [41] O. K. Baker, M. Betz, F. Caspers, J. Jaeckel, A. Lindner, A. Ringwald, Y. K. Semertzidis, P. Sikivie, and etc., Prospects for Searching Axion-like Particle Dark Matter with Dipole, Toroidal and Wiggler Magnets, Phys. Rev. D 85, 035018 (2012), arXiv:1110.2180 [physics.ins-det].
- [42] P. Arias, J. Jaeckel, J. Redondo, and A. Ringwald, Optimizing Light-Shining-through-a-Wall Experiments for Axion and other WISP Searches, Phys. Rev. D 82, 115018 (2010), arXiv:1009.4875 [hep-ph].
- [43] J. Jaeckel and A. Ringwald, The Low-Energy Frontier of Particle Physics, Ann. Rev. Nucl. Part. Sci. 60, 405 (2010), arXiv:1002.0329 [hep-ph].
- [44] K. Ehret, M. Frede, S. Ghazaryan, M. Hildebrandt, E.-A. Knabbe, D. Kracht, A. Lindner, J. List, and etc., New ALPS Results on Hidden-Sector Lightweights, Phys. Lett. B 689, 149 (2010), arXiv:1004.1313 [hep-ex].
- [45] M. Schott et al. (OSQAR), First Results of the Full-Scale OSQAR Photon Regeneration Experiment, in International Conference on the Structure and Interactions of the Photon and 19th International Workshop on Photon-Photon Collisions (2011) arXiv:1110.0774 [hep-ex].
- [46] R. Battesti, M. Fouché, C. Detlefs, T. Roth, P. Berceau, F. Duc, P. Frings, G. L. J. A. Rikken, and etc., A Photon Regeneration Experiment for Axionlike Particle Search using X-rays, Phys. Rev. Lett. 105, 250405 (2010), arXiv:1008.2672 [hep-ex].
- [47] J. P. Conlon, The QCD axion and moduli stabilisation, JHEP 0605, 078, arXiv:hep-th/0602233.
- [48] A. Arvanitaki, S. Dimopoulos, S. Dubovsky, N. Kaloper, and J. March-Russell, String Axiverse, Phys. Rev. D 81, 123530 (2010), arXiv:0905.4720 [hep-th].
- [49] B. S. Acharya, K. Bobkov, and P. Kumar, An M Theory Solution to the Strong CP Problem and Constraints on the Axiverse, JHEP 1011, 105, arXiv:1004.5138 [hep-th].
- [50] M. Pospelov, S. Pustelny, M. P. Ledbetter, D. F. Jackson Kimball, W. Gawlik, and D. Budker, Detecting Domain Walls of Axionlike Models Using Terrestrial Experiments, Phys. Rev. Lett. 110, 021803 (2013), arXiv:1205.6260 [hep-ph].
- [51] P. W. Graham and S. Rajendran, New Observables for Direct Detection of Axion Dark Matter, Phys. Rev. D 88, 035023 (2013), arXiv:1306.6088 [hep-ph].
- [52] J. Preskill, M. B. Wise, and F. Wilczek, Cosmology of the invisible axion, Physics Letters B 120, 127 (1983).
- [53] L. Abbott and P. Sikivie, A cosmological bound on the invisible axion, Physics Letters B 120, 133 (1983).
- [54] M. Dine and W. Fischler, The not-so-harmless axion, Physics Letters B 120, 137 (1983).
- [55] M. Buschmann, J. W. Foster, A. Hook, A. Peterson, D. E. Willcox, W. Zhang, and B. R. Safdi, Dark matter from axion strings with adaptive mesh refinement, Nature Communications 13, 10.1038/s41467-022-28669-y (2022).
- [56] B. Holdom, Two u(1)'s and ϵ charge shifts, Phys. Lett. **166B**, 196 (1986).
- [57] L. B. Okun, LIMITS OF ELECTRODYNAMICS: PARAPHOTONS?, Sov. Phys. JETP 56, 502 (1982).
- [58] P. W. Graham, J. Mardon, and S. Rajendran, Vector Dark Matter from Inflationary Fluctuations, Phys. Rev. D 93, 103520 (2016), arXiv:1504.02102 [hep-ph].
- [59] J. A. Dror, K. Harigaya, and V. Narayan, Parametric Resonance Production of Ultralight Vector Dark Matter, Phys. Rev. D 99, 035036 (2019), arXiv:1810.07195 [hep-ph].
- [60] P. Agrawal, N. Kitajima, M. Reece, T. Sekiguchi, and F. Takahashi, Relic Abundance of Dark Photon Dark Matter, Phys. Lett. B 801, 135136 (2020), arXiv:1810.07188 [hep-ph].
- [61] J. Jaeckel and A. Ringwald, The low-energy frontier of particle physics, Annu. Rev. Nucl. Part. Sci. 60, 405 (2010), https://doi.org/10.1146/annurev.nucl.012809.104433.
- [62] A. Ahmed, B. Grzadkowski, and A. Socha, Gravitational production of vector dark matter, J. High Energy Phys. 08, 059, arXiv:2005.01766 [hep-ph].
- [63] E. W. Kolb and A. J. Long, Completely dark photons from gravitational particle production during the inflationary era, J. High Energy Phys. 03 (3), 283.
- [64] R. T. Co, A. Pierce, Z. Zhang, and Y. Zhao, Dark photon dark matter produced by axion oscillations, Phys. Rev. D 99, 075002 (2019).
- [65] R. T. Co, K. Harigaya, and A. Pierce, Gravitational waves and dark photon dark matter from axion rotations, J. High Energy Phys. 12, 099.
- [66] S. Peil and G. Gabrielse, Observing the Quantum Limit of an Electron Cyclotron: QND Measurements of Quantum Jumps Between Fock States, Phys. Rev. Lett. 83, 1287 (1999).
- [67] J. Liu, K. Dona, G. Hoshino, S. Knirck, N. Kurinsky, M. Malaker, D. W. Miller, A. Sonnenschein, M. H. Awida, P. S. Barry, K. K. Berggren, D. Bowring, G. Carosi, C. Chang, A. Chou, R. Khatiwada, S. Lewis, J. Li, S. W. Nam, O. Noroozian, and T. X. Zhou, Broadband solenoidal haloscope for terahertz axion detection, Physical Review Letters 128, 10.1103/physrevlett.128.131801 (2022).
- [68] M. Baryakhtar, J. Huang, and R. Lasenby, Axion and hidden photon dark matter detection with multilayer optical haloscopes, Phys. Rev. D 98, 035006 (2018).
- [69] M. J. Dolan, F. J. Hiskens, and R. R. Volkas, Advancing globular cluster constraints on the axion-photon coupling, JCAP 10, 096, arXiv:2207.03102 [hep-ph].

- [70] A. Quiskamp, B. T. McAllister, P. Altin, E. N. Ivanov, M. Goryachev, and M. E. Tobar, Exclusion of Axionlike-Particle Cogenesis Dark Matter in a Mass Window above 100 μeV, Phys. Rev. Lett. 132, 031601 (2024), arXiv:2310.00904 [hep-ex].
- [71] S. Kotaka, S. Adachi, R. Fujinaka, S. Honda, H. Nakata, Y. Seino, Y. Sueno, T. Sumida, J. Suzuki, O. Tajima, and S. Takeichi, Search for dark photon dark matter in the mass range 74-100 μ eV with a cryogenic millimeter-wave receiver, arXiv:2205.03679.
- [72] J. Egge et al. (MADMAX), First search for dark photon dark matter with a MADMAX prototype, (2024), arXiv:2408.02368 [hep-ex].
- [73] H. An, M. Pospelov, J. Pradler, and A. Ritz, New limits on dark photons from solar emission and kev scale dark matter, Phys. Rev. D 102, 115022 (2020).
- [74] T. Gherghetta, J. Kersten, K. Olive, and M. Pospelov, Evaluating the price of tiny kinetic mixing, Phys. Rev. D 100, 095001 (2019), arXiv:1909.00696 [hep-ph].
- [75] X. Fan, T. G. Myers, B. A. D. Sukra, and G. Gabrielse, Measurement of the electron magnetic moment, Phys. Rev. Lett. 130, 071801 (2023).
- [76] G. Gabrielse, S. E. Fayer, T. G. Myers, and X. Fan, Towards an Improved Test of the Standard Model's Most Precise Prediction, Atoms 7, 45 (2019).
- [77] T. Aoyama, T. Kinoshita, and M. Nio, Theory of the Anomalous Magnetic Moment of the Electron, Atoms 7, 28 (2019).
- [78] R. S. Van Dyck, Jr., P. B. Schwinberg, and H. G. Dehmelt, New High-Precision Comparison of Electron and Positron g Factors, Phys. Rev. Lett. 59, 26 (1987).
- [79] D. Hanneke, S. Fogwell, and G. Gabrielse, New Measurement of the Electron Magnetic Moment and the Fine Structure Constant, Phys. Rev. Lett. 100, 120801 (2008).
- [80] D. Hanneke, S. Fogwell Hoogerheide, and G. Gabrielse, Cavity control of a single-electron quantum cyclotron: Measuring the electron magnetic moment, Phys. Rev. A 83, 052122 (2011).
- [81] L. S. Brown and G. Gabrielse, Geonium Theory: Physics of a Single Electron or Ion in a Penning Trap, Rev. Mod. Phys. 58, 233 (1986).
- [82] G. Gabrielse and F. C. MacKintosh, Cylindrical Penning Traps with Orthogonalized Anharmonicity Compensation, Int. J. Mass Spec. Ion Proc. 57, 1 (1984).
- [83] G. Gabrielse, L. Haarsma, and S. L. Rolston, Open-Endcap Penning Traps for High-Precision Experiments, Intl. J. of Mass Spec. and Ion Proc. 88, 319 (1989), ibid. 93:, 121 (1989).
- [84] R. Van Dyck, Jr., P. Ekstrom, and H. Dehmelt, Axial, magnetron, cyclotron and spin-cyclotron-beat frequencies measured on single electron almost at rest in free space (geonium), Nature (London) 262, 776 (1976).
- [85] X. Fan and G. Gabrielse, Circumventing detector backaction on a quantum cyclotron, Phys. Rev. Lett. 126, 070402 (2021).
- [86] G. Gabrielse and H. Dehmelt, "observation of inhibited spontaneous emission", Phys. Rev. Lett. 55, 67 (1985).
- [87] A. C. Polycarpou and M. A. Christou, Closed-form expressions for the on-axis scattered fields by a subwavelength circular aperture in an infinite conducting plane, IEEE Transactions on Antennas and Propagation 65, 978 (2017).
- [88] H. A. Bethe, Theory of diffraction by small holes, Phys. Rev. 66, 163 (1944).
- [89] H. Dehmelt and F. Walls, "bolometric" technique for the rf spectroscopy of stored ions, Phys. Rev. Lett. 21, 127 (1968).
- [90] S. Chaudhuri, K. Irwin, P. W. Graham, and J. Mardon, Optimal Impedance Matching and Quantum Limits of Electromagnetic Axion and Hidden-Photon Dark Matter Searches, (2018), arXiv:1803.01627 [hep-ph].
- [91] H. Dehmelt, "continuous stern-gerlach effect: Noise and the measurement process", Proc. Natl. Acad. Sci. 83, 3074 (1986).
- [92] X. Fan, An Improved Measurement of the Electron Magnetic Moment, Ph.D. thesis, Harvard University (2022).
- [93] R. J. Glauber, "coherent and incoherent states of the radiation field", Phys. Rev. 131, 2766 (1963).
- [94] D. Horns, J. Jaeckel, A. Lindner, A. Lobanov, J. Redondo, and A. Ringwald, Searching for WISPy cold dark matter with a dish antenna, J. Cosmol. Astropart. Phys., 04 (2013) 016.
- [95] W. M. Itano and D. J. Wineland, Laser cooling of ions stored in harmonic and penning traps, Phys. Rev. A 25, 35 (1982).
- [96] J. Jaeckel and S. Knirck, Dish Antenna Searches for WISPy Dark Matter: Directional Resolution Small Mass Limitations, in 12th Patras Workshop on Axions, WIMPs and WISPs (2017) pp. 78–81, arXiv:1702.04381 [hep-ph].
- [97] S. Chaudhuri, P. W. Graham, K. Irwin, J. Mardon, S. Rajendran, and Y. Zhao, Radio for hidden-photon dark matter detection, Physical Review D 92, 10.1103/physrevd.92.075012 (2015).
- [98] D. A. Hill, Electromagnetic fields in cavities: Deterministic and statistical theories. (Wiley, 2009).
- [99] C. Cohen-Tannoudji, B. Diu, and F. Laloë, *Quantum mechanics; 1st ed.* (Wiley, New York, NY, 1977) trans. of: Mécanique quantique. Paris: Hermann, 1973.
- [100] W. R. Leo, Techniques for nuclear and particle physics experiments (1987).
- [101] M. Schwartz, Lecture 2: Driven oscillators, https://scholar.harvard.edu/files/schwartz/files/lecture2-driven-oscillators.pdf (2016), lecture notes, The Physics of Waves.
- [102] B. D'Urso, Cooling and Self-Excitation of a One-Electron Oscillator, Ph.D. thesis, Harvard University (2003), (thesis advisor: G. Gabrielse).
- [103] G. Gabrielse, H. Dehmelt, and W. Kells, "observation of a relativistic bistable hysteresis in the cyclotron motion of a single electron", Phys. Rev. Lett. 54, 537 (1985).
- [104] C. H. Tseng, D. Enzer, G. Gabrielse, and F. L. Walls, "one-bit memory using one electron: Parametric oscillations in a penning trap", Phys. Rev. A 59, 2094 (1999).