



**Fermilab**

**Fermi National Accelerator Laboratory  
Technical Support Engineering  
P.O. Box 500 - Batavia, Illinois - 60510**

May 21, 1990

To: Distribution  
From: T. Nicol - FNAL  
Subject: SSC 50mm Collider Dipole Cryostat Cross Section  
and Interconnect Dimensions

One of the critical issues facing the design of any magnet cryostat is the definition of the cross section and longitudinal interconnect dimensions. Without those it is difficult to continue with the detailed design of piping systems, magnet supports, insulation, etc.

Since we began the cryostat redesign to accommodate the 50mm collider dipole coil a group of us from Fermilab and much of the engineering staff from the SSCL have been working toward finalizing the 2-d cryostat cross section and the magnet interconnect dimensions. The results of that work are attached for your reference and comment. These drawings represent the following:

- Cryostat cross section through an internal support
- Cryostat cross section through an external support
- Longitudinal interconnect dimensions
- Cryostat stack height for 80cm beam to beam spacing

To the best of my knowledge we have taken the needs and concerns of the critical interface groups into account in all of our work; i.e. tunnel interface, cryogenic systems, magnet test, quadrupole design, and spool design.


Essentially the cryostat design is an extrapolation of the design we are currently building (Design B). Modifications have been made to accommodate the larger cold mass cross section and to accommodate changes in the cryogenic system. We have tried not to reinvent the wheel to any great extent. We have invested a lot of effort verifying the performance of the cryostats now being built. We know they work and live up to their expectations. It doesn't seem prudent to interject markedly different component designs into the first 50mm prototype cryostats. There are areas within the design that we believe may lend themselves to change in the interest of a more simple or cost effective design. Where this potential exists we have implemented new development efforts running parallel with the mainstream redesign effort.

Please review those parts of the attached drawings that affect your involvement in the 50mm design effort and let me know any concerns, questions, or comments you might have. I don't mean to imply that the

cryostat design is complete nor that these drawings represent the last word in the cross sections or interconnect dimensions, but I want everyone who may be affected by our decisions to know what we are planning.

I have tried to include a broad selection of people from each institution in the distribution below. If there is anyone not included who you feel may benefit from this information, please feel free to share it freely. Thanks very much.

T. Nicol  
Fermilab  
P.O. Box 500  
Batavia, IL 60510  
Mail station 316  
Decnet: FNAL::TNICOL  
Phone: (708) 840-3441  
FAX: (708) 840-3756



**Distribution:**

**BNL**

G. Kelly  
T. Meade  
S. Plate  
J. Sondericker  
E. Willen

**FNAL**

D. Arnold  
R. Bossert  
J. Carson  
N. Engler  
T. Heger  
J. Kerby  
G. Kobliska  
E. Larson  
A. Lipski  
P. Mantsch  
P. Mazur  
T. Peterson  
E. Pewitt  
R. Richardson  
D. Sorenson  
J. Strait  
J. Theilacker  
D. Theriot

**LBL**

R. Schermer  
C. Taylor

**SSCL - Magnet Division**

D. Bailey  
J. Baker  
D. Baritchi  
T. Bush  
S. Chen  
W. Clay  
R. Coombes  
J. Cox  
D. Fortunato  
C. Goodzeit  
R. Jayakumar  
R. Malnar  
D. Martin  
A. Pennington  
P. Sanger  
W. Smith  
S. Smith  
J. Tompkins  
Y. Tsavalas  
R. Viola  
J. Zbasnik


**SSCL - Accelerator Division**

D. Edwards  
H. Edwards  
M. McAshan  
L. Sauer  
R. Smellie  
R. Stiening

# PRELIMINARY

MAY 29 1990

REF. ONLY



REV.	DATE	DESCRIPTION OR DATE	BY
1		PRELIMINARY	
2		REVISED	
3		REVISED	
4		REVISED	
5		REVISED	
6		REVISED	
7		REVISED	
8		REVISED	
9		REVISED	
10		REVISED	
11		REVISED	
12		REVISED	
13		REVISED	
14		REVISED	
15		REVISED	
16		REVISED	
17		REVISED	
18		REVISED	
19		REVISED	
20		REVISED	
21		REVISED	
22		REVISED	
23		REVISED	
24		REVISED	
25		REVISED	
26		REVISED	
27		REVISED	
28		REVISED	
29		REVISED	
30		REVISED	
31		REVISED	
32		REVISED	
33		REVISED	
34		REVISED	
35		REVISED	
36		REVISED	
37		REVISED	
38		REVISED	
39		REVISED	
40		REVISED	
41		REVISED	
42		REVISED	
43		REVISED	
44		REVISED	
45		REVISED	
46		REVISED	
47		REVISED	
48		REVISED	
49		REVISED	
50		REVISED	
51		REVISED	
52		REVISED	
53		REVISED	
54		REVISED	
55		REVISED	
56		REVISED	
57		REVISED	
58		REVISED	
59		REVISED	
60		REVISED	
61		REVISED	
62		REVISED	
63		REVISED	
64		REVISED	
65		REVISED	
66		REVISED	
67		REVISED	
68		REVISED	
69		REVISED	
70		REVISED	
71		REVISED	
72		REVISED	
73		REVISED	
74		REVISED	
75		REVISED	
76		REVISED	
77		REVISED	
78		REVISED	
79		REVISED	
80		REVISED	
81		REVISED	
82		REVISED	
83		REVISED	
84		REVISED	
85		REVISED	
86		REVISED	
87		REVISED	
88		REVISED	
89		REVISED	
90		REVISED	
91		REVISED	
92		REVISED	
93		REVISED	
94		REVISED	
95		REVISED	
96		REVISED	
97		REVISED	
98		REVISED	
99		REVISED	
100		REVISED	




**PRELIMINARY**



MAY 29 1990

REF. ONLY

**PLAN VIEW**



**ELEVATION VIEW**



**DETAIL A-A**  
FULL SCALE

ITEM	PART NO.	DESCRIPTION OR NAME	QTY.
PARTS LIST			
1	SR 340.0 MM	SR 13.375 (INSIDE)	1
2	SR 340.0 MM	SR 13.375 (INSIDE)	1
3	SR 340.0 MM	SR 13.375 (INSIDE)	1
4	SR 340.0 MM	SR 13.375 (INSIDE)	1
5	SR 340.0 MM	SR 13.375 (INSIDE)	1
6	SR 340.0 MM	SR 13.375 (INSIDE)	1
7	SR 340.0 MM	SR 13.375 (INSIDE)	1
8	SR 340.0 MM	SR 13.375 (INSIDE)	1
9	SR 340.0 MM	SR 13.375 (INSIDE)	1
10	SR 340.0 MM	SR 13.375 (INSIDE)	1
11	SR 340.0 MM	SR 13.375 (INSIDE)	1
12	SR 340.0 MM	SR 13.375 (INSIDE)	1
13	SR 340.0 MM	SR 13.375 (INSIDE)	1
14	SR 340.0 MM	SR 13.375 (INSIDE)	1
15	SR 340.0 MM	SR 13.375 (INSIDE)	1
16	SR 340.0 MM	SR 13.375 (INSIDE)	1
17	SR 340.0 MM	SR 13.375 (INSIDE)	1
18	SR 340.0 MM	SR 13.375 (INSIDE)	1
19	SR 340.0 MM	SR 13.375 (INSIDE)	1
20	SR 340.0 MM	SR 13.375 (INSIDE)	1
21	SR 340.0 MM	SR 13.375 (INSIDE)	1
22	SR 340.0 MM	SR 13.375 (INSIDE)	1
23	SR 340.0 MM	SR 13.375 (INSIDE)	1
24	SR 340.0 MM	SR 13.375 (INSIDE)	1
25	SR 340.0 MM	SR 13.375 (INSIDE)	1
26	SR 340.0 MM	SR 13.375 (INSIDE)	1
27	SR 340.0 MM	SR 13.375 (INSIDE)	1
28	SR 340.0 MM	SR 13.375 (INSIDE)	1
29	SR 340.0 MM	SR 13.375 (INSIDE)	1
30	SR 340.0 MM	SR 13.375 (INSIDE)	1
31	SR 340.0 MM	SR 13.375 (INSIDE)	1
32	SR 340.0 MM	SR 13.375 (INSIDE)	1
33	SR 340.0 MM	SR 13.375 (INSIDE)	1
34	SR 340.0 MM	SR 13.375 (INSIDE)	1
35	SR 340.0 MM	SR 13.375 (INSIDE)	1
36	SR 340.0 MM	SR 13.375 (INSIDE)	1
37	SR 340.0 MM	SR 13.375 (INSIDE)	1
38	SR 340.0 MM	SR 13.375 (INSIDE)	1
39	SR 340.0 MM	SR 13.375 (INSIDE)	1
40	SR 340.0 MM	SR 13.375 (INSIDE)	1
41	SR 340.0 MM	SR 13.375 (INSIDE)	1
42	SR 340.0 MM	SR 13.375 (INSIDE)	1
43	SR 340.0 MM	SR 13.375 (INSIDE)	1
44	SR 340.0 MM	SR 13.375 (INSIDE)	1
45	SR 340.0 MM	SR 13.375 (INSIDE)	1
46	SR 340.0 MM	SR 13.375 (INSIDE)	1
47	SR 340.0 MM	SR 13.375 (INSIDE)	1
48	SR 340.0 MM	SR 13.375 (INSIDE)	1
49	SR 340.0 MM	SR 13.375 (INSIDE)	1
50	SR 340.0 MM	SR 13.375 (INSIDE)	1
51	SR 340.0 MM	SR 13.375 (INSIDE)	1
52	SR 340.0 MM	SR 13.375 (INSIDE)	1
53	SR 340.0 MM	SR 13.375 (INSIDE)	1
54	SR 340.0 MM	SR 13.375 (INSIDE)	1
55	SR 340.0 MM	SR 13.375 (INSIDE)	1
56	SR 340.0 MM	SR 13.375 (INSIDE)	1
57	SR 340.0 MM	SR 13.375 (INSIDE)	1
58	SR 340.0 MM	SR 13.375 (INSIDE)	1
59	SR 340.0 MM	SR 13.375 (INSIDE)	1
60	SR 340.0 MM	SR 13.375 (INSIDE)	1
61	SR 340.0 MM	SR 13.375 (INSIDE)	1
62	SR 340.0 MM	SR 13.375 (INSIDE)	1
63	SR 340.0 MM	SR 13.375 (INSIDE)	1
64	SR 340.0 MM	SR 13.375 (INSIDE)	1
65	SR 340.0 MM	SR 13.375 (INSIDE)	1
66	SR 340.0 MM	SR 13.375 (INSIDE)	1
67	SR 340.0 MM	SR 13.375 (INSIDE)	1
68	SR 340.0 MM	SR 13.375 (INSIDE)	1
69	SR 340.0 MM	SR 13.375 (INSIDE)	1
70	SR 340.0 MM	SR 13.375 (INSIDE)	1
71	SR 340.0 MM	SR 13.375 (INSIDE)	1
72	SR 340.0 MM	SR 13.375 (INSIDE)	1
73	SR 340.0 MM	SR 13.375 (INSIDE)	1
74	SR 340.0 MM	SR 13.375 (INSIDE)	1
75	SR 340.0 MM	SR 13.375 (INSIDE)	1
76	SR 340.0 MM	SR 13.375 (INSIDE)	1
77	SR 340.0 MM	SR 13.375 (INSIDE)	1
78	SR 340.0 MM	SR 13.375 (INSIDE)	1
79	SR 340.0 MM	SR 13.375 (INSIDE)	1
80	SR 340.0 MM	SR 13.375 (INSIDE)	1
81	SR 340.0 MM	SR 13.375 (INSIDE)	1
82	SR 340.0 MM	SR 13.375 (INSIDE)	1
83	SR 340.0 MM	SR 13.375 (INSIDE)	1
84	SR 340.0 MM	SR 13.375 (INSIDE)	1
85	SR 340.0 MM	SR 13.375 (INSIDE)	1
86	SR 340.0 MM	SR 13.375 (INSIDE)	1
87	SR 340.0 MM	SR 13.375 (INSIDE)	1
88	SR 340.0 MM	SR 13.375 (INSIDE)	1
89	SR 340.0 MM	SR 13.375 (INSIDE)	1
90	SR 340.0 MM	SR 13.375 (INSIDE)	1
91	SR 340.0 MM	SR 13.375 (INSIDE)	1
92	SR 340.0 MM	SR 13.375 (INSIDE)	1
93	SR 340.0 MM	SR 13.375 (INSIDE)	1
94	SR 340.0 MM	SR 13.375 (INSIDE)	1
95	SR 340.0 MM	SR 13.375 (INSIDE)	1
96	SR 340.0 MM	SR 13.375 (INSIDE)	1
97	SR 340.0 MM	SR 13.375 (INSIDE)	1
98	SR 340.0 MM	SR 13.375 (INSIDE)	1
99	SR 340.0 MM	SR 13.375 (INSIDE)	1
100	SR 340.0 MM	SR 13.375 (INSIDE)	1

NOTES: 1.) ALL BELLONS SIZES & LOCATIONS ARE T.B.D.




REV.	DESCRIPTION	DATE	BY

**PRELIMINARY**

**MAY 29 1990**

**REF. ONLY**



ITEM	PART NO.	DESCRIPTION OR SIZE	QTY.
<b>PARTS LIST</b>			
1. ALL DIMENSIONS ARE IN MILLIMETERS (INCHES)		T. HICKS	
2. DIMENSIONS ARE TO CENTER UNLESS OTHERWISE SPECIFIED		D. APPLD	
3. DIMENSIONS ARE TO CENTER UNLESS OTHERWISE SPECIFIED		D. APPLD	
4. DIMENSIONS ARE TO CENTER UNLESS OTHERWISE SPECIFIED		D. APPLD	
5. DIMENSIONS ARE TO CENTER UNLESS OTHERWISE SPECIFIED		D. APPLD	
6. DIMENSIONS ARE TO CENTER UNLESS OTHERWISE SPECIFIED		D. APPLD	
7. DIMENSIONS ARE TO CENTER UNLESS OTHERWISE SPECIFIED		D. APPLD	
8. DIMENSIONS ARE TO CENTER UNLESS OTHERWISE SPECIFIED		D. APPLD	
FBI/NTI NATIONAL ACCELERATOR LABORATORY UNITED STATES DEPARTMENT OF ENERGY SSC COLLIDER DIPOLE 50 mm CRYOSTAT STACK HEIGHT			
Scale	1:4	0102-MD-294003	REV.
CREATED WITH 1-DEAS 4.1			