



Fermi National Accelerator Laboratory

FERMILAB-TM-1835

User's Guide to ESME v. 8.0

J. MacLachlan

*Fermi National Accelerator Laboratory
P.O. Box 500, Batavia, Illinois 60510*

March 1993

Disclaimer

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

User's Guide to ESME v. 8.0

J. MacLachlan

March 8, 1993

Abstract

ESME is a computer program to calculate the evolution of a distribution of particles in energy and azimuth as it is acted upon by the radio frequency system of a proton synchrotron. It provides for the modeling of multiple rf systems, feedback control, space charge, and many of the effects of longitudinal coupling impedance. The capabilities of the program are described, and the requirements for input data are specified in sufficient detail to permit significant calculations by an uninitiated user. The program is currently at version 8.0 and extensively modified since the previous user documentation. Changes since the 7.xx versions include a new command and associated parameters for mapping phase space flow lines, new names for a few parameters, and a few new parameters for old commands. Special attention has been given to features relating to calculation of the collective potential and the generation of phase space trajectories including its effects. The VAX-based code management convention has been modified slightly to permit EXPAND pre-compile options to be used in the include files as well as the program source files.

Contents

1	Introduction	3
1.1	Coordinate System	4
1.2	Difference Equations	4
1.3	Multiparticle Calculations	5
1.4	Flow Lines in Phase Space	6
2	Program Organization and Data Requirements	7
2.1	Command Ordering	7
2.2	Commands	8
2.2.1	<u>R</u> Command - Lattice parameters	10
2.2.2	<u>A</u> Command - RF parameters	12
2.2.3	<u>P</u> Command - Initial distribution parameters	15
2.2.4	<u>O</u> Command - Graphical output options	17
2.2.5	<u>T</u> Command - Track distribution	20
2.2.6	<u>Q</u> Command - Quit	22
2.2.7	<u>D</u> Command - Display	22
2.2.8	<u>W</u> Command - Write comment	22
2.2.9	<u>H</u> Command - History output	23
2.2.10	<u>M</u> & <u>N</u> Commands - Save mountain range data & Plot mountain range . . .	25
2.2.11	<u>L</u> Command - Low level feedback parameters	27
2.2.12	<u>B</u> Command - Beam-derived potential (self-force and $Z_{ }$)	28
2.2.13	<u>F</u> Command - Fourier transform	30
2.2.14	<u>C</u> Command - Flow contours	31
2.2.15	<u>K</u> Command - Kill all or parts of the distribution	32
2.2.16	<u>0</u> - <u>9</u> Commands - User-written SHAZAM routines	32
2.2.17	<u>S</u> Command - Save tracking parameters	33
2.2.18	<u>G</u> Command - Get tracking parameters	33
3	Using The Program	34
3.1	Running the Program	34
3.2	Input Structure	35
3.2.1	Command file	35
3.2.2	Voltage table	36
3.2.3	Impedance table	37
3.2.4	Resonance table	38
4	Programming	39
4.1	Program Basics	39
4.1.1	Program structure	39
4.1.2	Main tracking loop	46

4.1.3	Important variables	46
4.2	Code Management	50
4.2.1	Tools – an overview	50
4.2.2	Using the tools	51
A	Post-Processing	53
B	Command Table Summary	58

Chapter 1

Introduction

The program ESME has been developed to model those aspects of beam behavior in a proton synchrotron that are governed by the radio frequency systems. It follows the evolution of a distribution in energy-azimuth coordinates turn-by-turn by iterating a map corresponding to the single-particle equations of motion. The map parameters may be updated each turn to reflect the action of the beam current on the individual particles through feedback loops, space charge, coupling impedance, etc. The code was initially developed during the years 1981–82 for the design of the Tevatron I Antiproton Source¹ and documented for general use in 1984.^[4] In 1986 provisions were made for longitudinal coupling and space charge^[5] to investigate the usefulness of a γ_T -jump in the Fermilab Booster.² This version was adapted from the Cyber machines to the FPS-164 by Peter Lucas who made in the process a number of the improvements which entered into what was designated as v. 6.

The improvements made through 1987 were more or less incremental changes to the 1981 code. Version 7 was begun in 1987 to implement capabilities for simultaneous operation of more than two independent rf systems, explicit control over the separation between the accelerator reference orbit and the synchronous trajectory, and input using time units rather than beam turn number,^[10] a task in which Steve Stahl played a big part.

The initial motivation for v. 8 was to make plots of flow lines in phase space, either as the principal object or for additional information to be included on a scatter plot of the particle distribution. The decision to optionally include the effects of the collective potential on the flow lines has led to a careful rework of the routines for generating phase space curves and the routines for evaluating the collective potential. Benefits of this work extend beyond the new features. Although nearly all functions have been retained and data requirements are similar, the new code may not work with data prepared for earlier versions. The conceptual basis of ESME is discussed at length elsewhere.^[11] This user documentation is being prepared in parallel with cleanup and validation tests. Thus, the new version, dubbed v. 8.0, may have some glitches at first, but it seems to perform all of the functions of v. 7.3x without any problem. Version 7.32 will remain available for a considerable period, but only outright errors will be corrected.

ESME has been used frequently to assess the efficiency of a given rf beam manipulation or to optimize system parameters. In this mode the user needs to specify fully technical details of various subsystems and derive various numerical measures of system performance from the particle distribution. Thus, many data are required, and the program must include numerical analysis features. Equally useful, however, are qualitative calculations designed to illustrate a concept or explore the feasibility of a novel approach. For such use the code should require a minimum of

¹Instructive examples of the capabilities of ESME can be found in reports relating to TeV I. Some of these will not be cited directly in the text but are included in the references. See for example refs. [1], [2], and [3].

²There are examples of the calculation of collective effects resulting from the Booster studies. See refs. [6], [7], [8], and [9].

system-specific data and provide easy access to a variety of graphical output. When a qualitative investigation has been fruitful it is natural to proceed in steps of greater realism and specificity to a thorough modeling of the process. ESME is intended to serve effectively over a wide range of problem specificity by separating distinct functions so that each is invoked only as needed and by establishing reasonable defaults so that generic systems can be represented by a few data. Thus, a few lines of data may serve to get a first look at a system which can be studied in greater detail by overriding defaults with specific input and by invoking additional functions like, for example, those related to collective behavior or those related to numerical evaluation of the properties of the distribution.

1.1 Coordinate System

The basic coordinates internal to ESME are the azimuth of the particles and the difference of their energy from the synchronous energy at the time the radiofrequency is passing through its synchronous phase. The azimuth is measured positive and negative with respect to a location where the rf voltage is applied:

$$-180^\circ \leq \Theta_{i,n} \leq 180^\circ ,$$

where i is the particle index and n is the turn number. The sense of Θ is clockwise positive, but the sense of the beam circulation is in the $-\Theta$ direction, counterclockwise. Typically a well-behaved bunch will be centered near $\Theta = 0 \bmod 180/h$. When there are h equivalent bunches it is generally efficient to calculate for a single bunch with periodic boundaries set at $\Theta = \pm 180^\circ/h$. The unit for energy is MeV; the unit for azimuth is radian internally but degree for input and output. The basic time unit of the difference equations is the turn number, but all input specification of parameter time dependence is for time in seconds.

One of the more difficult matters in using a general program for a wide range of problems is being able to specify the proper phases for all of the rf systems and the desired dependence of them on time or bunch centroid position. In v. 8.0 of ESME, where there may be systems with several different harmonic numbers all running at the same time, the phases of all systems are defined as their absolute phase at the synchronous time, *i.e.*, the time when a particle acted upon by all of the rf systems receives the energy matched to the specified energy and/or radial position change for the turn. Options are selected to indicate whether phases are to be controlled by an input program, to follow \dot{B} , to follow a radial offset program, to maintain a system as Landau cavity, *etc.* Many common options have been provided; the program structure easily accommodates other schemes which one is willing to specify in a FORTRAN subroutine.

1.2 Difference Equations

The basis of the program is the pair of single particle difference equations

$$\begin{aligned} \vartheta_{i,n} &= \left[\frac{\tau_{s,n-1}}{\tau_{s,n}} \vartheta_{i,n-1} + 2\pi \left(\frac{\tau_{i,n}}{\tau_{s,n}} - 1 \right) \right]_{\bmod(\pi)} \\ E_{i,n} &= E_{i,n-1} + eV(\varphi_{s,n} + h\vartheta_{i,n}) - eV(\varphi_{s,n}) \end{aligned}$$

giving the change in the azimuth and energy of particle i during the n -th turn of the synchronous particle. The n -th energy increment comes at the end of the n -th turn. The relation between the synchronous beam circulation period $\tau_{s,n}$ and that of the i -th particle $\tau_{i,n}$ is treated exactly. Thus, the kinematic nonlinearity is treated exactly; this feature can be very important if the synchronous energy is close to the transition energy. The lattice nonlinearity is expressed as the dependence of γ_T on the momentum difference $\Delta p/p$ between the particle and the synchronous momentum. The

rf potential is the sum of one or more sinusoidal terms so that the dynamic nonlinearity of a simple waveform is treated exactly and other forms of potential are treated in a fourier expansion of ten or fewer terms.³ The equation used in the program is generalized somewhat to permit multiple evenly spaced cavities per turn as an option and to allow the drift between cavities to be subdivided for more frequent application of the space charge kicks if the dynamics require it. The program ignores a slightly subtle distinction between $\vartheta_{i,n}$, the azimuthal variable in the mapping, and the periodic spatial variable $-\pi \leq \Theta_{i,n} \leq \pi$ which differs from it by an amount generally of no practical importance. The conversion from the mapping variable to the true azimuth $\Theta_{i,n}$ of the particle is

$$\Theta_{i,n} = \frac{\tau_{s,n}}{\tau_{i,n}} \vartheta_{i,n} \approx \left(1 - \eta \frac{\Delta p}{p}\right) \vartheta_{i,n} .$$

For most applications to a high energy synchrotron the η -term is small compared to one. There may be some case for which the distinction between ϑ and Θ will be important.

The treatment starts from the specification of a reference orbit of average radius R_{eq} on which the mean normal magnetic field $\langle B_y \rangle$ is known. A particle which would follow the reference orbit has the reference momentum $p_o = 2.997925 \cdot 10^2 \langle B_y \rangle R_{eq}$ with p_o in MeV/c, R_{eq} in m, and $\langle B_y \rangle$ in Tesla. The angular frequency of beam circulation on this orbit is $\Omega_o = \beta_o c / R_{eq}$ where β_o is the Lorentz β . The variation of the guide field away from the reference orbit is completely characterized for the purposes of describing longitudinal motion by the momentum dependence of the path length for fixed guide field. At a minimum one need only specify $\gamma_T = \text{const.}$, a choice adequate in many instances. In many problems it is also correct to identify the radius of the synchronous trajectory R_s with the reference radius R_{eq} . However, in applications like stacking or displacement acceleration where the synchronous trajectory may be offset radially, or even out of the beampipe entirely, it is necessary to take explicit account of the difference between them. ESME calculates all motion relative to a hypothetical synchronous particle. The synchronous frequency is calculated from momentum and radius. The momentum dependence of path length at the synchronous radius is determined from that given for the reference orbit.

In the section on parameters for the tracking routine there is mention of a parameter for choosing alternative versions of the difference equations. There are fundamentally two choices, one which calculates $\Delta\vartheta$ as indicated above and one that equates it to the familiar approximation $-2\pi\eta\Delta p/p$. Substantial time can be saved by using the simple difference equation if it is sufficient.

1.3 Multiparticle Calculations

The particle distribution at each turn is calculated from that on the prior turn by a single turn map applied to each particle independently. The program provides three general types of optional calculation on the properties of the distribution as a whole. The most common calculations are those which serve to quantify the properties of the distribution so that one can plot them as functions of time. Examples of such properties are first and second moments, emittance, fourier spectrum of beam current, *etc.* Another type of calculation involves calculating feedback contributions to rf system parameters. ESME provides for phase feedback and feedback to rf amplitude. The third general class of collective calculation is the evaluation of beam induced voltages from space charge and longitudinal coupling impedance. The space charge calculation is based on a constant geometric factor relating average beam radius and average beampipe size. The longitudinal impedance can be characterized by an arbitrary table of real and imaginary part *vs.* frequency and/or a table of resonances defined by resonant frequency, Q, and real part at resonance.

When a resonance is represented by an impedance, the transient part of the excitation is neglected. However, this treatment does not realistically represent the driving terms for certain types

³A little-used option mentioned in ref. [4] to provide a perfectly linear sawtooth waveform has been dropped because of severe conflict with the mechanism by which the new code finds the synchronous phase.

of collective bunch motion. Therefore, response of a high-Q resonator may also be modeled in the time domain (see ref. [12]). Reference [15] describes the use of this facility in modeling the coupled bunch instability.

1.4 Flow Lines in Phase Space

Although the emphasis during the development of ESME has been on the evolution of distributions, the plotting of flow lines is a complementary approach to visualizing phase space motion which can either replace or enhance scatter plots of the distribution. There are several variants on the contour plotting approach which have been added to the program at v. 8:

1. At selected intervals through the acceleration cycle one can produce a flow line map. If a distribution is tracked, it may be plotted along with the flow lines or its plotting can be suppressed. If no distribution is tracked between the times at which the flow line displays are generated, the flow lines can not reflect the action of a collective potential.
2. An initial set of flow lines can be generated and then tracked as a distribution itself, either with or without an accompanying finite emittance distribution. If a collective potential is calculated with such a composite distribution, the flow line component is ignored, but the evolution of the flow line component will include the effect of the collective potential.
3. A fine grain visualization of the result of non-adiabatic motion can be obtained by tracking a flow line type of distribution and plotting it along with flow lines representing the final system parameter values. The regions of phase space where non-adiabatic motion has been significant will show up as areas where the tracked and the freshly generated contours differ.
4. A specialized variant of the tracking of a contour-like distribution is available as an option to the command which sets up the initial phase space distribution. A distribution of particles just inside and just outside the bucket is available. It can be helpful, for example, in understanding the effects of small perturbations on particle loss. This is an enhanced version of a feature which had been available in versions v. 6.5 and before.

The difference equations are used to generate lines of flow in phase space corresponding to the rf and lattice parameters at a fixed time. If the flow lines are to reflect the influence of the collective potential derived from the charge distribution, there is an intrinsic contradiction when the longitudinal coupling impedance $Z_{||}$ has a real part because parameters change with time as the trajectory generating particle delivers or receives net energy to the impedance. Such a spiralling flow line does not represent what is happening to particles in the distribution because, in the usual case, the synchronous phase is adjusted slightly to keep the the bunch on the reference orbit. Therefore, when a single particle trajectory is calculated, the collective potential is reduced by its average value so that bounded trajectories will close. In the absence of a real component of impedance the flow lines are exactly lines of Hamiltonian flow.

Chapter 2

Program Organization and Data Requirements

Data for ESME are generally acquired by NAMELIST reads dispersed among subroutines which segregate different program functions as much as practical. The subroutine reading a particular class of data will be called only if there is in the input stream a single-character command requesting the related program function. The data relating to different program functions or accelerator subsystems are also stored in different FORTRAN COMMON blocks. These blocks are initialized with values or switches to allow the code to proceed on the basis of a few input data. The initial values, or those read in over them, are retained unaltered¹ so that a command may be repeated without reentering data that remain *apropos*. There are default values provided even for some quantities which are nearly always problem-specific so that the program may continue execution far enough to expose more than a single data error in a test run.

The following subsection calls attention to requirements on command ordering arising from data dependencies. Next is a subsection listing all of the ESME command characters with a short description of their functions. The subsection following the listing of the command codes contains in the same ordering the NAMELIST's associated with the commands and a brief description of the function of each input datum.

2.1 Command Ordering

The order in which the commands may appear in the data will generally be logically apparent. For example the **R** command which initiates the input of the basic lattice parameters and energy scale usually will appear before any other command. Several commands require this information to perform their own functions. The **A** command which brings in the rf parameters is generally the second command to appear. The command **P** which establishes the initial phase space distribution generally needs to be preceded by both. The command **B** which sets up the machinery for longitudinal impedance calculations needs the initial distribution to get the initial beam current distribution. Although by detailed knowledge of the internal organization of the program or by exploiting some specialized facilities it is possible to create correct data sets that do not observe a typical command ordering, it is generally safer to adhere to the order **R**, **A**, **P**, **B** of first appearance for these commands. The **C** command, which generates phase space flow lines, must follow **R** and **A**; if the flow lines are to take account of the collective potential produced by a bunch, it must follow **P** and **B** also. Other commands can usually be ordered arbitrarily.

¹There are exceptions introduced to protect the unwary; see the **O**, **T**, and **K** commands.

2.2 Commands

The principal functions of the program are activated by single-character commands appearing in the first position of a data record. Starting in the fifth position is an optional character field which serves to annotate the dataset itself and appears in the program output as a useful indication of the motivation for each step. The commands initiate a problem data read and/or an action upon available data. If data are requested by a subroutine invoked by the command, data in NAMELIST form will follow in the next record(s). Exceptions to this general rule can occur if the command is to call one of the optional user-coded subroutines and that subroutine uses another input technique. Also the title for graphical output which may be read as the result of an **O** command follows the /GRAPH/ namelist input data as a formatted character string.

The data requested or process initiated by a command is related to a separable subsystem of the accelerator or a distinct phase of the calculation. The course of program execution is governed by the order of the commands in the data stream; that is, the program is what is sometimes called “data-driven”. Since the data are stored in functionally segregated common blocks, any subroutine that declares the appropriate common has access to any input datum.

Commands are listed below in four groups. The first group consists of the commands that will appear in almost every problem data set. They are listed in the order in which they are generally used. Interesting calculations may be made using these commands only. The second group contains commands to select output options. Those in the third group invoke special calculations, including if desired ones written by the user. The fourth pair is a save/restore pair for the entire state of the calculation so that a long calculation can be protected by check-pointing or a group of calculations sharing a common initial segment can proceed from the conditions at the end of that segment. Commands with strong order dependence are underlined. In the description of a command the first letter of a keyword is indicated in bold face to call attention to an association between the command character and its function. Because of evolution of the code over more than ten years some of the mnemonic connections are a bit weak, but less confusion is to be expected if old command names are not changed.

List of Commands

R read in the lattice (**R**ing) parameters, magnetic field ramp, problem energies, *etc.* according to NAMELIST /RING/.

A read in the radiofrequency (**A**cceleration) parameters according to NAMELIST /RF/.

P Populate the phase space with the initial distribution described by parameters read according to NAMELIST /POPUL8/.

O Select graphical **O**utput options using parameters in NAMELIST /GRAPH/.

T Track distribution according to parameters read in NAMELIST /CYCLE/.

Q Quit the program.

.....

D Display graphical output.

W Write comment into printed output.

H Select quantities to be plotted from **H**istory records according to NAMELIST /HISTORY/.

M Save azimuthal histograms of distribution for composition of **M**ountain-range plot.

N Plot mountain-range data.

.....

L Set **L**ow-level parameters (to control feedback, γ_T -jump, *etc.*) in NAMELIST /LLRF/.

B Setup collective potential calculation; read in **B**eam parameters in NAMELIST /SCHG/.

F Setup the fast **F**ourier transform of the theta distribution, control parameters in NAMELIST /FFT/.

C Form flow line **C**ontours at time intervals or as initial distribution, control parameters in NAMELIST /FLOW/.

K **K**ill all or selected parts of the phase space distribution according to control parameters in the NAMELIST /KUTS/.

0-9 Enter subroutine SHAZAM at SHAZAM, SHAZAM1, SHAZAM2, ... to manipulate any quantity in COMMON storage in the program.

.....

S Save tracking and control data.

G Get tracking and control data from a previous run.

2.2.1 R Command - Lattice parameters

R Command, Namelist /RING/			
Variable	Default		Description
	Value	Unit	
REQ	None	m	The reference radius for the central orbit
GAMMAT	None	-	Transition γ
ALPHA1	None	-	Coefficient of $\Delta p/p$ in series expansion for length difference between particle trajectory and reference orbit
ALPHA2	None	-	Coefficient of $(\Delta p/p)^2$ in series for path length difference
ALPHA3	None	-	Coefficient of $(\Delta p/p)^3$ in series for path length difference
EK0I	None	MeV	Kinetic energy on the central orbit at $T = TI$
EK0F	0.0	MeV	Kinetic energy on the central orbit at $T = TF$
TI	0.0	s	Time corresponding to start of magnetic field change
TF	0.0	s	Time corresponding to end of magnetic field change
TSTART	0.0	s	Time at which tracking begins
FRAC	1.	-	Determines azimuthal periodicity, calculation restricted to $-180^\circ/FRAC \leq \vartheta \leq 180^\circ/FRAC$
NCAV	1	-	Number of rf locations (default usually adequate)
PIPRAD	1.0	m	Radius of beam pipe for particle loss
EBDRY	F	-	Sets absorbing beam pipe walls at $REQ \pm PIPRAD$
DES	0.0	MeV	Energy offset of synchronous orbit relative to reference orbit
KURVEB	1	-	Magnetic field ramp from EK0I to EK0F: 1 – Linear 2 – Increasing parabolic 3 – Biased sinusoidal 4 – Decreasing parabolic 5 – Parabolic, from EKIDOT to EKFDOT
EKIDOT	0.0	MeV/s	Slope of parabolic ramp at TI
EKFDOT	0.0	MeV/s	Slope of parabolic ramp at TF
JNRAMP	F	-	Establishes starting point of ramp as point at which program finds itself-for smoothly piecing ramp segments together
GMAJMP	F	-	Set γ_T -jump on
KINDG	1	-	Type of γ_T variation: ^a 1 – Linear ($\gamma_T = GAMPAR(1) + GAMPAR(2) * T$) 2 – Decreasing exponential ($\gamma_T = GAMPAR(1) + GAMPAR(3) * (1 - e^{-T/GAMPAR(2)})$)
GAMPAR(1:3)	0.0	-	Coefficients for γ_T variation

^aT = 0 corresponding to time at which R command is invoked with GMAJMP = .TRUE.

The members of NAMELIST /RING/ are stored in COMMON /RINGP/. This read is in SUBROUTINE RINGPAR, which also derives quantities like η , γ_T , etc. which depend only on lattice parameters. It is possible to distinguish the reference trajectory, of energy E_0 , from the synchronous trajectory, of energy E_s , by specifying an offset from the reference energy. An example of a “minimum” R command might be:

`$RING REQ=1000., GAMMAT=18.75, EK0I=150000., FRAC=159. $END`

in which the lattice is characterized simply by a radius, γ_T value, and a field which corresponds to a reference energy of 150 GeV. FRAC is useful for restricting the range of consideration of ESME to a suitable period of the ring. In this case, since EK0F is not specified, the default, EK0F = 0.0, indicates that the guide field does not change. In addition, the start time for this run is taken to be zero.

For $TSTART \leq TI$ the energy of the reference orbit is taken to be EK0I, while for $TSTART \geq TF$ the energy of the reference orbit is EK0F. Note that PIPRAD has no effect unless EBDY = T. If the γ_T -jump option has been invoked, then the γ_T is varied until the **R** command is issued with GMAJMP = F.

2.2.2 A Command - RF parameters

A Command, Namelist /RF/			
Variable	Default		Description
	Value	Unit	
NRF	1	-	Number of active RF sources
H(1:10)	1	-	Harmonic numbers of sources (integers)
HW(1:10)	1	-	Voltage sources will be "active" for $-180^\circ/\text{HW} \leq \theta \leq 180^\circ/\text{HW}$
ISYNC	0	-	Indicates synchronism condition to be imposed on RF: 0 – None, voltages and phases remain as programmed 1 – Phase of RF waveform shifted to synchronous, stable point 2 – Magnitude of RF waveform scaled to give correct synchronous energy gain 3 – Source 2 Landau cavity to source 1, synchronism assured only for sources 1 and 2
VI(1:10)	0.0	MV	Voltage of source I at time TVBEG(I)
VF(1:10)	0.0	MV	Voltage of source I at time TVEND(I)
TVBEG(1:10)	0.0	s	Time corresponding to beginning of RF voltage change
TVEND(1:10)	0.0	s	Time corresponding to end of RF voltage change
KURVE(1:10)	0	-	Specifies type of RF voltage variation between times TVBEG and TVEND: 0 – None, voltage maintained at VI(I) 1 – Linear 2 – Isoadiabatic 3 – Sigmoid 4 – Cubic spline interpolation ^a
VKON	T	-	Indicates whether programmed voltage curves are to be active
PSII(1:10)	0	deg	Phase of source I at time TPBEG(I)
PSIF(1:10)	0	deg	Phase of source I at time TPEND(I)
TPBEG(1:10)	0.0	s	Time corresponding to beginning of RF phase change
TPEND(1:10)	0.0	s	Time corresponding to end of RF phase change
KURVP(1:10)	0	-	Specifies type of RF phase variation between times TPBEG and TPEND: 0 – None, phase maintained at PSII(I) 1 – Linear 2 – Quadratic 4 – Cubic spline interpolation ^a
PHKON	F	-	Indicates whether or not phase curves are to be active

^aFit to values read from file. See Section 3.2.2.

A Command, Namelist /RF/, continued			
Variable	Default		Description
	Value	Unit	
FRI(1:10)	0.0	MHz	Frequency of source I at time TFBEG(I)
FRF(1:10)	0.0	MHz	Frequency of source I at time TFEND(I)
TFBEG(1:10)	0.0	s	Time corresponding to beginning of frequency change
TFEND(1:10)	0.0	s	Time corresponding to end of frequency change
KURVF(1:10)	0	-	Specifies type of frequency variation between times TFBEG and TFEND: 0 - None, frequency maintained at FRI(I) 1 - Linear 2 - Quadratic 4 - Cubic polynomial interpolation ^a
FRKON	F	-	Indicates whether frequency curves are to be active
CNTINU	F	-	Sets the starting voltage, phase and/or frequency for any active sources as the current values—for smoothly piecing curve segments together
VMATCH(1:10)	F	-	For source I, VMATCH(I) = T results in the VI(I) being set so that source I is matched to the current distribution emittance ^b
HOLDBH	F	-	If true, then voltage is to be varied so that bucket height due to source 1 ^c is multiplied by HDECR on successive turns
HDECR	1.0	-	Factor by which bucket height (for source 1) is to be adjusted on successive turns if HOLDBH = T
HOLDBA	F	-	If true, then voltage is to be varied so that bucket area due to source 1 ^c is multiplied by SDECR on successive turns
SDECR	1.0	-	Factor by which bucket area (for source 1) is to be adjusted on successive turns if HOLDBA = T
PHISLIM	.95	-	Voltage may not be reduced such that $\sin \phi_s > \text{PHISLIM}$ using options HOLDBH and HOLDBA
PHSLIP	F	-	Flag indicating that the phase of at least one source is to be varied to correspond to a momentum offset from the synchronous value (see DELTRF)
DELTRF(1:10)	0.0	-	Momentum offset ($\Delta p/p$) at which source I is to be operated

^aCoefficients read from file. See Section 3.2.2.

^bWhich means, in this instance, that the P command, or its equivalent, should precede the A command.

^cThe algorithms used to maintain the bucket height and area consider only a single source.

The members of NAMELIST /RF/ are read in SUBROUTINE RFPROG, and stored in COMMON /RFP/. Up to 10 independent voltage sources may be specified. An example of a minimum A command might be:

```
$RF H(1)=1113, VI(1)=.100, PSII(1)=235.0 $END
```

Here, one voltage is specified by a minimum set of parameters. Note that H(I) is an integer (as is HW(I)). Since RF manipulations are at the heart of ESME, this command can become rather lengthy and involved; the example given above is exceptionally brief. Just as in the case of the magnetic field ramp – specified in the R command – at times prior to the start of a programmed variation the relevant quantity is maintained at the initial value, while at times after the indicated

end of a programmed curve, the quantity is maintained at the final value. This makes it easier to specify multiple curves in unequal time steps.

The values of the programmed phase curves are to be distinguished from the phase of a given harmonic at the synchronous particle, though they may be the same. For example, a user could represent any periodic waveform (in a Fourier expansion of up to 10 terms) simply by specifying the correct relative phases and amplitudes of the voltages. The waveform could be modified over time by specifying the variations of the voltages, phases, and/or frequencies.² Finally, the user could specify that the program search for a “synchronous” point on the resultant waveform using ISYNC. Option ISYNC = 1 will result in the program searching for a stable value of the phase, stored internally in the program as PHIS, in units of 2π around the ring, and output as degrees of “shift” of the sum voltage waveform. Option ISYNC = 2 will cause the resultant waveform to be scaled to give only the correct magnitude of voltage at the synchronous particle, not necessarily at a stable slope, since the phases of the voltage sources at the synchronous particle remain at their programmed values. The Landau cavity option, ISYNC = 3, will vary the phases of voltage sources 1 and 2, and the magnitude of voltage source 2, so that the first and second derivatives of the voltage vanish at the synchronous particle. The phases and magnitudes of other voltages are not altered, though they will be included in the iteration of the difference equation if $\text{NRF} > 2$. As noted in the table, the options activated by HOLDBH and HOLDBA only apply to source 1.

²In cases in which a frequency and a phase variation are specified for the same source, the phase variation takes precedence.

2.2.3 P Command - Initial distribution parameters

P Command, Namelist /POPL8/			
Variable	Default		Description
	Value	Unit	
KIND	1	-	<p>Chooses the type of distribution to be generated:</p> <p>1-Rectangular outline, NTH by NE points, limited by THMIN, THMAX, REMIN, REMAX</p> <p>2-Uniform rectangular grid NTH by NE, limits as in KIND = 1</p> <p>3-Random uniform distribution of NPOINT points within rectangular limits as in KIND = 1</p> <p>4-Random uniform in θ, limits THMIN, THMAX; Gaussian in E, REMIN, REMAX = $\pm 2\sigma$, NPOINT points</p> <p>5-Gaussian in θ, THMIN, THMAX = $\pm 2\sigma$; random uniform in E, limits REMIN, REMAX, NPOINT points</p> <p>6-Rectangular grid, regular in θ, Gaussian in E, NTH by NE points</p> <p>The remaining distribution types, except for 11 and 14, are <i>matched</i>; the distribution is limited by a contour of SBNCH eVs.</p> <p>7-Bunch outline of NPOINT particles</p> <p>8-Regular grid of approximately NTH by NE particles</p> <p>9-Random uniform bunch of NPOINT particles within contour</p> <p>10-Bi-Gaussian distribution of NPOINT particles, 95% within contour</p> <p>11-NPOINT uniformly spaced particles on flow lines just above and below bucket boundary</p> <p>12-Random uniform in E, parabolic in θ</p> <p>13-Elliptical distribution of NPOINT particles</p> <p>14-Random uniform in θ, limits THMIN, THMAX; parabolic in E, limits at REMIN, REMAX; NPOINT points</p>
THMIN	-90.0	deg	Lower θ limit on rectangular distribution
THMAX	90.0	deg	Upper θ limit on rectangular distribution
REMIN	None	MeV	Lower energy limit on rectangular distribution; relative to the synchronous energy, ES
REMAX	None	MeV	Upper energy limit on rectangular distribution
NTH	2	-	Number of grid points in θ direction
NE	2	-	Number of grid points in E direction
SBNCH	0.1	eVs	Area within matching contour
IPOP	1	-	<p>Specifies which RF source to be used in matching:</p> <p>0-All active (NRF) sources</p> <p>I-Source I ($1 \leq I \leq \text{NRF}$)</p>

P Command, Namelist /POPL8/, continued			
Variable	Default		Description
	Value	Unit	
THOFF	0.0	deg	Amount to displace distribution generated in current call to POPUL8 in θ direction
EOFF	0.0	MeV	Amount to displace currently generated distribution in E direction
THTRAN	0.0	deg	Amount to displace all particles (generated in this and previous calls to POPUL8) in θ direction
ETRAN	0.0	MeV	Amount to displace all particles in E direction
NPOINT	1	-	Number of particles generated for all distributions except KIND = 1, 2, 6, 8, in which NTH and NE are used
PARTION	F	-	"Partition" distribution into separate classes; ^a each separate use of the P command with PARTION = T introduces a new partition
RENORM	T	-	Calculate ANORM for matched bunch so that EPSILON \equiv SBNCH ^b
ISEED	314159	-	Seed for random distributions

^aDifferent classes of particles may be plotted with distinct symbols.

^bDefault resets to .FALSE. after first bunch.

The members of NAMELIST /POPL8/ are read in SUBROUTINE POPUL8, and stored in COMMON /POPLATE/. If one wanted to populate a bi-Gaussian distribution of 100 particles, with an emittance (95%) matched to RF source 1 of .02 eV-s, then the **P** command would be:

```
$POPL8 KIND=10, NPOINT=100, IPOP=1, SBNCH=.02 $END
```

For multi-bunch simulations, in which several distributions are needed with the same parameters but in different positions, it is sufficient to simply re-issue the **P** command with only the desired position offset. For example:

```
$POPL8 THTRAN=45.0, ETRAN=0.0 $END
```

Since NAMELIST members which do not appear in the input remain unchanged, one may exploit this property to abbreviate the amount of input. In particular, expeditious use of THTRAN and ETRAN can make it unnecessary to explicitly declare the position of each group of particles.

The switch RENORM will default to true only for the first generation of a matched bunch, because it will generally be necessary to get the proportionality between rms emittance and 95 % containment area once. One should be aware of this feature of the program to avoid confusion about the meaning of the reported emittance and remember that it can be kept under user control by explicit setting of RENORM.

2.2.4 O Command - Graphical output options

O Command, Namelist /GRAPH/			
Variable	Default		Description
	Value	Unit	
MPLOT	1000	turn	Output every MPLOT turns
IDEV	1	-	Virtual device number for graphical output ^a
POSTP	F	-	Write all data in COMMON blocks to unit 18; do not call plotting routine.
TITLE	F	-	Indicates that line immediately following NAMELIST input is to be used as a plot title ^b
PLTSW			Select plot options:
(1)	T	-	Draw phase space plot
(2)	T	-	Plot phase space points (different symbol for each class)
(3)	F	-	Interconnect points within each class
(4)	F	-	Draw lines at centroid and $\pm\sigma$
(5)	F	-	Draw voltage waveform
(6)	F	-	Set plot boundaries to turning points of contour
(7)	F	-	Suppress captions, axis labels, etc.
(8)	T	-	Plot θ histogram
(9)	F	-	Set θ histogram limits to turning points of contour
(10)	T	-	Plot E histogram
(11)	F	-	Set E histogram limits to turning points of contour
(12)	F	-	Plot fourier amplitudes
(13)	F	-	Include phases in plot of fourier spectrum
(14)	F	-	Plot space charge energy loss (per turn) <i>vs.</i> θ
(15)	F	-	Include distribution histogram on space charge plot
(16)	F	-	Plot high-Q resonator voltage
(17)	T	-	Start bucket contour at unstable fixed point ^c
(18)	T	-	Start bucket contour at stable fixed point at $E = E_s + H_{bckt}$
(19)	F	-	Plot flow line points (different symbol for each class)
(20)	F	-	Interconnect flow line points within each class
NPJMP	1	-	In phase space plot, plot only every NPJMPth point
KLPLT	0	-	Select classes in phase space plot and projections (see Sec. 2.2.3) 0-All classes plotted $1 \leq KLPLT \leq KLASSES$ -Plot class KLPLT only
IRF	1	-	Selects voltage source for contour plotting: < 0-No contour plotted 0-All active (NRF) sources 1-10-Source IRF ($1 \leq IRF \leq NRF$)

^aDI-3000 specific; see 3.1.

^bThis is an exception to the maintenance of NAMELIST input; TITLE is set to .FALSE. after every execution of the O command.

^cAt least one of PLTSW(17) or PLTSW(18) must be true for ICONTUR=1 else program sets both .TRUE.

O Command, Namelist /GRAPH/, continued			
Variable	Default		Description
	Value	Unit	
ICONTUR	1	-	Select the type of reference contour to plot on phase space plot 0-No contour 1-Bucket contour 2-Contour of initial bunch area SBNCH 3-Contour of the specified area REFAREA 4-Contour containing 95% of the particles 5-Flow lines chosen by LINES, ELMIN, and ELMAX
REFAREA	0.1	eVs	Area of reference contour for ICONTUR = 3
LINES	1	-	Number of flow lines for ICONTUR = 5
ELMIN	0.	MeV	Energy above E_s for first flow line ^a
ELMAX	1.	MeV	Energy of top flow line
THPMIN	0.0 ^b	deg	Lower θ limit for phase space plot
THPMAX	0.0	deg	Upper θ limit for phase space plot
DEPMIN	0.0 ^c	MeV	Lower E limit for phase space plot
DEPMAX	0.0	MeV	Upper E limit for phase space plot
IEREF	1	-	Determines energy origin for phase space: 1-E0, the reference energy (often = ES) 2-ES, the synchronous energy 3-EBAR, the average particle energy 4-EREF, the reference particle energy ^d
NBINTH	50	-	The number of bins for the θ histogram
THBMIN	0.0 ^e	deg	Lower limit for θ histogram
THBMAX	0.0	deg	Upper limit for θ histogram
NBINE	50	-	The number of bins for the E histogram
EBMIN	0.0 ^f	MeV	Lower limit for E histogram
EBMAX	0.0	MeV	Upper limit for E histogram
IFBMIN	1	-	Lower limit for FFT plot
IFBMAX	0 ^g	-	Upper limit for FFT plot
SCBMIN	0.0 ^h	-	Lower θ limit for space-charge plot
SCBMAX	0.0	-	Upper limit for space-charge plot
RBMIN	0.0 ⁱ	-	Lower θ limit for resonator voltage plot
RBMAX	0.0	-	Upper limit for resonator voltage plot

^aProgram will modify ELMIN < 0.

^bTHPMIN and THPMAX both 0.0 results in a plotting range $-180^\circ/\text{FRAC} \leq \theta \leq 180^\circ/\text{FRAC}$.

^cDEPMIN and DEPMAX both 0.0 results in a plotting range approximately the range of particle energies

^dA particle which ESME tracks from the origin (0,ES) as a reference.

^eLimits of 0.0 for both THBMIN and THBMAX result in the plot range being the same as for the phase space plot.

^fLimits of 0.0 for both EBMIN and EBMAX result in the plot range being the same as for the phase space plot.

^gIFBMAX = 0 results in the upper limit being the greatest Fourier harmonic computed.

^hLimits of 0.0 for both SCBMIN and SCBMAX result in the range for the plot being $\pm 180^\circ/\text{FRAC}$.

ⁱLimits of 0.0 for both RBMIN and RBMAX result in the range being $\pm 180^\circ/\text{FRAC}$.

O Command, Namelist /GRAPH/, continued			
Variable	Default		Description
	Value	Unit	
DTHCURV	0.0	deg	Amount by which contour will be moved in θ direction
DECURV	0.0	MeV	Amount by which contour will be moved in E direction
DELCON	.01	-	Determine bucket to precision DELCON*360° w/ RF
KNTLIM	500000	-	Number of iterations of difference equation which will be attempted to close contour

The members of NAMELIST /GRAPH/ are read in SUBROUTINE GRAFSET, and stored in COMMON /GRAFIX/. The actual graphical output can be generated either during or after processing. The plotting routines written specifically for this version of ESME use GRAFMAKER under DI-3000.³ The post-processor is described later in Appendix A. Users wishing to process ESME data independently or with different graphics routines may find it of some use.

The options enabled by the O command are largely self-explanatory; the default PLTSW settings result in the output of a phase space plot of the distribution and the bucket due to RF source 1, as well as plots of the projections of the distribution along the θ and E directions. An example of an O command requesting such output every 100 turns might be:

```
$GRAPH MPLOT=100, THPMIN=-10.0, THPMAX=10.0,
      DEPMIN=-25.0, DEPMAX=25.0 $END
```

in which the limits are appropriate ones chosen by the user. In addition to the graphical output generated as a result of the O command, the first and second moments of the distribution are computed and output, as well as a number of other system parameters. The moments included on the plots are derived from the particles which are in the class(es) being plotted and within the plot limits. The moments printed in the standard output are those for the entire distribution. The “default” limits for many of the plots serve as flags to the plotting routine to choose reasonable limits. Note that the limits of the phase space projection plot (THBMIN, EBMIN, *etc.*) are necessary only if they are different from the phase space plot limits. The parameter DELCON is included to allow the user to either determine the separatrix arbitrarily closely or to save processing time, since in certain situations the routine which determines the “bucket” in ESME is required to perform many iterations of the difference equations in order to determine the separatrix to the specified accuracy. In those instances in which the contour-drawing routine is unacceptably slow (or unable) to find a contour, it may be useful to set KNTLIM to some lower number.

³GRAFMAKER and DI-3000 are trademarks of Precision Visuals, Inc.

2.2.5 T Command - Track distribution

T Command, Namelist /CYCLE/			
Variable	Default		Description
	Value	Unit	
TSTOP ^a	0.0	s	Time at which to stop tracking
TTRACK ^b	0.0	s	Duration of time to track
MSTEP	100	-	Number of tracking steps (minimum) per synchrotron period
ACCEL0	1.0	-	Number of beam turns per tracking step (maximum) ^c
LGRTHM	1	-	Select difference equations used in tracking 1-Complete kinematics, expand path length to maximum order using input coefficients ALPHAn ^d 2-Use the simplified difference equation $\vartheta_{i,n} = \frac{\tau_{s,n}}{\tau_{s,n-1}} \vartheta_{i,n-1} + 2\pi\eta \frac{\Delta p}{p}$
ITRAP(1:4)	0	-	Indicates a condition for which tracking should be interrupted before time indicated by TTRACK or TSTOP: 0-No trap 1-Trap on minimum bunch width 2-Trap on minimum bunch height 3-Trap for $\eta = \text{ETATRP}$ (tolerance $\Delta\eta/\eta = \pm.01$) 4-Trap for $ \phi_s = \text{PHISTRP}$ (tolerance $\Delta\phi_s = \pm.005$) 5-Trap for $\eta > 0$ (transition crossing) 10-19-Call SUBROUTINE SHAZAM, enter at SHAZAM, SHAZAM1, SHAZAM2, ... following every iteration of the difference equations
ETATRP	.001	-	For ITRAP = 3; tracking stopped when $\eta = \text{ETATRP}$
PHISTRP	.95	-	For ITRAP = 4; tracking stopped when $ \sin \phi_s = \text{PHISTRP}$
MGRACE	0	-	Allow a "grace period" of MGRACE turns before trapping conditions are checked
HISTORY	F	-	Write a history record to unit 9 following every iteration of the difference equations ^e
MOMNTS	F	-	Compute the moments of the distribution following every iteration of the difference equations
BBDRY	F	-	Remove particles tracked outside of region $-180^\circ/\text{FRAC} \leq \theta \leq 180^\circ/\text{FRAC}$

^aTSTOP is set to 0.0 when tracking is completed, or interrupted by an ITRAP option.

^bTSTOP takes precedence; if TSTOP=0.0, then TTRACK determines duration of tracking.

^cTracking will proceed at the nearest integer to ACCEL0 (not < 1), limited by MSTEP.

^dSee R command

^eSee Section 3.2

The members of NAMELIST /CYCLE/ are read in SUBROUTINE CYCPRG and stored in COMMON /CYCLP/. The options in the T command direct the flow of processing in SUBROUTINE CYCPRG, which iterates the difference equations for the particles. A typical T command line might be:

```
$CYCLE TTRACK=.001, LGRTHM=2, HISTORY=T, MOMNTS=T $END
```

in which tracking is specified to take place for .001 seconds of simulated time, with a calculation

of distribution moments and a write to the history file at every iteration of the difference equations. Note that *either* TSTOP or TTRACK may be used to specify the duration of tracking, though TSTOP takes precedence. Also, since an interruption in tracking by an ITRAP option (for ITRAP < 6) results in TSTOP being set equal to 0.0, the stop time must be re-specified in a subsequent T command. Any condition which halts or interrupts tracking is checked at most once per turn, so tracking duration may be as much as one beam circulation period longer than specified by TSTOP or TTRACK. Four ITRAP variables are provided to allow for multiple traps and/or calls to SHAZAM routines during tracking. If $10 \leq \text{ITRAP} \leq 19$, then a call is made to the appropriate SHAZAM entry point following every turn (or ACCEL turns, if ACCEL0 > 1). Tracking is not stopped.

2.2.6 Q Command - Quit

The **Q** command directs ESME to cease processing. No more commands are read.

2.2.7 D Command - Display

The **D** command directs ESME to generate graphical output at the point at which the command is issued. The form of the output is specified by the most recent **O** command. The **D** command is useful for generating output at a particular point in a calculation, since the **O** command itself only provides output every MPLOT turns.

2.2.8 W Command - Write comment

The **W** command simply directs the program to echo the characters following **W** (on the same line and after four spaces) to the standard output. It is intended to provide the user with the ability to insert comments into an input dataset which appear as comments in the output file also.

2.2.9 H Command - History output

H Command, Namelist /HISTORY/		
Variable	Default	
	Value	Unit
IDEV	1	-
NPLT(1:2,1:50)	0 ^b	-
		<p>The virtual device number for output^a</p> <p>“Index” of element in history records; NPLT(1,I) is independent variable, NPLT(2,I) is dependent variable</p> <p>Real records:</p> <p>1–Time</p> <p>2–PHIS, the synchronous phase on same scale as ϑ^c</p> <p>3–PDOT, dp_s/dt</p> <p>4–THBAR, the mean value of θ for the distribution</p> <p>5–EBAR, the average energy of the distribution</p> <p>6–THRMS, the rms spread in θ of the particles</p> <p>7–ERMS, the rms energy spread</p> <p>8–ES, the synchronous energy</p> <p>9–E0, the energy on the reference orbit</p> <p>10–ES-E0</p> <p>11–THREF, the azimuth of a particle tracked from (0,ES)</p> <p>12–EREF, the energy of a particle tracked from (0,ES)</p> <p>13–EPSILON, the emittance^d</p> <p>14–NUS, the synchrotron frequency</p> <p>15–SBCKT, the RF “bucket” area</p> <p>16–HBCKT, the RF “bucket” height</p> <p>17–ETA, $\gamma_T^{-2} - \gamma^{-2}$</p> <p>18–ACCEL; see T command</p> <p>19–TAU, synchronous revolution period</p> <p>20–PSIADD, phase feedback; see L command</p> <p>21–DAMPL, voltage feedback factor; see L command</p> <p>22–DELR, synchronous orbit radius - reference orbit radius</p> <p>23–RFFREQ, frequency of RF source 1</p> <p>Integer records:</p> <p>31–TURN NUMBER</p> <p>32–KNTSC, number of particles in $\varepsilon_\ell \neq 0$ partition of distribution</p>

^aDI-3000 specific; see Section 3.1.

^bThe default value of 0 indicates to SUBROUTINE HISTORY that all of the desired history plots have been generated; so only the first set of consecutive nonzero entries to array NPLT will generate plots.

^cSee A command description.

^dEPSILON = ANORM $\tau(\sqrt{\sum \theta_i^2 \sum E_i^2 - (\sum \theta_i E_i)^2})/N$ eVs; see text for ANORM.

H Command, Namelist /HISTORY/, continued		
Variable	Default	
	Value	Unit
		Array records: 51-60-SPARE(1-10) 101-110-EV(1-10) 111-120-PSI(1-10) 121-130-FREQ(I)-FRI(I), Change in frequency of source I 201-250-FAMPL(1-50), Fourier amplitudes; see F command 251-300-FAZE(1-50), Fourier phases; see F command

The members of NAMELIST /HISTORY/ are read in subroutine HISTORY. The emittance EPSILON logged by the **H** command is the rms area of the entire distribution converted to units of eVs and multiplied by a normalization ANORM. If the distribution was generated initially as a matched bunch, ANORM is calculated by default to make EPSILON equal to the requested emittance SBNCH for the first matched bunch generated. This value of ANORM is retained and used from then on. If the initial distribution was not matched, ANORM is set to produce agreement for a gaussian bunch. There is a switch RENORM for the **P** command which can control when or if this adjustment of ANORM is made. Although this normalization is a little tricky because it is handled by the program, it seems as good a solution as any to relating rms and full emittances for arbitrary bunch distributions.

The output produced by the **H** command, as implied by the simplicity of the /HISTORY/ NAMELIST, is not as flexible as the output produced by the **O** command. The user simply specifies pairs of values to be plotted using the indices above in array NPLT, and optionally the device number, and the program produces a history plot for each pair of inputs assembled sequentially from the entire history record (*i.e.*, there is no choice of a range for any axis). For example, suppose that a simulation has run for 10,000 turns, and the desired output is a record of the distribution moments *vs.* time over that period. The **H** command might appear as:

```
$HISTORY NPLT=1,4,1,5,1,6,1,7,4,5 $END
```

This command will generate plots of THBAR, EBAR, THRMS, and ERMS *vs.* time, as well as a plot of EBAR *vs.* THBAR. The manner in which FORTRAN array indices cycle is exploited to avoid explicit reference to the indices; this is the recommended manner of input. Because the frequency of write operations to the history tape may be modified by the program,⁴ and because of a culling procedure applied to the data points by the plotting routine, not every turn will be included in the plot for simulations of more than several thousand turns.

⁴See Appendix A

2.2.10 M & N Commands - Save mountain range data & Plot mountain range

M Command, Namelist /MRANGE/			
Variable	Default		Description
	Value	Unit	
TMBEGIN	0.0	s	Time at which to start saving mountain range data
TMEND	0.0	s	Time after which to stop saving mountain range data
MRMPLOT	1	turn	Turn interval at which to record mountain range data
MRNBIN	100	-	Number of bins in interval MRTHBMIN - MRTHBMAX
MRTHBMIN	^a	deg	Minimum value of θ for mountain range
MRTHBMAX	^b	deg	Maximum value of θ for mountain range

^aDefaults to $-180^\circ/\text{FRAC}$.

^bDefaults to $180^\circ/\text{FRAC}$.

N Command, Namelist /MRPLOT/			
Variable	Default		Description
	Value	Unit	
MRTHPMIN	0.0 ^a	deg	Minimum θ value for mountain range plot
MRTHPMAX	0.0	deg	Maximum θ value for mountain range plot
NTRACE	100	-	Number of traces on a page
NSKIP	0	-	Number of records to be skipped between each trace
TOPTOB	0.7	-	The fraction of the vertical range over which NTRACE traces are to be plotted (approximate if TBASE=T)
SCALE	0.3	-	The height of the first trace, in units in which the entire vertical range of the plot is 1.0
MSTART	0 ^b	-	Turn number at which to start plots
MSTOP	0	-	Turn number at which to stop plots
TMSTART	0.0	s	Time at which to start plots
TMSTOP	0.0	s	Time at which to stop plots
TBASE	F	-	Switch causing plot trace separation to be proportional to time
NRNBIN	400	-	Number of points to plot on a trace
IDEV	1	-	Output device
SMOOTH	0	-	Smoothing option -1 — 1-2-1 averaging of adjacent bins 0 — No smoothing 1 — Bernstein polynomial smoothing
OBJWGT	0.1	-	Weight of fitting term of object function w/ smoothing term for polynomial smoothing
LIM	F	-	Switch for plotting dotted lines connecting leftmost and rightmost non-zero points of consecutive traces ^c

^aDefaults of 0.0 for MRTHPMIN and MRTHPMAX imply that data is to be plotted over its entire range.

^bThe defaults of 0 for MSTART and MSTOP, or 0.0 for TMSTART and TMSTOP, imply that all mountain range records are to be plotted

^cSMOOTH = 1 also required.

The members of NAMELIST /MRANGE/ are read in subroutine MRINIT and stored in the common block /MRANGE/ in response to the M command. The members of NAMELIST /MRPLOT/ are read in the subroutine MRPLT in response to the N command and also stored in /MRANGE/.

The M and N commands are intended to provide plots similar to the display provided by an oscilloscope recording successive traces from a beam current pickup, each trace vertically displaced from the previous one. The resultant display depicts the time evolution of the azimuthal projection of a distribution in a manner which somewhat resembles a mountain range, hence the name. The M command directs the program to save the data, while the N command directs the program to process the data which have been saved in a file and produce mountain range plots.

A typical pair of M and N commands might be

```
$MRANGE TMBEGIN=0.0, TMEND=1.0, MRMPLOT=10 $END
```

in which mountain range records are recorded every 10 turns of tracking from 0.0 to 1.0 seconds, and

```
$MRPLOT SMOOTH=T $END
```

which directs that all of the data accumulated thus far be plotted in mountain range format with smoothing. The default for TBASE (F) results in a fixed vertical separation between consecutive traces. If TBASE = T, the vertical separation between consecutive traces will be proportional to the time separating their records, better simulating the mountain ranges normally depicted on an oscilloscope.⁵ The values for TOPTOB and/or SCALE may have to be adjusted to achieve a satisfactory effect.

If MRNBIN \neq NRNBIN, the saved data is transformed to the correct number of bins for plotting by cubic spline interpolation. This feature is independent of whether the stored distribution is first smoothed. Either Bernstein polynomial smoothing^[14] (SMOOTH = 1) or 1-2-1 averaging of adjacent bins (SMOOTH = -1) may be used. Generally the former will be preferred, but the latter is much less critical with respect to choice of control parameters. The spline interpolation can produce some smoothing depending on the particular NRNBIN and MRNBIN values. The defaults for MRNBIN and NRNBIN will usually give very smooth plots with SMOOTH = T, but the default value of 100 for MRNBIN may be too large for a sparsely populated distribution if SMOOTH = 0.

⁵In relativistic situations, no difference will be discerned between the plots generated with TBASE either T or F.

2.2.11 L Command - Low level feedback parameters

L Command, Namelist /LLRF/			
Variable	Default		Description
	Value	Unit	
PHFBON	F	-	Activates phase feedback
VFBON	F	-	Activates voltage feedback
NTUAVG	1	-	The number of past turns to average in computing the feedback; the default NTUAVG = 1 represents infinite-bandwidth feedback
NTURES	1	-	The number of turns for the feedback to respond; the present signal is compared to the signal of NTURES turns ago.
ITFB	0	-	The form of phase feedback: 0-Critical damping 1-Fixed
FBFACT	1.0	-	The gain applied to the phase feedback
USEWT	F	-	Applies weight function W to phase signal over NTUAVG turns
W(1:NTUAVG)	0.0	-	Weight function multiplying phase signal
DLIMIT	5.7296	deg	The upper limit on the magnitude of the phase feedback on a given turn
VFBFCTR	1.0	-	The gain applied to the voltage feedback
VLIMIT	.1	MV	The limit on the voltage feedback applied on a given turn
ETAJMP	0.0	-	The value of η^a at which to "flip" the phase of the RF

$$^a\eta = \gamma_x^{-2} - \gamma^{-2}$$

The members of NAMELIST /LLRF/ are read in subroutine LOWLVL and stored in COMMON /FEEDS/. The phase feedback, intended primarily to damp dipole bunch oscillations, is computed according to the following formula for ITFB = 0:

$$\text{PSIADD} = \frac{\text{FBFACT} \sum_{i=1}^{\text{NTUAVG}} (W_i (\bar{\theta}_{n-i} - \bar{\theta}_{n-\text{NRESP}-i}))}{\pi \nu_s \text{NTUAVG}^2 \sum_{i=1}^{\text{NTUAVG}} W_i}$$

where n is the current turn number, and ν_s is the synchrotron frequency. For ITFB = 1, ν_s is replaced by 4.0×10^{-3} . A simple invocation of phase feedback would appear as

```
$LLRF PHFBON=T $END
```

The defaults imply critical damping.

The voltage feedback, intended to damp quadrupole bunch oscillations, operates according to

$$V'_n = \left(1 + \frac{2\pi \text{VFBFCTR} \sum_{j=0}^{n-k} (<E^2>_{n-j} - <E^2>_{n-j-1})}{100 \nu_s H_k} \right) * V_n$$

where k is the turn index when feedback starts (i.e., the turn number when the L command is issued with VFBON = T), n is the current turn number, E is the energy, V is the voltage before feedback, V' is the voltage after feedback, and H_k is the height of the bucket on the k th turn. The factor of 100 in the denominator is arbitrary, so the user may have to adjust VFBFCTR to obtain satisfactory results.

2.2.12 B Command - Beam-derived potential (self-force and $Z_{||}$)

B Command, Namelist /SCHG/			
Variable	Default		Description
	Value	Unit	
A	0.002	m	Effective beam radius
B	0.05	m	Effective beam pipe radius
ENQ	$2 \cdot 10^{10}$	-	Number of protons to be represented by the distribution
NZ	0	-	Number of impedance values to be read from a file ^a
NR	0	-	Number of resonance values to be read from a file ^b
NBINSC	100	-	Number of bins for histogram of charge distribution
MSC	1	-	Collective effects are to be calculated MSC times between rf cavities ^c
TSCON	0.	s	End of period starting at TIME = 0. in which beam charge is ramped linearly from 0. to ENQ
SCON	F	-	Activate space charge calculation
NBINFFT	256	-	Number of bins to be used in Fourier transform
MFFT	1	-	Interval (in turns) between Fourier transforms
NNF ^d	0	-	Number of fourier harmonics to be stored in history
NF(1:NNF)	0	-	Harmonic numbers of fourier spectrum components to be stored
QREZON	F	-	Activate time domain calculation for high-Q resonance
NBRES	1000	-	Number of time slices for time domain solution of high-Q resonator

^aCubic polynomial coefficient table read from FORTRAN logical unit 11; see Section 3.2.3 for format specification.

^bResonance parameters read from FORTRAN logical unit 12; see Section 3.2.4 for format specification.

^cThe number of such calculations per turn will be MSC*NCAV; NCAV is a parameter of the R command.

^dFor instruction in the use of NF(1:NNF), see the description following the F command.

The members of NAMELIST /SCHG/ are read at entry BEAMSC in subroutine FOURFIT and stored in COMMON /SPCHG/. The B command controls facilities in ESME for modeling the interactions of the beam particles with each other through both the direct particle-particle force and through wakefields excited as a consequence of the interaction of the beam with its environment (vacuum chamber, rf cavities, etc...). The routines activated by SCON calculate these effects using an equivalent impedance. This may be adequate for many problems. However, implicit in this approach is the assumption of a steady-state solution.^[12] This is reflected in the absence of any frequencies other than harmonics of the revolution frequency in this calculation, which utilizes the Fourier transform. If a high-Q resonator is present, the absence of the transient component to the solution may misrepresent the coupling between bunches.

Transient effects can be taken into account using the routines activated by QREZON. These calculations may be made either in conjunction with those activated by SCON or independently; QREZON will take precedence over SCON for the calculation of the voltage due to those resonators for which the multipliers (third parameter in the resonance file record) are zero. Implicit in the code is the assumption that the distribution being tracked is periodic, and that the resonator voltage is applied in time steps equal to the time duration of the entire distribution. The simplest way to satisfy both of these constraints is to track a distribution which spans 360 degrees of azimuth (i.e., the entire ring), and calculate the resonator voltage once per turn. It may be satisfactory in other cases to track a distribution spanning $\frac{1}{\text{FRAC}}$ of 360 degrees and calculating the voltage at FRAC equi-spaced intervals around the ring (i.e., MSC * NCAV = FRAC).

One of the frustrations in calculating emittance growth caused by the collective potential is

spurious emittance growth of an initial bunch matched to a single particle trajectory. It is generally difficult to produce a self-consistent distribution directly. Two ways are provided to avoid the initial match problem. The parameter TSCON can be set to a value of a few synchrotron periods. The strength of the beam charge will then be ramped linearly to its target ENQ by the time TSCON, thereby approximating an adiabatic introduction of the perturbation. Another technique which may require less computing is to generate a collective potential using the **B** command and an approximate initial distribution then to use the **K** command to remove the distribution before using the **P** again to provide a bunch matched to the new potential. This cycle may need to be iterated for an exacting application to obtain an adequate approximation to self-consistency.

A space charge command which utilizes ESME's capabilities to model the self-force, resistive wall impedance, and certain parasitic high-Q resonances might be:

```
$SCHG SCON=T, A=.01, B=.03, ENQ=2.4E10,
      NR=6, NZ=29, NBINFFT=512 $END
IMPEDANCE.DAT
RESONANCE.DAT
```

in which the cubic polynomial coefficients for the wall impedance are read from IMPEDANCE.DAT, specified after the namelist, while the resonance values are obtained from the file RESONANCE.DAT. The impedance file is read only if NZ \neq 0, while the resonance file is read only if NR \neq 0. No files should be specified if both values are 0. Note that the number of protons specified is for 1/Frac of the machine circumference. The number of bins used in the FFT will be the lesser of NBINFFT or the storage allocation IFFT. The parameter NBINSC should be chosen so that there are an adequate number of bins over the width of the bunch(es) to provide good shape information, but not more than 100 per bunch. There is no necessary numerical relation between NBINSC and NBINFFT except that typically NBINSC will be smaller. As of this version ESME employs Bernstein polynomial smoothing^[14] to substantially reduce statistical fluctuation in the histogram of the azimuthal projection of the particle distribution. One should compare the raw projection to its reconstruction from the fourier transform to asses the appropriateness of NBINFFT, NBINSC, and NPOINT.

2.2.13 F Command - Fourier transform

F Command, Namelist /FFT/			
Variable	Default		Description
	Value	Unit	
FFTON	F	-	Activate Fourier transform calculation
FFTOUT	F	-	If TRUE, Fourier transform is printed
NBINFFT	256	-	Number of bins to be used in FFT
NNF	0	-	Number of fourier harmonics to be stored in history
NF(1:NNF)	0	-	Harmonic numbers of fourier spectrum components to be stored
MFFT	1	-	Frequency of Fourier transform calculation
NIXNOIS	0	-	Three-way switch controlling smoothing of azimuthal histogram -1 => 1-2-1 averaging of adjacent bins 0 => no smoothing measures 1 => Bernstein polynomial smoothing
ITKNT	2	-	Number of iterations to reduce object function in Bernstein smoothing
OBWGT	0.1	-	Weight of fitting vs. smoothing in object function for Bernstein smoothing

The members of NAMELIST /FFT/ are read in subroutine FOURFIT and stored in COMMON /FOURIR/. Many of the variables in NAMELIST /FFT/ are shared by NAMELIST /SCHG/, because the Fourier transform is utilized in much of the space-charge calculation. The F command is intended to allow the user to examine the fourier transform of the distribution and to follow the development of selected fourier components. If, for example, one wants to track the turn-by-turn development of the first five odd fourier harmonics of the distribution, then the appropriate F command would be:

```
$FFT  FFTON=T, NBINFFT=32, NNF=5, NF=1,3,5,7,9 $END
```

If at some point one should wish to plot the record for the amplitude of the third harmonic, then the H command should be issued to retrieve FAMPL(2).⁶ The harmonics of the distribution should be multiplied by the periodicity in determining harmonics of the revolution frequency. If, for example, FRAC = 7, the fifth harmonic of the distribution corresponds to harmonic thirty-five of the beam circulation frequency.

The histogram can be smoothed before the FFT is performed. NIXNOIS = -1 results in a straightforward averaging of bins with their immediate neighbors using relative weights of 1-2-1. When NIXNOIS = 1, Bernstein polynomial smoothing is employed.^[14] The relative importance attached to fitting of the data values and smoothness is governed by OBWGT; ITKNT determines how many trials are made to reduce the object function. An ITKNT of zero is valid; it results in a well-smoothed representation of the distribution but may remove detail which is meaningful. The defaults are conservative; they are the same as the fixed values used in the routines which calculate the voltage generated by the beam current (see B command).

⁶See Section 2.2.9, History command.

2.2.14 C Command - Flow contours

C Command, Namelist /FLOW/			
Variable	Default		Description
	Value	Unit	
LINES	2	-	The number of flow lines to be drawn
ELMAX	1.	MeV	Highest energy relative to $E_s = 0$
ELMIN	0.	MeV	Lowest energy relative to E_s ; $ELMIN > / = 0$.
TSTOP ^a	0.	s	End of interval over which maps are generated
TTRACK ^b	0.	s	Time over which periodic flow maps will be generated
ACCEL0	1.0	-	Number of beam turns per step between mappings
PARTION	F	-	Switch indicates if points on separate flow lines belong to different partitions of the phase points
ITRAP(1:4)	1	-	Flags a condition for which the C command should be interrupted; see T command for values
ETATRP	.001	-	Trapping parameter; see T command
PHISTRP	.95	-	Trapping parameter; see T command
MGRACE	0	-	Trapping parameter; see T command

^aTSTOP set to 0. when calculation complete or interrupted by an ITRAP option.

^bTSTOP takes precedence; if TSTOP=0., TTRACK determines duration.

The C command is used to generate flow line maps at the plotting intervals MPLOT, which is set by the O command along with the other parameters controlling the graphics. It may also be used to establish a (zero-emittance) distribution to be tracked. The subroutine FLOWPRG reads the namelist /FLOW/ and stores some of the parameters in common /FLOWP/. However, FLOWPRG is a driver for many ESME subroutines so it distributes data among several common blocks.

When the C command is used to generate an initial distribution for tracking, TTRACK and TSTOP are set to zero so that only one set of points on flow lines is generated. It can be combined with a non-zero emittance distribution (*i.e.*, a bunch) if desired. Such a bunch can be generated before the flow lines and the resulting collective potential will then be taken into account in generating the flow lines if the B command has been called first. In any case, a zero-emittance type of distribution is stored in the array PHASE above a partition KNTSC so that only the bunch(es) affect the collective potential when that calculation is active. Furthermore, the flow line points are not used in calculating beam moments and emittance.

The map produced by the C command can also be produced by the ICONTUR = 5 option of the O command. The C command differs from the T command in not tracking any distribution turn-by-turn and not calculating bunch properties or storing quantities for history plots. Because the C command works without a bunch-like ($\epsilon_l \neq 0$) distribution, it does not ordinarily incorporate the effect of a collective potential. It is possible to use C to generate such flow lines by first populating a bunch (P) then invoking B and C in that order. Using the K command with KNTSET = -1 will remove the bunch if desired.

2.2.15 K Command - Kill all or parts of the distribution

K Command, Namelist /KUTS/			
Variable	Default		Description
	Value	Unit	
KUT	0	-	Cut the last KUT particles from the distribution
KNTSET	0	-	Reset particle count < 0 \Rightarrow KNTSC \rightarrow 0; removes bunch-type distribution > 0 \Rightarrow KOUNT \rightarrow 0; removes entire distribution
K1	0	-	Starting point for a partial removal of the distribution
K2	^a	-	End point for partial removal of distribution
KLASS	0	-	Selects a partition of the distribution to be removed ^b

^aDefaults to KOUNT

^bSee PARTION in P command

The **K** command calls KARVE which reads the namelist /KUTS/ for integers which indicate what part of the current phase space distribution to kill. It is really a pastiche of several related functions which have surfaced at one or another time in SHAZAM routines (see **0 – 9** commands). Only one option can be exercised per call, and parameters are always reset to harmless before the command returns.

2.2.16 0 – 9 Commands - User-written SHAZAM routines

The SHAZAM facility is intended to allow users to integrate their own routines into the code. All COMMON blocks in ESME are available to SHAZAM. As indicated in section 2.2.5, SHAZAM entry points may be called following every iteration of the difference equations using the TRAP option provided through NAMELIST /CYCLP/. In addition, SHAZAM routines may be called explicitly using commands **0 – 9**. Of course, any subsequent input is up to the author of the code following the appropriate SHAZAM entry point. It may be NAMELIST-directed, as ESME largely is, or there may be no input at all. The user is cautioned, however, to ensure that any subsequent input data is read; otherwise ESME will read the line where it finds itself after returning from SHAZAM and attempt to interpret it as a command.

2.2.17 S Command - Save tracking parameters

The **S** command directs subroutine **SAVE** to write all data in **COMMON** blocks to an external file. It allows the user to suspend tracking at any point in the program. Once all the tracking data is **SAVE'd**, it may be restored simply by issuing the **G** command (see next section). Subroutine **SAVE** is also useful for those who might want to analyze **ESME** tracking data independently of the program.⁷ The format of the **S** command is as follows:

S FILENAME.EXT

where **FILENAME.EXT** is the name of the external file to which the data is to be written.

2.2.18 G Command - Get tracking parameters

The **G** command directs subroutine **GET** to read data from an external file into **ESME's** common block data. It is intended to be used to retrieve data written using the **S** command. The **G** command format is very similar to that for the **S** command:

G FILENAME.EXT

where **FILENAME.EXT** is the name of the external file to from which the data is to be read. Because **G** recovers all parameters, input data can consist of only **G**, **T**, and **Q** commands for example. It is useful for restarting a long calculation from a checkpoint or for making alternative conclusions to a common intermediate result.

⁷See, for example, Appendix A.

Chapter 3

Using The Program

3.1 Running the Program

As configured, ESME may be run from a terminal or in batch mode.¹ Basically, the process of running ESME consists of associating file names with FORTRAN logical units and then issuing the proper directive to execute the program. FORTRAN logical unit 5 is expected to supply the input. An appropriate DI-3000 device driver² must be specified in order to use the graphical output routines available for ESME at Fermilab. By default, ESME chooses the device driver³ associated with node 1 to direct output, though others may be explicitly specified.⁴ In addition, graphical output may be written to a Metafile, and that Metafile may be used in conjunction with a translator to view the output on various devices.

The following DCL commands might typically be used in running the program:

```
$ ASSIGN DSNAMES.DAT FOR005      (input data set)
$ ASSIGN DSNAMES.LIS FOR$PRINT    (printable output)
$ ASSIGN SYS$ERROR FOR$PRINT      (execution error output)
$ ASSIGN DSNAMES.PPO FOR018       (output for post processor)
$ ASSIGN DSNAMES.HST FOR009       (histogram storage)
$ ASSIGN DSNAMES.MRG FOR020       (mountain range storage)
$ SETDRV QMP
$ RUN ESME
```

They specify that ESME's input (the commands) will be read from file DSNAMES.DAT, that any post-processor output⁵ will be written to file DSNAMES.PPO, while history records will be written to the file DSNAMES.HST. In addition, the device driver QMP is assigned to node 1. Of course, it is possible to run ESME interactively, in which case the commands and namelists would be issued by the user directly. However, the batch mode of running the program is surely the preferred one. A user might decide to associate input from his terminal with some FORTRAN unit addressed through a SHAZAM routine, in which case the program can be run interactively through that channel.

Once a run is completed, ESME may have produced a number of files. If a printer driver were used for graphical output, then a graphics file will be generated which may be printed. If IDEV⁶ is set to 0, then a Metafile is produced, which may be used in conjunction with a translator to

¹Some of the material that follows is specific to the graphics routines described in this document, and may not be applicable to every user.

²DI-3000 is a trademark of Precision Visuals, Inc.

³SETDRV command at Fermilab.

⁴See IDEV in chart in Section 2.2.4, Graphical Output.

⁵See Appendix A.

⁶See Section 2.2.4, Graphical Output.

generate output on physical devices. Finally, if the post-processor option⁷ is in effect, then ESME writes its data to the file associated with FORTRAN logical unit 18 (every MPLOT turns, or upon issuance of the D command). History records are written to the file associated with unit logical unit 9. These files may be processed later according to methods of the user's own choosing. A simple post-processor "shell" has been written which processes these files using routines from ESME. It is described in Appendix A.

For most applications, command procedures have been prepared which automate the process of running the program and obtaining output in a VAX-based environment. A command procedure (USEV8.COM) has been prepared which defines a number of logicals and symbols which make it possible to use ESME's programs and procedures without explicit knowledge of where they are located. On node ALMOND at Fermilab, for example, this command procedure can be invoked by entering

```
QUSR$DISK4: [ESME_FILES]USEV8
```

Now the user has merely to prepare an input data file, and then enter the command:

```
RESMEVAX
```

to run the current generic version of ESME on the local VAX. The command procedure accomplishes its task by

1. Asking the user for an input data file.
2. Creating a subdirectory into which all of ESME's output will go.
3. Copying the command input file and any other specified files into this subdirectory.
4. Asking the user whether graphical output is to be printed and where.
5. Submitting the job to a batch queue.

3.2 Input Structure

In this section the format required of various input files is described. First and foremost is FORTRAN logical unit 5, which is the main input file for ESME (and often the only input file). In addition, ESME may read tables of values for the RF voltage, frequency, or phase as functions of time, and the wall impedance as a function of frequency. Finally, ESME may read a file containing the parameters for various resonant impedances.

3.2.1 Command file

The commands which ESME accepts have already been described in Chapter Two. Each command is indicated by a single character in the first column of a line. The following four places in the line are discarded, and the rest of the line is read⁸ and echoed in the output along with the command as a comment. Following many of the commands is a namelist read. The namelist input is specified by entering a dollar sign in the *second* column of the input file, followed immediately by the namelist identifier, after which any variable which is a member of the namelist may be entered by specifying its name followed by an equal sign followed by the value to be assigned. The assignment of logical variables will depend on the particular machine (e.g. .TRUE. or T). The namelist is terminated by a \$END. All of the command examples given previously are valid VAX namelist entries.

⁷POSTP=T in the O command.

⁸FORTRAN format (A1,4X,A74).

3.2.2 Voltage table

In certain circumstances in which the time development of the RF voltage is rather involved, it may be advisable to provide ESME with a table describing the time-dependence of the voltage, from which the values of the voltage at a particular time can be interpolated. Such a table is read from the file specified on the line immediately following the /RF/ namelist if any of the NRF rf variations (voltage, frequency or phase) is declared to be of type 4.⁹ The file is opened, assigned to FORTRAN unit 10, and read until a line specifying "Source i " is read, where i corresponds to the index of the source for which the tables are specified. The format of the input file will appear as:

```

Source  $i$ 
Voltage
 $n_i$ 
 $t_1^i, v_1^i$ 
 $t_2^i, v_2^i$ 
...
Frequency
 $n_i$ 
 $t_1^i, f_1^i$ 
 $t_2^i, f_2^i$ 
...
Phase
 $n_i$ 
 $t_1^i, \phi_1^i$ 
 $t_2^i, \phi_2^i$ 
... Source  $j$ 
Voltage
 $n_j$ 
 $t_1^j, v_1^j$ 
...
```

The order of sources (for more than one source) is arbitrary, however the input must be ordered so that $t_2^i > t_1^i$. The entry n_i following the "Source i " line indicates how many sets (i.e., lines) of values are to follow. It is not necessary to specify all three tables for a given source. It is also not necessary to specify voltage, frequency and phase tables in one place under a single "Source" heading. It is necessary, however, that if they are specified in one place, that they are ordered in the sequence: voltage, frequency, phase. Only one rf table file may be read in a given run of the program, and the entire file is read and its entries stored at one time. Therefore, even tables which are not to be used until later in the run must be provided at the time the file is read.

The table entries then determine the voltage, if an rf curve type of "4" is specified, using cubic spline interpolation between the provided values, and the supplied end points. For example, at time t , the voltage v for source i will be computed according to

$$\begin{aligned}
 &\text{for } t < \text{TVBEG}(I): \\
 &\quad v = \text{VI}(I) \\
 &\text{for } \text{TVBEG}(I) \leq t \leq \text{TVEND}(I): \\
 &\quad t_k^i = \max t_j^i \ni t_j^i \leq t \quad 1 \leq j \leq n_i \\
 &\quad v = \text{VI}(I) + (\text{VF}(I) - \text{VI}(I)) \times \text{spline}
 \end{aligned}$$

⁹See Section 2.2.2, the A Command.

for $t > \text{TVEND}(I)$:

$$v = \text{VF}(I)$$

where $\text{VI}(I)$ and $\text{VF}(I)$ are the specified voltages for source I at times $\text{TVBEG}(I)$ and $\text{TVEND}(I)$, and “spline” is the value interpolated from the table read for voltage source i . Note that the values supplied in the table(s) are *not* voltages, frequencies, or phases, but rather the fraction of those quantities between the specified initial and final points. Thus, in general, the table will run from 0.0 to 1.0. However, the input need not be normalized; it may have a pedestal and arbitrary scale. The input is scaled before the spline is calculated. This allows one to take an rf curve directly from an accelerator control file and use its shape while setting the VI and VF as desired with the **A** command. Note also that the interpolation procedure will only be carried out for $\text{TVBEG}(I) \leq t \leq \text{TVEND}(I)$; this is consistent with the convention for all methods of varying the voltage.

3.2.3 Impedance table

The **B** command allows the user to enter a cubic polynomial coefficient table for the wall impedance. This file, if required,¹⁰ must be listed on the line immediately following the namelist input. The file will be opened, assigned to FORTRAN unit 11, and NZ values of frequency (in MHz) will be read, each accompanied by eight polynomial coefficients. The format of the input is as follows:

```

f1
x11, x21, x31, x41
y11, y21, y31, y41
...
f2
x12, x22, ...

```

The first value on the top line is the frequency in MHz. The four values following on the next line are the coefficients for the real part of the impedance. The four values on the third line are the coefficients for the imaginary part of the impedance. The FORTRAN format for each line is list-directed, so it is sufficient to simply list the values separated by commas or spaces in the file. The entries should be made in order of increasing frequency ($f^1 < f^2 < \dots < f^{\text{NZ}}$). The coefficients are used to compute the value of the impedance at a given frequency f , according to:

$$\begin{aligned}
&\text{if } f^1 \leq f < f^{\text{NZ}} : \\
&\quad f^n = \max f^i \ni f > f^i \quad 1 < i < \text{NZ} \\
&\quad \Delta f = f - f^n \\
&\quad Z_r + iZ_i = x_1^n + \Delta f x_2^n + \Delta f^2 x_3^n + \Delta f^3 x_4^n + i(y_1^n + \Delta f y_2^n + \Delta f^2 y_3^n + \Delta f^3 y_4^n) \\
&\quad \text{if } f < f^1 : \\
&\quad \quad Z_r + iZ_i = x_1^1 + iy_1^1 \\
&\quad \text{if } f \geq f^{\text{NZ}} : \\
&\quad \quad Z_r + iZ_i = x^{\text{NZ}} Z_1 + iy^{\text{NZ}} Z_1
\end{aligned}$$

¹⁰For $\text{NZ} > 0$, see Section 2.2.12.

3.2.4 Resonance table

Resonant impedances may be specified in a simple form. The resonance values are read from the file whose name is specified following the /SCHG/ namelist,¹¹ and the name of the impedance file, if any. This file is assigned to input unit 12. Each of the NR entries in the resonance file occupies a single line. The format for each line is list directed, where the values to be read in are:

frequency [MHz], real shunt impedance at resonance [Ω], multiplier, Q

where the multiplier, which is usually 1., simply multiplies the impedance which is calculated from the frequency, shunt impedance, and Q values for the resonance. However note that, as mentioned in Section 2.2.12, a multiplier of zero has a special purpose. When the time domain calculation of resonator response has been activated by setting QREZON true, those resonances with a zero multiplier will be treated with the time domain technique.

¹¹For NR > 0, see Section 2.2.12.

Chapter 4

Programming

In this chapter some of the basic structure of the program is presented, and the use of certain VAX-based facilities in the development of the code is discussed. Though somewhat specialized, it is felt that the utility of these features to those who might be willing and able to use them is of great enough importance to warrant some description here. This chapter is primarily of interest to programmers. There is no need to make use of the material in this section in order to use the program. Furthermore, this section alone is not likely to make the reader an ESME expert. It is hoped that the material presented here will ease the process of incorporating changes and additions to the code.

4.1 Program Basics

The first part of this section describes the overall structure of ESME. The second section details the main tracking loop. The third section lists the important variables in ESME, which are held in COMMON and thus available in SHAZAM.

4.1.1 Program structure

The basic pattern of ESME is a main program which calls subroutines selected by single letter commands in the input stream. The called routine reads in any needed parameters; it and any dependent subroutines carry out calculations for a distinct phase of the calculation or for a distinct accelerator subsystem. The program is integrated by putting particle coordinates and system variables into named commons each of which contain a group of closely related quantities. Higher level subroutines communicate through common. Certain lower level routines and some utility routines shared among different functional areas pass data through calling lists. Nearly all system and coordinate variables are stored in common blocks; only loop counters and a few intermediate results are local variables. Thus, the program is divided into numerous functional modules but important variables are global. The large number of parameters often required to specify a distribution and the rf systems which act upon it encourage this structure, as well as making it easier to incorporate changes into the code. A schematic tree diagram indicating the program flow follows.

```

ESME_V8--RAND
|
1  |--RINGPAR (1)--GAMMAS>LOWLVL (2)--MOMENTS
2  |
3  |                                     |--LINBKT (3)--BETMB
   |                                     |
   |                                     |--ALFMB
   |                                     |
4  |                                     |--INTPGAM (4)--QGKMB
   |                                     |
   |                                     |--QGKPRMB
   |
   |                                     |--BFUN
   |
   |                                     |--DBFUN>BFUN
   |
|--RFPROG--GCD
|
|   |--MATCH--MOMENTS
|   |
|   |   |--LINBKT see 3
|   |   |
|   |   |--EVSBFIX>LINBKT see 3
|   |   |
|   |   |--EVSBFIX>LINBKT see 3
|   |   |
6  |   |   |--CONTOUR (5)--LINBKT see 3
|   |   |
|   |   |--OUTSIDE--BUBBLES
|   |
|   |--SPLINE
|   |
|   |--LINBKT see 3
|   |
|   |--VOLTS--TABLOUT
|   |
|   |--FREQNC--TABLOUT
|   |
|   |--PHASES--TABLOUT
|   |
6  |   |--SYNCH (6)--ROOTF (7)--QF
7  |   |
|   |   |--QDF
|   |   |
8  |   |   |--NRBIS (8)--QF
|   |   |
|   |   |--QDF
|   |
|   |--RFV
|
|--CYCPROG--MOMENTS
|
|   |--LINBKT see 3
|   |
|   |--VOLTS--TABLOUT
|   |
|   |--FREQNC--TABLOUT

```


16				+--REFCONT--BUCKIT (16)--LINBKT see 3
				+--ROOTF see 7
				+--CONTOUR see 6
				+--CONTOUR see 5
				+--OUTSIDE--BUBBLES
17				+--PHASFLO (17)--BUCKIT see 16
18				
				+--LOOP (18)--LINBKT see 3
19				
				+--FLOLINE (19)--LINBKT see 3
20				
				+--PEPLT (20)--DRAWPH--DRAWINIT
				+--DOAXIS--ENGFM
				+--THLABL
				+--ELABL--PREFIX
				+--PREFIX
				+--RMOMENTS
				+--DRAWTHH--DRAWINIT
				+--HLABL--ADDSCAL
				+--PHIST
				+--DRAWEE--DRAWINIT
				+--FOUR see 14
				+--DRAWINIT
				+--ADDSCAL
				+--PLINE
				+--DELESC see 9
				+--HIQRES see 13
				+--PRNTOUT
				+--SAVE
				+--PRNTOUT
				+--PHPLT see 20
				+--SAVE

21

```

|
|
|           +-PRNTOUT
|
|   +-MRSAVE
|
|   +-TRAP (21) +-SHAZAM
|           |
|           +-SHAZAM1>SHAZAM
|           |
|           .
|           .
|           |
|           +-SHAZAM9>SHAZAM
|
|   +-POPUL8 +-RTANGL +-INVERF
|           |
|           +-BNCH +-BUCKIT see 16
|           |
|           +-CONTOUR see 5
|           |
|           +-OUTLB
|           |
|           +-FILLBU --BUBBLES
|           |
|           +-FILLBR --RAND
|           |
|           +-FILLBG --RAND
|           |
|           +-FILLBP --RAND
|           |
|           +-FILLBE +-BUBBLES
|           |
|           +-RAND
|           |
|           +-SEPTRIX +-BUCKIT see 16
|           |
|           +-LOOP see 18
|           |
|           +-FLOLINE see 19
|           |
|           +-FILLFIX
|           |
|           +-MOMENTS
|
|   +-GET
|
|   +-SAVE
|
|   +-GRAFSET
|
|   +-SHAZAM
|
|   +-SHAZAM1>SHAZAM
|
|   .
|   .

```

```

.
|
+-SHAZAM9>SHAZAM
|
+-DISPLAY see 15
|
+-FLOWPRG+-PHASFLO see 17
|
|         +-LINBKT see 3
|         |
|         +-VOLTS--TABLOUT
|         |
|         +-FREQNC--TABLOUT
|         |
|         +-PHASES--TABLOUT
|         |
|         +-EVHBFIX>LINBKT see 3
|         |
|         +-EVSBFIX>LINBKT see 3
|         |
|         +-BEEDOT>RINGPAR see 1
|         |
|         +-SYNCH see 6
|         |
|         +-SLIPPH>PHASES--TABLOUT
|         |
|         +-GAMMAS>LOWLVL see 2
|         |
|         +-TRAP see 21
|
+-HISTORY+-GLABL
|
|         +-GETDAT
|         |
|         +-DOAXIS--ENGfmt
|         |
|         +-ADDSCAL
|
+-FFTSET--FOUR see 14
|
+-BEAMSC>FOURFIT--DELESC see 9
|
+-LOWLVL see 2
|
+-MRINIT
|
+-MRPLT+-BERNST
|
|         +-DRAWINIT
|         |
|         +-DOAXIS--ENGfmt
|         |
|         +-THLABL
|         |
|         +-ADDSCAL
|         |
|         +-MRPLINE

```





Figure 4.1: Schematic representation of the main tracking loop in ESME; see text in the main tracking loop section for details of notation.

4.1.2 Main tracking loop

The fundamental mapping or tracking algorithm is contained in the subroutine CYCPROG which is called when a T command is encountered in the data stream. The subroutine reads data for the number of turns to track *etc.* and then tracks successive turns applying the difference equations to each particle on each turn. At the end of each turn the tracking duration is checked, various properties of the distribution are calculated, system parameters are updated, and tests are applied to see if any selected parameter has reached a desired endpoint. The loop structure is schematized in Fig. 4.1.1. The boxed numbers in the figure are Fortran statement numbers relating the depicted structure to the Fortran listing. These markers should help the intensely curious or thoroughly sceptical find his way through the core code. An IF loop is depicted in the diagram by its head statement number in a box to the outside of a vertical line representing the scope of the loop; a DO loop is represented with its terminating number in a box at the end of the vertical line representing its scope. The names of loop counters are given within ovals. The variable names followed by square brackets [...] are those of switches which control optional calculations; the calculation controlled is indicated by the text within the brackets.

4.1.3 Important variables

The various named common blocks are listed below. Each entry includes a statement of purpose and a list of all the included variables. If the variables come primarily from one subroutine, that subroutine is named on the last line of the entry; likewise, if a significant number of the variables come directly from the input data, the controlling NAMELIST is identified also. Not included are EQUIVALENCE statements which setup some inclusive arrays to simplify the GET and SAVE functions(G and S commands).

C Block parameterizing isolated or barrier bucket generation.

PARAMETER (ISRC3 = 10)

COMMON /BKTSUP/ THL(ISRC3),THU(ISRC3)

Principal Source: RFPROG

Controlling NAMELIST: /RF/

C THE MAIN STORAGE BLOCK. CONTAINS NPHASE PHASE SPACE COORDINATES AND

C THE POINTERS TO SEPARATE PARTITIONS OF THE DISTRIBUTION

PARAMETER (NPHASE = 100000, NKLIM=50)

COMMON /BLANK/ PHASE(0:NPHASE,2)

COMMON /IBLANK/ KOUNT,KNTSC,KLASSES,KLIMIT(0:NKLIM)

COMMON /LBLANK/ PARTION

LOGICAL PARTION

Principal Source: POPUL8

Controlling NAMELIST: /POPL8/

C BUCKET PARAMETERS TURN-BY-TURN

COMMON /BUCKET/ PHISL,PHIUSFP,GNUS,SBCKT,HBCKT

COMMON /IBUCKET/ NFIRST,NLAST

Principal Source: CYCPROG

C BUNCH PARAMETERS TURN-BY-TURN

COMMON /BUNCH/ THBAR,EBAR,TERMS,ERMS,EPSILON,SBUNCH,ANORM

Principal Source: CYCPROG


```

C  PARAMETERS DEFINING AND RESULTS OF FOURIER TRANSFORM OF CHARGE DISTRIBUTION
    PARAMETER (IFFT = 1024, NFMAX = 50)
    COMMON /FOURIR/ BW,OBWGT,FAMPL(NFMAX),FAZE(NFMAX),
+   WSAVE(3*IFFT+15),F(IFFT),G(IFFT)
    COMMON /IFOURIR/ NBINFFT,MFFT,NNF,NBSAV,NIXNOIS,ITKNT,NF(NFMAX)
    COMMON /LFOURIR/ FFTON
    LOGICAL FFTON

```

Principal Source: FFTSET

Controlling NAMELIST: /FFT/

C Parameters defining transition gamma time dependence and

C transition phase switch timing.

```

    COMMON /GAMJMP/ GAMPAR(5),ETAJMP
    COMMON /IGAMJMP/ KINDG
    COMMON /LGMAJMP/ GMAJMP
    LOGICAL GMAJMP

```

Principal Source: RINGPAR

Controlling NAMELIST: /RING/

C PARAMETERS DEFINING DESIRED GRAPHICAL OUTPUT

```

    PARAMETER (ISIZGM = 10000, ISIZPH = 2000,IGKSER=13, IGKSMT=14)
    COMMON /GRAFIX/ THPMIN,THPMAX,DEPMIN,DEPMAX,DTHCURV,DECURV,
1   THBMIN,THBMAX,EBMIN,EBMAX,
2   HBCKTN,SBCKTN,SREF,REFAREA,
3   SCBMIN,SCBMAX,RBMIN,RBMAX,DELCON,
4   XCRNR,YCRNR,XAXISL,YAXISL
    COMMON /IGRAFIX/ IDEV,MPLT,IRF,ICONTUR,IEREF,KNTLIM,
1   NBINTH,NBINE,IFBMIN,IFBMAX,NPJMP,KLPLOT,NBPFFT,IMETA
    COMMON /GRAFM/ IGMARY(ISIZGM),IPHARY(ISIZPH)
    COMMON /LGRAFIX/ POSTP,NODRAW,PLTSW(20),TITLE,DRWREF
    LOGICAL PLTSW,TITLE,DRWREF,NODRAW,POSTP

```

Principal Source: GRAFSET

Controlling NAMELIST: /GRAPH/

C DESCRIPTIVE HEADING FOR GRAPHICAL OUTPUT

```

    PARAMETER (MAXTTL=50)
    COMMON /HEADING/ TITL
    COMMON /IHEADING/ TITLEN
    CHARACTER TITL*50
    INTEGER TITLEN

```

Principal Source: GRAFSET

C Include specifying mountain range parameters.

C For saving data (plotting parameters are local to MRPLT).

```

    COMMON /MRANGE/ MRTHMINB,MRTHMAXB,TMBEGIN,TMEND
    REAL MRTHMINB,MRTHMAXB,TMBEGIN,TMEND
    COMMON /IMRANGE/ MRMPLOT,MRNBIN
    INTEGER MRMPLOT,MRNBIN

```

Principal Source: MRINIT

Controlling NAMELIST: /MRANGE/

C THE PARAMETERS DEFINING THE INITIAL PHASESPACE DISTRIBUTION(S)

```
COMMON /POPLATE/ THMIN,THMAX,REMIN,REMAX,  
1 SBNCH,THOFF,EOFF,THTRAN,ETRAN  
COMMON /IPOPLATE/ KIND,IPOP,NTH,NE,NPOINT,ISEED
```

Principal Source: POPUL8

Controlling NAMELIST: /POPL8/

C PARAMETERS DEFINING THE RF SYSTEMS

```
PARAMETER (NSRC = 10)  
COMMON /RFP/  
1 VI(NSRC),VF(NSRC),TVBEG(NSRC),TVEND(NSRC),VTABL(5,21,NSRC),  
2 FRI(NSRC),FRF(NSRC),TFBEG(NSRC),TFEND(NSRC),FTABL(5,21,NSRC),  
3 PSII(NSRC),PSIF(NSRC),TPBEG(NSRC),TPEND(NSRC),  
4 PTABL(5,21,NSRC),C1(NSRC),C2(NSRC),DELTRF(NSRC),  
5 HDECR,SDECR,PHISLIM  
COMMON /IRFP/ NRF,H(NSRC),HW(NSRC),HGCD,HMAX,ISYNC,  
1 KURVE(NSRC),NTV(NSRC),NTABV(NSRC),  
2 KURVF(NSRC),NTF(NSRC),NTABF(NSRC),  
3 KURVP(NSRC),NTP(NSRC),NTABP(NSRC)  
COMMON /LRFP/ VKON,FRKON,PHKON,PHSLIP,HOLDBH,HOLDBA,CNTINU,  
1 VMATCH(NSRC),RFTOPN  
INTEGER H,HW,HGCD,HMAX  
LOGICAL VKON,FRKON,PHKON,PHSLIP,VMATCH  
LOGICAL HOLDBH,HOLDBA,CNTINU(NSRC),RFTOPN
```

Principal Source: RFPROG

Controlling NAMELIST: /RFP/

C THE LATTICE PARAMETERS INCLUDING TIME DEPENDENCES

```
COMMON /RINGP/ REQ,GAMMAT,ALPHA0,ALPHA1,ALPHA2,ALPHA3,  
1 TAUINF,EK0I,EK0F,TI,TF,PI,PF,EKIDOT,EKFDOT,  
2 PIDOT,PFDOT,THLO,THHI,THRNG,FRAC,DES,PIPRAD  
COMMON /IRINGP/ KURVEB,NCAV  
COMMON /LRINGP/ JNRAMP,EBDRY  
LOGICAL JNRAMP,EBDRY
```

Principal Source: RINGPAR

Controlling NAMELIST: /RING/

C AREA TO BE USED WITHIN A SINGLE SUBROUTINE ON A GIVEN CALL (MOSTLY GRAPHICS)

```
PARAMETER (NMAX=10000)  
COMMON /SCRATCH/ SCRPAD(NMAX)
```

C Contains "spare" variables which are written to history

C along with everything else. These can be whatever the user

C wishes; these commons are available to CYCPROG and SHAZAM.

C Also contains labels for spares used in history plots.

```
PARAMETER (NSPARE = 10, TITLL=14, UNITL=7)  
COMMON /SPARES/ SPARE(NSPARE)  
COMMON /CSPARES/ SPLABL(NSPARE),SPUNIT(NSPARE)  
CHARACTER*14 SPLABL  
CHARACTER*7 SPUNIT
```

Principal Source: CYCPROG

```

C  PARAMETERS DEFINING THE SPACE CHARGE & WALL IMPEDANCE ENERGY/TURN
    PARAMETER (ITBOUT=40, IRLLEN=30, LEVSC=1024, MAXRB=10000)
    COMMON /SPCHG/ A,B,ENQ,TSCON,EVSCAV,BWSC,ZTABL(ITBOUT,9),
1      EVSC(LEVSC),RESTBL(IRLLEN,4),
2      VRES(MAXRB),RVO(IRLLEN),RVODOT(IRLLEN)
    COMMON /ISPCHG/ NZ,NR,MSC,NBINSC,NBRES
    COMMON /LSPCHG/ SCON,QREZON
    LOGICAL SCON

```

Principal Source: FOURFIT

Controlling NAMELIST: /SCHG/

```

C  A BLOCK TO CONTAIN CPU TIME SINCE START
    COMMON/TIMES/ CPUBEG,CPUNOW
    COMMON/ITIMES/ ITIME,IRCOD1,IRCOD2
    DOUBLE PRECISION CPUBEG, CPUNOW

```

```

C  Record the version number for program documentation & debugging.
C      VERNUM is the version of ESME
C      PVER is the post-processor version number.

```

```

C  Version 8.03 (alpha) 04 Feb 93
    PARAMETER (VERNUM=8.03, PVER=2.00)

```

4.2 Code Management

ESME has undergone a protracted evolution. The changes resulting from the facilities for generating phase space flow lines and a more refined treatment of the beam-generated potential are sufficient to mark v. 8 as a major revision. When Steve Stahl joined the effort to turn v. 6.5 into v. 7.xx, he developed a coordinated suite of command level procedures for running, compiling, and maintaining the code for use on several different computers. These procedures have been modified a little here and there, but still serve the v. 8.0 user and the effort to develop and maintain the code. The tools described below are to aid in the process of coding. The following two sections detail these tools and their use. It is not necessary to read the first section to make use of these tools, so the impatient reader may skip immediately to Section 4.2.2.

4.2.1 Tools – an overview

The development process has used VAX DEC/Module Management System (MMS) in conjunction with VAX DEC/Code Management System (CMS),¹ and Fermilab's CDF EXPAND[16] utility. CMS is used to maintain a source-code library for ESME. MMS is used to construct the executable version of the code.

MMS is patterned after the UNIX² `make` utility. At the heart of MMS is a description file, which MMS processes to determine what actions are necessary to produce an up-to-date executable version of the “target”, which in the case of ESME is an executable version of the program. The description file consists of dependency “rules” and action lines. Each dependency rule consists of a target and its sources (e.g., A.EXE and A.OBJ). MMS compares the dates of the targets and sources to determine if the target is older than any of the sources. If so, the target needs to be “updated”, and in that case the action specified on the action line is executed. A simple example of a description file for ESME might be:

¹VAX, DEC/MMS, and DEC/CMS are trademarks of Digital Equipment Corporation.

²UNIX is a registered trademark of American Telephone and Telegraph Company.

```
ESME.EXE : ESME.OBJ
          LINK ESME
ESME.OBJ : ESME.FOR
          FORTRAN ESME
```

in which all the source code for ESME is found in ESME.FOR. Of course, the description given here is incomplete. However, the underlying principle itself is very simple — that of updating only those system components necessary to build a new target. Using this system, the process of code development is simplified, since MMS can detect any changes to the common CMS library. In addition, individual users can incorporate their own changes into the code very easily.

As mentioned earlier, the Fermilab utility EXPAND was used with MMS to build the program. Had ESME been intended only for use on VAX systems, EXPAND could have been dispensed with. This utility allows the user to build the program for various machine architectures³ from the same source code, in addition to offering various pre-processor options. Of course, in cases where the compiler for the machine architecture does not reside in the environment (i.e., VAX) in which the code is prepared, MMS cannot direct the VAX to compile and link the code. However, presumably, once the source code has been prepared for the destination machine, it can be exported for compilation and linking there. The description files for v. 8 have been changed so that the Fortran include files are pre-processed by the EXPAND utility before inclusion.

4.2.2 Using the tools

The relevant command procedures and MMS files are found in `USR$DISK4:[ESME_FILES.MMS]`. Generally, the user should first SET the appropriate CMS library and FETCH any routines to be modified. The addition of any routines which are not part of ESME will require the user to modify some of the files in `USR$DISK4:[ESME_FILES.MAKE]`. Such operations will not be discussed here, though an examination of the relevant MMS files (V8INC.MMS, V8.MMS, V8SRC.MMS) should provide some illumination as to how to proceed in such a case.

Once the appropriate files have been modified, the VMS user may incorporate them into an executable version of ESME using the prepared command procedure MAKEV8.COM. This procedure then prepares either an executable or source-code version of the program using the routines supplied by the user while supplying the remainder of the routines from ESME libraries. If the procedure USEV8.COM has been invoked, it should be sufficient to simply enter the command `MAKESME`. The command procedure will then

1. Ask the user if he wishes to make ESME, ESMEPLOT, or both.
2. Ask whether the output is to be executable or source code.
3. Ask for a location in which to place the output; if one is not already available, then it will be created.
4. Query the user for source files (presumably modified).
5. Query the user for pre-processor and/or compile options.
6. Submit the job to a batch queue.

The resultant executable (assuming no compile time errors) or source code file will be constructed in the specified directory. Note that the prepared procedures for running ESME will not use this version by default. If you've gotten this far, though, you probably know what to do.

³At present, EXPAND accepts the arguments VAX, CYBER, IBM, ACP_NODE, FTN77, and FPS for the /ENVIRONMENT qualifier.

Acknowledgement

Anyone familiar with the v. 7.1 User's Guide^[10] will recognize that this note incorporates entire pages from it *verbatim*. Steve Stahl did much of the work for the earlier writeup, but, because he is not around to vet this product, it does not seem fair to implicate him as an author and potential target for a frustrated user. Therefore, I gratefully acknowledge here his major contributions to the evolution of versions 7.xx from v. 6.5 and his lead role in creating the v. 7.1 User's Guide. These contributions include, but are not limited to, generalization of the code, graphics improvements, critiques of the fundamentals, initial coding of the time domain option for calculating the collective potential, developing a suite of command-level (DCL) procedures, and organizing the User's Guide. For four years from early 1987 through early 1991 Steve provided the continuity and much of the substance for the development of ESME.

Appendix A

Post-Processing

For those users who wish to process ESME data independently of the program, a post-processor option is provided.¹ When this option is in effect, any plotting routine calls are substituted for by writes of ESME's common blocks (containing essentially all of the information about the current state of the simulation) to FORTRAN unit 18 using subroutine SAVE. Later, this file may be read using subroutine GET. The code for a graphics post-processor is appended here as an example. The plotting routines employed here are the same ones imbedded in ESME. This command "shell" is modelled after that of the main program. As in ESME, one-letter commands initiate various routine calls and namelist reads. Since the plotting routines are those of ESME, for which the graphical output options set in the O Command were specifically intended, the user can construct plots using those options set during the running of the program as retrieved from COMMON. Those employing other graphics routines may wish to implement another sort of interface entirely (e.g. menu-driven), with an entirely different set of output options.

```
      PROGRAM ESMEPLOT
C   This program "post-processes" ESME output data.  It may read and plot
C   history data or process the output file generated by ESME during a run.
C
C   Updated to ESME v. 8.0 26-Feb-93 -- J. MacLachlan
C
      IMPLICIT DOUBLE PRECISION (A-H,O-Z)
      INCLUDE 'ESME$INC:E8_GRAFIX.INC'
      INCLUDE 'ESME$INC:E8_CURVES.INC'
      INCLUDE 'ESME$INC:E8_VERSION.INC'
      DATA NODRAW,POSTP /.TRUE.,.FALSE./
      DATA IDEV /1/
      DIMENSION ISVARY(ISIZPH)
      CHARACTER*1 CMND
      CHARACTER*74 WORDS
      LOGICAL EXFG, DONE
      CHARACTER*128 GRAFIL,HFIL,MRFIL,OHFIL,OGRAFIL,OMRFIL
      DATA GRAFIL,HFIL,MRFIL /3*' '/
C
C   READ SINGLE LETTER COMMANDS.
C
      PRINT 19,PVER
```

¹POSTP=T, O Command, Section 2.2.4.

```

19  FORMAT(//1X,'ESME RF PLOTTING PROGRAM : VERSION NUMBER IS ',F5.2)
    ISTAT=LIB$INIT_TIMER()
C    IF(MOD(ISTAT,2).NE.0) CALL LIB$STOP(%VAL(ISTAT))
    IF(.NOT.ISTAT) CALL LIB$STOP(%VAL(ISTAT))
C
C  Return point after execution of a command.
C
    10 CONTINUE
        PRINT *, 'ENTER COMMAND: '
        READ(5,2000) CMND,WORDS
2000  FORMAT(A1,4X,A74)
        ISTAT=LIB$STAT_TIMER(2,ITIME)
        IF(.NOT.ISTAT) CALL LIB$STOP(%VAL(ISTAT))
        CPTIME=1.E-2*ITIME
        PRINT 2010, CPTIME
2010  FORMAT('0',53('+'),2X,F9.2,' SEC.',2X,54('+'))
        PRINT 2020, CMND,WORDS
2020  FORMAT(' CMND IS ',A1,' ',A74)
        GO TO (100,200,300,400,500,600,700,800,900)
+      INDEX('ODGHZXUNQ',CMND)
        PRINT*, 'THE IMPLEMENTED COMMANDS ARE'
        PRINT*, '      O: SET OUTPUT OPTIONS'
        PRINT*, '      D: DISPLAY PHASE SPACE WITH CURRENT PLOT PARAMETERS'
        PRINT*, '      G: GET A RECORD FROM TAPE 7'
        PRINT*, '      H: RETRIEVE AND PLOT HISTORY DATA FROM TAPE 9'
        PRINT*, '      Z: REWIND TAPE 7'
        PRINT*, '      X: PLOT REMAINDER OF TAPE 7'
        PRINT*, '      U: CHOOSE GRAPHICS AND/OR HISTORY FILES'
        PRINT*, '      N: COMPOSE AND DISPLAY MOUNTAIN RANGE PLOT'
        PRINT*, '      Q: STOP'
C  Stop if the command wasn't recognized.
    STOP
C  O: OPTIONS FOR OUTPUT GRAPHICS
C
    100 CALL GRAFSET
        GO TO 10
C
C  D: DISPLAY GRAPHICALLY PHASE POINTS AND (OPTIONALLY) BUCKET
C
    200 CONTINUE
        IF(ICONTUR.GT.0) CALL REFCONT
        DO 210 I=1,NC
            CURVE(I,1)=CURVE(I,1)+DTHCURV
            CURVE(I,2)=CURVE(I,2)+DECURV
210  CONTINUE
C  Plot distribution.
        CALL PHPLT
        GO TO 10
C
C  G: GET COORDINATES AND MACHINE PARAMETERS

```

```

C
300 PRINT *, 'READING COORDINATES AND MACHINE PARAMETERS'
C Save logical telling us whether we have initialized
C DI-3000 or not and reset it after restoring COMMONs.
C Also save phase space plot template.
    SAVND=NODRAW
C    DO 310 I=1,ISIZPH
C        ISVARY(I)=IPHARY(I)
C 310 CONTINUE
    CALL GET(.TRUE.,ITURN,DONE)
    NODRAW=SAVND
C    DO 320 I=1,ISIZPH
C        IPHARY(I)=ISVARY(I)
C 320 CONTINUE
    POSTP=.FALSE.
    PRINT *, 'DATA FOR TURN ',ITURN,' READ'
    GO TO 10

C
C H: HISTORY OF IMPORTANT PARAMETERS COLLECTED ON TAPES EACH STEP
C
400 CALL HISTORY(.TRUE.)
    GO TO 10

C
C
C Z: REWIND GRAPHICAL OUTPUT TAPE TO BEGINNING (NOW THE
C ONLY WAY TO GET AT A RECORD BEFORE THE CURRENT ONE)
C
500 REWIND(7)
C Save logical telling us whether we have initialized
C DI-3000 or not and reset it after restoring COMMONs.
    SAVND=NODRAW
C    DO 510 I=1,ISIZPH
C        ISVARY(I)=IPHARY(I)
C 510 CONTINUE
    CALL GET(.TRUE.,ITURN,DONE)
    NODRAW=SAVND
C    DO 520 I=1,ISIZPH
C        IPHARY(I)=ISVARY(I)
C 520 CONTINUE
    POSTP=.FALSE.
    PRINT *, 'DATA FOR TURN ',ITURN,' READ'
    GO TO 10

C
C X: JUST PLOT EVERYTHING FROM HERE ON OUT
C
600 CONTINUE
C Save logical telling us whether we have initialized
C DI-3000 or not and reset it after restoring COMMONs.
    SAVND=NODRAW
    CALL GET(.TRUE.,ITURN,DONE)

```

```

      NODRAW=SAVND
      IF(DONE)THEN
        PRINT *, 'ALL PLOTS COMPLETED'
        GO TO 10
      ENDIF
      PRINT *, 'DATA FOR TURN ',ITURN,' READ'
      IF(ICONTUR.GT.0) CALL REFCONT
      IF(DTHCURV.EQ.0 .AND. DECURV.EQ.0) GO TO 620
      DO 610 I=1,NC
        CURVE(I,1)=CURVE(I,1)+DTHCURV
        CURVE(I,2)=CURVE(I,2)+DECURV
610  CONTINUE
620  CALL PHPLT
      GO TO 600
C
C  Use specified graphics and history files.
C
      700 CONTINUE
        OGRAFIL=GRAFIL
        OHFIL=HFIL
        OMRFIL=MRFIL
        NAMELIST /USEFIL/ GRAFIL, HFIL, MRFIL
        READ(5,USEFIL)
        IF(GRAFIL .NE. OGRAFIL)THEN
C  First close old file if this is a new one
          IF(OGRAFIL.NE.' ')CLOSE(UNIT=7)
C  See if the requested file exists.
          INQUIRE(FILE=GRAFIL,EXIST=EXFG)
C  Exit if it doesn't
          IF(.NOT.EXFG)THEN
            PRINT *, 'FILE NAMED ',GRAFIL,' CANNOT BE FOUND '
            GOTO 710
          ENDIF
C  Print reassurance if it does
          PRINT *, 'GRAPHICAL DATA FROM FILE',GRAFIL
C  Open the requested file. Note that we haven't read
C  anything yet.
          OPEN(UNIT=7,FILE=GRAFIL,ACCESS='SEQUENTIAL',
            1      STATUS='OLD')
          ENDIF
      710 CONTINUE
        IF(HFIL .NE. OHFIL)THEN
C  First close any old history file.
          IF(OHFIL.NE.' ')CLOSE(UNIT=9)
C  See if the requested file exists.
          INQUIRE(FILE=HFIL,EXIST=EXFG)
C  Exit if it doesn't
          IF(.NOT.EXFG)THEN
            PRINT *, 'FILE NAMED ',HFIL,' CANNOT BE FOUND '
            GO TO 720

```

```

        ENDIF
C   Print reassurance if it does
        PRINT *, 'HISTORY DATA FROM FILE', HFIL
C   Open the requested file.
        OPEN(UNIT=9, FILE=HFIL, ACCESS='SEQUENTIAL',
1         STATUS='OLD')
        ENDIF
720 CONTINUE
        IF(MRFIL .NE. OMRFIL) THEN
C   First close old file if this is a new one
        IF(OMRFIL.NE.' ') CLOSE(UNIT=20)
C   See if the requested file exists.
        INQUIRE(FILE=MRFIL, EXIST=EXFG)
C   Exit if it doesn't
        IF(.NOT.EXFG) THEN
            PRINT *, 'FILE NAMED ', MRFIL, ' CANNOT BE FOUND '
            GOTO 730
        ENDIF
C   Print reassurance if it does
        PRINT *, 'GRAPHICAL DATA FROM FILE', MRFIL
C   Open the requested file. Note that we haven't read
C   anything yet.
        OPEN(UNIT=20, FILE=MRFIL, ACCESS='SEQUENTIAL',
1         STATUS='OLD')
        ENDIF
730 CONTINUE
        GO TO 10

C
C   M: DISPLAY MOUNTAIN RANGE(s)
C
800 CONTINUE
        CALL MRPLT
        GO TO 10

C
C   Q: QUIT PROGRAM ENTIRELY; NOTHING FURTHER TO DO
C
900 CONTINUE
        PRINT *, 'QUIT COMMAND'

C
C   Terminate DI-3000 and GRAFMAKER; if necessary.
C
        IF(.NOT.NODRAW) CALL JCHTRM(.TRUE.)
        STOP

C
        END

```

Appendix B

Command Table Summary

This appendix is added as a quick reference for those who wish to avoid leafing through the entire document.

R Command, Namelist /RING/			
Variable	Default		Description
	Value	Unit	
REQ	None	m	The reference radius for the central orbit
GAMMAT	None	-	Transition γ
ALPHA1	None	-	Coefficient of $\Delta p/p$ in series expansion for length difference between particle trajectory and reference orbit
ALPHA2	None	-	Coefficient of $(\Delta p/p)^2$ in series for path length difference
ALPHA3	None	-	Coefficient of $(\Delta p/p)^3$ in series for path length difference
EK0I	None	MeV	Kinetic energy on the central orbit at $T = TI$
EK0F	0.0	MeV	Kinetic energy on the central orbit at $T = TF$
TI	0.0	s	Time corresponding to start of magnetic field change
TF	0.0	s	Time corresponding to end of magnetic field change
TSTART	0.0	s	Time at which tracking begins
FRAC	1.	-	Determines azimuthal periodicity, calculation restricted to $-180^\circ/FRAC \leq \vartheta \leq 180^\circ/FRAC$
NCAV	1	-	Number of rf locations (default usually adequate)
PIPRAD	1.0	m	Radius of beam pipe for particle loss
EBDRY	F	-	Sets absorbing beam pipe "walls" at $REQ \pm PIPRAD$
DES	0.0	MeV	Energy offset of synchronous orbit relative to reference orbit
KURVEB	1	-	Magnetic field ramp from EK0I to EK0F: 1 - Linear 2 - Increasing parabolic 3 - Biased sinusoidal 4 - Decreasing parabolic 5 - Parabolic, from EKIDOT to EKFDOT
EKIDOT	0.0	MeV/s	Slope of parabolic ramp at TI
EKFDOT	0.0	MeV/s	Slope of parabolic ramp at TF
JNRAMP	F	-	Establishes starting point of ramp as point at which program finds itself-for smoothly piecing ramp segments together
GMAJMP	F	-	Set γ_T -jump on
KINDG	1	-	Type of γ_T variation: ^a 1 - Linear ($\gamma_T = GAMPAR(1) + GAMPAR(2) * T$) 2 - Decreasing exponential ($\gamma_T = GAMPAR(1) + GAMPAR(3) * (1 - e^{-T/GAMPAR(2)})$)
GAMPAR(1:3)	0.0	-	Coefficients for γ_T variation

^aT = 0 corresponding to time at which R command is invoked with GMAJMP = .TRUE.

A Command, Namelist /RF/			
Variable	Default		Description
	Value	Unit	
NRF	1	-	Number of active RF sources
H(1:10)	1	-	Harmonic numbers of sources (integers)
HW(1:10)	1	-	Voltage sources will be "active" for $-180^\circ/HW \leq \theta \leq 180^\circ/HW$
ISYNC	0	-	Indicates synchronism condition to be imposed on RF: 0 - None, voltages and phases remain as programmed 1 - Phase of RF waveform shifted to synchronous, stable point 2 - Magnitude of RF waveform scaled to give correct synchronous energy gain 3 - Source 2 acts as Landau cavity to source 1; synchronism only assured for sources 1 and 2
VI(1:10)	0.0	MV	Voltage of source I at time TVBEG(I)
VF(1:10)	0.0	MV	Voltage of source I at time TVEND(I)
TVBEG(1:10)	0.0	s	Time corresponding to beginning of RF voltage change
TVEND(1:10)	0.0	s	Time corresponding to end of RF voltage change
KURVE(1:10)	0	-	Specifies type of RF voltage variation between times TVBEG and TVEND: 0 - None, voltage maintained at VI(I) 1 - Linear 2 - Isoadiabatic 3 - Sigmoid 4 - Cubic spline interpolation ^a
VKON	T	-	Indicates whether programmed voltage curves are to be active
PSII(1:10)	0	deg	Phase of source I at time TPBEG(I)
PSIF(1:10)	0	deg	Phase of source I at time TPEND(I)
TPBEG(1:10)	0.0	s	Time corresponding to beginning of RF phase change
TPEND(1:10)	0.0	s	Time corresponding to end of RF phase change
KURVP(1:10)	0	-	Specifies type of RF phase variation between times TPBEG and TPEND: 0 - None, phase maintained at PSII(I) 1 - Linear 2 - Quadratic 4 - Cubic spline interpolation ^a
PHKON	F	-	Indicates whether or not phase curves are to be active
FRI(1:10)	0.0	MHz	Frequency of source I at time TFBEG(I)
FRF(1:10)	0.0	MHz	Frequency of source I at time TFEND(I)
TFBEG(1:10)	0.0	s	Time corresponding to beginning of frequency change
TFEND(1:10)	0.0	s	Time corresponding to end of frequency change
KURVF(1:10)	0	-	Specifies type of frequency variation between times TFBEG and TFEND: 0 - None, frequency maintained at FRI(I) 1 - Linear 2 - Quadratic 4 - Cubic polynomial interpolation ^b
FRKON	F	-	Indicates whether frequency curves are to be active
CNTINU	F	-	Sets the starting voltage, phase and/or frequency for any active sources as the current values-for smoothly piecing curve segments together
VMATCH(1:10)	F	-	For source I, VMATCH(I) = T results in the VI(I) being set so that source I is matched to the current distribution emittance ^c
HOLDBH	F	-	If true, then voltage is to be varied so that bucket height due to source 1 ^d is multiplied by HDECR on successive turns
HDECR	1.0	-	Factor by which bucket height (for source 1) is to be adjusted on successive turns if HOLDBH = T
HOLDBA	F	-	If true, then voltage is to be varied so that bucket area due to source 1 ^c is multiplied by SDECR on successive turns
SDECR	1.0	-	Factor by which bucket area (for source 1) is to be adjusted on successive turns if HOLDBA = T
PHISLIM	.95	-	Voltage may not be reduced such that $\sin \phi_s > \text{PHISLIM}$ using options HOLDBH and HOLDBA
PHSLIP	F	-	Flag indicating that the phase of at least one source is to be varied to correspond to a momentum offset from the synchronous value (see DELTRF)
DELTRF(1:10)	0.0	-	Momentum offset ($\Delta p/p$) at which source I is to be operated

^aFit to values read from file. See Section 3.2.2

^bCoefficients read from file. See Section 3.2.2.

^cWhich means, in this instance, that the P command, or its equivalent, should precede the A command.

^dThe algorithms used to maintain the bucket height and area consider only a single source.

P Command, Namelist /POPL8/			
Variable	Default		Description
	Value	Unit	
KIND	1	-	Chooses the type of distribution to be generated: 1-Rectangular outline, NTH by NE points, limited by THMIN, THMAX, REMIN, REMAX 2-Uniform rectangular grid NTH by NE, limits as in KIND = 1 3-Random uniform distribution of NPOINT points within rectangular limits as in KIND = 1 4-Random uniform in θ , limits THMIN, THMAX; Gaussian in E, REMIN, REMAX = $\pm 2\sigma$, NPOINT points 5-Gaussian in θ , THMIN, THMAX = $\pm 2\sigma$; random uniform in E, limits REMIN, REMAX, NPOINT points 6-Rectangular grid, regular in θ , Gaussian in E, NTH by NE points The remaining distribution types, except for 11 and 14, are <i>matched</i> ; the distribution is limited by a contour of SBNCH eVs. 7-Bunch outline of NPOINT particles 8-Regular grid of approximately NTH by NE particles 9-Random uniform bunch of NPOINT particles within contour 10-Bi-Gaussian distribution of NPOINT particles, 95% within contour 11-NPOINT uniformly spaced particles on flow lines just above and below bucket boundary 12-Random uniform in E, parabolic in θ 13-Elliptical distribution of NPOINT particles 14-Random uniform in θ , limits THMIN, THMAX; parabolic in E, limits at REMIN, REMAX; NPOINT points
THMIN	-90.0	deg	Lower θ limit on rectangular distribution
THMAX	90.0	deg	Upper θ limit on rectangular distribution
REMIN	None	MeV	Lower energy limit on rectangular distribution relative to the synchronous energy, ES
REMAX	None	MeV	Upper energy limit on rectangular distribution
NTH	2	-	Number of grid points in θ direction
NE	2	-	Number of grid points in E direction
SBNCH	0.1	eVs	Area within matching contour
IPOP	1	-	Specifies which RF source to be used in matching: 0-All active (NRF) sources I-Source I ($1 \leq I \leq \text{NRF}$)
THOFF	0.0	deg	Amount to displace distribution generated in current call to POPUL8 in θ direction
EOFF	0.0	MeV	Amount to displace currently generated distribution in E direction
THTRAN	0.0	deg	Amount to displace all particles (generated in this and previous calls to POPUL8) in θ direction
ETRAN	0.0	MeV	Amount to displace all particles in E direction
NPOINT	1	-	Number of particles generated for all distributions except KIND = 1, 2, 6, 8, in which NTH and NE are used
PARTION	F	-	"Partition" distribution into separate classes;* each separate use of the P command with PARTION = T introduces a new partition
RENORM	T	-	Calculate ANORM for matched bunch so that EPSILON \equiv SBNCH
ISEED	314159	-	Seed for random distributions

*Different classes of particles may be plotted with distinct symbols.

O Command, Namelist /GRAPH/			
Variable	Default		Description
	Value	Unit	
MPLOT	1000	turn	Frequency of output; every MPLOT turns
IDEV	1	-	Virtual device number for graphical output ^a
POSTP	F	-	Write all data in COMMON blocks to unit 18; do not call plotting routine
TITLE	F	-	Indicates that line immediately following NAMELIST input is to be used as a plot title ^b
PLTSW			Select plot options:
(1)	T	-	Draw phase space plot
(2)	T	-	Plot phase space points (different symbol for each class)
(3)	F	-	Interconnect points within each class
(4)	F	-	Draw lines at centroid and $\pm\sigma$
(5)	F	-	Draw voltage waveform
(6)	F	-	Set plot boundaries to turning points of contour
(7)	F	-	Suppress captions, axis labels etc...
(8)	T	-	Plot θ histogram
(9)	F	-	Set θ histogram limits to turning points of contour
(10)	T	-	Plot E histogram
(11)	F	-	Set E histogram limits to turning points of contour
(12)	F	-	Plot fourier amplitudes
(13)	F	-	Include phases in plot of fourier spectrum
(14)	F	-	Plot space charge energy loss (per turn) <i>vs.</i> θ
(15)	F	-	Include distribution histogram on space charge plot
(16)	F	-	Plot high-Q resonator voltage
(17)	T	-	Start bucket contour at unstable fixed point ^c
(18)	T	-	Start bucket contour at stable fixed point at $E = E_s + H_{bckt}$
(19)	F	-	Plot flow line points (different symbol for each class)
(20)	F	-	Interconnect flow line points within each class
NPJMP	1	-	In phase space plot, plot only every NPJMPth point
KL PLOT	0	-	Select classes in phase space plot and projections (see Sec. 2.2.3) 0-All classes plotted $1 < KL PLOT \leq KLASSES$ -Plot class KL PLOT only
IRF	1	-	Selects voltage source for contour plotting: < 0-No contour plotted 0-All active (NRF) sources 1-10-Source IRF ($1 \leq IRF \leq NRF$)
ICONTUR	1	-	Select the type of reference contour to plot on phase space plot 0-No contour 1-Bucket contour 2-Contour of initial bunch area SBNCH 3-Contour of the specified area REFAREA 4-Contour containing 95% of the particles 5-Flow lines chosen by LINES, ELMIN, and ELMAX
REFAREA	0.1	eVs	Area of reference contour for ICONTUR = 3
LINES	2	-	Number of flow lines for ICONTUR = 5
ELMIN	0.	MeV	Lowest energy w/ E_s for desired flow lines
ELMAX	1.	MeV	Energy of top flow line

^aDI-3000 specific; see 3.1.

^bThis is an exception to the maintenance of NAMELIST input; TITLE is set to .FALSE. after every execution of the O command.

^cAt least one of PLTSW(17) or PLTSW(18) must be true for ICONTUR=1 else program sets both .TRUE.

O Command, Namelist /GRAPH/, continued			
Variable	Default		Description
	Value	Unit	
THPMIN	0.0 ^a	deg	Lower θ limit for phase space plot
THPMAX	0.0	deg	Upper θ limit for phase space plot
DEPMIN	0.0 ^b	MeV	Lower E limit for phase space plot
DEPMAX	0.0	MeV	Upper E limit for phase space plot
IEREF	1	-	Determines energy origin for phase space: 1-E0, the reference energy (often = ES) 2-ES, the synchronous energy 3-EBAR, the average particle energy 4-EREF, the "reference" particle energy ^c
NBINTH	50	-	The number of bins for the θ histogram
THBMIN	0.0 ^d	deg	Lower limit for θ histogram
THBMAX	0.0	deg	Upper limit for θ histogram
NBINE	50	-	The number of bins for the E histogram
EBMIN	0.0 ^e	MeV	Lower limit for E histogram
EBMAX	0.0	MeV	Upper limit for E histogram
IFBMIN	1	-	Lower limit for FFT plot
IFBMAX	0 ^f	-	Upper limit for FFT plot
SCBMIN	0.0 ^g	-	Lower θ limit for space-charge plot
SCBMAX	0.0	-	Upper limit for space-charge plot
RBMIN	0.0 ^h	-	Lower θ limit for resonator voltage plot
RBMAX	0.0	-	Upper limit for resonator voltage plot
DTHCURV	0.0	deg	Amount by which contour will be moved in θ direction
DECURV	0.0	MeV	Amount by which contour will be moved in E direction
DELCON	.01	-	Determine bucket to precision DELCON*360° w/ RF
KNTLIM	500000	-	Number of iterations of difference equation which will be attempted to close contour

^aTHPMIN and THPMAX both 0.0 results in a plotting range $-180^\circ/\text{FRAC} \leq \theta \leq 180^\circ/\text{FRAC}$.

^bDEPMIN and DEPMAX both 0.0 results in a plotting range approximately the range of particle energies

^cA particle which ESME tracks from the origin (0,ES) as a reference.

^dLimits of 0.0 for both THBMIN and THBMAX result in the plot range being the same as for the phase space plot.

^eLimits of 0.0 for both EBMIN and EBMAX result in the plot range being the same as for the phase space plot.

^fIFBMAX = 0 results in the upper limit being the greatest Fourier harmonic computed.

^gLimits of 0.0 for both SCBMIN and SCBMAX result in the range for the plot being $\pm 180^\circ/\text{FRAC}$.

^hLimits of 0.0 for both RBMIN and RBMAX result in the range being $\pm 180^\circ/\text{FRAC}$.

T Command, Namelist /CYCLE/			
Variable	Default		Description
	Value	Unit	
TSTOP ^a	0.0	s	Time at which to stop tracking
TTRACK ^b	0.0	s	Duration of time to track
MSTEP	100	-	Number of tracking steps (minimum) per synchrotron period
ACCEL0	1.0	-	Number of beam turns per tracking step (maximum) ^c
LGRTHM	1	-	Select difference equations used in tracking 1-Complete kinematics, expand path length to maximum order using input coefficients ALPHAn ^d 2-Use the simplified difference equation $\vartheta_{i,n} = \frac{\tau_{s,n}}{\tau_{s,n-1}} \vartheta_{i,n-1} + 2\pi\eta \frac{\Delta p}{p}$
ITRAP(1:4)	0	-	Indicates a condition for which tracking should be interrupted before time indicated by TTRACK or TSTOP: 0-No trap 1-Trap on minimum bunch width 2-Trap on minimum bunch height 3-Trap for $\eta = \text{ETATRP}$ (tolerance $\Delta\eta/\eta = \pm.01$) 4-Trap for $ \phi_s = \text{PHISTRP}$ (tolerance $\Delta\phi_s = \pm.005$) 5-Trap for $\eta > 0$ (transition crossing) 10-19-Call SUBROUTINE SHAZAM, enter at SHAZAM, SHAZAM1, SHAZAM2, ... following every iteration of the difference equations
ETATRP	.001	-	For ITRAP = 3; tracking stopped when $\eta = \text{ETATRP}$
PHISTRP	.95	-	For ITRAP = 4; tracking stopped when $ \sin \phi_s = \text{PHISTRP}$
MGRACE	0	-	Allow a "grace period" of MGRACE turns before trapping conditions are checked
HISTORY	F	-	Write a history record to unit 9 following every iteration of the difference equations ^e
MOMNTS	F	-	Compute the moments of the distribution following every iteration of the difference equations
BBDY	F	-	Remove particles tracked outside of region $-180^\circ/\text{FRAC} \leq \theta \leq 180^\circ/\text{FRAC}$

^aTSTOP is set to 0.0 when tracking is completed, or interrupted by an ITRAP option.

^bTSTOP takes precedence; if TSTOP=0.0, then TTRACK determines duration of tracking.

^cTracking will proceed at the nearest integer to ACCEL0 (not < 1), limited by MSTEP.

^dSee R command

^eSee Section 3.2.

H Command, Namelist /HISTORY/		
Variable	Default	
	Value	Unit
IDEV	1	-
NPLT(1:2,1:50)	0 ^b	-
The virtual device number for output ^a "Index" of element in history records; NPLT(1,I) is independent variable, NPLT(2,I) is dependent variable Real records: 1-Time 2-PHIS, the synchronous phase in same units as <i>vartheta</i> ^c 3-PDOT, dp_s/dt 4-THBAR, the mean value of θ for the distribution 5-EBAR, the average energy of the distribution 6-THRMS, the rms spread in θ of the particles 7-ERMS, the rms energy spread 8-ES, the synchronous energy 9-E0, the energy on the reference orbit 10-ES-E0 11-THREF, the azimuth of a particle tracked from (0,ES) 12-EREF, the energy of a particle tracked from (0,ES) 13-EPSILON, the emittance ^d 14-NUS, the synchrotron frequency 15-SBCKT, the RF "bucket" area 16-HBCKT, the RF "bucket" height 17-ETA, $\gamma_T^{-2} - \gamma^{-2}$ 18-ACCEL; see T command 19-TAU, synchronous revolution period 20-PSIADD, phase feedback; see L command 21-DAMPL, voltage feedback factor; see L command 22-DELR, synchronous orbit radius - reference orbit radius 23-RFFREQ, frequency of RF source 1 Integer records: 31-TURN NUMBER 32-KNTSC, number of particles in $\varepsilon_\ell \neq 0$ partition of distribution Array records: 51-60-SPARE(1-10) 101-110-EV(1-10) 111-120-PSI(1-10) 121-130-FREQ(I)-FRI(I), Change in frequency of source I 201-250-FAMPL(1-50), Fourier amplitudes; see F command 251-300-FAZE(1-50), Fourier phases; see F command		

^aDI-3000 specific; see Section 3.1.

^bThe default value of 0 indicates to SUBROUTINE HISTORY that all of the desired history plots have been generated; so only the first set of consecutive nonzero entries to array NPLT will generate plots.

^cSee **A** command description.

^d $\text{EPSILON} = \text{ANORM} \tau (\sqrt{\sum \theta_i^2 \sum E_i^2 - (\sum \theta_i E_i)^2}) / N \text{ eVs}$; see text for ANORM.

M Command, Namelist /MRANGE/			
Variable	Default		Description
	Value	Unit	
TMBEGIN	0.0	s	Time at which to start saving mountain range data
TMEND	0.0	s	Time after which to stop saving mountain range data
MRMPLOT	1	turn	Turn interval at which to record mountain range data
MRNBIN	50	-	Number of bins for mountain range histogram
MRTHBMIN	-180°/FRAC	deg	Minimum value of θ for mountain range
MRTHBMAX	180°/FRAC	deg	Maximum value of θ for mountain range

N Command, Namelist /MRPLOT/			
Variable	Default		Description
	Value	Unit	
MRTHPMIN	0.0*	deg	Minimum θ value for mountain range plot
MRTHPMAX	0.0	deg	Maximum θ value for mountain range plot
NTRACE	100	-	Number of traces on a page
NSKIP	0	-	Number of records to be "skipped" between each trace
TOPTOB	0.7	-	The fraction of the vertical range over which NTRACE traces are to be plotted (approximate if TBASE=T)
SCALE	0.3	-	The height of the first trace, in units in which the entire vertical range of the plot is 1.0
MSTART	0 ^b	-	Turn number at which to start plots
MSTOP	0	-	Turn number at which to stop plots
TMSTART	0.0	s	Time at which to start plots
TMSTOP	0.0	s	Time at which to stop plots
TBASE	F	-	Switch causing plot trace separation to be proportional to time
NRNBIN	400	-	Number of points to plot on a trace
IDEV	1	-	Output device
SMOOTH	0	-	Smoothing option -1 — 1-2-1 averaging of adjacent bins 0 — No smoothing 1 — Bernstein polynomial smoothing
OBJWGT	0.1	-	Weight of fitting term of object function w/ smoothing term for polynomial smoothing
LIM	F	-	Switch for plotting dotted lines connecting leftmost and rightmost non-zero points of consecutive traces ^c

*Defaults of 0.0 for MRTHPMIN and MRTHPMAX imply that data is to be plotted over its entire range.

^bThe defaults of 0 for MSTART and MSTOP, or 0.0 for TMSTART and TMSTOP, imply that all mountain range records are to be plotted

^cSMOOTH = 1 also required.

L Command, Namelist /LLRF/			
Variable	Default		Description
	Value	Unit	
PHFBON	F	-	Activates phase feedback
VFBON	F	-	Activates voltage feedback
NTUAVG	1	-	The number of past turns to average in computing the feedback; the default NTUAVG = 1 represents infinite-bandwidth feedback
NTURES	1	-	The number of turns for the feedback to respond; the present signal is compared to the signal of NTURES turns ago
IFTB	0	-	The form of phase feedback: 0-Critical damping 1-Fixed
FBFACT	1.0	-	The gain applied to the phase feedback
USEWT	F	-	Applies "weight function" W to phase signal over NTUAVG turns
W(1:NTUAVG)	0.0	-	"Weight function" multiplying phase signal
DLIMIT	5.7296	deg	The upper limit on the magnitude of the phase feedback on a given turn
VFBFCTR	1.0	-	The gain applied to the voltage feedback
VLIMIT	.1	MV	The limit on the voltage feedback applied on a given turn
ETAJMP	0.0	-	The value of η^a at which to "flip" the phase of the RF

$$^a \eta = \gamma_{\tau}^{-2} - \gamma^{-2}$$

B Command, Namelist /SCHG/			
Variable	Default		Description
	Value	Unit	
A	0.002	m	Effective beam radius
B	0.05	m	Effective beam pipe radius
ENQ	$2 \cdot 10^{10}$	-	Number of protons to be represented by the distribution
NZ	0	-	Number of impedance values to be read from a file ^a
NR	0	-	Number of resonance values to be read from a file ^b
NBINSC	100	-	Number of bins for histogram of charge distribution
MSC	1	-	Collective effects are to be calculated MSC times between rf cavities ^c
TSCON	0.	s	End of period starting at TIME = 0. in which beam charge is ramped linearly from 0. to ENQ
SCON	F	-	Activate space charge calculation
NBINFFT	256	-	Number of bins to be used in Fourier transform
MFFT	1	-	Interval (in turns) between Fourier transforms
NNF ^d	0	-	Number of fourier harmonics to be stored in history
NF(1:NNF)	0	-	Harmonic numbers of fourier spectrum components to be stored
QREZON	F	-	Activate time domain calculation for high-Q resonance
NBRES	1000	-	Number of time slices for time domain solution of high-Q resonator

^aCubic polynomial coefficient table read from FORTRAN logical unit 11; see Section 3.2.3 for format specification.

^bResonance parameters read from FORTRAN logical unit 12; see Section 3.2.4 for format specification.

^cThe number of such calculations per turn will be MSC*NCAV; NCAV is a parameter of the R command.

^dFor instruction in the use of NF(1:NNF), see the description following the F command.

F Command, Namelist /FFT/			
Variable	Default		Description
	Value	Unit	
FFTON	F	-	Activate Fourier transform calculation
FFTOUT	F	-	If TRUE, Fourier transform is printed
NBINFFT	256	-	Number of bins to be used in FFT
NNF	0	-	Number of fourier harmonics to be stored in history
NF(1:NNF)	0	-	Harmonic numbers of fourier spectrum components to be stored
MFFT	1	-	Frequency of Fourier transform calculation
NIXNOIS	0	-	Three-way switch controlling smoothing of azimuthal histogram -1 => 1-2-1 averaging of adjacent bins 0 => no smoothing measures 1 => Bernstein polynomial smoothing
ITKNT	2	-	Number of iterations to reduce object function in Bernstein smoothing
OBWGT	0.1	-	Weight of fitting vs. smoothing in object function for Bernstein smoothing

Bibliography

- [1] *Design Report Tevatron I Project*, Fermi National Accelerator Laboratory (October 1984), Chapters 4–6
- [2] J. E. Griffin, J. A. MacLachlan, A. G. Ruggiero, K. Takayama, “Time and Momentum Exchange for the Production and Collection of Intense Antiproton Beams at Fermilab”, IEEE Trans. Nucl. Sci. **30**#4(1983) 2630–2632
- [3] J. E. Griffin, J. A. MacLachlan, Z. B. Qian, “RF Exercises Associated with Acceleration of Intense Antiproton Bunches at Fermilab”, IEEE Trans. Nucl. Sci. **30**#4(1983) 2627–2629
- [4] J. A. MacLachlan, “ESME: Longitudinal Phasespace Particle Tracking — Program Documentation”, Fermilab TM-1274(May 1984), unpublished (largely obsolete)
- [5] J. A. MacLachlan, “Longitudinal Phasespace Tracking with Spacecharge and Wall Coupling Impedance”, Fermilab FN-446 (February 1987), unpublished.
- [6] P. Lucas and J. MacLachlan, “Simulation of Spacecharge Effects and Transition Crossing in the Fermilab Booster”, Proc. 1987 IEEE Particle Accelerator Conference held at Washington, D.C. (16–19 March 1987) p1114.
- [7] S. Stahl and C. Ankenbrandt, “Simulation of the Capture Process in the Fermilab Booster”, Proc. 1987 IEEE Particle Accelerator Conference held at Washington, D.C. (16–19 March 1987)p1117
- [8] P. Lucas and Q. Kerns, “Simulation of a Programmed Frequency Shift Near Extraction from the Fermilab Booster”, Proc. IEEE Particle Accelerator Conference held at Washington, D.C. (16–19 March 1987)p1108
- [9] S. Stahl and S. A. Bogacz, “Coupled Bunch Instability in a Circular Accelerator and Possible Cures: Longitudinal Phasespace Simulation”, Phys. Rev. **D37**#5(1 March 1988)1300–1306
- [10] S. Stahl and J. MacLachlan, “User’s Guide to ESME v. 7.1”, Fermilab TM-1650 (26 Feb. 90)
- [11] J. MacLachlan, “Particle Tracking in E - ϕ Space for Synchrotron Design & Diagnosis”, Fermilab-CONF-92/333 (Nov. 92), presented at 12th Int’l Conf. on Appl. of Acc. in Res. and Ind., Denton TX, 4 Nov. 1992
- [12] J. A. MacLachlan, “Fundamentals of Particle Tracking for the Longitudinal Projection of Beam Phasespace in Synchrotrons”, Fermilab FN-481(15 April 88), unpublished.
- [13] J. A. MacLachlan, “Difference Equations for Longitudinal Motion in a Synchrotron”, Fermilab FN-529(15 December 1989), unpublished.
- [14] A. Van Ginneken, “Smoothing Algorithm for Histograms of One or More Dimensions”, Nucl. Inst. and Meth. in Phys. Res. **A305** (1991) pp 453–461

- [15] S. Stahl and S. A. Bogacz, "Simulation of Coupled Bunch Mode Growth Driven by a High-Q Resonator: A Transient Response Approach", Proc. 1989 IEEE Particle Accelerator Conference held at Chicago IL (20-23 March 1989)p1175.
- [16] M. W. Eaton, "Expand and Xfort, Macro Expanders for CDF", Fermilab CDF-194(January 1986), unpublished.